

SECTION 11

QUICK INDEX

	Page
PLUMBING FIXTURES	1
MEDICINE CABINETS	5
BATHROOM FIXTURES	7
TOILET PAPER	8
PLUMBING FITTINGS	9
OIL FAUCETS	20
VALVES	21
WATER HEATERS	22
PIPE	28
PIPE FITTINGS	28
PACKING	34
COMPOUNDS	34
PLUMBER'S TOOLS	35
SEPTIC TANKS	38
PUMPS	41

PLUMBING FIXTURES

HUMPHRYES MFG. CO.


White enamel is applied in powder form, permanently fused to rigid cast iron forming a lustrous finish.

Smooth, velvet-like surface of sand mold is foundation for the Mirard finish (bright as a mirror, hard as flint). Base for finish is rigid non-flexing cast iron.

BATH TUBS

(Cast Iron)

Without Fittings



Stylemaster—Recessed

Broad, flat bottom, straight sides and 6 inch wide seat.

Width at ends, over-all 54 inches. Width through seat, over-all 33 inches. Height over-all 16 inches. Depth inside 15 $\frac{3}{8}$ inches.


Right Hand Outlet

		F.O.B.	Zone	Zone	Zone
		St. Louis	1	2	3
Lgth.	Wt.				
ft.	lbs.	Each	Each	Each	Each
0-2120/4 $\frac{1}{2}$ -E	4 $\frac{1}{2}$	341	N-X72D50	X77D95	X81D35 X84D75

Left Hand Outlet

		F.O.B.	Zone	Zone	Zone
		St. Louis	1	2	3
Lgth.	Wt.				
ft.	lbs.	Each	Each	Each	Each
0-2121/4 $\frac{1}{2}$ -E	4 $\frac{1}{2}$	341	N-X72D80	X77D95	X81D35 X84D75
0-2121/5-E	5	373	N-X77D80★	X83D40★	X87D15★X90D95★

One in crate



Junior Stylemaster

Recessed

Low, straight lines, easy to step in and out. Ideal for small homes, cottages, motels, etc.

Length over-all 5 feet. Width at ends, over-all 28 $\frac{3}{4}$ inches. Height over-all 14 inches. Depth inside 13 $\frac{1}{8}$ inches.

Right Hand Outlet

		F.O.B.	Zone	Zone	Zone
		St. Louis	1	2	3
Each					
0-2400/5-E.....		N-X60D70★	X65D30★	X68D35★	X71D45★

Left Hand Outlet

		F.O.B.	Zone	Zone	Zone
		St. Louis	1	2	3
Each					
0-2401/5-E.....		N-X60D70★	X65D30★	X68D35★	X71D45★

One in crate. Wt. crate 307 lbs.

LAVATORIES



Shelf

Stylemaster

Smartly styled for average and small size bathrooms and powder rooms. Roomy bowl, front overflow.

Size 10x17 inches. Basin 14 $\frac{3}{4}$ x10 $\frac{3}{8}$ inches. Back height 3 $\frac{1}{2}$ inches. Shelf width 4 $\frac{1}{2}$ inches.

With De Luxe Fitting Including Pop-up Waste

(Less trap legs, towel bars and supplies)

		F.O.B.	Zone	Zone	Zone
		St. Louis	1	2	3
Each					
3-3015F-E		N-X30D04	X31D10	X31D84	X32D45

One in crate. Wt. crate 71 lbs.

NOTE: You may sell all merchandise on this page at catalogue price less 10%, including zone prices. Outside zone 3 sell F. O. B. St. Louis.

See Section 30—Page 4 for Zone Map

STAR ★ DENOTES BEST SELLER

CABINET LAVATORIES

SHIRLEY

Petite

Each		Color	Each
21-CL2020W-E	N-X47D97	White.....	\$79.95

One in ctn. Wt. ctn. 66 lbs.

Coronet

Right Hand

Each		Color	Each
21-CL3420WR-E	N-X62D37	White.....	\$103.95

One in ctn. Wt. ctn. 101 lbs.



**SINCE
1870**

SHAPLEIGH'S
ESTABLISHED 1843
ST. LOUIS, U.S.A.

PLUMBING GOODS

SECTION 11



**SINCE
1870**

PLUMBING FIXTURES

HUMPHRYES MFG. CO.


Without Fittings

White enamel is applied in powder form, permanently fused to rigid cast iron forming a lustrous finish.

Smooth, velvet-like surface of sand mold is foundation for the Mirard finish (bright as a mirror, hard as flint). Base for finish is rigid non-flexing cast iron.

BATH TUBS

(Cast Iron)



Stylemaster—Corner Type

Clean cut lines, broad, flat bottom.

Straight sides. Raised edge for tiling in.

Length over-all at floor 60 inches. Width over-all at floor 30 3/8 inches. Height over-all 16 inches. Depth inside 15 3/8 inches.


Right Hand Corner and Outlet

	F.O.B. St. Louis Each	Zone 1 Each	Zone 2 Each	Zone 3 Each
0-2100/5-E.....	N-X86D20	X92D00	X95D85	X99D60

Left Hand Corner and Outlet

0-2101/5-E.....	N-X86D20	X92D00	X95D85	X99D60
-----------------	----------	--------	--------	--------

One in crate. Wt. crate 386 lbs.



Stylemaster—Recessed

Broad, flat bottom, straight sides and 6 inch wide seat.

Width at ends, over-all 54 inches. Width through seat, over-all 33 inches. Height over-all 16 inches. Depth inside 15 3/8 inches.

Right Hand Outlet

	Lgth. ft.	Wt. lbs.	F.O.B. St. Louis Each	Zone 1 Each	Zone 2 Each	Zone 3 Each
0-2120/4 1/2-E	4 1/2	341	N-X72D50	X77D95	X81D35	X84D75
0-2120/5-E	5	373	N-X77D80	X83D40	X87D15	X90D95

Left Hand Outlet

0-2121/4 1/2-E	4 1/2	341	N-X72D80	X77D95	X81D35	X84D75
0-2121/5-E	5	373	N-X77D80	X83D40	X87D15	X90D95

One in crate


NOTE: You may sell all merchandise on this page at catalogue price less 10%, including zone prices. Outside zone 3 sell F. O. B. St. Louis.

See Section 30—Page 4 for Zone Map

STAR ★ DENOTES BEST SELLER

BATH TUBS

(Cast Iron)



Junior Stylemaster

Recessed

Low, straight lines, easy to step in and out. Ideal for small homes, cottages, motels, etc.

Length over-all 5 feet. Width at ends, over-all 28 3/4 inches. Height over-all 14 inches. Depth inside 13 1/8 inches.

Right Hand Outlet

	F.O.B. St. Louis Each	Zone 1	Zone 2	Zone 3
0-2400/5-E.....	N-X60D70	X65D30	X68D35	X71D45


Left Hand Outlet

0-2401/5-E.....	N-X60D70	X65D30	X68D35	X71D45
-----------------	----------	--------	--------	--------

One in crate. Wt. crate 307 lbs.

UNIVERSAL-RUNDLE BATH TUBS

White—Without Fittings.




Meadow—Corner—Cast Iron

One-piece cast iron with multiple coats of vitrified enamel. Twin recessed soap dishes—at either end of back rim. Wide front panel.

Width $30\frac{3}{4}$ inches. Height inside 15 inches, overall 16 inches.

Each		Lgth. Ft.	Ship. Wt. lbs.	Each
Right Hand Outlet				
✦-2120/5-E	X95D07	5	450	\$126.75
Left Hand Outlet				
✦-2121/5-E	X95D07	5	450	126.75
Crated.				




Master Meadow—Recessed—Cast Iron

One-piece cast iron with heavy multiple coats of vitrified enamel. Twin recessed soap dishes—at either end of back rim. Wide seat—formed by front panel.

Width at ends $30\frac{3}{4}$ inches, at center $32\frac{3}{4}$ inches. Height inside $15\frac{1}{4}$ inches, overall 16 inches.

Each		Lgth. Ft.	Ship. Wt. lbs.	Each
Right Hand Outlet				
0-2100/4½-E	N-X80D33	4½	335	\$197.10
0-2110/5-E	N-X75D60	5	360	100.80
Left Hand Outlet				
0-2101/4½-E	N-X80D33	4½	335	107.10
0-2111/5-E	N-X75D60	5	360	100.80
Crated.				




Meade—Recess—Cast Iron

One-piece vitreous enameled cast iron. Recessed soap dish. Wide seat panel.

Width at ends $30\frac{1}{2}$ inches, at center $31\frac{1}{2}$ inches. Height inside $13\frac{1}{4}$ inches, overall 14 inches.

Each		Lgth. Ft.	Ship. Wt. Lbs.	Each
Right Hand Outlet				
0-2114/5-E	N-X61D99	5	335	\$82.65
Left Hand Outlet				
0-2115/5-E	N-X61D99	5	335	82.65
Crated.				



Ciro—Recess—Steel

Vitreous enameled steel. Channel bracing for maximum rigidity. Hand-grip cornice around top edge. Extra high watertight nailing flange. Wide ledge.

Width at center $32\frac{3}{4}$ inches. Height overall $16\frac{1}{8}$ inches.

Each		Lgth. Ft.	Ship. Wt. lbs.	Each
Right Hand Outlet				
✦-6050-E	X57D83	5	143	\$77.10
Left Hand Outlet				
✦-6051-E	X57D83	5	143	77.10
Crated.				

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory. F. O. B. Point of shipment. Carload rate of freight allowed on 200 lbs. or more on enameled steel, vitreous china, enameled cast iron and brass goods.

UNIVERSAL-RUNDLE LAVATORIES

White



Camille—Shelf Back
Vitreous China—Wall Hung

Roomy wash basin. Panel front. Wide top shelf. With through-the-back fitting including aerator and pop-up waste and Uni-Lox hanger. Without legs or towel bars.

Size in.	Bowl in.	Shelf Width in.	Shelf Ht. in.	
20x18	14½x11½	4¼	3½	
22x19	16x12	4½	3½	

Each		Size, in.	Wt. lbs.	Each
✦4558-E	X39D75	20x18	45\$53.00
✦4559-E	X46D05	22x19	50 61.40

Crated.



Carmen—Ledge Back
Vitreous China—Wall Hung

Low shelf ledge lavatory with deep, roomy basin. Concealed front overflow. Twin recessed soap dishes. Anti-splash rim. With Uni-Lox hanger. Without fittings, legs or towel bars.

Size 20x18 inches. Bowl 13¾x11½ inches. Height, ledge, 1¾ inches. 4-inch centers.

Each		Each
✦4554-E	X14D63.....	\$19.50
Crated. Ship. Wt. 41 lbs.		

CONTACT THE PLUMBING
DEPARTMENT FOR A COM-
PLETE UNIVERSAL-RUNDLE
CATALOG, SHOWING
LOVELY DECORATOR
COLORS AND OTHER
UNIVERSAL-RUNDLE
PRODUCTS AVAILABLE,
COMPLETE WITH LIST-
PRICES.




Colleen—Ledge Back
Vitreous China—Wall Hung

Concealed twin overflow drain. Anti-splash rim. Low wide safety edge around entire rim. Twin recessed soap dishes. With Uni-Lox hanger. Without fittings, legs or towel bars.

Size 19x17 inches. Bowl 15x11½ inches. Height, ledge, 1¼ inches. 4-inch centers.

Each		Each
3-4556-E	N-X12D45.....	\$16.60
Crated. Ship. Wt. 33 lbs.		




Caldwell—4 Inch Back
Vitreous China—Wall Hung

With one-piece steel hanger. Without fittings, legs or towel bars.

Size 20x18 inches. Bowl 14x10½ inches. Height, back, 4 inches. 4 inch centers.

Each		Each
✦4544-E	X18D30.....	\$24.40
Crated. Ship. Wt. 44 lbs.		



Convoy—Ledge Back
Vitreous China—Wall Hung

Compact—takes minimum space but has a large basin area. Concealed front overflow. Twin recessed soap dishes. With Uni-Lox hanger. Without fittings, legs or towel bars.

Size 15x12 inches. Bowl 12¼x8 inches. Height, ledge 1¼ inches. 4 inch centers.

Each		Each
3-4551-E	N-X10D88.....	\$14.50
Crated. Ship. Wt. 19 lbs.		

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory. F. O. B. Point of shipment. Carload rate of freight allowed on 200 lbs. or more on enameled steel, vitreous china, enameled cast iron and brass goods.

UNIVERSAL-RUNDLE LAVATORIES

White



Ledgemaster
Enameled Cast Iron—Wall Hung

Through-the-back fittings permit a wide shelf. With through-the-back fitting including aerator and pop-up waste and Uni-Lox hanger. Without legs or towel bars.

Size in.	Bowl in.	Shelf Width in.	Shelf Ht. in.
22x19	15 $\frac{1}{4}$ x11 $\frac{1}{4}$	4 $\frac{1}{2}$	3 $\frac{3}{8}$
19x17	13 $\frac{3}{4}$ x10 $\frac{3}{4}$	4	3 $\frac{3}{8}$

Each		Size in.	Ship. Wt. lbs.	Each
3-2203-E	N-X33D30	22x19	86	\$44.40
3-2204-E	N-X29D97	19x17	73	39.95

Crated.



Wayne—3 $\frac{3}{4}$ Inch Back
Enameled Cast Iron—Wall Hung

Chamfered corners. Deep squared basin. Concealed front overflow. Ideal for limited space. With one-piece steel hanger. Without fittings, legs or towel bars.

Size 19x17 inches. Bowl 14 $\frac{1}{4}$ x10 inches. Height, back, 3 $\frac{3}{4}$ inches. 4-inch centers.

Each		Each
3-2212-E	N-X16D94	\$21.25

Crated. Ship. Wt. 50 lbs.



Wakely—3 $\frac{3}{4}$ Inch Back
Enameled Cast Iron—Wall Hung

Spacesaver with rounded front. Large, squared basin. Concealed front overflow. Safety edge around entire rim. With one-piece steel hanger. Without fittings, legs or towel bars.

Size 19x17 inches. Bowl 14x10 inches. Height, back 3 $\frac{3}{4}$ inches. 4-inch centers.

Each		Each
3-2210-E	N-X15D79	\$21.05

Crated. Ship. Wt. 62 lbs.



Coventry—Counter
Vitreous China

Deep basin. Anti-splash rim. Concealed overflow drain. Safety edge. Fittings mount on basin slab. Twin recessed soap dishes. Without fittings or mounting frame.

Size 20x18 inches. 4-inch centers.

Each		Each
3-4524-E	N-X17D33	\$23.10

Crated. Ship. Wt. 40 lbs.



Christina—Counter
Vitreous China

Twin recessed soap dishes. May be mounted back to wall in 16 inch deep plastic counter top with bar union strips, in plastic top deeper than 16 inches with U-shaped mounting strip or in tile counter top without mounting strips. Without fittings or mounting equipment.

Size 20x18 inches. Bowl 13 $\frac{1}{4}$ x11 inches. 4-inch centers.

Each		Each
3-4526-E	X20D07	\$26.75

Crated. Ship. Wt. 38 lbs.



Wycliff—Counter
Enameled Cast Iron

For cabinet or counter installation. Mounting frame device provides watertight seal. Two recessed, integral soap dishes. Without fittings or stainless steel frame.

4-Inch Centers

Each		Size in.	Bowl in.	Ship. Wt. lbs.	Each
3-2270-E	N-X13D69	20x17	16x11	45	\$18.25
3-2271-E	N-X13D69	20x18	16x12	50	18.25
3-2274-E	X17D85	24x18	19x12	60	23.80

Crated. . . .

LAVATORY FRAME

Stainless Steel

Each		For Lavatory ins.	Size ins.	Each
3-89027-E	X4D71	2270	20x17	\$6.95
3-89028-E	X4D71	2271	20x18	6.95

One in ctn. Wt. ctn. 3 lbs.

Items marked † not carried in stock. Can only be furnished by shipping direct from factory. F. O. B. Point of shipment. Carload rate of freight allowed on 200 lbs. or more on enameled steel, vitreous china, enameled cast iron and brass goods.

UNIVERSAL-RUNDLE WATER CLOSETS

White




**Como—One-Piece
Reverse Trap**

Completely anti-siphon with no contact between outside water supply and water in tank. Extremely low (only 18 $\frac{3}{4}$ inches to floor). Matching Mother-of-pearl seat. Without supply pipe.

Height, overall 18 $\frac{3}{4}$ inches, to top of bowl 14 inches. Width tank 20 inches. Length 28 $\frac{1}{2}$ inches (1-inch clearance). 12 inch rough-in (1-inch clearance).

Each Each
 -4010-E X99D75.....\$133.00
 Crated. Ship. Wt. 116 lbs.



**Castle—Combination
Reverse Trap**

Matches Master Meadow bath tub and Ledge-master, Camille or Coquette lavatory. Without seat or supply pipe.

Height overall 31 inches, to top of bowl 14 $\frac{3}{4}$ inches. Width tank 21 inches. Length 27 inches (3/4 inch clearance).

Each		*Rough- in in.	Ship. Wt. lbs.	Each
3-4035-E	N-X31D39	12	90	\$41.85
-4039-E	X31D39	14	90	41.85

*3/4-inch clearance.

Crated.

Modern close-coupled combination with recess patterned tank. Without seat or supply pipe.

Height, overall 30 inches, to top of bowl 15 inches. Width tank 22 inches. Length 27 inches (3/4-inch clearance). 12-inch rough-in (3/4 inch clearance.)

Each Each
 -4025-E X49D35.....\$65.80
 Crated. St. Wt. 104 lbs.

**Century—Combination
Siphon-Jet
Elongated Bowl**

As above except length 29 inches (3/4 inch clearance).

Each Each
 -4020-E X52D24.....\$69.65
 Crated. Ship. Wt. 105 lbs.



**Commando—Combination
Washdown**

Uni-closet. Matching panel design. Without seat or supply pipe.

Height, overall 30 inches, to top of bowl 14 inches. Width tank 20 $\frac{3}{4}$ inches. Length 27 inches (3/4 inch clearance).

Each		*Rough- in in.	Ship. Wt. lbs.	Each
-4075-E	X30D23	10	87	\$40.30
3-4070-E	N-X28D33	12	87	37.90

*3/4-inch clearance.

Crated.

**Climax—Combination
Siphon-Jet**



**Trailerette—Combination
Washdown**

Takes minimum space. Matching tank panel and paneled straight front of bowl. Recessed front panel tank with lid locking device. Without seat or supply pipe.

Height, overall 29 $\frac{3}{4}$ inches, to top of bowl 14 $\frac{3}{4}$ inches. Width tank 17 inches. Length 23 inches. 10 inch rough-in.


Each Each
 -4080-E X32D40.....\$43.20

Crated. Ship. Wt. 79 lbs.

Items marked - not carried in stock. Can only be furnished by shipping direct from factory. F. O. B. Point of shipment. Carload rate of freight allowed on 200 lbs. or more on enameled steel, vitreous china, enameled cast iron and brass goods.

UNIVERSAL-RUNDLE SINKS

White



Layton Ledge

Two-Compartment—Flat Rim

Vitreous Enameled Cast Iron

Four-hole drilled for fitting with spray. Without fittings, 4 inch centers.

Each		Size, in.	Ship. Wt. lbs.	Each
3-2350-E	N-X26D40	32x20x8	101	\$35.20
3-2352-E	N-X26D40	32x21x8	108	35.20

Crated.



Park Ledge

Single Compartment—Flat Rim

Vitreous Enameled Cast Iron

Four-hole drilled for fitting with spray. Without fittings.

Size 24x21x7 $\frac{3}{4}$ inches. Bowl 21 $\frac{1}{2}$ x15 $\frac{1}{2}$ inches. 4-inch centers.

Each		Each
3-2310-E	N-X18D72	\$24.95


Crated. Ship. Wt. 61 lbs.

UNIVERSAL-RUNDLE BATHROOM FITTINGS

Luxury Trim—Uni-Pak

Unit containing all moving parts easily removed. Double acme stem threads sealed against water. Permanent "O" ring stem packing never needs tightening or adjusting.

BATHTUB FILLER AND SHOWER COMBINATION




Automatic Diverter

Ball joint adjustable spray shower head. Massive cast brass diverter-type spout. Heavy brass valve body with plug by-pass. Adjustable for various wall thicknesses. With plastic positioner. $\frac{1}{2}$ inch iron pipe union couplings. Meets Federal specifications WWP-5416.

Each	With Deluxe Shower Head	Each
L6711E	(82000) N-X24D60	\$32.80

Each	With Regular Shower Head	Each
L6717E	(82010) N-X19D88	26.50

One in ctn. Wt. ctn. 10 lbs.



Three-Valve Diverter

Ball joint adjustable spray regular shower head. Third valve controls water to tub or shower. Cast brass spout. Heavy brass valve body with plug by-pass. Adjustable for various wall thicknesses. $\frac{1}{2}$ inch iron pipe union couplings. 8 inch center to center.

Each		Each
L6721E	(82070) N-X20D29	\$27.65

One in ctn. Wt. ctn. 8 lbs.

BATHTUB FILLERS



Over Rim

Heavy brass construction. Valve body with plugged by-pass valves. $\frac{1}{2}$ inch iron pipe union couplings. Meets Federal Specifications WWP-54 lb.

Each		Each
L6720E	(82090) N-X13D07	\$17.45

One in ctn. Wt. ctn. 6 $\frac{1}{2}$ lbs.

WASTE AND OVERFLOW



Turn Lever Pop-Up

For 16-Inch High Cast Iron Tubs (Master Meadow and Meadow)

Positive-acting pop-up lifts out easily for cleaning. Operating parts fully adjustable. Waste "T" design permits use as vertical or horizontal discharge unit. Entire operating assembly removable from front.

Each		Each
L6723E	(82170) N-X9D94	\$13.25

One in ctn. Wt. ctn. 6 $\frac{3}{4}$ lbs.

LAVATORY FITTING



With Pop-Up Waste and Aerator

Heavy cast body and spout with aerator. Highly-polished stainless steel pop-up waste. Pop-up plug easily removed for cleaning. Chrome-plated brass escutcheon. For lavatories and tops to 1 $\frac{1}{4}$ inches thick. 4-inch centers. Without tailpiece.

Each		Each
L6730E	(82350) N-X15D23	\$20.30

One in ctn. Wt. ctn. 5 $\frac{1}{2}$ lbs.

CABINET LAVATORIES

SHIRLEY

Petite

Each		Color	Each
21-CL2020W-E	N-X47D97	White.....	\$79.95
21-CL2020C-E	N-X52D76	Coral.....	87.95
21-CL2020G-E	N-X52D76	Green.....	87.95

One in ctn. Wt. ctn. 66 lbs.

Coronet

Right Hand

Each		Color	Each
21-CL3420WR-E	N-X62D37	White.....	\$103.95
21-CL3420CR-E	N-X68D60	Coral.....	114.35
21-CL3420GR-E	N-X68D60	Green.....	114.35

Left Hand

21-CL3420WL-E	N-X62D37	White.....	103.95
21-CL3420CL-E	N-X68D60	Coral.....	114.35
21-CL3420GL-E	N-X68D60	Green.....	114.35

One in ctn. Wt. ctn. 101 lbs.

SOLID MAPLE COUNTER TOPS

Ideal surface for dough preparation, chopping, cutting, and slicing operations in kitchen. Styled like other Shirley counter tops, sturdy, durable, butcher-block type construction of side-grain, top-quality hard maple, bolted and plugged. Water and warp resistant . . . 3" backsplash, standard widths: 15", 18", 21", 24", 30".

SF-255 SINK-TO-COUNTER TOP FILLER

Seals the crack which occurs where the counter top butts up against the sink top. Made of high-grade plastic material, it is easily installed to form a perfect seal, either with or without backsplashes. Fillers come with tube of cement and instructions for installation.

WS-10 WHAT-NOT SHELF

Easily installed wherever desired, and is interchangeable as to left and right hand positions. Attractively styled, it is built of the same metal and has the same beautiful finish as Shirley wall cabinets. Complete with installation instructions, bolts, nuts, and washers. One to a carton. Weight: 1 1/4 lbs.

Shirley Cabinet Lavatories

- ✓ Highest quality porcelain on steel top.
- ✓ Welded all steel construction.
- ✓ Baked enamel cabinet finish.
- ✓ Lifetime plated hinges.
- ✓ Chrome plated mixing faucet with overflow and pop-up drain.
- ✓ Completely assembled, ready for easy installation.

All new Shirley**COLORS**

CORAL

BLUE

GREEN

GRAY

WHITE

*Shirley colors
are compatible
with most bathroom
fixture colors.*

**"CORONET" CL-3420 R/L**

For bathroom luxury, the "Coronet" Model CL-3420 provides two large storage compartments, one with shelf, plus a drawer. It is 34" wide, 20" deep, and 31 1/2" high (34" at top of backsplash). Comes with dressing table on either the right (Model CL-3420 R) or left (Model CL-3420 L).





Packed one in a carton. Shipping weight 101 lbs.

**"PETITE" CL-2020**

Where space is at a premium, Shirley has designed the "Petite" Model CL-2020. Fits almost any existing lavatory space, yet gives you convenient under lavatory storage. Only 20" square and 31 1/2" high (34" at top of backsplash).

Packed one in a carton. Shipping weight 66 lbs.

*Prices include faucet, pop-up waste and overflow assembly.



INSTRUCTIONS

FOR ORDERING CUSTOM COUNTER TOPS

1. Use special custom-top order form.
2. Plan your kitchen base-cabinet arrangement first.
3. Directions to be observed in taking dimensions:
 - a. All lineal dimensions for the top should be measured along the edge of the cabinets which goes against the wall, that is, the top back-line of the cabinets.
 - b. The "right" and "left" hand ends of the cabinet top are determined as you stand in front, facing the cabinets.

STRAIGHT LINE COUNTER TOPS

4. Determine the total length dimension of the continuous counter top by adding together the widths of the base cabinets, as illustrated in the Shirley Catalog, and as shown in the example at the right.

NOTE: You may have occasion to want a counter top longer than the total length of the proposed cabinet installation. Simply add additional length to the total length of the proposed cabinet installation. Base cabinet filler strips are available in any width from $\frac{1}{4}$ inch to 15 inches to fit between two base cabinets or between a base cabinet and a wall.

Record the length dimension in the space provided.

L-SHAPE COUNTER TOPS

4. Determine the total length dimension of each "leg" of the L-Shaped Top by adding together the width dimensions of each of the Shirley units. (These width dimensions appear in the Shirley Catalog.) See diagram at the right.

a. If the BCF-2600 Base Corner Filler Assembly is to be used in the corner, you must allow 26" on each "leg" measured from the corner along both adjoining walls. This 26" dimension is printed in the proper place on one of the L-shape counter top diagrams on the order blank.

b. If the RBC-35 Revolving Base Cabinet is to be used in the corner, you must allow 35" along each adjoining wall measured from the corner. This 35" dimension is printed in the proper place on one of the L-shape counter top diagrams on order blank.

5. Fill out order form, as indicated, if you wish end-splash at right or left (as you face proposed top).
6. Indicate whether formica or linoleum is desired and check proper pattern number.
7. Write out on order blank, any special instructions or remarks.
8. Fill in on order blank, your name, address, and date, and place in the hands of your Shirley dealer or distributor. Do not forward direct to the factory.
9. Sign order at the bottom.

(Important: All dimensions are the responsibility of the customer.)

**NO ORDERS ACCEPTED UNLESS
ON SHIRLEY ORDER FORM**

ALL-STEEL KITCHENS



Shirley Continuous Counter Tops come in 25 inch depth, are handsomely trimmed in stainless-steel, and are furnished with 3 inch high backsplashes attached. They are available in the new popular pat-

terns of formica or standard gauge linoleum as shown at the right.


NOTE: Standard cabinet size counter tops are available in 2D1 Gray Pearl Formica for all Shirley Base Cabinets.

FORMICA

- Gray Pearl 2-D-1
- White Skylark 90-L-1
- Coral Skylark 81-L-30
- Pink Skylark 79-L-40
- Primrose Skylark 78-L-16
- Aqua Skylark 80-L-42
- Charcoal Skylark 88-L-4
- Gray Linen 2-C-1
- Lipstick Red Linen 41-C-30
- Petal Pink Linen 32-C-1
- Yellow Linen 66-C-11
- French Blue Linen 42-C-38
- Green Linen 50-C-61
- Tan Linen 20-C-1

LINOLEUM

- Red Marbelle L-920
- Green Marbelle L-80
- Black Marbelle L-120
- Black Plain L-72



NOTE: Formica is easily cleaned with a damp cloth. It is safe from alcohol and fruit acids, and is not affected by boiling water. Does not craze, crack or color-fade.

**SHIRLEY CORPORATION
330 EAST ST. JOSEPH STREET
INDIANAPOLIS 2, INDIANA**

PRINTED IN U.S.A.

PLUMBING FIXTURES**HUMPHRYES MFG. CO.**

White enamel is applied in powder form, permanently fused to rigid cast iron forming a lustrous finish.

Smooth, velvet-like surface of sand mold is foundation for the Mirard finish (bright as a mirror, hard as flint). Base for finish is rigid non-flexing cast iron.

LAVATORIES**Shelf****Stylemaster**

Smartly styled for average and small size bathrooms and powder rooms. Roomy bowl, front overflow.

Size 19x17 inches. Basin 14 $\frac{3}{4}$ x10 $\frac{3}{8}$ inches. Back height 3 $\frac{1}{2}$ inches. Shelf width 4 $\frac{1}{2}$ inches.

With De Luxe Fitting Including Pop-up Waste

(Less trap legs, towel bars and supplies)

Each	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3
3-3015F-E	N-X30D04	X31D10	X31D84	X32D45

One in crate. Wt. crate 71 lbs.

**Shelf****Stylemaster**

Designed with modern, clean-cut line to match Stylemaster bath tubs. Two soap dishes. Front overflow. Generous shelf space for toilet articles.


Size 24x18 inches. Basin 15x11 $\frac{1}{8}$ inches. Back height 3 $\frac{1}{2}$ inches. Width of shelf 4 $\frac{3}{4}$ inches.

With De Luxe Fitting Including Pop-up Waste

(Less trap, legs, towel bars and supplies)

Each	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3
3-3005F-E	N-X36D66	X37D96	X38D91	X39D66

One in crate. Wt. crate 86 lbs.

**Wall**

Uses L-6054-E 4-inch fitting.


Front overflow. Applicable for many types of installations.

Less Fitting, Trap and Supplies

Size 19x17 inches. Basin 13 $\frac{1}{2}$ x9 $\frac{5}{8}$ inches. Back height 5 $\frac{1}{2}$ inches

Each	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3
3-3325-E	N-X16D50★	X17D50★	X18D20★	X18D80★

One in crate. Wt. crate 69 lbs.

**Vanity — For Building-in**

Designed for modern counter-top installations. Permits freedom in room planning and is ideal for vanity or dressing table in powder room or bath.

Large tapered basin provides unusual washing freedom, more room at front. Twin self draining soap dishes. Water confining border front position overflow.

Size 20x18 in. Basin 16x11 $\frac{3}{4}$ in.

Less fitting, trap and supplies.

Made for 4 in. center pop-up fittings.

Each	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3
3-3505-E	N-X14D12	X14D94	X15D27	X15D77

One in ctn. Wt. ctn. 36 lbs.

LAVATORY FRAME

For 3-3505-E Lavatory

Mounting frame for easy counter top installation. Satin finish stainless steel, self-sealing frame makes water-proof joint with any type top material.

No special tools or complicated adjustments. No routing or rabbeting. Lavatory can be removed easily from the bottom.

Size—20x18 in. inside dimensions.

Each	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3
3-1500-E	N-X5D15	X5D30	X5D45	X5D60

One in ctn. Wt. ctn. 2 lbs.

NOTE: You may sell all merchandise on this page at catalogue price less 10%, including zone prices. Outside zone 3 sell F. O. B. St. Louis.

See Section 30—Page 4 for Zone Map

STAR ★ DENOTES BEST SELLER

PLUMBING FIXTURES

HUMPHRYES MFG. CO.

White enamel is applied in powder form, permanently, fused to rigid cast iron forming a lustrous finish.

Smooth, velvet-like surface of sand model is foundation for the Mirard finish (bright as a mirror, hard as flint). Base for finish is rigid non-flexing cast iron.

KITCHEN SINKS



Sinkmaster

Ledge-type with flat rim. Two compartments. Ledge back provides waterproof base for fitting.

Less Trap, Strainer and Ledge Fitting


Size 32x21 inches. Bowl length 13 $\frac{5}{8}$ inches. Bowl width 15 $\frac{1}{4}$ inches. Bowl depth 8 inches. Ledge width 3 $\frac{3}{8}$ inches.

Each		Each
3-5408FS-E	N-X29D45★.....	\$44.20

One in crate. Wt. crate 115 lbs.

NOTE: you may sell above merchandise at catalog price less D1C0%.

NOTE:—See Section 11—Page 14 for Ledge Fittings and Section 11—Page 14B for Sink Strainers.

BATH TUBS**ELJER****White Porcelain Enameled—Without Fittings**

Vitreous white porcelain enameled 14 gauge steel. One piece drawn sump. Wide, smooth bottom. Wide raised flanges. Light and easy to install.

Size 29x60x16½ inches. Straight front.

Recess Type—Left Hand Outlet

Each		Each
O-L5A-E	N-X54D45	\$81.95

Recess Type—Right Hand Outlet

O-R5A-E	N-X54D45	\$81.95
---------	----------------	---------

One in crate. Wt. crate 145 lbs.

TUB ENCLOSURES**GLIDEX-DOOR**

Changes tub into a glamorous glimmering aluminum and rigid plastic enclosure. Custom made for any 4, 4½ or 5 foot recessed tub. Easily installed.


Highly polished rust-proof aluminum construction. With drain holes in bottom for positive drainage. Door size five feet high. Complete with installation instructions.

Each		Each
O-74-E	N-X23D95★	\$36.95

One in ctn. Wt. ctn. 27 lbs.

BATH TUB FITTINGS

The following combinations show the brass fittings necessary for installing all types of bath tubs.



Set consists of:

Over-rim tub filler No. 1104C.

Waste and overflow No. CWOR1¾.


Shower head No. 5AC.

Set consists of:

Over-rim tub filler No. 502.

Waste and overflow No. CWOR1¾.


Shower head No. 5AC.



Set consists of:

Over-rim tub filler No. C/212.


Waste and overflow No. CWOR1¾



Set consists of:

Over-rim filler No. 506

Waste and overflow No. CWOR1¾.



Set consists of:


Double bath faucet No. 5/C,

Waste and overflow No. 600.

One pair Offset bath supply pipes No. 723.

SHOWER STALLS

SPARTAN



Heavy gauge, galvanized, bonderized steel with two coats of white baked enamel. Rounded front corners. Full length deep groove slip-on construction for fast assembly. Exclusive rear panel lock for positive waterproof joint. Reversible side wall panels and door—right or left.

Complete with chrome-plated brass two valve shower unit and ball joint head, heavy gauge plastic curtain, curtain pins, soap dish, shower head bracket and receptor with chrome-plated cast brass drain.

Royal—32x32x76 Inches

Lever valve handles and cadmium-plated steel soap dish.

Each

With Red Gem Precast Stone Receptor

✱76RS-E X49D75

With Black Enamel Steel Receptor

✱76S-E X44D50

Ship. Wt. Approx. 220 lbs.

Imperial—32x32x80 Inches

Cross valve handles and chrome-plated brass soap dish.

Each

With Red Gem Precast Stone Receptor


✱80RS-E X63D15

High Highly Polished Terrazzo Receptor

✱80T-E X73D15

Ship. Wt. Approx. 250 lbs.

Note—If shower stall is to be shipped with other goods mark order "P".



A high quality shower with many appealing features. Can be placed anywhere. Modern design, simple assembly.

Finished in white baked enamel. Non-slip black enameled steel base. Rounded corners and fully protected rounded entrance step. Black enameled steel top band. Complete with chrome plated mixing valve strainer plate, soap dish and plastic curtains.

Heavy Sheet Steel Panels

Size 32x32x76 inches.

Each

O-D32-E

N-X35D95 \$53.95

Each

One in crate. Wt. crate 139 lbs.

CLOSET COMBINATIONS

SHELBYNA

**Reverse Trap—Close Coupled**

High fired sanitary ware. Panel front and a 12 inch rough-in. Large water area and good quiet flush. All exposed metal chromium plated.

Height 29½ inches. Width 20¾ inches.

Complete with fittings. Without supply, stop and seat.

Each		Each
✦S21-E	X21D95.....	\$32.95
One in crate. Wt. crate 100 lbs.		

SHELBYNA

**Wash Down—Close Coupled**

High fired sanitary ware. Panel front and a 12 inch rough-in closet. Vitreous china.

Height over-all 29½ inches. Width over-all 19½ inches. Back of tank to front of bowl rim 27 inches. Distance from floor to top of bowl 14 inches. From center of outlet to center of supply 6 inches. From back to center of supply 2½ inches.

Complete with fittings. Without supply, stop and seat.

Each		Each
✦S11-E	X19D95.....	\$29.95
One in crate. Wt. crate 100 lbs.		

CHICAGO

**Star—Vitreous China**

Reverse trap bowl with super accelerated jet, embodying revolutionary principles in construction and design. Tank with shelf type cover. Dynamic, swirling, cleansing syphonic action. Fully glazed in back. Tank fittings and closet assembly of highest quality. All exposed metal chromium plated.

Height 29½ inches. Width 20¾ inches.

**For 12 inch or More Rough-In—Complete with Fittings
Without Supply, Stop and Seat**

Each		Each
3-21-E	X26D95.....	\$40.50
One in crate. Wt. crate 110 lbs.		

CHICAGO

**Comet—Vitreous China**

Close coupled washdown combination. A modern attractive toilet with quiet positive action.

Height over all 29½ inches. Width over all 19½ inches. Back of tank to front of bowl rim 27 inches. Distance from floor to top of bowl 14 inches. From center of outlet to center of supply 6 inches. From back of tank to center of supply 2½ inches.

**Free Standing For 12 inch Rough-In—Complete with Fittings
Without Supply, Stop and Seat**

Each		Each
3-11X-E	X24D30.....	\$36.75
One in crate. Wt. crate 104 lbs.		

EXTRA TANKS

For Closet Combinations

Each		For Nos.	Wt. Each, lbs.	Each
3-T11X-E	N-X13D60	11X	55	\$20.50
3-T21-E	N-X13D60	21	57	20.50


One in ctn.

EXTRA BOWLS

For Closet Combinations

Each		For Nos.	Wt. Each, lbs.	Each
3-CB11X-E	N-X10D75	11X	45	\$16.15
3-CB21-E	N-X12D40	21	48	18.75

One in ctn.



Fits tank resting directly on seat bowl.

Made of aluminum, baked white enamel finish. Deep-well construction. Three sanitary cellulose pads sit on raised knobs, absorb the moisture.

Two bracket arms are adjusted for height. Easily removed for cleaning.

Each		Each
L6179E (17)	X2D37	\$3.55

One in box. Wt. box 2 lbs.

TOILET TANK LINERS



Aer-Liner


Prevents ordinary sweating. Easy to install in all makes of toilet tanks—eight pieces of 12x12x $\frac{5}{16}$ inch styrofoam (some precut) are easily cut so that tank can be lined without removing any working parts. One pint of mastic, applicator and instructions included. Long-lasting.

Each		Each
3-4208-E	X2D40	\$3.60

One in ctn. Wt. ctn. 3 $\frac{1}{2}$ lbs.

TOILET TANK TRAYS

VERI-NEET



Ends nuisance of moisture drip from tank. Prevents floor rot, linoleum bulge, tile rust and keeps bathroom floor dry.

Fits any size tank with exposed center pipe.


Made of aluminum, baked white enamel finish. Deep-well construction. Rubber hose pipes moisture into bowl. Easily removed for cleaning.

L6178E(16)

X2207

Each
3.15 ~~\$4.44~~
R-2-M

One in box. Wt. box 1½ lbs.



Fits tank resting directly on seat bowl.

Made of aluminum, baked white enamel finish. Deep-well construction. Three sanitary cellulose pads sit on raised knobs, absorb the moisture.

Two bracket arms are adjusted for height. Easily removed for cleaning.

L6179E(17)

X2D37

Each
3.55 ~~\$4.74~~
R-2-M

One in box. Wt. box 2 lbs.

LAVATORIES



Vitreous China

Vitreous china shelf top design, with wall bracket. Two soap dishes. Anti-splash apron. Front overflow.

Drilled for 4 inch center set fitting with pop-up waste. Will accommodate chrome legs and towel bars.

Size 19x17 inches.

Without Fittings

Each		Each
3-310-E	N-X10D95★	\$16.45

One in crate. Wt. crate 40 lbs.

SHELBINA

High fired sanitary ware. Has front splash and concealed overflow and exceptionally large basin.

Vitreous china shelf top design, with wall bracket. Anti-splash apron, front overflow.

Size 17x19 inches. Basin 10½x16x6½ inches.

Without Fittings

Each		Each
✱S310-E	X9D45	\$14.25

One in ctn. Wt. ctn. 40 lbs.

CHICAGO POTTERY

Made of "Vitstone"—the super vitreous china. Impervious to acids, stainless, brilliant glaze. Never flakes, becomes dull nor discolors



Solid cast outlet, no possible breakage when tightening fittings.

Sanitary Features—Large, unusual basin, concealed twin overflows, anti-splash rim.

Chromium combination supply and pop-up waste fixture.

Size 22x18 inches.

Each		Each
3-2518W-E	N-X32D95★	\$49.45

One in crate. Wt. crate 55 lbs.

See Page 2 for Zone Map

Items marked ✱ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Shelbina, Mo.

STAR ★ DENOTES BEST SELLER

COLORED BATHROOM FIXTURES

CHICAGO POTTERY

BATH TUBS



St. James
Without Fittings

Porcelain enameled acid-resisting 5 foot recess steel tub with underframe. Wide front seat for convenience in foot bathing or dressing.

Sound deadening undercoating. Wide flat bottom with straight sides for safety and comfort.

Tiling in ledge on three sides pierced for easy installation. Tile cutting reduced to minimum.

Length 60 inches. Width over rim 31 3/4 inches. Height at ends 16 inches.

Recessed—With Right Hand Outlet
Right Hand

Each	Color
*6101RT-E	Tan
*6101RB-E	Blue
*6101RY-E	Yellow
*6101RC-E	Coral
*6101RG-E	Green

X60D40

Recessed—With Left Hand Outlet

Each	Color
*6101LT-E	Tan
*6101LB-E	Blue
*6101LY-E	Yellow
*6101LC-E	Coral
*6101LG-E	Green

X60D40

One in crate. Wt. crate 130 lbs.

CLOSET COMBINATIONS



Dri-Tank

Permanent non-sweat reverse trap combination.

One piece all vitreous china tank. No inner liner. Air chamber tank eliminates condensation.

Water capacity is same as conventional tanks. Height over all 31 3/4 inches. Width over all 22 1/4 inches. Back of tank to front of bowl rim 16 1/2 inches. Distance from floor to top of bowl 15 1/4 inches. Front center of outlet to center of supply 8 3/4 inches. From back of tank to center of supply 21 1/2 inches.

For 12 inch Rough-In

Complete with fittings—without supply pipe or seat.

With vacuum breaker ball cock.

Each	Color
*3924T-E	Tan
*3924B-E	Blue
*3924Y-E	Yellow
*3924C-E	Coral
*3924G-E	Green

X43D20

One in ctn. Wt. ctn. 130 lbs.

CLOSET COMBINATIONS



Star

Reverse trap bowl. Tank fittings and closet assembly. All exposed metal parts are chromium plated.

Classic design with shelf-top cover.

Combination fully glazed back. May be placed against wall, or away from wall, affording absolute cleanliness.

Height over all 29 1/4 inches. Width over all 27 1/2 inches. Back of tank to front of bowl rim 16 1/2 inches. Distance from floor to top of bowl 15 inches. Front center of outlet to center of supply 12 inches. From back of tank to center of supply 21 1/2 inches.

For 12 inches or more rough-in.

Complete with fittings—without supply pipe or seat.

Each	Color
*3424T-E	Tan
*3424B-E	Blue
*3424Y-E	Yellow
*3424C-E	Coral
*3424G-E	Green

X31D10

One in ctn. Wt. ctn. 106 lbs.

TOILET SEATS

High grade wood seat and cover, smooth finish. Seat doweled front and back. All metal parts solid brass.

With rubber bumpers.

Standard Size

Seat 1 1/4 inches Thick

Each	Color
*8592RT-E	Tan
*8592RB-E	Blue
*8592RY-E	Yellow
*8592RC-E	Coral
*8592RG-E	Green

X5D85

One in ctn. Wt. ctn. 7 lbs.


Items marked * not carried in stock. Can only be furnished by shipping direct from factory. Full freight allowed to Arkansas, Illinois, Indiana, Iowa, Kansas, Kentucky, Michigan, Minnesota, Missouri, Nebraska, Ohio, Oklahoma, South Dakota, Wisconsin on 100 lbs. or more.

COLORED BATHROOM FIXTURES

CHICAGO POTTERY

Selected and perfected to add beauty and to allow flexibility in accessory decorations.

LAVATORIES



Deming

Ledge-Back

Vitreous china. Stainless brilliant glaze—never chips, becomes dull nor discolors. Impervious to acids. Solid cast outlet. No possible breakage when tightening fitting.

Sanitary Features—Large basin, concealed twin overflows, anti-splash rim. Fully glazed underneath.

Less Fittings with Hangers

Size 19x17 Inches

Each		Colors	Each
✦-2519DT-E	X13D70	Tan	\$20.55
✦-2519DB-E	X13D70	Blue	20.55
✦-2519DY-E	X13D70	Yellow	20.55
✦-2519DC-E	X13D70	Coral	20.55
✦-2519DG-E	X13D70	Green	20.55

One in ctn. Wt. ctn. 41 lbs.

Size 20x18 Inches

Each		Colors	Each
✦-2520DT-E	X15D20	Tan	\$22.95
✦-2520DB-E	X15D20	Blue	22.95
✦-2520DY-E	X15D20	Yellow	22.95
✦-2520DC-E	X15D20	Coral	22.95
✦-2520DG-E	X15D20	Green	22.95


One in ctn. Wt. ctn. 43 lbs.

Size 22x18 Inches

Each		Colors	Each
✦-2522DT-E	X21D45	Tan	\$32.20
✦-2522DB-E	X21D45	Blue	32.20
✦-2522DY-E	X21D45	Yellow	32.20
✦-2522DC-E	X21D45	Coral	32.20
✦-2522DG-E	X21D45	Green	32.20

One in ctn. Wt. ctn. 44 lbs.

LAVATORIES



Warner

Impervious to acids, stainless brilliant glaze. Never flakes or becomes dull. Aristocrat of deluxe vitreous china lavatories. Solid cast outlet, no possible breakage when tightening fitting.

Beautiful chromium combination supply and pop-up waste fixture.

Sanitary Features:

Large, unusual basin, concealed twin overflows, anti-splash rim.

Shelf-back with C. P. Fittings,
Less Supply Pipe and P-Trap

Size 19x17 Inches

Each		Colors	Each
✦-2517WT-E	X28D95	Tan	\$43.45
✦-2517WB-E	X28D95	Blue	43.45
✦-2517WY-E	X28D95	Yellow	43.45
✦-2517WC-E	X28D95	Coral	43.45
✦-2517WG-E	X28D95	Green	43.45

One in ctn. Wt. ctn. 45 lbs.

Size 22x18 Inches

Each		Colors	Each
✦-2518WT-E	X37D60	Tan	\$56.40
✦-2518WB-E	X37D60	Blue	56.40
✦-2518WY-E	X37D60	Yellow	56.40
✦-2518WC-E	X37D60	Coral	56.40
✦-2518WG-E	X37D60	Green	56.40

One in ctn. Wt. ctn. 45 lbs.

LAVATORIES



Briar

Porcelain enameled popular vanity-type lavatories for use in counter top installation. Easily installed—designed for use with accepted stainless steel frame. Will not stain, tarnish nor discolor.

Corner Radius 1½ Inches

Drilled on 4 Inch Centers

Size 20x18 Inches

Center Set and Waste not furnished

Each		Colors	Each
✦-2520BT-E	X13D40	Tan	\$20.25
✦-2520BB-E	X13D40	Blue	20.25
✦-2520BY-E	X13D40	Yellow	20.25
✦-2520BC-E	X13D40	Coral	20.25
✦-2520BG-E	X13D40	Green	20.25

One in ctn. Wt. ctn. 16 lbs.

NOTE: FOR COLOR CHART, SEE SECTION 11—PAGE 2D.

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory. Full freight allowed to Arkansas, Illinois, Indiana, Iowa, Kansas, Kentucky, Michigan, Minnesota, Missouri, Nebraska, Ohio, Oklahoma, South Dakota, Wisconsin on 100 lbs. or more.

LAVATORY LEGS AND TOWEL BARS

Hexagon aluminum $\frac{7}{8}$ -inch tubing legs with pointed bottom and threaded cast aluminum insert at top. Cast aluminum heads. Hexagon $\frac{5}{8}$ -inch towel bars. Cast aluminum brackets and wall flanges. Highly polished and finished with a special type of lacquer. Length of legs $27\frac{1}{2}$ inches. Towel bars 20 inches.

Complete with Star tumblins, washers, gaskets, nuts and screws.

**Adjustable
Two Towel Bars**

Per Set (R708/3) Per Set
L6124E X7D85★.....\$11.10

One set in ctn. Wt. ctn. 3 lbs.



LAVATORY LEGS

**For China
Laboratories**

Hexagon aluminum $\frac{7}{8}$ -inch tubing with pointed bottom and threaded cast aluminum insert at top. Cast aluminum heads highly polished and finished with a special type lacquer.

Length $27\frac{1}{2}$ inches.

Complete with Star tumblins, washers, gaskets and adjustable nuts.

Adjustable


Per Pair Per Pair
L6123E (R706) X4D40.....\$6.20

One pair in ctn. Wt. ctn. $2\frac{1}{2}$ lbs.



LAVATORY FITTINGS

The Following Combinations Show the Brass Fittings Necessary for the Installation of All Types of Lavatories




With Supply Pipes and Trap to Floor

Set Consists of:

Combination Lavatory Fitting No. 367.
Straight Basin Supply Pipes, One Pair
No. SBSC.

"S" Trap No. STC1 $\frac{1}{4}$.




With Supply Pipes and Trap to Floor

Set Consists of:

Combination Lavatory Fixture No. 371.
Straight Basin Supply Pipe, One Pair
No. SBSC.

"S" Trap No. STC1 $\frac{1}{4}$ CO.




With Supply Pipe and Trap to Floor

Set Consists of:

Faucet Indexed for "Cold" No. 11C.
Faucet Indexed for "Hot" No. 11H.
Straight Basin Supply Pipe, One Pair
No. SBSC.

Pop-Up Waste No. PWC.

"S" Trap No. STC1 $\frac{1}{4}$.




With Supply Pipes and Trap to Wall

Set Consists of:

Combination Lavatory Fitting No. 367.
Angle Basin Supply Pipes, One Pair
No. ABSC.

"P" Trap, No. PTC1 $\frac{1}{4}$.




With Supply Pipes and Trap to Wall

Set Consists of:

Combination Lavatory Fixture No. 371.
Angle Basin Supply Pipes, One Pair
No. ABSC.

"P" Trap with Clean Out No. PTC1 $\frac{1}{4}$ CO.




With Supply Pipes and Trap to Wall

Set Consists of:

Faucet Indexed for "Cold" No. 11C.
Faucet Indexed for "Hot" No. 11H.
Angle Basin Supply Pipes No. ABSC.

Pop-Up Waste No. PWC.

"P" Lavatory or Sink Trap No.
PTC1 $\frac{1}{4}$.



With Supply Pipe and
Trap to Floor

Set Consists of:


Faucet Indexed "Cold"
No. 11C.

Faucet Indexed "Hot"
No. 11H.

Chain Stay Waste
No. POC1 $\frac{1}{4}$.

Straight Basin Supply
Pipes, One Pair No.
SBSC

"S" Trap No. STC1 $\frac{1}{4}$.



With Supply Pipe and
Trap to Wall

Set Consists of:

Faucet Indexed "Cold"
No. 11C.

Faucet Indexed "Hot"
No. 11H.

Angle Basin Supply Pipes,
One Pair No. ABSC.

Chain Stay Waste No.
POC1 $\frac{1}{4}$.

"P" Lavatory or Sink
Trap No. PTC1 $\frac{1}{4}$.



ON CABINET SINKS OF THIS QUALITY

Compare

these cabinet sinks to other promotion priced merchandise and you'll be amazed that such features and quality construction can be offered at these prices!

Sinks are first grade, acid-resistant, titanium porcelain on heavy 14 gauge steel. Cabinets are fabricated of cold rolled steel, permanently spot welded, and finished in baked-on enamel for high gloss protection. Doors and drawer fronts are double panel construction. Hinges are semi-concealed, screw-on type for easy replacement. Drawers glide noiselessly on brass runner covers which insure years of trouble-free service. Door and drawer pulls are of latest design and are chrome plated. Mixing faucet is chrome plated brass and has tubular swing spout. Basket strainers are bail type of chrome plated brass. All units are completely assembled except for the black sub-base which must be attached to cabinet. All packed complete in one shipping crate.

ESC-54



SPECIAL PRICE

Each
21-ESC54-E
N-X61D77

Length 54". Sink top depth 25". Cabinet depth 24". Height to drainboard 36". Height to backsplash 40". One bowl 17" x 20" x 7". Two drainboards, two drawers, three doors. Price includes faucet less spray, spray hole cover, and basket strainer.

ESC-42



SPECIAL PRICE

DON'T SELL

Length 42". Sink top depth 25". Cabinet depth 24". Height to drainboard 36". Height to backsplash 40". One bowl 17" x 20" x 7". One drainboard, one drawer, three doors. Price includes faucet less spray, spray hole cover, and basket strainer. Specify right or left hand drainboard.

ESC-66



SPECIAL PRICE

Each
21-ESC66-E
N-X85D77

Length 66". Sink top depth 25". Cabinet depth 24". Height to drainboard 36". Height to backsplash 40". Two bowls each 17" x 14 1/4" x 7". Two drainboards, two drawers, four doors. Price includes faucet less spray, spray hole cover, and basket strainers.

Buy Now!

THESE PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

SHIRLEY ALL STEEL KITCHENS

D4C0%

The Kitchen Sink and Cabinet Combinations illustrated and described on the following pages are quality merchandise, carefully designed and engineered for utility and beauty—and produced in a standardized series of individual matched units.

Sinks are formed from deep drawn 14 gauge porcelain enameling steel, to which finest acid resistant glass porcelain is bonded. Bowls have large size opening for installation of a crumb strainer or garbage disposal unit. They are also drilled for modern ledge type swing-spout faucets and flexible hose spray and have 4 inch high backsplash, fluted drain-boards and level tumbler deck at rear. The self draining soap dish is pressed into the level deck with opening to bowl. The flush construction on ends of sink cabinets allow simple installations of base storage cabinets.

Cabinets are fabricated from cold rolled furniture steel, solidly spot-welded and finished in highest quality baked on synthetic enamel inside and out for durability, flexibility, and permanent adhesion. The flush design of door and drawer fronts, with doors hung on semi-cealed hinges, adds to beauty and facilitates cleaning.

All sink cabinet combinations and base storage cabinets are mounted on full 3 inch recessed base, providing toe space. Drawer and door pulls are chromium plated, are smooth, modern design, rounded to insure against snagging clothing. Have wire basket on door below sink bowl for easy storage of soap powders, etc.

All doors have plunger-type catches. Rubber bumpers on both drawers and doors allow no metal to metal contact and assure absolute quietness. All drawers glide on non-ferrous runners with ball bearing like action—are equipped with positive stops—easily released for drawer removal.

Door and drawer fronts are 3/4 inch thick, fabricated from two separated panels, insulated with sound-absorbing material and permanently welded.

SINKS AND CABINETS



The Master "84"

Acid resistant porcelain enameled steel sink and baked on, synthetic enameled steel cabinet. Two extra large sink bowls, each 17x20x7 inches. Fluted drainboards at each end.

Cabinet has four drawers and three spacious storage compartments—33 cu. ft. of cabinet storage space.

Equipment includes: Half shelves in both right and left hand storage compartments; one drawer lined and partitioned for cutlery; wire basket for soap powder on inside of door of center cabinet.

Dimensions: Length 84 inches. Depth of sink top 25 inches. Depth of cabinet 24 inches. Height to working surface 36 inches. Height of backsplash 4 inches.

One Faucet With Spray
and Two Crumb Cups

Each ▲ Each
21-SC8425-E N-X128D97.....\$214.95

Crated for shipment. Wt. 295 lbs.



The Sterling "66"

Dimensions: Length 66 inches. Depth of sink top 25 inches. Depth of cabinet 24 inches. Height to working surface 36 inches. Height of backsplash 4 inches.

With Four Drawers
One Faucet With Spray
and Two Crumb Cups

Twin sink-bowls with 2 fluted drainboards. Acid-resistant, porcelain-on-steel sink, 66 inches long with synthetic enameled steel cabinet. Four drawers and 26 cubic feet of storage space in compartment.

Equipment includes: Half-shelves in compartments, cutlery drawer and wire basket.

Each ▲ Each
21-SC6625-E N-X106D17★.....\$176.95

Holiday "66"

With Two Drawers, Four Doors
One Faucet and Two Crumb Cups

Acid-resistant, porcelain enameled steel sink and baked-on synthetic enamel steel cabinet. Two drawers, two full shelves and three spacious storage compartments provide 26 cubic feet of storage space.

Equipment includes: Swing spout mixing faucet and two basket type strainers.

Each ▲ Each
21-SC6600-E N-X91D77.....\$152.95

Crated for shipment. Wt. 221 lbs.



The Favorite "54"

Dimensions: Length 54 inches. Depth of sink top 25 inches. Depth of cabinet 24 inches. Height to working surface 36 inches. Height of backsplash 4 inches.

Complete with Faucet
with Spray and One Basket Type Strainer

Twin fluted drainboards and large size bowl in porcelain enameled steel sink. Baked-on synthetic enameled steel cabinet 54 inches long. Four drawers and three large storage compartments with 21 cubic feet of storage space. Has cutlery drawer and wire basket for soap powders.

Each ▲ Each
21-SC5425-E N-X82D17.....\$136.95
Wt. 200 lbs.

The Economy "54"
With Faucet Less Spray and One
Basket Type Strainer,

Durable, acid resistant, porcelain enameled steel sink has extra large bowl and two wide, fluted drainboards for extra work surface.

Solid steel construction throughout. Cabinet has two drawers, two full shelves and three storage compartments.

Equipment includes: Swing spout mixing faucet and basket strainer.

Each ▲ Each
21-SC5400-E N-X67D17★.....\$111.95

Crated for shipment. Wt. 188 lbs.

Note—For Building Contractor Discount See Sec. 11—Page 2-HHH

STAR ★ DENOTES BEST SELLER

SHIRLEY ALL STEEL KITCHENS

SINKS AND CABINETS



The Standard "42"

Acid resistant porcelain enameled steel sink and baked on synthetic enameled steel cabinet. One extra large sink bowl 17x20x7 inches. One fluted drainboard.

Cabinet has one extra large storage compartment, no drawers—16 cubic feet of cabinet storage space.

Dimensions: Length 42 inches. Depth of sink 25 inches. Depth of cabinet 24 inches. Height to working surface 36 inches. Height of back-splash 4 inches. Available with right or left hand drain board as desired.

With Faucet, Less Spray and One Basket Strainer

Right Hand Drain Board


Each		▲ Each
21-SC4200 R-E	N-X49D17.....	\$81.95

Left Hand Drain Board

Each		▲ Each
21-SC4200 L-E	N-X49D17.....	\$81.95

Crated for shipment. Wt. each 137 lbs.

REVOLVING BASE CABINETS



Designed to match Shirley drawer and pantry base cabinet. Take advantage of all corner space. Door and shelving can be revolved in either direction. Fabricated from durable synthetic enameled steel. Two commodious revolving shelves. Large door opening. Chrome plated pulls. Shelves have ball bearing supports. Solid bottom under lower shelf for cleanliness. Dimensions: 35x35 inches.

Without Counter Top and Backsplash—7 Cubic Feet Space

Each		▲ Each
3-RBC35-E	N-X41D37.....	\$68.95

Crated for shipment. Wt. each 100 lbs.



Custom-Made Linoleum and Formica Counter-Tops



Available in continuous
Straight-line or L-shape
counter-top units



Shirley Continuous Counter-Tops come in the standard 25-inch depth, are handsomely trimmed in stainless-steel, and are furnished with 3-inch high backsplashes attached. They are available in the colors of standard gauge linoleum reproduced below, and also in the colors of formica shown at the right.

NOTE: Standard cabinet-size counter-tops are available in black linoleum and black formica for all Shirley Base Cabinets.

FORMICA TOPS

Below are reproduced the seven colors of formica available for Shirley custom-made counter tops. Formica is easily cleaned with a damp cloth. It is safe from alcohol and fruit acids, and is not affected by boiling water. Does not craze, crack, or color-fade.



Gray Pearl
2D1



Fiesta Moonglo
36M30



Yellow Moonglo
25M11



Blue Linen
1C41



Jade Pearl
50D53



Tan Linen
20C1



Black
1014

LINOLEUM TOPS

Twelve different colors of standard gauge linoleum are available for Shirley Custom-Made Counter-Tops. These are shown at the right.



Grey Plain
L-42



Red Plain
L-04



Yellow Plain
L-84



Blue Plain
L-43



Green Plain
L-24



Black Plain
L-72



Grey and
Red Marbelle
L-420



Red
Marbelle
L-920



Yellow
Marbelle
L-130



Blue
Marbelle
L-20



Green
Marbelle
L-80



Black
Marbelle
L-120


INSTRUCTIONS FOR ORDERING

HOW TO ORDER STRAIGHT-LINE TOP

1. Use special custom top order form.
2. Plan your kitchen base-cabinet arrangement first.
3. Directions to be observed in taking dimensions:
 - a. All lineal dimensions for the top should be measured along the edge of the cabinets which goes against the wall, that is, the top back-line of the cabinets.
 - b. The "right" and "left" hand ends of the cabinet top are determined as you stand in front, facing the cabinets.
4. Determine the total length dimension of the continuous counter top by adding together the widths of the base cabinets, as illustrated in the Shirley Catalog, and as shown in the example at the right.

Note—You may have occasion, due to some architectural problem, to want a counter top longer than the total length of the proposed cabinet installation. Simply add additional length to the total length of the proposed cabinet installation.

5. Record the length dimension in the space provided.
6. Fill out order form, as indicated, if you wish end splash at right or left (as you face proposed top).
7. If linoleum is desired, fill in on order blank one of the colors listed and reproduced on the opposite side of this page.
8. If formica is required, choose one of the colors listed and reproduced on the opposite side of this page.
9. Write out on order blank any special instructions or remarks.
10. Fill in on order blank, your name, address and date, and place in the hands of your Shirley dealer or distributor. *Do not forward direct to the factory.*
11. Sign order sheet at the bottom.
(Important: All dimensions are the responsibility of the customer.)



HOW TO ORDER AN L-SHAPED TOP

1. Use special custom-top order form.
Refer to your Catalog Section where you will find dimensions of Shirley Base Cabinets, and Base Corner Filler Unit.
2. Plan your kitchen base-cabinet arrangement first.
3. Directions to be observed in taking dimensions:
 - a. All lineal dimensions for the top should be measured along the edge of the cabinets which goes against the wall, that is, the top back-line of the cabinets.
 - b. The "right" and "left" hand ends of the cabinet top are determined as you stand in front, facing the cabinets.
4. In the case of the L-Shaped Top there are two steps to be taken in arriving at the proper length dimensions:


- a. Determine the total length dimension of each "leg" of the L-Shaped Top by adding together the width dimensions of each of the Shirley units. (These width dimensions appear in the Shirley Catalog.) For example, see diagram at the right.

(1) Record these two dimensions in the spaces provided on the Shirley order form . . . and be sure to designate

which dimension is left, and which is right, as you face the cabinets.

- (2) Add to each "leg" dimension 26" for back sides of corner-portion of counter top. You will find the 26" dimension printed in the proper places on the order blank.

5. Fill out order form, as indicated, if you wish end splash at right or left (as you face proposed top).
6. If linoleum is desired, fill in on order blank one of the colors listed and reproduced on the opposite side of this page.
7. If formica is required, choose one of the colors listed and reproduced on the opposite side of this page.
8. Write out on order blank, any special instructions or remarks.
9. Fill in on order blank, your name, address, and date, and place in the hands of your Shirley dealer or distributor. *Do not forward direct to the factory.*
10. Sign order at the bottom.
(Important—All dimensions are the responsibility of the customer.)



No Orders Accepted Unless on Shirley Order Form

SHIRLEY CORPORATION • INDIANAPOLIS 2, INDIANA

SHIRLEY ALL STEEL KITCHENS

D4C0%

PANTRY AND DRAWER
BASE CABINETS

These cabinets match perfectly all Shirley sink and cabinet combinations. Fabricated from durable synthetic enameled steel and mounted on 3-inch recessed full sub-base with ample toe space. Doors and drawer fronts fully insulated, sound proofed and fitted with chrome plated pulls. Positive plunger-type door catches have rubber bumpers on doors and drawer fronts to prevent metal to metal contact. Door swing on semi-concealed hinges.

(Stainless steel trimmed counter tops and matching backsplashes are not included with these bases, but can be purchased separately.)

PANTRY BASE



With One Drawer and One Stationary Shelf
Height 36 inches. Depth 24 inches.

Without Counter Tops
With Single Door

Each		Width, in.	Door Hinged	Wt., Each, lbs.	▲ Each
3-B15R-E	N-X24D57	15	Right	62	\$40.95
3-B15L-E	N-X24D57	15	Left	62	40.95
3-B18R-E	N-X25D17	18	Right	70	41.95
3-B18L-E	N-X25D17	18	Left	70	41.95

With Double Doors

Each		Width, ins.	Wt. ea. lbs.	▲ Each
3-B21-E	N-X26D97	21	76	\$44.95
3-B24-E	N-X28D77★	24	82	47.95
3-B30-E	N-X31D17★	30	96	51.95

Crated for shipment

DRAWER BASE



With Three Utility Drawers
Height 36 inches. Depth 24 inches.
Without Counter Tops

Each		Width, ins.	Wt. ea. lbs.	▲ Each
3-D15-E	N-X26D97	15	110	\$44.95
3-D18-E	N-X28D17	18	120	46.95
3-D21-E	N-X29D37	21	130	48.95
3-D24-E	N-X31D17	24	135	51.95


Crated for shipment

Items marked ★ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Indianapolis, Ind.

NOTE—For Building Contractor Discount See Section 11—Page 2-HHH

STAR ★ DENOTES BEST SELLER

COUNTER TOPS



PEARL GRAY FORMICA

Depth 25 inches—With 3 inch Backsplasher

3-FTWB15-E	N-X12D57	15	12	20.95
3-FTWB18-E	N-X13D17	18	13	21.95
3-FTWB21-E	N-X14D37	21	16	23.95
3-FTWB24-E	N-X14D97	24	17	24.95
3-FTWB30-E	N-X17D97	30	20	29.95
3-FTWB35-E	N-X38D37	35	33	63.95

One in ctn.

COUNTER TOPS

LINOLEUM

With 3 inch Backsplash

D4C0%	Each	▲ Each
✚LTB-E		
To 12 inch	X6D57	\$10.95
12 to 18 inch	X11D97	19.95
18 to 24 inch	X13D17	21.95
24 to 30 inch	X15D57	25.95
30 to 36 inch	X19D17	31.95
36 to 42 inch	X21D57	35.95
42 to 48 inch	X26D37	43.95
48 to 54 inch	X29D37	48.95
54 to 60 inch	X32D97	54.95
60 to 66 inch	X35D97	59.95
66 to 72 inch	X39D57	65.95
72 to 78 inch	X42D57	70.95
78 to 84 inch	X46D17	76.95
84 to 90 inch	X49D17	81.95
90 to 96 inch	X52D77	87.95
96 to 102 inch	X55D77	92.95

Over 102 inches add the
following amount per
lineal 6 inches or
fraction thereof

X3D27	5.45
-------	------

With End Splash Attached. Right or Left.

D4C0%	Each	▲ Each
✚LTE-E	X3D93	\$6.55

FORMICA

Assorted Colors

Gray pearl, red moonglo, yellow moonglo, blue moonglo, jade pearl, tan linen and black.

Specify color wanted
With 3 inch Backsplash

D4C0%	Each	▲ Each
✚FTB-E		
To 12 inch	X8D97	\$14.95
12 to 18 inch	X13D17	21.95
18 to 24 inch	X14D97	24.95
24 to 30 inch	X17D97	29.95
30 to 36 inch	X21D57	35.95
36 to 42 inch	X23D97	39.95
42 to 48 inch	X32D97	54.95
48 to 54 inch	X37D17	61.95
54 to 60 inch	X40D77	67.95
60 to 66 inch	X45D57	75.95
66 to 72 inch	X49D17	81.95
72 to 78 inch	X53D37	88.95
78 to 84 inch	X57D57	95.95
84 to 90 inch	X61D17	101.95
90 to 96 inch	X65D37	108.95
96 to 102 inch	X70D17	116.95

Over 102 inches add the
following amount per
lineal 6 inches or
fraction thereof

X4D59	7.65
-------	------

With End Splash Attached. Right or Left.

D4C0%	Each	▲ Each
✚FTE-E	X5D25	\$8.75

D4C0%

SHIRLEY ALL STEEL KITCHENS

STORAGE CABINETS

Cold rolled steel, with highest quality synthetic enamel baked on. Plunger type catches on fully insulated, sound proofed doors. Rubber bumpers prevent metal to metal contact. Chrome plated pulls and semi concealed hinges. Wood hanger wall strips included with each unit.



With One
Stationary Shelf
Height 18 inches.
Depth 13 inches.

With Single Door

Each		Width, Door ea. ins. hinged lbs.	Wt. ▲ Each
3-C1815R-E	N-X11D97	15 Right 26	\$19.95
3-C1815L-E	N-X11D97	15 Left 26	19.95
3-C1818R-E	N-X12D57	18 Right 28	20.95
3-C1818L-E	N-X12D57	18 Left 28	20.95

With Double Doors

Each		Width, Wt. ins. ea. lbs.	▲ Each
3-C1821-E	N-X14D37	21 33	\$23.95
3-C1824-E	N-X14D97★	24 37	24.95
3-C1830-E	N-X16D17★	30 43	26.95
3-C1835-E	N-X17D37	36 49	28.95

One in a carton



With Two
Stationary
Shelves
Height 30 inches.
Depth 13 inches.

With Single Doors

Each		Width, Door ea. ins. hinged lbs.	Wt. ▲ Each
3-C3015R-E	N-X13D77	15 Right 37	\$22.95
3-C3015L-E	N-X13D77	15 Left 37	22.95
3-C3018R-E	N-X14D37	18 Right 42	23.95
3-C3018L-E	N-X14D37	18 Left 42	23.95

With Double Doors

Each		Width, Wt. ins. ea. lbs.	▲ Each
3-C3021-E	N-X16D17	21 47	\$26.95
3-C3024-E	N-X17D37★	24 51	28.95
3-C3030-E	N-X19D77★	30 60	32.95


One in a carton

For Use Over Electric Refrigerator
With Double Doors

Each		Hgt. Width ea. ins. ins. lbs.	Wt. ▲ Each
3-C1536-E	N-X14D97	15 36 44	\$24.95

One in carton.

CORNER WALL CABINETS




With Two Stationary Shelves

(See dimensional details)

Each		▲ Each
3-CC3026-E	N-X23D97	\$39.95

Crated for shipment. Wt. each 79 lbs.

CORNER BASE
FILLER UNITS

For use as a base corner filler. Consists of filler assembly and base.

Without Counter Top

Each		▲ Each
3-BCF2600-E	N-X5D25	\$8.75

Wt. ctn. 5 lbs.

COUNTER TOP
WITH BACKSPLASH

Size 26 inches wide--25 inches deep

Pearl Gray Formica

Each		▲ Each
3-FTWB26-E	N-X22D77	\$37.95

One in ctn. Wt. ctn. 22 lbs.

BUILDING CONTRACTOR
DISCOUNT

One order for one project may be sold at catalog price less the following quantity discounts.

\$1,250.00 to \$3,125.00—Catalog Price less D0C5%

\$3,150.00 or more (1 carload)—Catalog Price less D1C0%


Except Counter Tops which are D1C0-D0C3%

Note: Does not apply to Shirley Specials.
Freight Terms: On building contractor jobs, carload rate of freight to building site will be allowed.


Note: This program does not apply to territories West of Denver, Colo. or El Paso, Texas.

KITCHEN CABINETS

Plunger type catches on fully insulated, sound proof doors. Rubber bumpers prevent metal to metal contact. Chrome plated pulls and semi concealed hinges.



Four doors. Cabinet
84 inches high, 21 inches wide, 13 inches deep.



Linen Cabinet


A roomy linen cabinet. Synthetic enameled steel with six stationary shelves.

Each		▲ Each
3-L1321-E	N-X42D57	\$70.95

One in two cartons. Wt. each 120 lbs.



Four doors. Cabinet
84 inches high, 21 inches wide, 13 inches deep.



Broom Cabinet

A broom and general utility cabinet. Synthetic enameled steel with three stationary shelves.

Each		▲ Each
3-B1321-E	N-X40D17	\$66.95

One in two cartons. Wt. each 110 lbs.

STAR ★ DENOTES BEST SELLER

SHIRLEY ALL STEEL KITCHENS


CUSTOM FILLER STRIPS

SHIRLEY

For Wall or Base Cabinets

For filling out odd spaces less than 15 inches in width. May be made at either end or in between base and wall cabinets.

Made of same gauge steel as cabinets and finished to match.



FOR WALL CABINETS 18 INCHES HIGH

Specify Width Wanted

D4C0%	Each		Width, Ctn., ins.	Wt., lbs.	▲Each
WF18-E	N-X6D57	1/2 to 6	1	\$10.95	
WF18-E	N-X7D59	6 to 15	2	12.65	

FOR WALL CABINETS 30 INCHES HIGH

WF30-E	N-X6D57	1/2 to 6	1	10.95	
WF30-E	N-X7D59	6 to 15	2	12.65	



FOR BASE CABINETS

With full 3 inch recessed base


Specify Width Wanted

D4C0%	Each		Width, Ctn., ins.	Wt., lbs.	▲Each
BF345-E	N-X6D57	1/2 to 6	1	\$10.95	
BF345-E	N-X7D59	6 to 15	2	12.95	

One in ctn.

SINK-TO-COUNTER-TOP
FILLERS

SHIRLEY



For sealing cracks where the counter top butts up against the sink top.

High grade plastic material. Easily installed to form a perfect seal either with or without backsplashes.

Complete with tube of cement and full instructions.

D4C0%	Each	▲Each
3-SF255-E	N-X2D37	\$3.95

One in ctn. Wt. ctn. 1/2 lb.

WHAT NOT SHELVES



May be installed on either right or left hand cabinets by merely reversing the bracket. Can also be installed in bathroom, kitchen or on kitchen walls as spots to rest decorative china or flower pots.

High grade white enameled steel shelf and bracket. Rounded front and straight back flange with holes. Complete with nuts, bolts, washers and instructions for installing.

Length at front 9 3/8 inches. Depth 6 inches. Flange 3/4 inch.

D4C0%	Each	Each
3-WS10-E	N-X1D29	\$2.15

One in ctn. Wt. ctn. 1 lb.

GARBAGE DISPOSAL
UNITS

NATIONAL



Specifically engineered to give fast, continual final disposal of all food wastes. Designed for low cost installation and long trouble free operation.

Fits any single or double sink with a 3 1/2 to 4 inch drain. Easily fitted with standard "P" or "S" "Hi-boy" or duo waste traps to meet any waist line height.

Corrosion resistant aluminum alloy housing. One piece forged steel cover, heavily chromed. Drains and seals with a quick twist and positive seal. Stainless steel sink flange. Triple water seal guards against water leakage into motor. Neoprene rubber replaceable splash guard prevents splash back, keeps silverware out of unit and acts as a silencer. Special impeller and shredding ring.

Motor—1/2 H.P. capacitor start. 1750 R. P. M. Frequency cycle 60. Volts 115. Permanently lubricated bearings. Overload protection, manual reset built into motor.

Width 8 1/2 inches. Diameter 4 3/8 inches. Height 15 inches.

Continuous Feed		▲Each
3-NC45-E	X43D95	\$67.75

One in ctn. Wt. ctn. 42 lbs.

GARBAGE DISPOSAL UNITS

NATIONAL



Citation

Grinds, shreds and sizes all food waste and bones—quickly and quietly. Built for long-lasting performance, styled for the modern kitchen.

Fits all standard sinks—easy to install, plumb and wire. Quick-connect "Jiffy" mount with thick rubber "Whisper-Ring" that insulates vibration and sound from sink.

All-in-one Power-Pak with motor, impeller and shredding ring. "Power-Surge", most effective reversing for releasing a jam. Motor and bearings protected by heavy duty industrial-type water seal. 1½ inch drain connection for standard traps.

Knockout plug tapped for standard ¾ inch dishwasher connection. ½ H.P. capacitor start, intermittent duty, automatic overload protected motor. Connection in switch box for armored cable. Toggle switch cut-off and reverse. Permanently lubricated at factory. Stainless steel sink flange. One-piece heavily chromed Lok-Top cover.

Height 14¼ inches. Diameter 8⅞ inches.

115 Volts, 60 Cycle—1725 R.P.M.

Each	Each
✚744A-E X81D00.....	\$119.95

One in ctn. Wt. ctn. 36 lbs.

SINK FITTINGS


The following combinations show the brass fittings necessary for installing all types of sinks.



For Ledge Type Sink with Two Bowls

Consists of:


- 1 ledge faucet No. 558.
 - 2 sink strainers No. 250.
 - 1 continuous waste No. SC52.
- (Trap not included)



For Ledge Type Sinks

Consists of:


- Ledge faucet No. 558.
- Sink strainer No. 250.



For Ledge Type Sinks

Consists of:


- Ledge faucet No. 559.
- Sink strainer No. 1121.



With Trap to Floor

Set consists of:


- Sink faucet No. 4008.
- "S" lavatory or sink trap No. STC1½.
- Sink strainer No. 250.



With Trap to Floor

Set consists of:


- Double sink faucet, top nozzle style, No. 4008
- "S" trap No. STC1½.
- Sink strainer for 3½-inch drain opening No. 1121.



With Trap to Floor

Set consists of:


- Sink faucet No. 3120C.
- Sink faucet No. 3120H.
- "S" lavatory or sink trap No. STC1½.
- Sink Strainer No. 1121.



With Trap to Wall

Set consists of:


- Sink faucet No. 4008.
- "P" lavatory or sink trap No. PTC1½.
- Sink strainer No. 250.



With Trap to Wall

Set consists of:

- Double sink faucet, top nozzle style No. 4008.
- "P" trap No. PTC1½.
- Sink strainer for 3½-inch drain opening No. 1121.



With Trap to Wall

Set consists of:

- Sink faucet No. 3120C.
- Sink faucet No. 3120H.
- "P" lavatory or sink trap No. PTC1½.
- Sink strainer No. 1121.

KITCHEN SINKS

SMOOT-HOLMAN



Pressed Steel

For use in homes, cabins, farm buildings, mines, resorts, auto camps, garages, service stations, industrial plants, etc. Light in weight.

Formed of 18 gauge enameling iron. Highest quality vitreous enamel finish. Center drain for standard 4 inch strainer. With flange 1½ inches wide.

Each		Size over all, ins.	Depth, ins.	Wt. ea., lbs.	Each
3-40-E	N-X4D20	14x20	4¾	8	\$6.65
3-42-E	N-X4D95	16x24	5	10¾	7.45
3-48-E	N-X6D20★	18x24	5¾	12	9.30
3-44-E	N-X6D95★	18x30	5½	15	10.45

One in ctn.



Single Basin


Flat rim. Ledge 3 inches wide. Four inch centers, spray hole on right. 3½ inch drain opening.

Size—Basin 15x21x6 inches. Outside dimensions 21x24x6½ inches.

Without Fittings

Each		Each
3-S24-E	N-X9D30	\$13.50

One in crate. Wt. crate 31 lbs.



Double Basin

Flat rim. Ledge 3 inches wide. 4 inch centers, spray hole on right. 3½ inch drain opening.

Size—Basin 15½x14x7½ inches. Outside dimensions 21x32x7¾ inches.

Without Fittings

Each		Each
3-S32-D	N-X15D35★	\$22.95

One in crate. Wt. crate 39 lbs.

KITCHEN SINKS

FEDERAL CHALLENGER

Ledge Type
Stainless Steel

Formed from one sheet of 20 gauge chrome stainless steel—no cracks or crevices. Rustproof—cannot stain, discolor, crack or chip. Feather-light. Sound-deadener on underside reduces sink clatter and garbage disposer noise. Strong, rigid construction.

Fits standard frames. 3½ inch outlet openings for standard type strainers. Four 1½ inch faucet openings on 4 inch centers for standard fittings. Cover included for spray opening. Width ledge 4½ inches.

Double Bowl


Each		Overall, in. Lgth. Wdth. Dpth.	Basin, in. Lgth. Wdth.	Wt. Ctn. lbs.	Each
3-CH3221-E	X31D50	32 21 7½	19 15½	19	\$47.25

Single Bowl

3-CH2421-E	X19D95	24 21 7½	21½ 15½	15	29.95
------------	--------	----------	---------	----	-------

One in ctn.

SINK FRAMES



WERNER

Ardee FRAMES

For standard flat rim sinks. Self sealing and makes a water proof joint on any top covering material from ½ to ¾ inch. Can be removed and replaced without injury to the frame, cabinet or sink bowl.


Bright finish aluminum. Lugs and bolts for ½ to ¾ inch top, support the sink bowl and clamp down the covering material tightly. With installation clips.

Radius 1½ inches

Each		Size, inches	No. of Lugs	Wt. cto., lbs.	Each
3-F14-E	X5D00	14x20	8	2	\$7.50
3-F16-E	X5D00	16x24	12	2	7.50
3-F18-E	X5D10	18x24	12	2	7.75
3-F30-E	X5D20	18x30	14	2	7.95
3-F24-E	X5D10	21x24	12	2	7.75
3-F32-E	X4D95★	21x32	14	3	7.50

One in ctn.

TOILET SEAT HINGES



Solid brass, chromium plated. $\frac{1}{2}$ inch bar tube. Two leaves at each side. Two threaded posts complete with nuts— $5\frac{1}{2}$ inch spacing.

Per Set	Per Set
L6064E (706) D9C5★	\$1.35


One set in ctn. Wt. ctn. 1 lb.

VOGEL AUTOMATIC CLOSETS

NEAT, DURABLE, ECONOMICAL WATER SAVING OUTFITS!

Easily and Quickly Installed; no Pit Required; can be Installed in Garage, Yard or on Rear Porch; these Closets Use but Four Gallons of Water at a Flush—only Enough Water Enters the Tanks to Compress the Air, and no More Water is Used Until the Seat is Again Operated, this Air and Water pressure Flush is Strong and Cleansing

Valve Working Parts Can be Easily Removed in a Few Moments by Simply Unscrewing the One Flush Cap Back of the Bowl; Depressing the Seat, Raises the Rod Allowing the Tank to Fill, Releasing the Seat Allows a Strong Flush Direct from Tank to Hopper, the Water in Valve Casing then Passes Down through Waste Valve (Below Frost Line) into Sewer Leaving Entire Fixture Empty.



FROSTPROOF WHITE VITREOUS CHINA BOWL

Height 15 inches with Top Supply and 3 inch Outlet; Reinforced Hardwood Seat, Golden Oak Finish; Drum Type White Enameled Finish Pressure Tank, Complete with Union Ell Flush Connection, Lead Waste Connection, Supply and Flush Valves Assembled with 3-foot 2-inch Valve Rod and Casing; (Trap and Soil Pipe not Included.)

Each	Each
✱4-E X78D38.....	\$110.00

Options—Can be Furnished with 4-inch Outlets on Bowl at Same Price, Valves up to 5 feet Furnished at no Extra Cost

Bowls Crated. Tanks in a Carton. Valve and Seat Wrapped in Paper
Wt. each 100 lbs.

TOILET SEATS

MCKITTRICK




Plastic

White molded plastic. Will not discolor, chip, crack, warp or craze. Non-porous, stain-proof and heat resistant. Easy to clean.

Strong chrome brass hinges. Molded-in brass inserts securely lock hinges and screw to seat.

Each		Each
21-462-E	X5D97	\$7.95
Lots of 6	X5D67	

One in ctn., six in case. Wt. case 39 lbs.



Plastic

Closed Bottom

All plastic. Chemically welded seams. Smooth polished edges. Scientifically designed inner construction. Completely enclosed. Heavy duty chrome plated brass fittings. Plastic bumpers under seat. Rubber bumpers on cover. Standard size. Will not chip, crack or peel.

Each		Lots of 6	Color	Each
21-762-E	X5D50	X5D30	White	\$8.25
21-763-E	X5D50	X5D30	Rose	8.25
21-764-E	X5D50	X5D30	Blue	8.25
21-765-E	X5D50	X5D30	Black	8.25
21-766-E	X5D50	X5D30	Green	8.25

One in ctn., six of one color in master ctn.
Wt. each 5 3/4 lbs.

TOILET SEATS



Wood

High grade wood seat and cover, smoothly finished; seat doweled front and back; all metal parts solid brass; rubber bumpers; standard size.

Chromium Plated Hinges
Seat 1 1/4-inch Thick

Each		Each
21-313W-E	X8D25	\$12.40
Lots of 6	X7D90	

Pearl sheet pyralin covered.

21-314W-E	X7D60	11.40
Lots of 6	X7D30	


White sheet pyralin covered.

Six in master ctn. Wt. ctn. 48 lbs.

Seat 1 1/4 inch Thick

Each		Color, finish	Each
21-311W-E	X3D50★	White	\$4.95
Lots of 5	X3D35★		
21-317B-E	X3D85★	Blue	5.80
Lots of 5	X3D75★		
21-318G-E	X3D85★	Green	5.80
Lots of 5	X3D75★		
21-319T-E	X3D85★	Tan	5.80
Lots of 5	X3D75★		

Five in master ctn. Wt. ctn. 46 lbs.



Georgian--Molded

Molded of resin and wood flour blended together. Three-coat alkyd resin synthetic enamel finish. Comfort contour. Sanitary extended back. Chrome-plated brass hinges. Four supporting bumpers.

White Finish

Each		Each
21-AM300-E	X3D35	\$4.95

One in ctn. Wt. ctn. 8 1/4 lbs.

STAR ★ DENOTES BEST SELLER

INDUSTRIAL TOILET SEATS

OLSON-ITE

Wood—Without Cover
Open Front for Regular Bowl

White sprayed molded seat, smoothly finished. Seat doweled front and back. All metal parts solid brass. Rubber bumpers. Standard size.

Fitted with semi-concealed type challenge hinge. Seat 1 1/4-inch thick.


Seat only; weight each 4 3/4 lbs.

Each		Each
21-72XM-E	X4D10	\$6.15

One in carton

CHILDREN'S TOILET SEATS

CAMPRO



For children two years and over.

Clips to any standard toilet hinges and is easily removed. Lifts up when not in use. Can be used attached or unattached. Compact for ease of handling in travel.

Durable white sanitary plastic. Plated steel hinge with bolts and nuts.

Each		(70)	Each
L195E	D6C7		\$1.00
B-L195E	D6C7	(Case lots 12)	

One in box, with cellophane window.
Twelve in ctn. Wt. ctn. 7 lbs.



BADGER
BRAND



MOLDED and MADE
IN COLORS
to Match All Fixtures

PLUMBERS WOODWORK COMPANY • Algoma, Wisconsin



BADGER BRAND Seats are Made in All Colors Offered by these Leading Manufacturers of Plumbing Fixtures:

ALLIANCE . . . AMERICAN STANDARD . . . BRIGGS . . . CRANE
. . . ELJER . . . KOHLER . . . UNIVERSAL-RUNDLE . . . GERBER

CHICAGO POTTERY . . . W. A. CASE . . . KILGORE . . .
NATIONAL . . . SENTRY . . . HUMPHREY . . .



• PINK



• GREEN



• CORAL



• BLUE



• RED



• IVORY



• YELLOW



• TAN




• GRAY

Mother of Pearl Seats Made in Nine Colors . .

The Badger Brand line includes Mother of Pearl seats in nine colors. These colors, as indicated by the actual swatches at the right, are Black, Blue, Burgundy, Coral, Green, Gray, White, Peach, and Yellow. See specification sheets for details.



LAUNDRY TRAYS



Duratub


For use with automatic washers. Light weight and steel covered with baked white enamel which matches washer and dryers in size and beauty. Cover has vinyl trim. Opening for hose over handi-drain keeps hose in position while cover is in place and allows washer to be emptied while tub is covered—adds extra counter space. Pastel green fiberglass tub, won't crack, chip, stain, mar or dent. Handy storage compartment. Easily set for comfortable working height. Each leg is adjustable to 1½ in.

Guaranteed against leakage for one year in normal household use. 14 in. drain is designed to be used with either regular or automatic washers employing soap saving devices. No double tubs needed, Neoprene "O" ring assures leak proof fit. Length 28 in. Width 19½ in. Height 35½ in.

Capacity 20 Gallons

Each		Each
✚9TC-E	X33D00.....	\$49.50
One in ctn. Wt. ctn. 54 lbs.		

LAUNDRY TRAY FAUCETS



Shelf type. Rough plated. Fitted with sturdy cast brass threaded legs, flanges and nut, and hose end.

Each		Each
✚9T72-E	X6D00.....	\$9.00

LAUNDRY TRAYS



Poly-Glas

Reinforced ice-green fiberglass plastic—exceedingly tough but light in weight. Will not sag, bulge, crack or peel and withstands thermal shock. Conveniently designed with gently rounded rim, rounded corners and wide self-draining shelf. Molded-in washboard. Double corner bottom insures strength and true fastenless fit to steel supporting stand. Built-in leveler on each leg. With chrome-plated strainer and white rubber stopper.

Capacity 20 Gallons

Each		Each
O-GP-E	X21D60.....	\$32.50
One in ctn. Wt. ctn. 20 lbs.		

LAUNDRY TUBS




Concrete body, cast in one solid piece with rounded corners inside and out. Scientifically reinforced with galvanized steel. Rustless metallic roll rim. One piece 6-inch shelf full length. Soap dish moulded in shelf. Heavy copper nickel plated washboard permanently cast and doubly anchored in left compartment. Depressed center partition. Fine quality rubber stoppers. Metal twin waste outlet cast in tub with male 1½-inch thread. Galvanized metal faucet anchor. Heavy brass strainers countersunk and permanently cast in tub. Heavy black angle iron stand, well braced. Length 48 inches. Width 24 inches. Depth 16 inches.

Two Compartments
Without Faucet

Each		Each
✚061-E	X22D95.....	\$34.50
Loose. Wt. each 350 lbs.		

BATHROOM MEDICINE CABINETS


LAWSON
Recess Type**Ranch Type—Fluorescent Lighted**

Seamless one piece drawn steel body, bonderized after forming. Hi-lustre baked white enamel finish. Rounded inside corners. First quality frameless polished bevel plate glass mirror.

Patented stainless steel ratchet type mirror clips. Full length piano type hinge. Shock absorbing bar type door stop. Adjustable bullet type door catch. Two $\frac{3}{16}$ -inch clear bulb edge glass shelves. Multi selector shelf supports. Snap-in electrical inspection plate. Convenience electric outlet for razor, etc. Complete with two No. T12, 15 watt cool white fluorescent tubes.

Mirror 23 inches wide, 22 inches high. Wall opening $21\frac{3}{8} \times 16\frac{7}{8} \times 3\frac{1}{2}$ inches.

D4C0%	Plate Glass Mirror	
Each		Each
7-1290-E	X43D65.....	\$72.75
One in ctn. Wt. ctn. 45 lbs.		

**Window Glass Mirror**

One Piece Drawn Seamless Steel Body, Window Glass Mirror with Copper Sealed in Select Silvering. Polished Stainless Steel Frame; Two Bulb-Edge Glass Shelves with Multi-selector Adjustment. Razor Blade Box; Bullet Door Catch; Nickel Plated Door Stop; Piano Type Hinge 16 inches Long.

Mirror 16x22 inches; Depth of Cabinet $4\frac{1}{4}$ inches; Wall Opening $14 \times 18 \times 3\frac{1}{2}$ inches.

Each		Each
7-4121-E	X8D40.....	\$12.60
One in ctn. Wt. ctn. 21 lbs.		

**Plate Glass Mirror**

One piece drawn seamless bonderized after forming. Rounded inside corners.

Full length white enameled piano hinge with brass pin.

Adjustable removable shelf supports. Bar door stop and bullet type door catch.

Two bulb edge glass shelves.

Baked white enamel finish. Electro polished stainless steel mirror frame. Stainless steel toothbrush holder, razor blade slot, mirror door 14×22 inches.

Required rough opening $12\frac{1}{8} \times 18\frac{1}{8} \times 3\frac{1}{2}$ inches. Depth inside $4\frac{1}{2}$ inches.

Each		Each
7-4226-E	X9D00★.....	\$15.00
One in ctn. Wt. ctn. 16 lbs.		

MIRRORS



Neat and attractive. For bathroom, kitchen, spare bedroom, or cottage.

White enameled wood moulding frame $\frac{5}{8} \times \frac{1}{16}$ inches, well made. Select single strength mirror with high quality silvering. Heavy blue paper backing.

Each	F. O. B. St. Louis	Zone 1	Zone 2	Zone 3	Zone 4	Size, ins.	No. in ctn.	Wt. ctn. lbs.
7-810-E	N-D6C0	D6C1	D6C2	D6C3	D6C3	8x10	24	11
7-912-E	N-X1D10	X1D12	X1D13	X1D14	X1D15	10x16	12	13
7-1216-E	N-X1D30	X1D33	X1D36	X1D38	X1D40	12x18	12	25

Sold Only In Full Cartons

For Zone Map—See Section 30—Page 4

STAR ★ DENOTES BEST SELLER

TOILET SEATS**BADGER**

Made of molded resin and wood flour. Finished in Algomite enamel. Chrome plated hinges.

Assortment of Six

Two each Pink, Green and Blue.

Per Asst.	Each
21-1510-E X17D50	\$4.95

Packed in six ctns. Wt. 28 lbs.

OPEN STOCK

Each	Color	Each
21-G1512P-E X3D25	Pink	\$4.95
21-G1512G-E X3D25	Green	4.95
21-G1512B-E X3D25	Blue	4.95

One in ctn. Wt. ctn. 5 lbs.

All White

Per Asst.	Each
21-1511-E X17D50	\$4.95

Packed in six ctns. Wt. 28 lbs.

MEDICINE CABINETS

11--5

Each		Each
7-7440-19-E	X42D00	\$74.00
7-7451-E	X18D00	30.00

11--5A

Each		Each
7-3667-E	X16D20	\$27.00
7-4133-11-E	X22D80	38.00
7-4522-E	X9D60	16.00
7-5011-E	X6D60	11.00

11--6

Each		Each
7-C5155-E	X2D35	\$3.49
7-C5159-E	X3D20	4.79
7-C5180-E	X6D63	9.95
7-C6232-E	X4D35	6.49
7-C6235-E	X5D97	8.95
7-C6240-E	X7D30	10.95
7-C6250-E	X9D95	14.95
7-C6260-E	X8D35	12.50
7-C6280-E	X9D95	14.95

Above numbers are only items carried in stock.

All other items shown may be ordered direct from factory. Prices on application.



7880 without lights
7880-35 with lights
2-in-1 Twin Body



7550 without lights
7550-19 with lights
2-in-1 Twin Body



7440 without lights
7440-19 with lights
Single Body

CONSTRUCTION FEATURES

ONE PIECE DRAWN SEAMLESS STEEL BODIES—BONDERIZED AFTER FORMING. Polished Stainless Steel frame—no visible joints. Plate Glass Mirrors; polished chrome plated door pulls; stainless steel Splash Plates. Easy-glide nylon corner shoes. Special coating on Mirror Back to protect silvering. Stainless Steel Mirror Track, resistant to moisture, acid and daily wear and tear . . . will not corrode . . . silent operation. Razor blade slots. Stainless Steel Toothbrush Holders. Eight glass shelves in models 7880 and 7880-35; six shelves in models 7550 and 7550-19; two in models 7440 and 7440-19. Light Fixtures Polished Stainless Steel with Plastic Shades carry Underwriters' Laboratories Inspection Label. Fluorescent Tubes (T-12, 15 watt in No. 19 fixtures; T-12, 20 watt in No. 35 fixtures) included. Snap-in Electrical Inspection Plate (no screws). Control Switch for both lights in Left Bracket. Convenience Outlet for Electric Razor, Dryer, Etc. in Right Bracket.

SPECIFICATIONS

No.	Mirrors--Doors	Wall Opening			Storage Space cu. in.	List Price
		Wide	High	Deep		
7440	(2) 13½ x 19" Plate Glass Frameless	25⅞"	18½"	3½"	1919	
7440-19	(2) 13½ x 19" Plate Glass Frameless	25⅞"	18½"	3½"	1919	
7550	(2) 15½ x 19" Plate Glass Frameless	29⅞"	18½"	3½"	2064	
7550-19	(2) 15½ x 19" Plate Glass Frameless	29⅞"	18½"	3½"	2064	
7880	(2) 19½ x 26⅝" Plate Glass Frameless	37⅞"	25⅝"	3½"	3838	
7880-35	(2) 19½ x 26⅝" Plate Glass Frameless	37⅞"	26⅝"	3½"	3838	

Overall No. 7440 without lights 27¼ x 19¼" No. 7550-19 with lights 38½ x 19¼"
Dimensions No. 7440-19 with lights 34¼ x 19¼" No. 7880 without lights 39⅝ x 27⅝"
No. 7550 without lights 31¼ x 19¼" No. 7880-35 with lights 46⅝ x 27⅝"



OVERHEAD FLUORESCENT Light Fixtures For Independent Wall Mounting

Completely Wired and Ready to Install. Stainless Steel End Caps. Plastic Light Shields. Shipped Completely Assembled and Separately Packaged. Underwriters Laboratories Label. Control Switch on left end; Convenience Outlet on right end for electric razor, dryer, etc.

No. 740 Fixture.....List

For Use with Nos. 7440, 7451 or 7462 Slide-Door Cabinets. 27½" long, including one 20 watt Fluorescent Tube.


No. 750 Fixture.....List

For Use with No. 7550 Slide-Door Cabinet. 31½" long, including one 25 watt Fluorescent Tube.

No. 780 Fixture.....List

For Use with No. 7880 Slide-Door Cabinet. 39½" long, including one 30 watt Fluorescent Tube.

Overhead Light Fixtures also recommended for use with swing door cabinet ensembles and lavatory Mirrors.



Nos. 7473, 7484 Recessed Medicine Cabinets with Attached Fluorescent Lights

FORMED AND WELDED STEEL BODY, BONDERIZED AFTER FORMING. Stainless steel frame; chrome plated door pulls; special coating on mirror back to protect silvering; plastic mirror track, silent operation. Razor blade slot; two ¾" wide glass shelves. Baked white enamel finish. Overall dimensions including Overhead Lights 28½" wide x 21½" high.

LIGHT FIXTURE:—Includes 25 watt fluorescent tube and plastic light diffuser; completely wired; Underwriter's Laboratory Label; stainless steel end caps; control switch on left-end; convenience outlet for electric razor, dryer, etc. on right-end.



Nos. 7451, 7462 Recessed Slide Door MEDICINE CABINET

FORMED AND WELDED STEEL BODIES, BONDERIZED AFTER FORMING. Polished Stainless Steel Frame; Chrome Plated Door Pulls; Coating on Mirror Back to protect silvering; Plastic Mirror Track . . . silent operation. Razor Blade Slot; Stainless Steel Toothbrush Holder; two Glass Shelves. Removable and adjustable aluminum shelf supports. Baked white enameled finish. Overall dimensions 27½" wide x 19" high.

SPECIFICATIONS

No.	Mirrors--Doors	Wall Opening			Storage Space cu. in.	List Price
		Wide	High	Deep		
7451	(2) 14 x 18" Extra Heavy 3/16" Window Glass	26"	17"	3½"	1808	
7462	(2) 14 x 18" Plate Glass	26"	17"	3½"	1808	
7473	(2) 14 x 18" Extra Heavy 3/16" Window Glass	28"	20⅝"	3½"	1842	
7484	(2) 14 x 18" Plate Glass	28"	20⅝"	3½"	1842	

CABINETS NOS. 1466, 1466-35, 2458-35, 3458

CONSTRUCTION FEATURES


ONE PIECE DRAWN SEAMLESS STEEL BODY, BONDORIZED AFTER FORMING. Rounded Inside Corners for easy cleaning; Full Length Stainless Steel Piano Hinge; Adjustable and Removable Aluminum Shelf Supports; Glide-Lok Combination Door Stop and Catch; Bulb Edge Glass Shelves; Razor Blade Slot; Stainless Steel Toothbrush Holder. Baked White Enamel Finish.

Framed Mirror Cabinets have Polished Stainless Steel Frames; Frameless Mirror Cabinets furnished with Stainless Steel Spring Ratchet Clip (no screws).

Lighted Models carry Underwriters' Laboratories Inspection Label. Snap-in Electrical Inspection Plate (no screws). Control Switch for both lights in left bracket. Convenience Outlet for Electric Razor, Dryer, etc. in Right Bracket.

Light Fixtures No. 35 complete fixture polished stainless steel with plastic shades.

To determine overall width of cabinets with No. 35 Fluorescent fixtures, add to mirror width dimensions 7" per pair.



1466-35 with lights
1466 without lights
Four Shelves

2458-35 with lights
3458 without lights
Four Shelves




2667-14 with lights
3667 without lights
Two Shelves

2657-14 with lights
3645 without lights
3657 without lights
4122 without lights
4133 without lights
4133-14 with lights
Two Shelves



3528-35 with lights
3527 without lights
3528 without lights
2 Upper Shelves
1 Bottom Shelf
1 Poison Lock Box

4122-11 with lights
4133-11 with lights
4122 without lights
4133 without lights
Two Shelves



4522 without lights
4533 without lights

5011 without lights
5022 without lights

SPECIFICATIONS

No.	Mirrors — Doors	Wall Opening			Storage Space cu. in.	List Price
		Wide	High	Deep		
4522	16 x 22" Window Glass S. S. Frame	14 1/8"	18 1/4"	3 1/2"	1032	
4533	16 x 22" Plate Glass S. S. Frame	14 1/8"	18 1/4"	3 1/2"	1032	
5011	14 x 20" Window Glass, S. S. Frame	12 1/4"	16 3/4"	3 1/2"	799	
5022	14 x 20" Plate Glass, S. S. Frame	12 1/4"	16 3/4"	3 1/2"	799	

SPECIFICATIONS

No.	Mirrors—Doors	Wall Opening			Storage Space cu. in.	List Price
		Wide	High	Deep		
1466	20 x 30" Plate Glass Frameless	18 1/8"	25 1/2"	3 1/2"	1919	
1466-35	20 x 30" Plate Glass Frameless	18 1/8"	26 1/2"	3 1/2"	1919	
2458-35	18 x 26" Plate Glass S. S. Frame	16 1/8"	22 1/2"	3 1/2"	1329	
3458	18 x 26" Plate Glass S. S. Frame	16 1/8"	21 1/2"	3 1/2"	1329	

FLUORESCENT CABINETS with suffix "35" have 20-watt cool white tubes included.

CABINETS NOS. 2657-14, 2667-14, 3527, 3528, 3528-35, 3645, 3657, 3667, 4122, 4122-11, 4133, 4133-11, 4133-14

CONSTRUCTION FEATURES

Same features as above except;—White Enamel Brass Pin Hinge.

Light Fixture No. 11 is White Enamel without plastic shade; No. 14 is White Enamel with plastic shade; End Caps polished stainless steel. No. 35 complete fixture polished stainless steel with plastic shades.

To determine overall width of cabinets with No. 11, No. 14 or No. 35 Fluorescent fixtures, add to mirror width dimensions 7" per pair.

SPECIFICATIONS

No.	Mirrors—Doors	Wall Opening			Storage Space cu. in.	List Price
		Wide	High	Deep		
2657-14	16 x 24" Plate Glass S. S. Frame	13 5/8"	20 1/2"	3 1/2"	1066	
2667-14	16 x 24" Plate Glass Frameless	13 5/8"	20 1/2"	3 1/2"	1066	
3527	16 x 26" Window Glass S. S. Frame	14"	24"	3 1/2"	1401	
3528	16 x 26" Plate Glass S. S. Frame	14"	24"	3 1/2"	1401	
3528-35	16 x 26" Plate Glass S. S. Frame	14"	24 1/2"	3 1/2"	1401	
3667	16 x 24" Plate Glass Frameless	13 5/8"	19 1/2"	3 1/2"	1066	
3645	16 x 24" Window Glass S. S. Frame	13 5/8"	19 1/2"	3 1/2"	1066	
3657	16 x 24" Plate Glass S. S. Frame	13 5/8"	19 1/2"	3 1/2"	1066	
4122	16 x 22" Window Glass S. S. Frame	14 1/8"	18 1/4"	3 1/2"	1032	
4122-11	16 x 22" Window Glass S. S. Frame	14 1/8"	18 1/4"	3 1/2"	1032	
4133	16 x 22" Plate Glass S. S. Frame	14 1/8"	18 1/4"	3 1/2"	1032	
4133-11	16 x 22" Plate Glass S. S. Frame	14 1/8"	18 1/4"	3 1/2"	1032	

FLUORESCENT CABINETS with suffix "11" or "14" have 15-watt cool white tubes included. 20-watt tubes included with cabinets having "35" suffix.

Nos. 4522, 4533, 5011, 5022
Construction Features

FORMED AND WELDED STEEL BODIES, BONDORIZED AFTER FORMING. Polished Stainless Steel Frame; Razor Blade Slot; Stainless Steel Toothbrush Holder; two Glass Shelves. Removable and Adjustable Aluminum Shelf Supports; White Enameled Piano Hinge with Brass Pin; Bar Door Stop; Baked White Enameled Finish.

ACHIEVE CUSTOM
STYLING WITH
LAWSON STOCK
MODEL MEDICINE
CABINETS

Shown are three stock model Lawson Medicine Cabinets with polished stainless steel jointer strips. Overhead fluorescent light is independently mounted. Triple or Twin Ensembles allow for utmost flexibility in a wide size and price range. No matter what type home is being planned a Lawson Medicine Cabinet Ensemble can fit the requirements.

Additional Information Available on Request.

Deluxe SURFACE MOUNTED CABINETS

with swing-away towel bar



No. C-6240

No. C-6242

HAN-DE-DORTM for Extra Capacity**CONSTRUCTION FEATURES**

Polished One piece Stainless Steel Mirror Frame; Full Length Piano Type Hinge; Bullet Type Door Catch; Two Bulb-Edge Glass Shelves; 4 Recessed Door Shelves; Stainless Steel Swing-Away Towel Bar; Baked White Enamel Finish.

C-6235

C-6260

C-6280

CONSTRUCTION FEATURES: Made of heavy gauge steel. Strong welded construction. Modern rounded body face flanges provide extra storage space. One Piece Polished Stainless Steel Mirror Frame; Full Length Piano Hinge; 2-Bulb Edge Glass Shelves; Bullet Type Door Catch; Swing away Stainless Steel Towel Bar. Bar Door Stop C-6280 only. Baked White Enamel Finish.



No. C-6232

No. C-5155
No. C-5159

CONSTRUCTION FEATURES: White enameled steel. Butt hinges; Friction door catch. Two metal shelves, welded in. White enameled towel bar with swing-away feature on C-6232. Baked White Enamel Finish.


LAVATORY MIRRORS

Vertical or horizontal mounting . . . First quality plate glass . . . 20 gauge galvanized steel backing . . . Polished stainless steel frame . . . Rounded corners — no mitered joints . . . Flush wall mounting . . . Theft-proof feature.

NOTE: Special Sizes with SQUARE CORNERS AVAILABLE - write for prices stating quantity and sizes.

No.	Size
1218	12 x 18"
1420	14 x 20"
1620	16 x 20"
1622	16 x 22"
1624	16 x 24"
1824	18 x 24"
1826	18 x 26"

Theft-proof feature consists of zig-zag slots in the metal back to receive wall screws. Wall screws not furnished.

**SURFACE MOUNTED CABINETS — Slide Door Models**

No. C-6252



No. C-6250

CONSTRUCTION FEATURES

Nos. 6250 and 6252 made of heavy gauge steel; finish baked white enamel; copper backed mirrors with special protective coating slide in stainless steel track; four bulb-edge glass shelves; adjustable and removable aluminum shelf supports; plastic door pulls on C-6250; chrome plated door pulls on C-6252.

Model C-5180 same as above except two fixed metal shelves; clear plastic door pulls.



No. C-5180

No. 720 Overhead FLUORESCENT LIGHT FIXTURE including 20-watt Fluorescent Tube

Designed for attachment to Nos. C-6250 or C-6252 Surface Cabinets. Completely Wired; Ready to Attach to Cabinet; Stainless Steel End Caps; Plastic Shield; Underwriters Laboratories Label; Control Switch on right side; Convenience Outlet on left side for electric razor, dryer, etc.; Separately Packaged (1) per carton.

Nos. C-6270 and C-6272

With Attached Overhead Fluorescent Light



CONSTRUCTION FEATURES: Formed and welded steel body. Polished stainless steel frame; chrome plated door pulls; plastic mirror track for silent operation; stainless steel toothbrush holder; two glass shelves, adjustable and removable aluminum shelf supports; baked white enamel finish.

LIGHT FIXTURE: Includes 25 watt fluorescent tube and plastic light diffuser, completely wired, Underwriters' Laboratories Label, stainless steel end caps, control switch on left end, convenience outlet for electric razor, dryer, etc. on right end.

SPECIFICATIONS

Model No.	Mirror Size	Body Dimensions			List Price
		Wide	High	Deep	
C-5155	11 x 18" Window Glass	10 1/4"	16 1/2"	4"	
C-5159	14 x 20" Window Glass	13 3/4"	18 1/2"	4"	
C-5180 (2)	10 x 14" Plate Glass	21 1/2"	15"	4"	
C-6232	12 x 18 1/2" Window Glass	13 3/4"	16 1/2"	4 1/2"	
C-6235	14 x 20" Window Glass	15 1/2"	17 1/2"	4 1/2"	
C-6240	14 x 20" Window Glass	15 1/2"	17 1/2"	4 1/2"	
C-6242	14 x 20" Plate Glass	15 1/2"	17 1/2"	4 1/2"	
C-6250 (2)	14 x 18" Window Glass	29"	19 1/4"	5 1/4"	
C-6252 (2)	14 x 18" Plate Glass	29"	19 1/4"	5 1/4"	
C-6260	14 x 20" Plate Glass	15 1/2"	17 1/2"	4 1/2"	
C-6270 (2)	14 x 18" Extra Heavy 3/16" Window Glass	28 3/4"	20 3/4"	4 1/4"	
C-6272 (2)	14 x 18" Plate Glass	28 3/4"	20 3/4"	4 1/4"	
C-6280	16 x 22" Plate Glass	17 1/2"	19"	4 1/2"	

BATHROOM FIXTURES**AUTOYRE****No. 2500 Series**

Made of steel, smartly designed and sturdily constructed. Metallic-plated double coated finish provides lasting lustre and rust-resistant finish. Wall brackets recessed for screw heads. Chrome plated screws.

CLOTHES HOOKS

Sturdy flat hooks. Has many uses in the home.

Per Pair	Per Pair
L384E (2507) D5C4	\$0.89

One pair on card. Twelve cards in ctn.
Wt. ctn. 2½ lbs.

TOWEL RINGS

Sturdy stirrup shape ring for unique towel display.

Each	Each
L385E (2510) D4C7	\$0.79

Twelve in ctn. Wt. ctn 3¼ lbs.

WALL ASH TRAYS

Clever design with removable glass tray.

Each	Each
L389E (2534) D5C3	\$0.89

B-L389E (2534) D5C3—(Case lots 12)

Twelve in ctn. Wt. ctn. 7¼ lbs.

TOWEL SHELF AND DRYING RACK

Four sturdy bars with six end hooks for hanging of small items.

Each	Each
L391E (2537) D8C9	\$1.49


Twelve in ctn. Wt. ctn. 16¼ lbs.

SOAP DISH**Contemporary**

Length 5 inches. Width 3½ inches. Depth 1½ inches.

Each	Each
L417E (2550) D3C9	\$0.60

Twelve in box. 4 boxes in ctn. Wt. ctn. 10 lbs.

TUMBLER AND TOOTH BRUSH HOLDER**Contemporary**

Length 5 inches. Width 3½ inches. Depth 1½ inches.

Each	Each
L421E (2554) D3C9	\$0.60

Twelve in box. 4 boxes in ctn. Wt. ctn. 10 lbs.

ALL IN ONE!

FREE DISPLAY!

With each purchase
of C-2536 assortment


C-2536 ASSORTMENT INCLUDES:

- 13 Ea. C-2500 Wall Soap Dish
- 13 Ea. C-2503 Suction Cup Soap Dish
- 13 Ea. C-2504 Toothbrush And Tumbler Holder
- 13 Ea. C-2506 All-Purpose Hook
- 13 Ea. C-2509 Toilet Tissue Holder
- 13 Ea. C-2511 Towel Bar, 18"
- 13 Ea. C-2512 Towel Bar, 12"
- 7 Ea. C-2517 Towel Bar, 24"
- 7 Ea. C-2519 All-Purpose Rack (3-Arm)
- 7 Ea. C-2531 Paper Towel Holder
- 1 Only Display Panel


No. of Cartons.....2

Wgt. Lbs. Asst.....38


29" WIDE, 31" HIGH (WITH LEGS AND HEADER)




(2500 and 4000 line displays shown)



ON THE COUNTER



ON THE WALL



SIDE-BY-SIDE
and BACK-TO-BACK

Per Display
0-C2536-E


X45D99

Packed in two ctns. Wt. 38 lbs.

Per Display
\$68.90

Autoyre® 2500 LINE

Ring up bigger-than-ever bothware sales with this versatile handsome display that invites customers over, and then waits on them for you! One of each item is permanently affixed for continuous sales appeal. Produce bigger unit sales with this compact display and increase your profit per foot all year around!



ALL IN ONE!


FREE DISPLAY!

With each purchase
of C-4036 assortment


C-4036 ASSORTMENT INCLUDES:

- 4 Ea. C-4000 Wall Soap Dish
- 4 Ea. C-4004 Toothbrush and Tumbler Holder
- 7 Ea. C-4006 Double Robe Hook
- 4 Ea. C-4009 Toilet Tissue Holder
- 4 Ea. C-4011 Towel Bar, 18"
- 4 Ea. C-4017 Towel Bar, 24"
- 7 Ea. C-4019 All-Purpose Rack (3 Arm)
- 4 Ea. C-4020 Wall Soap Dish (With Drains)
- 4 Ea. C-4022 Clip On Ring
- 4 Ea. C-4023 Plastic Towel Ring
- 1 Only Display Panel
- No. of Cartons.....2
- Wgt. Lbs. Asst.....32 1/4

29" WIDE, 31" HIGH (WITH LEGS AND HEADER)




ON THE COUNTER




ON THE WALL

(2500 and 4000 line displays shown)



SIDE-BY-SIDE
and BACK-TO-BACK



Per Display
0-C4036-E

X38D92

Packed in two ctns. Wt 32 1/4 lbs.

Per Display
\$64.37

Autoyre® 4000 LINE

Ring up bigger-than-ever bathware sales with this versatile handsome display that invites customers over, and then waits on them for you! One of each item is permanently affixed for continuous sales appeal. Produce bigger unit sales with this compact display and increase your profit per foot all year around!

THE AUTOYRE COMPANY • 1949 N. CICERO AVENUE, CHICAGO 39, ILLINOIS


A SUBSIDIARY OF EKCO PRODUCTS COMPANY

BATHROOM FIXTURES

AUTOYRE

The 2500 Series


Made of steel, smartly designed and sturdily constructed. Lustre chrome finish provides lasting lustre and rust-resistant finish. Wall brackets recessed for screw heads. Chrome plated screws.



WALL SOAP DISHES

Tray $5\frac{1}{8} \times 3\frac{1}{4} \times 1$ inch. Solid embossed bottom and attractively designed side walls integral with wall plate.


Each L397E (2500) D3C9★.....\$0.59
Twelve in ctn. Wt. ctn. $3\frac{1}{4}$ lbs.



TUB SOAP DISHES

Tray $5\frac{1}{8} \times 3\frac{1}{4} \times 1$ inch. Solid embossed bottom and attractively designed side walls. Firmly attached to wire hanger for tub rim.


Each L401E (2501) D4C2★.....\$0.69
Twelve in ctn. Wt. ctn. $3\frac{1}{4}$ lbs.



DOUBLE FAUCET TYPE SOAP DISH

One piece perforated body with rounded top rim. Welded at 16 points. Coiled spring wire side handles. Size $5\frac{1}{8} \times 3\frac{1}{4}$ inches.


Each L404E (2502) D2C1★.....\$0.35
Twelve in ctn. Wt. ctn. $2\frac{3}{4}$ lbs.



TUMBLER AND TOOTHBRUSH HOLDERS

Square frame 3×3 inches fitted with four toothbrush holders and tumbler support. Embossed for beauty and rigidity. Attractive wall plate.


Each L408E (2504) D3C9★.....\$0.59
Twelve in ctn. Wt. ctn. $3\frac{1}{4}$ lbs.



TOILET TISSUE HOLDERS

Swivel type frame $5\frac{1}{4} \times 3\frac{1}{4}$ inches. Attractive wall plate. Octagonal white enameled wood roller with chrome ferrules.

Each L411E (2509) D3C9★.....\$0.59
Twelve in ctn. Wt. ctn. 3 lbs.




TOWEL BARS

Solid round metal bar with attractively designed wall plates.

Each	Lgth., ins.	Wt. ctn., lbs.	Each
L412E (2512) D3C9	12	5	\$0.59
L413E (2511) D4C2	18	$6\frac{1}{4}$.69
L419E (2517) D4C8★	24	$7\frac{1}{2}$.79
B-L419 (2517) D4C8★	(Case lots 12)		

Twelve in ctn.




PAPER TOWEL HOLDERS

Dispense towels without noise or waste.

Modern one piece wall bracket with spring-tension arms to hold roll firmly. No roller needed. Will hold standard rolls of paper towels.

Each L468E (2531) D4C7.....\$0.79
Twelve in ctn. Wt. ctn. 7 lbs.



Shelf Brackets

Ideal for shelves holding cleaning aids, toiletries, bric-a-brac, plants etc.

Will support 4 to 5 inch glass shelves. Spring grip holds shelves firmly and safely. Wall plates $5\frac{1}{8} \times 4\frac{1}{4}$ inches.

Per Pair L474E (2528) D4C7.....\$0.79
Twelve pairs in ctn. Wt. ctn. $2\frac{1}{4}$ lbs.



ALL PURPOSE RACKS

Holds towels, wash cloths, light laundry and neck ties.

Three free swinging arms 11 inches long hinged on wall bracket $1\frac{1}{8} \times 2\frac{3}{4}$ inches.

Each L415E (2619) D4C7★.....\$0.79
Twelve in ctn. Wt. ctn. $4\frac{1}{2}$ lbs.




TOWEL RACKS

Chromium plated. Rust-resisting Finish

A newly designed rack for towels and wash cloths. Clips on apron sinks and basins. No screws. No fitting necessary. Flat steel clips, with $\frac{1}{4}$ -inch round rod. Length $11\frac{1}{4}$ inches.

Each	Kind	Wt. ctn., lbs.	Each
L470E (2540) D4C2	Single	$3\frac{1}{4}$	\$0.69
L472E (2593) D4C7	Twin	$5\frac{1}{4}$.79

Twelve in ctn.



ALL PURPOSE HOOKS

For bathroom or closet. Round wire hooks with ball ends. Upper hooks extends 1 inch, lower hook $\frac{3}{4}$ inch. Wall plate $1\frac{1}{8} \times 2$ inches.

Each L405E (2506) D1C7.....\$0.29
Twelve in ctn. Wt. ctn. $1\frac{1}{2}$ lbs.

BATHROOM FIXTURES


AUTOYRE

Fairfield

Made of steel, smartly designed sturdily constructed to assure satisfaction. Bright Metallic Finish. Wall brackets are recessed for screw heads. With chrome plated screws.


Matched accessories finished in Bright Metallic—Top quality.

TOILET TISSUE HOLDERS




Each
L480E (4009) D8C3★\$1.39
Six in box. Wt. box 3 lbs.

TUMBLER AND TOOTHBRUSH HOLDERS



Each
L478E (4004) D7C7★\$1.29
Six in box. Wt. box 3 lbs.

TUMBLER HOLDERS




Each
L393E (4005) D7C7\$1.29
Six in box. Wt. box 2¾ lbs.

SOAP DISHES




Each
L476E (4000) D7C7★\$1.29
Six in box. Wt. box 3 lbs.

SOAP DISHES



Each
L121E (4020) D7C7\$1.29
Six in ctn. Wt. ctn. 3 lbs.


TOOTH BRUSH HOLDERS



Distinctive sturdy design. Holds five brushes.

Each
L125E (4024) D6C0\$1.00
Six in ctn. Wt. ctn. 2 lbs.

TOWEL SHELVES




Many purpose shelf for bathroom, kitchen and closet. Eight feet of bars with eight utility hooks.

Size 9½x22 inches.

Each
L184E (4037) X1D50\$2.49
B-L184E (4037) X1D50—(Case lots 12)
Six in ctn. Wt. ctn. 14 lbs.

ADD-A-RACKS



Auxiliary towel rack or dryer. Hooks over any towel bar, 18 inches long or longer.

Each
L185E (4038) X1D44\$2.39
B-L185E (4038) X1D44—(Case lots 6)
Six in ctn. Wt. ctn. 12 lbs.

TOWEL BARS



Clip-On Type

Strong spring clip fastens to side of wash basin, tub or shelf. Length 10 inches.


Each
L140E (4040) D7C7\$1.29
Six in ctn. Wt. ctn. 3¼ lbs.



Each		No. Lgth., in.	Wt. ins. ctn.	Wt. lbs.	Each
L402E	(4012)	D7C7★	12	6 5¼	\$1.29
B-L402E	(4012)	D7C7★	—(Case lots 6)		
L88E	(4011)	D8C3★	18	6 7	1.39
B-L88E	(4011)	D8C3★	—(Case lots 6)		
L95E	(4017)	D8C9★	24	6 8½	1.49
B-L95E	(4017)	D8C9★	—(Case lots 6)		

Six in ctn.

TWIN TOWEL BARS



Each		No. Lgth., in.	Wt. ins. ctn.	Wt. lbs.	Each
L94E	(4014)	X1D13★	18	6 10	\$1.89
B-L94E	(4014)	X1D13★	—(Case lots 6)		
L105E	(4016)	X1D19★	24	6 13	1.98
B-L105E	(4016)	X1D19★	—(Case lots 6)		

Six in box


STAR ★ DENOTES BEST SELLER

BATHROOM FIXTURES

AUTOYRE-FAIRFIELD

Made of steel, smartly designed, sturdily constructed to assure satisfaction. Bright metallic finish. Wall brackets are recessed for screw heads. With chrome plated screws. Matched accessories finished in bright metallic—top quality.

TOWEL RINGS




Swing stirrup design. Keeps towels neatly corralled. Also useful for ties.

Width $5\frac{1}{2}$ inches. Depth $4\frac{1}{4}$ inches. Wall plate $2\frac{7}{8} \times 2\frac{5}{8}$ inches.

Each L482E (4010) D7C7★ \$1.29
Six in ctn. Wt. ctn. $2\frac{3}{4}$ lbs.

CLIP-ON TOWEL RINGS




Stirrup design individual towel holder. For ties too.

Width $5\frac{1}{2}$ inches. Length 5 inches. Individually carded.

Each L400E (C4022) D8C3 \$1.39
Six in a ctn. Wt. ctn. $2\frac{3}{4}$ lbs.

PLASTIC TOWEL RINGS



Clear lucite ring adds decorator touch.

Width $5\frac{1}{2}$ inches. Length 5 inches. Individually carded.

Each L418E (C4023) X1D19 \$1.98
Six in ctn. Wt. ctn. 3 lbs.

ALL PURPOSE RACKS




Three free swinging arms stay put in any position. Will hold towels, light laundry, neckties, etc.

Length of arms 12 inches. Wall plate $2\frac{7}{8} \times 2\frac{5}{8}$ inches.

Each L99E (4019) X1D01★ \$1.69
Six in ctn. Wt. ctn. 7 lbs.


GARMENT HOOKS



For closets, bathroom or kitchen doors. Length 8 inches. Holds several hangers.

Each L356E (4058) D6C0 \$0.90
Six in ctn. Wt. ctn. $2\frac{1}{2}$ lbs.

ROBE HOOKS




Smartly styled twin hooks. Brings beauty and order to bathroom or closet.

Width of hooks $2\frac{3}{8}$ inch. Extends $1\frac{1}{2}$ inch. Wall plate $2\frac{7}{8} \times 2\frac{5}{8}$ inches.

Each L467E (4006) D6C0 \$0.90
Six in ctn. Wt. ctn. $1\frac{3}{4}$ lbs.

MATCHING BATHROOM OUTFIT



Five basic bathroom accessories grouped in handsome self-selling gift display packages.


Contains:

One each of the following

L121E-4020 Wall Soap Dish
L480E-4009 Toilet Tissue Holder
L478E-4004 Tumbler and Tooth Brush Holder
L88E-4011 Towel Bar 18 in. Unbreakable Silvered Tumbler

Each L407E (4853) X3D57 \$5.95
One outfit in box, twelve boxes in ctn. Wt. ctn. 39 lbs.

ADD-A-DRYER



Hangs over shower rods, towel bars, closet rods, etc.

Dries lingerie, socks, gloves and handkerchiefs. Attractively carded with convenient price spot.

Each L399E (4072) X1D19 \$1.08
One on card. Twelve cards in box. Wt. box 13 lbs.

GRAB BARS



Prevents accidents in tub or shower. Length $11\frac{1}{8}$ inches. Width $2\frac{1}{8}$ inches. Depth $2\frac{3}{8}$ inches.

Each L458E (4008) D7C7 \$1.29
One on card, six cards in box. Wt. box $5\frac{1}{4}$ lbs.

GLASS SHELF



Includes pair of No. 4028 shelf brackets and 5x18 inch glass shelf with highly polished edge.

Each L409E (4018) X1D79 \$2.98
One in box. Wt. box $2\frac{3}{4}$ lbs.

SHELF BRACKETS



Shelf rests with spring grip to hold standard glass shelf firmly and safely for toiletries, bric-a-brac and plants.

Length of shelf rests $3\frac{1}{2}$ inches. Wall plate $2\frac{7}{8} \times 2\frac{5}{8}$ inches.

Per Pair L126E (4028) X1D19 \$1.98
Six pair in ctn. Wt. ctn. 3 lbs.

BATHROOM FIXTURES

UNITED WIRE GOODS

Hy-Lustre Chromium Plated

SOAP DISHES



Wall

Size $5\frac{1}{8} \times 3\frac{3}{8}$ inches.


Each L12E (600) D2C1★ \$0.35
Twelve in ctn. Wt. ctn. 3 lbs.



Bath Tub

Size $5\frac{1}{8} \times 3\frac{3}{8}$ inches.

Each L41E (601) D2C1 \$0.35
Twelve in ctn. Wt. ctn. $3\frac{3}{4}$ lbs.




Faucet

Size $5\frac{1}{8} \times 3\frac{3}{8}$ inches.


Each L42E (610) D2C1 \$0.35
Twelve in ctn. Wt. ctn. 3 lbs

TUMBLER AND TOOTH BRUSH HOLDER

Size $3\frac{1}{8} \times 3\frac{1}{8}$ inches.

Each L43E (604) D2C1 \$0.35
Twelve in ctn. Wt. ctn. $2\frac{1}{4}$ lbs.

TOILET PAPER HOLDERS

Size $5\frac{1}{4} \times 4$ inches

Each L45E (609) D2C1★ \$0.35
Twelve in ctn. Wt. ctn. $2\frac{1}{2}$ lbs.

TOWEL BARS

Size $18 \times \frac{5}{16}$ inches

Each L54E (618) D2C2★ \$0.35
Twelve in ctn. Wt. ctn. 5 lbs.

Size $24 \times \frac{1}{16}$ inches

L65E (624) D2C2★35
Twelve in ctn Wt. ctn. $7\frac{1}{4}$ lbs.

STAR ★ DENOTES BEST SELLER

BATHROOM FIXTURES

HALL-MACK

TOWEL SCOPE



Excellent for drying nylons or lingerie, for holding guest towels and many other uses.

A concealed utility bar that can be pulled out and pushed back out of sight when not needed.

Extended for use, it provides a 14-inch utility bar. Retracted it is flush against wall.

Recessed Type

Wall Opening $\frac{3}{4}$ -inch in Diameter x 4 inches Deep

Each				Each
L171E	(310)	X2D75	\$3.90

One in box. Wt. box 7 ozs.



Surface Type

Installed by Screwing Face to Wall

Extended for use, it provides a 14-inch utility bar. Retracted, a handy 4 inch towel bar.

Each				Each
L172E	(311)	X2D75	\$3.90

One in box. Wt. box 6 ozs.

GRAB BARS


Triple plated heavy duty $\frac{7}{8}$ -inch round brass tubing. Solidly fastened in strong die cast posts, beautifully finished in chromium plate. Each end post solidly held by three screws or toggle bolts.



Can be installed horizontally, vertically or on an angle. For use wherever an exceptionally strong grab rail is desired.

Each			Length	Wt Each	
				in.	lbs.
L174E	(360/16)	X3D70	16	1	\$5.25
L178E	(360/24)	X4D25	24	2	6.00

One in box.

BATHROOM FIXTURES**RECESSED CLAMPS****HALLMACK**

For easy installation of Hallmack recessed fixtures. Especially in old walls.

Formed of heavy cold-rolled steel, zinc coated to prevent rust. With each clamp are two 2 in. chrome plated machine screws making it usable with any thickness of wall facing from $\frac{1}{4}$ to $1\frac{1}{4}$ in.

Each		Each
L176E	(600C) D5C0	\$0.70
Six in box. Wt. box $\frac{1}{2}$ lb.		

TOWEL BARS**HALL-MACK****Lavatory Clamp-On**

Hexagonal $\frac{5}{8}$ -inch stainless steel bar 14 inches long. Polished to a chrome-like finish. Chrome plated die-cast posts with wide clamp jaw.

Each		Each
L395E	(883) X1D60	\$2.25
One in box. Wt. box $\frac{7}{8}$ lb		

BATHROOM FIXTURES**HALL-MACK****Coronado Design****Screw Installation**

Modern design. Massive and sturdy. Brings smartness and luxury to the small home owner and builder.

Recessed fixtures made of solid brass, brilliantly polished, nickel and chrome plated. Surface fixtures of heavy cast Zamak metal, hand polished, copper, nickel and heavy chrome plated. Concealed screw mounting.

TOWEL RINGS

Size $1\frac{1}{8} \times \frac{5}{8}$ inches high.

Each		Each
L230	(686) X1D60	\$2.25
One in box. Wt. box $6\frac{1}{2}$ ozs.		

REPLACEMENT WALL PLATE**HALL-MACK**

For Coronado design bathroom fixtures.

Cast Metal Plates

Size $1\frac{1}{16} \times 1\frac{1}{8}$ in.

Screw Type

Each		Each
L180E	(600) D1C1	\$0.15
Adhesive Type		
L355E	(600A) D1C0 $\frac{1}{2}$15
Loose Wt. 1 oz.		

BATHROOM FIXTURES

HALL-MACK
CORONADO DESIGN
Screw Installation

Modern design. Massive and sturdy. Brings smartness and luxury to the small home owner and builder.


Recessed fixtures made of solid brass, brilliantly polished, nickel and chrome plated. Surface fixtures of heavy cast Zamak metal, hand polished, copper, nickel and heavy chrome plated. Concealed screw mounting.

BATHROOM FIXTURE DISPLAY

Increase sales and keep stock from becoming shop worn. Makes showing of line easy.


Attractive blond oak display panels, 23x15x3 inches, mounted with items listed below.

Quantity	Item
1	L202E-622 Soap Holder
1	L220E-630 Tumbler and Toothbrush Holder
1	L218E-665 Soap and Grab
1	L199E-670 Toilet Paper Holder
1	L200E-675 Toilet Paper Holder
1	L205E-681 Single Hook
1	L222E-694 Towel Bar



Each
O-D602-E X13D45

One display in box. Wt. box 14 lbs.

**SOAP AND GRAB
Recessed Type**

With crystal soap tray
Size $6\frac{1}{8} \times 6\frac{1}{8}$ inches over all.

For wall opening $5\frac{1}{4} \times 5\frac{1}{4} \times 2$ inches.

Each (665) Each
L218E X3D20.....\$4.50
One in box. Wt. box $1\frac{3}{4}$ lbs.

**SOAP HOLDERS****Recessed Type**

With crystal soap tray.
Size $6\frac{1}{8} \times 6\frac{1}{8}$ inches over all.
For wall opening $5\frac{1}{4} \times 5\frac{1}{4} \times 2$ inches.

Each (625) Each
L206E X2D30.....\$3.25
One in box. 24 in ctn. Wt. ctn. 20 lbs.

**SOAP TUMBLER AND
TOOTHBRUSH HOLDER****Recessed Type**


With crystal tray. Will hold four tooth brushes. Size $6\frac{1}{8} \times 6\frac{1}{8}$ inches over all. For wall opening $5\frac{1}{4} \times 5\frac{1}{4} \times 2$ inches.

Each (635) Each
L208E X3D40.....\$4.80
One in box. Wt. box $1\frac{1}{4}$ lbs.

**TUMBLER HOLDERS****Recessed Type**

Without tumbler.
Size $6\frac{1}{8} \times 6\frac{1}{8}$ inches over all.
For wall opening $5\frac{1}{4} \times 5\frac{1}{4} \times 2$ inches.

Each (645) Each
L256E X2D35.....\$3.25
One in box. Wt. box $1\frac{1}{2}$ lbs.

**TOILET PAPER HOLDERS****Recessed Type**

With chrome roller. Size $6\frac{1}{8} \times 6\frac{1}{8}$ inches over all. For wall opening $5\frac{1}{4} \times 5\frac{1}{4} \times 2$ inches.

(675)
Each L200E X2D85.....\$4.00
One in box. Wt. box $1\frac{1}{4}$ lbs.

TOWEL BARS**CORONADO DESIGN
Surface Type**

Chrome plated seamless $\frac{3}{4}$ inch square bar.

Each		Length, inches	Wt. Box, lbs.	Each
L222E	X2D10★	18	$1\frac{1}{2}$	\$2.90
L228E	X2D25★	24	$1\frac{3}{4}$	3.10
L232E	X2D45★	30	2	3.40
L237E	X2D75	36	$2\frac{1}{4}$	3.80
		Loose		

**SOAP AND GRAB
Surface Type**

Grab bar 9 inches long. Removable crystal soap tray can be mounted on either left or right side.

(660)
Each L354E X2D37.....\$3.35
One in box. Wt. box $1\frac{5}{8}$ lbs.

**SOAP HOLDERS
Surface Type**

With tray. Size 4×3 inches.
(622)

Each L202E X1D24★.....\$1.75
One in box. Wt. box $\frac{1}{2}$ lb.

**TUMBLER AND TOOTH BRUSH
HOLDERS****Surface Type**

Will hold four tooth brushes. Size $4 \times 3\frac{1}{2}$ inches.
(630)

Each L220E X1D07★.....\$1.50
One in box. Wt. box $\frac{1}{2}$ lb.

**SINGLE HOOKS**

Surface Type
Size $2\frac{1}{4} \times 2\frac{1}{4}$ inches

(681)
Each L205E D7C1★.....\$1.00
One in box. Wt. box $\frac{1}{4}$ lb.

TOILET PAPER HOLDERS

Surface Type
Size $8 \times 3\frac{1}{4}$ inches. With chrome roller.

(670)
Each L199E X1D98★.....\$2.80
One in box. Wt. box $\frac{3}{4}$ lb.

GLASS SHELVES**CORONADO DESIGN****Surface Type**

(698)

Each		Length, inches	Width, inches	Wt. Each lbs.	Each
L386E	X2D50	18	5	$1\frac{1}{2}$	\$3.50
L387E	X2D68	24	5	3	3.75
		Six wrapped			

BATHROOM AND KITCHEN ACCESSORIES

GLASS SHELVES



Plate glass, polished edge.

Brackets Nos. 3816, 3628 and 5028 can be used with these shelves.

Without Brackets

Each		Lgth. ins.	Width ins.	Ctn., lbs.	Each
6-018-E	D5C5	18	5	24	\$0.85
6-024-E	D7C0	24	5	30	1.05

Twelve in ctn.

Sold Only in Full Cartons

TOILET PAPER HOLDERS

Cadmium Plated



Steel Wire Frame
5 $\frac{5}{8}$ x4 inches. Oblong
Wire Wall Plate
1x2 $\frac{3}{4}$ inches. Cad-
mium Plated. Hard-
wood Roller $\frac{1}{8}$ inches
Diameter, Natural
Finish.

(9425)

Each		Each
L182E	D1C5	\$0.25

Twelve in ctn. Wt. ctn. 2 $\frac{1}{2}$ lbs.

TOILET PAPER ROLLER

H. L. JUDD



Extra spring wood roller. Length 4 $\frac{1}{4}$ inches.
(328/37)

Each		Each
L191E	D0C7	\$0.10

Twelve in box. Wt. box 2 $\frac{1}{4}$ lbs.

SOAP DISHES

STANLEY-OLIVER



Attaches to tub, sink or wall with large rubber suction cups and holds fast.

Chrome plated steel construction. Assorted colors—Red, blue and green large rubber suction cups.

Size 5 $\frac{1}{8}$ x4x1 $\frac{1}{8}$ in.

(25)

Each		Each
L170E	D3C6	\$0.59

B-L170E D3C6—(Case lots 12)

Twelve in ctn. Wt. ctn. 4 lbs.

TOWEL BARS

STANLEY-OLIVER



Handy

Attaches to basin, sink or wall with large rubber suction cups and holds fast.

Nickel plated steel bar. Assorted colors—Red, blue and green large rubber suction cups.

Each		Lgth., ins.	Wt. Ctn. lbs.	Each
L166E	D2C3	(69)	12	\$0.39
B-L166E	D2C3	(Case lots 12)		
L168E	D2C9	(77)	18	.49
B-L168E	D2C9	(Case lots 12)		

Twelve in ctn.

TUMBLER HOLDERS

STANLEY-OLIVER



EZ-Tach

Attaches to basin, sink or wall with large rubber suction cups.

Rustproof chrome plated wire with special fulcrum which transfers weight to wall. Slots at sides for tooth brushes. Assorted red, yellow, green and blue suction cups.

(30)


Each		Each
L179E	D3C1	\$0.49

B-L179E D3C1—(Case lots 24)

One on card, 24 in ctn. Wt. ctn. 5 lbs.

BASIN WRENCHES

ACE



Just the tool for ledge-type lavatories. Jaw is locked into position by spring tension.

All steel. Drop forged heat treated reversing jaw and handle. Rust-proof cadmium plated. Length 10 inches.

(ACE)

Each		Each
L6101E	X1D50	\$2.25

Loose. Wt. each 1 lb.

TOILET PAPER

SOFT WEAVE

(Formerly Called Swank)



A Very Fine Quality Toilet Paper of Cleansing Tissue. Texture Extremely Soft and Downy, Very Absorbent and Absolutely Harmless to the Most Sensitive Skin.

Can Also be Used as a Facial Tissue and Other Purposes. Size of Sheet 4 $\frac{1}{2}$ x 5 inches, 2 Ply. Diameter

Roll 5 inches. 1000 Sheets to the Roll.

Per Case		Per Roll
7-SW-E	X14D25	\$0.20

Wt. per roll 10 ozs.

One Hundred Rolls in a Case

Weight per Case 70 lbs.

SOLD ONLY IN FULL CASES



GOOD HEALTH

A High Grade White Toilet Tissue; Label Wrapped; Untouched by Hands; Diameter Roll 4 $\frac{1}{4}$ inches

White; 1000 Sheets; Size 4 $\frac{1}{2}$ x4 $\frac{1}{2}$ inches.

Per Case		Per Case
7-1000T-E	X9D95	\$14.95

One Hundred Rolls in a Case

Weight per Case 60 lbs.

Sold Only in Full Cases

BATH TUB AND SHOWER FITTINGS


DIVERTER FIXTURES

GOPHER

Three-Valve Automatic Shutoff

Automatic shutoff on center valve maintains desired temperature when turning water off and on for tub or shower—saves on hot water. Die cast spout. Iron pipe unions. Dome lever handles. Re-Nu valves. Re-Nu seats. With shower head and arm. Meets Federal Specifications WWP-541B.

8 inch centers.



Each L6075E (30) X10D10★ Each \$15.15
Ten in ctn. Wt. ctn. 65 lbs.


Two-Valve

Equipped with Twin-El. Re-Nu valves. Re-Nu seats. With shower head and arm. Meets Federal Specifications WWP-541B. 8 inch centers.

Each L6073E (32) X11D20 Each \$16.95
Six in ctn. Wt. ctn. 41 lbs.

WATER MIXING VALVES MILWAUKEE

Concealed




Simple, dependable, single plunger valve, designed for easy installation and long service. Top outlet. 1/2 inch I. P. S. female connection. Valve roughs in at 3 inches from center of supplies to face of wall.

Attractive dial with large handle for easy positive closure. Chromium plated.

Each L6096E (3861) X9D15 Each \$13.75
One in ctn. Wt. ctn. 4 1/2 lbs.

OVER RIM TUB FIXTURES

GOPHER



Die cast spout. Dome lever handles, escutcheons, Re-Nu valves. Re-Nu seats. 1/2 inch iron pipe unions. Meets Federal Specification WWP-541B. 8 inch centers.

Each L6104E (33) X6D20★ Each \$9.30
Ten in ctn. Wt. ctn. 40 lbs.

BATH FAUCETS

GOPHER




Universal Heavy Pattern

Re-Nu valves, Re-Nu seats. Dome lever handles indexed "H" and "C". With lock nut only.

Each L6216E (39) X2D90 Each \$4.35
One in ctn. Wt. ctn. 1 1/2 lbs.

BATH DRAINS

GOPHER



(L6039E)

(L6057E)

Fitz-All Mechanical

Patented "O" ring overflow feature permits installation on all bath tubs—cast iron and steel. Overflow mechanism slides up and down for required length. Meets Federal Specification WW-541B, type 122.

Each L6039E (77) X5D65★ Each \$8.50
Ten in ctn. Wt. ctn. 50 lbs.


Fitz-All Heavy Pattern

Fits all tubs, manufactured cast iron or steel. Reversible tee. Pop-up stopper—easily removed. Meets Federal Specification WWP-541B.

Each L6057E (66) X7D05 Each \$11.15
Ten in ctn. Wt. ctn. 50 lbs.

WASTE AND OVERFLOWS

For Built-In and Recess Tubs Concealed Type



The Connections for the Overflow and Bottom Elbow Tubes are Slip Joint and the Cast Tee is Made for Slip Connection or Recessed for Soldered Joints for Overflow and Bottom Elbow Tubes; the End of the Tee to the Floor is Threaded on the Outside for 1 1/2-inch Iron Pipe, and Tapped on Inside for Tail Pieces when Used; Complete with Metal Bead Chain and 1 1/2-inch Rubber Stopper.

All Brass

Chromium-Plated Overflow and Outlet Strainers; Other Parts Rough Brass Finish.

Light Weight

Each L6106E (CWOR13/8) X3D45 Each \$5.25
One in ctn. Wt. ctn. 3 lbs.

Standard Weight

Each L6063E (632) X4D40★ Each \$6.75
One in ctn. Wt. ctn. 3 1/2 lbs.

OFFSET BATH SUPPLY PIPES

For Bath Tubs on Feet or Base



Semi-Annealed, 16-Gauge Brass Pipes; 3/8-inch Outside Diameter with 90x45 Degree Offset; Furnished with Coupling Nut and Brass Cone Connection; Also Slip Nut, Brass Friction Washer and Rubber Washer for Slip End; Coupling Nut Tapped 1.045x14 Threads; Slip Nut Tapped for 1/2-inch Iron Pipe; Length 21 1/2 inches.

Chromium Plated

Per Pair L6065E (723) X2D95 Per Pair \$4.50
One pair wrapped in paper. Wt. pair 5 lbs.

BATH TUB AND SHOWER FITTINGS

SHOWER HEADS

PRESTO



Luxurious Rain-Like Drops or Spray. Adjustable by Wall Control. Non Sticking. Automatically Self Cleaning and Economical.

Ideal for Use in Homes, Hospitals, Apartments, Clubs, Schools and Institutions.

Cast Brass Ball Joint, Chromium Plated. Beautifully Styled, with Rugged Construction. Vibrating Plunger Keeps Both Itself and Supporting Orifice Free from Lime Deposits.

With Arm and Wall Flange


Wall Plate 2 1/4 inches in Diameter. Threaded for 1/2-inch Iron Pipe. Extends 10 inches.

Each Each
L6000E (5AC) X2D18.....\$3.30
One in ctn. Wt. ctn. 1 1/2 lbs.

HEAD ONLY

Without Arm or Wall Flange


Each Each
L6015E (47) X1D60★.....\$2.50
One in ctn. Wt. ctn. 1/2 lb.



Standard

Fine needle type spray. Self-cleaning ball joint. Chrome-plated brass.

Each Each
L5974E (123) X1D00.....\$1.50
One in ctn. Wt. ctn. 5/8 lb.




Midjet

With ball joint. Chrome plated brass.

Each Each
L5973E (122) D6C7.....\$1.00
One in ctn. Wt. ctn. 3/4 lb.

SHOWER HEADS



Hydrojet

Out performs all others. Five distinctly different shower patterns by finger-tip selection. Manually adjustable. Self cleaning. Can not clog or lime up. Positive action. Economical full spray patterns.

Cast brass, chromium plated. Side adjustment lever. Ball joint. Diameter of head 1 1/2 inches. Threaded for 1/2-inch iron pipe.

Extends 6 inches.

With 6 inch Arm and 1 1/4 inch Wall Flange

Each Each
L6082E (1445) X4D42.....\$6.75
One in box. Wt. box 1 1/4 lbs.

Without Arm or Wall Flange

Each Each
L6083E (1447) X3D77.....\$5.75
One in box. Wt. box 1 lb.

SHOWER HEADS

Chromium Plated



Spun Brass,
Diameter 5 1/2
inches Threaded for
1/2-inch Iron Pipe.

Each Each
L6001E (5 1/2"H) D8C5.....\$1.25
One in ctn. Wt. ctn. 4 ozs.

SHOWER DRAINS



Chrome plated cast brass. Polished chrome plated strainer. Female outlet. Diameter over all 3 3/4 inches.

Each	Outlet, in.	Wt. ozs.	Each
L6141E (K1 1/2)	1 1/2	12	\$1.15
L6142E (K2)	2	10	1.15

Loose

SHOWER CURTAINS

GERLO



Striking swan pattern on seamless embossed pique plastic. Will not mildew, peel, crack or fade.

Rust-proof Eyelets

Size 72x72 inches.

Each	Colors	Each
L6175E (30)	X1D50 Clear	\$2.25
L6176E (31)	X1D50 Yellow	2.25
L6177E (32)	X1D50 Green	2.25
L6183E (33)	X1D50 Blue	2.25
L6184E (34)	X1D50 Peach	2.25

One in box. Wt. box 1 1/4 lbs.

RUFFLED BATHROOM CURTAINS

With Tie Backs

Size of each panel 21x54 inches.

Per Pair	Color	Per Pair
L5893E (306C)	D9C0 Clear	\$1.35
L5894E (306Y)	D9C0 Yellow	1.35
L5895E (306G)	D9C0 Green	1.35
L5896E (306B)	D9C0 Blue	1.35
L5897E (306P)	D9C0 Peach	1.35

One pair in box. Wt. box 1/2 lb.



Intricate underseas pattern in vibrant colors on heavy vinyl seamless plastic. Will not mildew, peel, crack or fade.

Rust-Proof Eyelets

Size 72x72 ins.

Each	Colors	Each
L6185E (90)	X2D20 Clear	\$3.30
L6186E (91)	X2D20 Yellow	3.30
L6189E (92)	X2D20 Green	3.30
L6191E (93)	X2D20 Blue	3.30
L6192E (94)	X2D20 Peach	3.30

One in box. Wt. box 1 1/4 lbs.

RUFFLED BATHROOM CURTAINS

With Tie Backs

Size of each panel 21x54 inches.

Per Pair	Colors	Per Pair
L5898E (390C)	X1D55 Clear	\$2.30
L5899E (390Y)	X1D55 Yellow	2.30
L5900E (390G)	X1D55 Green	2.30
L5901E (390B)	X1D55 Blue	2.30
L5902E (390P)	X1D55 Peach	2.30

One pair in box. Wt. box 1/2 lb.

SHOWER RODS

For use with recess bath tubs. For 5-foot opening. Chromium plated. Brass tubing 1-inch outside diameter. Complete with round wall flanges and screws.

20 gauge tubing.

Curtain Not Included

Each	Each
L6074E (R101) X1D20★	\$1.95
Wrapped in paper	
Wt. each 1½ lbs.	

ROUND FLANGES

For R101 and 55 Shower Rods


Per Pair	Per Pair
L6025E (80) D3C5	\$0.50
One pair in ctn. Wt. ctn. 10 ozs.	

SHOWER CURTAIN PINS

For 1 inch Rod

Brass wire, chromium plated.
Diameter .093 inch, pointed.
Length 2¾ inches.

Per Box	Each
L6081E (1442) X2D85	\$0.05
100 in box. Wt. box 2 lbs.	

CHICAGO


In Plastic Bag

Snap-fit type. Nickel-plated steel. 1¾ inch size. Twelve in poly bag.

Per Bag	Per Bag
L5946E (1056B) D1C5	\$0.25
Twelve bags in box. Wt. box 2 lbs.	

BATH SPRAYS

KNICKERBOCKER



Massage Brush—Bath or Shampoo Spray

Nickel plated brass spray head with concave face plate and head shaped rubber needle point massage brush. Equipped with 5 foot deluxe rubber tubing with rollback type faucet connection. Adjusted to fit a wide range of faucets.

Each sprayer on an attractive holder

Assorted Colors, Red and Green

Each	Each
L6059E (276) D6C0	\$0.90
LX6059E (276) D6C0—(Case lots 12)	
Twelve in ctn. Wt. ctn. 10 lbs.	

LAVATORY FITTINGS

LAVATORY FAUCETS

GOPHER



Heavy cast brass body with shanks cast as part of body. Re-Nu valves, Re-Nu seats. Dome lever handles. Elevated female threaded spout conforms with all codes. Chrome-plated.

4 inch Center set

Each	Each
With Pop-Up Waste—Without Aerator	
L6053E (70) X6D90	\$10.50
Ten in case. Wt. case 35 lbs.	

With Aerator—Without Pop-Up Waste	
L6043E (72A) X4D65	6.95
Twenty in case. Wt. case 45 lbs.	

Without Pop-Up Waste and Aerator	
L6054E (72) X4D05★	6.40
Twenty in case. Wt. case 42 lbs.	



Full Code Pattern Quick Compression
Non Syphon Type; Cast Bronze; Spout 3½ inches Long with Outlet 1¾ inches Above Flange; Valve Seat Cast in Body; Metal Cross Handles; Standard 2¼-inch Brass Shank; Brass Ground Joint Tail Piece Threaded for ½-inch Iron Pipe; Complete with ¼-inch Pipe Coupling.

Chromium Plated

Heavy Weight Cross Handles

Each	Indexed	Each
L6217E (11C) X1D95	"Cold"	\$2.95
L6218E (11H) X1D95	"Hot"	2.95
Six in ctn. Wt. ctn. 8½ lbs.		

Light Weight Cross Handles

L6212E (2C) X1D60★	"Cold"	2.40
L6213E (2H) X1D60★	"Hot"	2.40

Lever Handles

L6214E (3C) X1D60	"Cold"	2.40
L6215E (3H) X1D60	"Hot"	2.40


Six in ctn. Wt. ctn. 6½ lbs.

STAR ★ DENOTES BEST SELLER

LAVATORY FITTINGS

CROSS HANDLES

CHICAGO



Carded


Modern design—for sink, bath, shower, lavatory, etc. Fits practically all stems. Hidden set screw—attached with screwdriver. Chrome-plated. One pair, indexed "H" and "C" on plastic bubble card.

Per Card Per Card
L6041E (15C) D8C0.....\$1.25

Six cards in ctn. Wt. ctn. 2 3/4 lbs.

LEVER HANDLES

CHICAGO



Carded

Modern design—for sink and lavatory. Fits practically all types of stems. Hidden set screw—attached with screwdriver. Chrome-plated. One pair, indexed "H" and "C", on plastic bubble card.

Per Card Per Card
L5939E (17C) D6C2.....\$0.90

Six cards in ctn. Wt. ctn. 1 1/2 lbs.



FIT ALL

Solid brass, satin chrome finish. Large steel fastening screw in handle. Length over all 2 3/4 inches.

In Pairs—Hot and Cold

Per Pair Per Pair
L6014E (41) D5C5.....\$0.95

Twelve pairs in box. Wt. box 6 lbs.

NATION WIDE

FITZ-IT

For sink, bath, lavatory, laundry and supply faucets of standard design.

Attractively chrome plated. Bull dog grip. Fit all diameter valve stems, both square and spline shanks. Easily installed.



Turning wrench in Allen set screw within handle forces hardened steel blade to embed in valve stem.

CROSS HANDLES

With Wrench



Per Pair Per Pair
L6027E (87) X1D40.....\$2.10
One pair in box, twelve pairs in display ctn.
Wt. ctn. 4 1/4 lbs.

BEAVER TAIL HANDLES

With Wrench



Per Pair Per Pair
L6024E (77) X1D25.....\$1.95
One pair in box, twelve pairs in display ctn.
Wt. ctn. 3 lbs.

CHAIN STAYS

Polished Chromium Finish

Manufactured from Brass Rod; Diameter of Base 1/4-inch; Shank 5/8-inch Long, Threaded 10-24; Brass Nut Tapped 10-24; Brass Ring.



Each Each
L6035E (114) D2C0.....\$0.30
Twelve in pkg. Wt. pkg. 1 1/4 lbs.

FAUCET HOLE COVERS

For Basin

Chromium Plated Wrought Brass Cover; Diameter 1 3/4 inches with Bolt 1 3/4 inches Long Under Head; Threaded 3/8-28, with Brass Nut.

Complete with 1 1/2-inch Heavy Brass Washer for Use on Lavatory Having a Large Hole.



Each Each
L6067E (935) D2C0.....\$0.30
Twelve in ctn. Wt. ctn. 1 1/2 lbs.

BASIN PLUGS OR WASTE FITTINGS

For Lavatories Drilled for Chain Stay Only

Consists of Wrought Plug; 2 3/4 inches Long, Under Flange, Threaded 1 1/4-inch Outside Diameter by 14 Threads; One 22-Gauge Wrought Tailpiece 5 inches Long Under Flange; 1 1/4-inch Outside Diameter; Also 1-inch Rubber Stopper with Metal Bead Chain; Length Under Top Flange 6 inches.



Chromium Plated

Each Each
L6118E (POC1 1/4) D8C0★.....\$1.20
Wrapped in paper. Wt. each 1/4 lb.


STAR ★ DENOTES BEST SELLER

TAIL PIPES AND NUTS

For Lavatory Faucets

Can be Used with Any Lava-Faucet in this Catalog.

Brass, Dull Nickel Finish; Ground Joint for 1/4-inch Iron Pipe; Complete with Nut; Length Over All 2 inches.



Per Set

L6135E (TP1/4) D2C0.....\$0.30

Loose. Wt. set 3 ozs.

Per Set

Each

POP-UP LAVATORY WASTES


For Wall or Pedestal Lavatories Drilled for Pop-up Wastes

All Metal

Polished Chromium Finish Exposed Metal Surfaces; Other Metal Parts Satin Chromium Finish

With Wrought Plugs

Made up of Heavy Cast and Wrought Brass Parts; Cast Brass Nuts, Tee and Adjustable Connection; Solid Brass Rods; Seamless Brass Tubing Tail-Pieces; 5 inches Long; 1 1/4 inch Outside Diameter; All Other Metal Parts Wrought Brass, Complete with All Necessary Rubber Gaskets for Installing.



Each

L6056E (410) X3D65.....\$5.50

One in ctn. Wt. ctn. 2 1/4 lbs.

Each

SLIP NUTS

Chromium Plated Cast Brass

Complete with Rubber Washer.



Each

L6068E D1C4★ 1 1/4 1 1/4 \$0.25

L6069E D1C6 1 1/4 1 1/4 .25

L6070E D1C6★ 1 1/4 1 1/4 .25

Loose. Wt. each 2 ozs.

To Slip Outside Diam., ins.

Tapped for Iron Pipe, ins.

Each

PLUMB SHOP

Quick Service MERCHANDISER

... ANSWERS ALL YOUR PLUMBING SALES PROBLEMS!

FREE
MERCHANDISE
WITH EACH DISPLAY

DEALERS—Build your plumbing sales department around this all-metal display . . . a new source of profit on just 1½ feet of counter space. All the chrome-plated flexible copper supplies and fittings necessary for every water supply hook-up. Convenient arrangement invites customers to wait on themselves.

CUSTOMERS—Install plumbing with neater, easier chrome-plated flexible supplies. Simple step-by-step directions show you how.



FREE MERCHANDISE
\$6.75 worth of merchandise absolutely free with the purchase of either #100 or #200 Quick Service Merchandiser. Order today from your favorite wholesaler.




The right supply, valve, fitting for the perfect hook-up between water inlet and fixture. Pre-cut flexible pipe bends in any direction and shape, making hard-to-get-at corners easy to work in. No longer the extra equipment and labor of solid pipe installations.



CHROME-PLATED FLEXIBLE SUPPLY PIPES—Individually carded for easier merchandising and product protection. Illustrated step-by-step installation instructions on the back of every card.

VALVES—Individually packaged in attractive window-box with cellophane overwrap . . . affording full view of the product, at-a-glance identification and over-all protection to the jeweled chrome finish.



CHROME NIPPLES, FITTINGS, NUTS and RINGS—Conveniently separated and displayed in their own particular metal pocket, clearly identified with picture, size, part no., price.

12" x 18"
ACTUAL SIZE

FITS EVERY
COUNTER

Quick Service MERCHANDISER #100
FOR ONLY \$96²²
Total Value \$155.86

Quick Service MERCHANDISER #200
FOR ONLY \$42¹⁷
Total Value \$62.03

Please send the following:

☐ **Quick Service MERCHANDISER #100**
☐ **Quick Service MERCHANDISER #200**

Name (please print) _____

Address _____

City _____

State _____

Got a plumbing sales problem?



Here is the only solution!



PLUMB SHOP Quick Service MERCHANDISER . . . a retail plumbing sales department in itself . . . is now available. This all-metal counter display (1½ square feet of space) both stores and sells all the chrome-plated, copper flexible supplies, brass fittings and brass valves necessary for water supply hook-ups . . . to toilet tank, kitchen sink and wash basin faucets.

PLUMB SHOP flexible water supply pipes bend in any direction or shape, making those hard-to-get-at corners easy to work in. Pre-cut lengths (12" to 36") do away completely with cutting and threading. Just the right "fitting head" for the particular faucet or ballcock eliminates extra fittings and equipment.

All supplies are of the highest grade brass or copper, and meet the standards of all general plumbing codes. The wide assortment covers every installation.

Simple, professional installations with these three easy steps . . . (1) Bend by hand to the desired shape; (2) Attach top and bottom; (3) Turn on the water.

PLUMB SHOP supplies, proved by years of use and by millions of installations, are available to the dealer in two profitable, modern display packages.

Flexible Water Tubes:

Fabricated from ¾" O.D. heavy wall, soft copper tube . . . plating is guaranteed not to crack or peel even when offset for installation.

Chrome Compression Valves:

¾" and ½" Iron Pipe, straight and angle . . . all brass construction with heavy machined threads, full raised seat and leak-proof packer.

Fittings:

Straight and angle for floor and wall installations . . . extra heavy, all brass construction . . . for ¾" and ½" Iron Pipe, male and female.

Nipples:

Full Iron Pipe size, Red Brass. Individually stamped with exact size . . . machine cut threads.

Flanges:

Stainless Steel, highly polished . . . for ¾" and ½" Iron Pipe.

All tubes, valves, fittings and nipples are highly polished and triple plated with copper, nickel and chrome to a mirror finish.

Refills: All items are packaged in standard quantity . . . equal to the necessary refill of your display.

No. 100 327 Piece Assortment	
QUANTITY	LIST PRICE
6 pr.	\$ 6.18
6 pr.	9.00
6 pr.	13.68
5 ea.	3.10
5 ea.	4.10
4 pr.	5.60
4 pr.	7.28
4 pr.	10.96
4 ea.	5.40
4 ea.	5.40
4 ea.	6.12
4 ea.	6.12
25 ea.	7.00
25 ea.	7.00
20 ea.	6.80
20 ea.	6.80
20 ea.	7.00
15 ea.	6.45
15 ea.	6.15
25 ea.	3.75
25 ea.	.50
4 ea.	2.28
3 ea.	2.46
2 ea.	2.06
2 ea.	3.92
20 ea.	2.00
20 ea.	2.00

\$149.11

6.75

\$155.86

\$ 89.47

6.75

\$ 96.22

PLUMB SHOP Quick Service MERCHANDISER

CONTENTS	
PS-1	12" Wash Basin Supply Pipe
PS-2	20" Wash Basin Supply Pipe
PS-3	30" Wash Basin Supply Pipe
PS-4	12" Toilet Supply Pipe
PS-5	20" Toilet Supply Pipe
PS-6	12" Sink Supply Pipe
PS-7	20" Sink Supply Pipe
PS-8	30" Sink Supply Pipe
PS-17	¾" I.P. size Chrome Angle Valve
PS-18	½" I.P. size Chrome Angle Valve
PS-19	¾" I.P. size Chrome Strt. Valve
PS-20	½" I.P. size Chrome Strt. Valve
PS-9	¾" I.P. size Female Strt. Fitting
PS-10	¾" I.P. size Male Strt. Fitting
PS-11	½" I.P. size Female Strt. Fitting
PS-12	½" I.P. size Male Strt. Fitting
PS-13	¾" I.P. size Female Elbow Fitting
PS-14	¾" I.P. size Male Elbow Fitting
PS-15	½" I.P. size Female Elbow Fitting
PS-21	Compression Nut
PS-22	Compression Ring
PS-23	¾" I.P. size x 4" Nipple
PS-24	¾" I.P. size x 6" Nipple
PS-25	¾" I.P. size x 8" Nipple
PS-32	¾" I.P. size x 15" Nipple
PS-30	¾" I.P. size Shallow Flange
PS-31	½" I.P. size Shallow Flange

Total Value Mdsc. Contents
Free Merchandise Value at Retail
5 Chrome Angle Valves

Total Retail Value

Dealer Mdsc. Cost
Display Cost (Offset by Free Mdsc.)—Plus

Total Dealer Cost

No. 200 122 Piece Assortment	
QUANTITY	LIST PRICE
3 pr.	\$ 3.09
3 pr.	4.50
2 pr.	4.56
3 ea.	1.86
4 ea.	3.28
2 pr.	2.80
2 pr.	3.64
2 pr.	5.48
2 ea.	2.70
2 ea.	2.70
2 ea.	3.06
2 ea.	3.06
5 ea.	1.40
5 ea.	1.40
5 ea.	1.70
5 ea.	1.70
5 ea.	1.75
5 ea.	2.05
15 ea.	2.25
15 ea.	.30
10 ea.	1.00
10 ea.	1.00

\$ 55.28

6.75

\$ 62.03

\$ 33.17

9.00

\$ 42.17

Free Merchandise Certificate
5 Chrome Angle Valves - Value \$6.75
PLEASE FILL IN FOLLOWING INFORMATION
NAME _____ ADDRESS _____
CITY _____ STATE _____
DEALER'S NAME _____

FREE MERCHANDISE

5 Chrome Angle Valves (at a retail value of \$6.75) forwarded direct to dealer upon return of Free Merchandise Certificate, included with each

PLUMB SHOP Quick Service MERCHANDISER.



ONLY
PLUMB SHOP
Quick Service MERCHANDISER
OFFERS BOTH
DEALERS AND
CUSTOMERS
ALL THIS . . .



EASY TO INSTALL
bends in any direction or shape

PROFESSIONAL JOB
for Do-It-Yourself Plumbing

SIMPLE INSTRUCTIONS
illustrated . . . step-by-step

INDIVIDUALLY CARDED
for full product protection

**NO LONG EXPLANATIONS
REQUIRED OF DEALER**

LOGICAL ARRANGEMENT
all parts for any job



COMPLETE SELF-SERVICE
customers wait on themselves
CLEARLY MARKED TRAYS
part number, size, picture and price

CONVENIENT
valves for under-fixture shutoff
INDIVIDUALLY PACKAGED
in window box with cellophane overwrap

PLUS

PLUMB SHOP Quick Service MERCHANDISER helps "sell up" your customers. Every pipe, fixture or faucet purchase opens a sale for under-fixture valves, saving householder needless trips to shut off main water supply for simple repairs. **MAKE MONEY AND FRIENDS, TOO!**

**INSTALLING YOUR
PLUMB SHOP
WASH BASIN SUPPLY**

Step 1
If water outlet is a female pipe fitting and not a piece of pipe (nipple), measure from the inside threads of wall fitting and stop for overall length required. (Check if fitting is 1/2", 3/4", or 1" I.P.) If chrome nipple is faulty or in bad condition, measure required length, remove and replace with PLUMB SHOP chrome nipple.

Step 2
Cover nipple with tape to prevent chrome pipe compound on nipple. Place pipe compound on nipple. Place flange in wall or floor. If necessary, push internal fingers of flange together to insure tight fit on nipple.

Step 3
Cover wrench pads on stop with tape to prevent finish. Apply pipe compound to threads. Tighten stop wrench tight on nipple.

Step 4
Measure length of tube required from taper seat to stop by bending into approximate offset. Use easy curves until tube and can fit into compression fitting as far as it will go and still have tapered fitting in tapered seat. (Do not bend too far as tube stiffens after bending, and it is difficult to straighten.) If water outlet and faucet are in such position that no offset is required, put a small offset in the flexible tube to act as an expansion tube up. (See cuts on back cover, figures 7 and 8.) Cut tube to allow 1/4" more than approximate measurement. **DON'T CUT TOO SHORT.** It is important not to flatten tube out of round and to remove all burrs.

Step 5
Remove coupling nut and ring from stop. Slip over tube. Square and bottom tube in stop as far as it will go. Tighten nut on fitting to compression ring, finger tight (Figure 5).

Step 6
Spring taper new on tube into taper seat on faucet. Tighten up coupling nut wrench tight. Due to the small working space behind the wash basin, a PLUMB SHOP basin wrench will make this operation easier. Force tube to bottom of adaptor in valve and tighten nut. Do not use large wrench. Do not overtighten.

Step 7
Installation is now complete. Turn on water supply. Turn on stops (use counter-clock motion). If either the taper seat or the stop leaks, carefully tighten nut until leak stops. If water appears around the stem (Figure 5) tighten bonnet carefully.

PLUMB SHOP
— DETROIT 1, MICH.

WASH BASIN TUBE (PS 2) OR (PS 3)

STRAIGHT STOP (PS 19)

FLANGE (PS 30)

NIPPLE (PS 22)

Fig. 7

(Illustration showing typical installation of PLUMB SHOP Basin Supply from floor. Use of straight stop makes it unnecessary to shut off main water supply.)

For less expensive installation a straight fitting (PS2) may be substituted. This will necessitate turning off main water supply.

WASH BASIN TUBE (PS 1 OR PS 2)

NIPPLE (PS 22)

FLANGE (PS 30)

ANGLE STOP (PS 17)

Fig. 8

(Illustration showing typical installation of PLUMB SHOP Basin Supply from wall. Use of angle stop makes it unnecessary to shut off main water supply.)

For less expensive installation an angle fitting (PS13) may be substituted. This will necessitate turning off main water supply.

CHROME-VALVE-AND-WATER

Straight Female Fitting		Wash Basin Tubes	
1/2" IP	PS 9	12" Long	PS 4
3/4" IP	PS 11	30" Long	PS 5
1" IP	PS 13	30" Long	PS 6
1 1/2" IP	PS 15	30" Long	PS 7
2" IP	PS 17	30" Long	PS 8
2 1/2" IP	PS 19	30" Long	PS 9
3" IP	PS 21	30" Long	PS 10

Straight Male Fitting		Ball Valve	
1/2" IP	PS 10	12" Long	PS 4
3/4" IP	PS 12	30" Long	PS 5
1" IP	PS 14	30" Long	PS 6
1 1/2" IP	PS 16	30" Long	PS 7
2" IP	PS 18	30" Long	PS 8
2 1/2" IP	PS 20	30" Long	PS 9
3" IP	PS 22	30" Long	PS 10

Angle Female Fitting		Ball Valve	
1/2" IP	PS 12	12" Long	PS 4
3/4" IP	PS 14	30" Long	PS 5
1" IP	PS 16	30" Long	PS 6
1 1/2" IP	PS 18	30" Long	PS 7
2" IP	PS 20	30" Long	PS 8
2 1/2" IP	PS 22	30" Long	PS 9
3" IP	PS 24	30" Long	PS 10

Angle Male Fitting		Shallow Flange	
1/2" IP	PS 14	1 1/2" Dia.	PS 30
3/4" IP	PS 16	1 1/2" Dia.	PS 31
1" IP	PS 18	1 1/2" Dia.	PS 32
1 1/2" IP	PS 20	1 1/2" Dia.	PS 33
2" IP	PS 22	1 1/2" Dia.	PS 34
2 1/2" IP	PS 24	1 1/2" Dia.	PS 35
3" IP	PS 26	1 1/2" Dia.	PS 36

Straight Stop		Angle Stop	
1/2" IP	PS 19	1 1/2" IP	PS 17
3/4" IP	PS 20	1 1/2" IP	PS 18
1" IP	PS 21	1 1/2" IP	PS 19
1 1/2" IP	PS 22	1 1/2" IP	PS 20
2" IP	PS 23	1 1/2" IP	PS 21
2 1/2" IP	PS 24	1 1/2" IP	PS 22
3" IP	PS 25	1 1/2" IP	PS 23

Compression Nut		Compression Ring	
1/2" IP	PS 31	1 1/2" IP	PS 32
3/4" IP	PS 33	1 1/2" IP	PS 33
1" IP	PS 35	1 1/2" IP	PS 34
1 1/2" IP	PS 37	1 1/2" IP	PS 35
2" IP	PS 39	1 1/2" IP	PS 36
2 1/2" IP	PS 41	1 1/2" IP	PS 37
3" IP	PS 43	1 1/2" IP	PS 38

PLUMB SHOP
— DETROIT 1, MICH.

IDENTIFYING SIZE

exact size stamped on every nipple

NEATNESS

stainless steel flanges cover "rough-in" holes



REFILL PARTS LIST

TRIPLE-PLATED POLISHED CHROME

3/8" O.D. FLEXIBLE COPPER TUBE WATER SUPPLIES

WASH BASIN SUPPLY PIPE

Stapled 1 Pr. to Each Instruction Card



Part No.	Length	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Pair
PS 1	12"	5 Pair	1 1/2 lb	\$1.03
PS 2	20"	5 Pair	2 1/2	1.50
PS 3	30"	5 Pair	3 1/2	2.28
PS 35	36"	5 Pair	4 1/2	2.85

TOILET

SUPPLY PIPE

Stapled 1 Only to Each Instruction Card



Part No.	Length	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 4	12"	5	3/4 lb.	\$.62
PS 5	20"	5	1 1/4	.82

KITCHEN SINK SUPPLY PIPE

Stapled 1 Pr. to Each Instruction Card



Part No.	Length	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Pair
PS 6	12"	5 Pair	2 1/4 lb.	\$1.40
PS 7	20"	5 Pair	3 1/2	1.82
PS 8	30"	5 Pair	4 1/4	2.74
PS 36	36"	5 Pair	5 1/2	3.39

I.P.S. RED BRASS CHROME NIPPLES

Close to 36 inch also available



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 23	3/8 IPx4"	5	1 lb	\$.57
PS 24	3/8 IPx6"	5	1 1/2	.82
PS 25	3/8 IPx8"	5	2	1.03
PS 32	3/8 IPx15"	5	4	1.96



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 26	1/2 IPx4"	5	1 1/2 lb.	\$.71
PS 27	1/2 IPx6"	5	2 1/4	1.03
PS 28	1/2 IPx8"	5	2 3/4	1.35

CHROME ANGLE VALVES



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 17	3/8 IP	5	1 3/4 lb.	\$1.35
PS 18	1/2 IP	5	1 3/4	1.35

CHROME STRAIGHT VALVES



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 19	3/8 IP	5	2 lb	\$1.53
PS 20	1/2 IP	5	2	1.53

SHALLOW FLANGE



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 30	3/8 IP	25	1/2 lb.	\$.10
PS 31	1/2 IP	25	1/2	.10

DEEP FLANGE



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 33	3/8 OD	10	1/2 lb.	\$.30
PS 34	1/2 OD	10	1/2	.30

COMPRESSION NUT



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 21	3/8 OD	25		\$.15

STRAIGHT FEMALE FITTING



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 9	3/8 IP	20	1 1/4 lb.	\$.28
PS 11	1/2 IP	20	1 3/4	.34

STRAIGHT MALE FITTING



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 10	3/8 IP	20	1 1/2 lb.	\$.28
PS 12	1/2 IP	20	2	.34

ANGLE FEMALE FITTING



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 13	3/8 IP	20	1 3/4 lb.	\$.35
PS 15	1/2 IP	15	2 1/4	.41

ANGLE MALE FITTING



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 14	3/8 IP	15	1 3/4 lb.	\$.43
PS 16	1/2 IP	15	2 1/2	.60

COMPRESSION RING



Part No.	Size	Std. Pkg.	Wgt. Per Pkg.	Retail Price, Ea.
PS 22	3/8 OD	25		\$.02

MASTER CARTON QUANTITY: SUPPLY PIPES—12" and 20"—10 STD. PKGS.
SUPPLY PIPES—30" and 36"—6 STD. PKGS.
FITTINGS and FLANGES—ALL SIZES—10 STD. PKGS. ASSTD. VALVES—ALL SIZES—12 STD. PKGS.

PLUMBING SUPPLY MERCHANDISER

PLUMB SHOP QUICK SERVICE

Each
LX-200M-E

X43D84

One merchandiser in ctn. Wt. ctn. 33 lbs.

Each
\$65.01

OPEN STOCK

Wash Basin Supply Pipes

Per Pair			Length in.	Wt. Box lbs.	Per Pair
L6531E	D6C6	(PS1)	12	1½	\$1.10
L6532E	D9C6	(PS2)	20	2½	1.60
L6534E	X1D47	(PS3)	30	3½	2.45
L6576E	X1D82	(PS35)	36	4½	3.04

Five Pair in Box.

Toilet Supply Pipes

Each			Length in.	Wt. Box lbs.	Each
L6545E	D4C0	(PS4)	12	¾	\$0.67
L6550E	D5C3	(PS5)	20	1½	.89

Five in Box

Kitchen Sink Supply Pipes

Per Pair			Length in.	Wt. Box lbs.	Per Pair
L6557E	D9C0	(PS6)	12	2½	\$1.50
L6558E	X1D14	(PS7)	20	3½	1.96
L6559E	X1D75	(PS8)	30	4¼	2.92
L6577E	X2D18	(PS36)	36	5½	3.63

Five Pair in Box.

I.P.S. Red Brass Chrome Nipples

Each			I.P. Size, in.	Length in.	Wt. Box lbs.	Each
L6561E	D3C7	(PS23)	¾	4	1	\$0.61
L6563E	D5C3	(PS24)	¾	6	1½	.88
L6567E	D6C6	(PS25)	¾	8	2	1.10
L6574E	X1D25	(PS32)	¾	15	4	2.09
L6568E	D4C6	(PS26)	½	4	1½	.76
L6569E	D6C6	(PS27)	½	6	2½	1.10
L6572E	D8C6	(PS28)	½	8	2¾	1.44

Five in Box.

Chrome Angle Valves

Each			I.P. Size, in.	Wt. Box lbs.	Each
L6421E	D8C3	(PS17)	¾	1½	\$1.39
L6422E	D8C3	(PS18)	¾	1½	1.39

Five in Box.

Chrome Straight Valves

Each			I.P. Size, in.	Wt. Box lbs.	Each
L6441E	D9C5	(PS19)	¾	2	\$1.58
L6443E	D9C5	(PS20)	¾	2	1.58

Five in Box.

Shallow Flanges

Each			I.P. Size, in.	Wt. Box lbs.	Each
L6485E	D0C6	(PS30)	¾	¾	\$0.10
L6486E	D0C6	(PS31)	¾	¾	.10

Twenty-five in Box.

Deep Flanges

Each			O.D. Size, in.	Wt. Box lbs.	Each
L6496E	D1C8	(PS33)	¾	¾	\$0.30
L6499E	D1C8	(PS34)	¾	¾	.30

Ten in Box.

Compression Nuts

Each			O.D. Size, in.	Wt. Box lbs.	Each
L6452E	D0C9	(PS21)	¾	¾	\$0.15

Twenty-five in Box.

Straight Female Fittings

Each			I.P. Size, in.	Wt. Box lbs.	Each
L6366E	D1C7	(PS9)	¾	1¼	\$0.28
L6369E	D2C2	(PS11)	¾	1¼	.36

Twenty in Box.

Straight Male Fittings

Each			I.P. Size, in.	Wt. Box lbs.	Each
L6368E	D1C7	(PS10)	¾	1¼	\$0.28
L6370E	D2C2	(PS12)	¾	2	.36

Twenty in Box.

Angle Female Fittings

Each			I.P. Size, in.	No. in Box	Wt. Box lbs.	Each
L6371E	D2C2	(PS13)	¾	20	1¼	\$0.36
L6399E	D2C5	(PS15)	¾	15	2¼	.41

Angle Male Fittings

Each			I.P. Size, in.	Wt. Box lbs.	Each
L6378E	D2C6	(PS14)	¾	1¼	\$0.43
L6416E	D3C6	(PS16)	¾	2¼	.60

Fifteen in Box.

Compression Rings

Each			O.D. Size, in.	Wt. Box lbs.	Each
L6478E	D0C1½	(PS22)	¾	¾	\$0.02

Twenty-five in Box.

PLUMBING SUPPLY DEAL

CHICAGO SPECIALTY MFG. CO.



Trans-Vu

Easier stocking—no odd parts. All items in trans-vu packages. Revolving display permits easy selection and full view.

Qty.	No.	Item	
5 Pr.	15C	Cross Handles for sink, bath, shower, lavatory, etc. Chrome plated.....	\$1.25 Pr.
5 Pr.	17C	Lever Handles for sink and lavatory. Chrome plated.....	.90 Pr.
10	4070C	Adjusto-Fit assemblies. Insures tank ball positive operation..	.25 Each
6 Pr.	4149C	Chrome bolt caps. Brass chrome plated. Snap-on clip, no cement or glue needed.....	.39 Pr.
6 Sets	7675C	Bumper Repairs —contains 2 bar bumpers, 2 tack bumpers, for any type toilet seat. Tacks molded into high grade rubber...	.20 Set
4	3121	Fixall Drip Stoppers —faucet seat dresser with $\frac{5}{8}$ in. cutter wheel. Complete with 4 neoprene washers and one brass screw.	.69 Each
10	7K10C	Washer Assortment. Made of DuPont Neoprene. Contains 7 beveled washers and 2 brass screws.....	.19 Each
10	6220	Form-a-Washer packing. Self-sealing, self-lubricating, forms own washer under compression. Fixes leaky shower heads, radiators, faucets, etc. 24 inch strand of $\frac{1}{8}$ in. packing.....	.19 Each
4	1277C	Crumb Cups — $1\frac{1}{2}$ in., less post. Nickel plated brass. Helps prevent clogged drains.....	.24 Each
5 Sets	8521C	Closet Bolts and Screws —Brass plated bolts and screws. Heavy nickel plated dome nuts. Stainless steel oval washers. (Contains 2 bolts, 2 screws, 4 nuts, and 4 steel oval washers.)....	.35 Set
5	7541C	Stopper with chain. $1\frac{1}{2}$ inch white rubber with 15 inch bead chain.....	.35 Each
3	7600A	Velva-Flo Aerators.59 Each
5 Bags	1056B	Curtain Pins. Steel nickel plated snap-fit type. $1\frac{3}{8}$ in. Twelve in bag.....	.25 Bag
3	7984C	Hose Adaptors. For use on untapped spouts. Rubber moulded on plated brass ferrule.....	.59 Each

Per Deal

Per Deal

0-H100-E X20D25.....

\$31.67

One deal in ctn. Wt. ctn. 15 lbs.

LAVATORY AND TANK FITTINGS

SLIP NUTS



Chromium Plated

Cast Brass

Complete with Rubber Washer.

Each		To Slip Outside Diam., ins.	Tapped for Iron Pipe, ins.	Each
		(1038/11/4)		
L6068E	D1C4★	1 1/4	1 1/4	\$0.25
		(1040/11/4)		
L6069E	D1C6	1 1/4	1 1/2	.25
		(1040/11/2)		
L6070E	D1C6★	1 1/2	1 1/2	.25

Loose. Wt. each 2 ozs.

PEERLESS—QUICK ON

ANGLE STOP VALVES



Female

Iron pipe standard. Fittings screwed in and silver soldered.

Each		Size, ins.	Wt. ea., lb.	Each
L6012E	D8C5 (38)	3/8x3/8	1/2	\$1.30
L6016E	D8C5 (50)	1/2x3/8	1/2	1.30

One in box



FLANGES

Iron pipe standard. Sure grip.

Each		Size, in.	Wt. ea., oz.	Each
L6109E	D0C7 (F3/8)	3/8	1/2	\$0.10
L6110E	D0C7 (F1/2)	1/2	1/2	.10

Loose

FLEXIBLE LAVATORY AND TANK FITTINGS

PEERLESS-QUICK ON

Tried, tested and approved by the Master Plumbers. Can be bent into shape when pipes are not in perfect alignment. Precision machined solid brass, polished chrome plated.

LAVATORY SUPPLIES



Iron pipe standard. Solderless tips.

Per Pair		(23) Size, ins.	Wt. ctn. lbs.	Per Pair
L6006E	D8C0★	3/8x12	25	\$1.20
		(125)		
L6036E	D8C5	1/2x12	25	1.30
		(33)		
L6011E	X1D60★	3/8x30	37 1/2	2.40
		(363)		
L6051E	X2D15	3/8x36	50	3.25
		(305)		
L6049E	X1D70★	1/2x30	37 1/2	2.55
		(365)		
L6052E	X2D10	1/2x36	50	3.15

One pair in box, fifty pair in ctn.

TANK SUPPLIES



Iron pipe standard. Soldered tips.

Each		(T123) Size, ins.	Wt. ctn. lbs.	Each
L6137E	D5C0	3/8x12	18 3/4	\$0.70
		(T125)		
L6138E	D5C0	1/2x12	25	.75
		(T203)		
L6139E	D7C0★	3/8x20	25	1.00
		(T205)		
L6140E	D7C0	1/2x20	32	1.10

One in box, one hundred in ctn.

CLOSET FITTINGS AND REPAIRS

TANK BALLS
WATER MASTER

King of Them All

Improved patented water resistant ball that stops the flow of water every time by dropping into the center of the toilet valve like a plumb bob. Stops water tank gurgle instantly.

Size $2\frac{1}{8}$ inches in diameter.

D3C3 $\frac{1}{3}\%$
Each

L6148E (WM) D5C0★.....\$0.75

LX6148E (WM) D5C0★—(Case 144)

Twelve in counter display box.
144 in case. Wt. case 36 lbs.

Direct Shipment

F.O.B. New Brunswick, N. J. full freight allowed.

+No. WM-E

Each.....\$0.75

Lots of 72 D4C7 $\frac{1}{2}$\$0.75
Lots of 144 D4C5......75

Pro-Pel



Exclusive propeller action spins tank balls to proper seating after flushing. Eliminates running water noise and stops water waste.

Made of rubber, especially compounded for resisting chemically treated water. Patented fin creates propeller action. Easily installed.


Fits practically all flush valves.

Each.....\$0.59
L6151E (P) D4C0.....

One in box. Twelve in display ctn.

Wt. ctn. 3 lbs.

TANK BALLS



Will fit snugly and tightly seal all low-down closet tank flush valves $2\frac{1}{4}$ to $2\frac{3}{4}$ inches diameter.

Fine quality strong, flexible rubber, with threaded metal insert for standard tank rods.

Each

L6147E (MF) D1C5 $\frac{1}{2}$ ★
L6150E (424) D1C7

Color.....Each
Red \$0.25
Black .25

One in ctn. Twelve in an attractive counter display. Wt. ctn. 2 lbs.

CLOSET TANK SEALS

LAVELLE-KORKY




Obsoletes the conventional tank ball. Assures absolute seal with no drip or gurgle. Positive full flush always. Finds its own seat on flush valve automatically. Will give years of service.

One piece special composition frame and seal with bead chain. No guide arms or lift wires. Quickly and easily installed.

Each

L6145E (K) D8C3.....\$1.39

Twelve in ctn. Wt. ctn. 20 lbs.

PLASTIC FLOATS
KIRKILL

For Closet Flush Tanks

High impact-resistant black polystyrene. Heavy duty brass mounting spud eliminates cross threading or puncturing. Heavily reinforced. Size 4 x 5 inches.

Each

61-F3-E D2C0.....\$0.30

Twelve in ctn. Wt. ctn. 3 $\frac{3}{4}$ lbs.

Sold only in Full Cartons

STAR ★ DENOTES BEST SELLER

COPPER FLOATS



For Toilet Flush Tanks

This float has the weight to open and the buoyancy to close any standard ball cock.

Heavy sheet copper, put together in two sections with a rubber washer seamed in securely. The patented spud is securely anchored to the float body. Size 4x5 inches. Spud threaded for $\frac{1}{4}$ -inch 20-thread rod.

Per Ctn.

61-45-E X3D65★.....\$0.49

Twelve in ctn. Wt. ctn. 5 lbs.

Sold Only in Full Cartons

FLUSH VALVE
GUIDE AND BALL

ALERT

Stops toilet leaks. Never sticks and seals correctly every time. Will not rust or wear out. Entirely friction free operation. Easily installed.

Plastic tubular frictionless guide and chain. Highest quality rubber spherical tank ball. Stainless steel attachment springs.

Saves Water—
Stops Annoyance

(A14)

Each	East	West	East	West
L6099E	X1D38	X1D44	\$2.29	2.39
LX6099E	X1D38	X1D44	—(Case lots 12)	

Three in display box. Twelve in ctn.
Wt. ctn. 9 lbs.

Do Not Break Display Box

BALL, CHAIN AND HOOK

For Flush Valve Guide and Ball A14

Each.....\$1.09
L6149E (108B) D6C7.....

Twelve in ctn. Wt. ctn. $\frac{1}{2}$ lb.

CHROME BOLT CAPS
CHICAGO

Carded

Snap-on clip—no cement or glue needed. Brass, chrome-plated. One pair on Trans-Vu card.

Per Card


L5941E (4149C) D2C6.....\$0.39

Twelve cards in ctn. Wt. ctn. $\frac{5}{8}$ oz.

CLOSET FITTINGS AND REPAIRS

CLOSET BOLT AND
SCREW SETS

CHICAGO



Carded

For all toilet bowls. Set includes two brass-plated bolts, two brass-plated screws, four heavy nickel-plated dome nuts and four stainless steel oval washers. One set on card.

Per Card	Per Card
L5945E (8521C) D2C5.....	\$0.40
Twelve cards in ctn. Wt. ctn. 2 $\frac{5}{16}$ lbs.	

CLOSET SCREWS AND WASHER

Chromium Plated




Brass Screw; Length 2 $\frac{1}{2}$ inches; Diameter $\frac{1}{4}$ -inch, with Hexagon Nut and Oval Washer.

Each	Each
L6113E (J214) D0C5.....	\$0.10
Ten in pkg. Wt. pkg. $\frac{1}{2}$ lb.	

Sold Only in Full Packages

CLOSET BOLTS AND WASHERS



Chromium Plated


Brass Bolt; Length 2 $\frac{1}{4}$ inches; Diameter $\frac{1}{4}$ -inch, with Hexagon Nut and Oval Washer.

Each	Each
L6112E (J126) D0C5.....	\$0.10
Ten in pkg. Wt. pkg. $\frac{3}{4}$ lb.	

Sold Only in Full Packages

CLOSE COUPLED BOLTS
WITH NUTS AND WASHERS

CHICAGO



Solid Brass

For coupling closet tanks to closet bowls.

Each	Each
L6129E (8545) D2C0.....	\$0.30
Twenty-five in box. Wt. box 3 lbs.	

OVERFLOW TUBES



For Flush Valves

Brass Tubing, 20 Gauge. Diameter 1-inch (Outside). Length 11 inches. Threaded one End.

Each	Each
L6019E (55) D5C0★.....	\$0.75
Loose. Wt. each $\frac{3}{8}$ lb.	

REFILL TUBES



For Ball Cocks

Brass; Length 10 inches; Threaded One End.

Each	Each
L6093E (2111/10) D1C2★.....	\$0.20
Loose. Wt. each $\frac{1}{4}$ ozs.	

TANK BALL RODS



For Use in Closet Tanks
Bottom Rod

Copper-weld wire, with eye, thread on end. Length 4 $\frac{1}{2}$ inches.

Each	Each
L5998E (4) D0C3 $\frac{1}{2}$ ★.....	\$0.05
10 in a Bag. Wt. each $\frac{1}{2}$ oz.	



Top Rod

Copper-weld wire. Offset, with eye. Length 9 inches.

Each	Each
L5999E (5) D0C5★.....	\$0.08
10 in a Bag. Wt. each $\frac{1}{2}$ oz.	

CLOSET TANK BALL
ASSEMBLIES
CHICAGO

Adjusto-Fit—Carded

Insures positive tank ball operation—will not kink or stick. Easy to install. Solid brass. One on Trans-Vu card.

Each	Each
L5940E (4070C) D1C7.....	\$0.25
24 in ctn. Wt. ctn. 1 $\frac{3}{8}$ lbs.	

FLOAT RODS



For Ball Cocks

Copper-weld wire, diameter $\frac{1}{4}$ inch, 20 thread, threaded both ends, length 10 inches.

Each	Each
L6004E (10) D1C2★.....	\$0.20
10 in a Bag. Wt. each 1 $\frac{1}{4}$ oz.	

CLOSET FLOOR FLANGES



For Setting Closet Combination on to Closet Bend or Elbow.

Cast Brass; Diameter Outside 7 inches; Inside 4 $\frac{5}{16}$ inches.

Each	Each
L6071E (1068) D7C0★.....	\$1.10
Loose. Wt. each $\frac{1}{2}$ lb.	

PLUMBING SPECIALTIES
ASSORTMENTS

HINDLEY



Quick, self service display unit in a red and yellow metal box 7x12 inches. Gives list of all items keyed to illustration to show use with spaces for retail price. When closed can be used as standard shelf stock.

All items solid brass. Solid copper refill tubes. Chrome plated nuts and washers.

Contains:


Quantity	Items	Retail Each
24	Closet Screws.....	\$0.12
24	Closet Bolts.....	.15
25	Lower Lift Wire, 5 $\frac{1}{2}$ inch.....	.06
25	Upper Lift Wire, 8 $\frac{1}{2}$ inch.....	.08
10	Float Rods, 9 inch.....	.17
10	Float Rods, 10 inch.....	.19
10	Refill Tubes, 10 inch.....	.22

Complete Display

Per Asst.	Per Asst.
L5997E (P12) X9D55.....	\$14.95
One asst. in display box. Wt. box 6 $\frac{1}{4}$ lbs.	

STAR ★ DENOTES BEST SELLER


CLOSET FITTINGS AND REPAIRS



BALL COCKS
Elevated
Low Tank Type—
Nylon Seat

Cast steam-bronze alloy unit supply. Unit link lever assembly. Copper thumb screws. Plunger cap retainer ring. Water by-pass around end of plunger. China seat under water level. Compound leverage. Pressure tested. Heavy rubber shank washer, bronze lock nut and coupling nut. Complete with brass float rod. Brass hush tube and refill tube. Height over all 11½ inches. Shank threaded for ¾-inch iron pipe.

Each
L6143E (89) X1D60★.....\$2.45
Loose. Wt. 1¾ lbs.



Submerged Pattern
High Tank Type

Cast brass top and operating mechanism. Compound leverage. Heavy rubber shank washer, die cast lock nut and coupling nut. Complete with brass float rod.

Height over all 5½ inches. Shank threaded for ½ inch iron pipe.

Each
L6022E (70) X1D60.....\$2.40
Loose. Wt. 1¼ lbs.



Duck Bill No-Tone
Nylon Seat


Eliminates objectionable noise. The tank fills slowly and the ball cock then closes with a snap action. Hush tube with roughened inner surface flattened like a duck bill. Step deflector with roughened surface. Refill is controlled by annulus which quietly and automatically gives the proper flow of water at all pressures.

All brass. Standpipe and shank on a one-piece casting. Graphite asbestos packing ring. Monel metal seat washer screw. Sweat soldered connection between the cast stand pipe and the body. Simple two speed linkage with one eye screw.

Elevated—With Refill Less Rod

Each
L6107E (DB) X2D53★.....\$3.80
Loose. Wt. ca. 2 lbs.

LEVER ASSEMBLIES



For No. 89 Ball Cocks

Each
L6009E (28) D1C6★.....\$0.25
Twelve in box. Wt. box 1½ lbs.

THUMB SCREWS

For No. 89 Ball Cocks

Made of Copper

Each
L6003E (9) D0C2★.....\$0.05
100 in box. Wt. box 1 lb.

FLUSH VALVES

For Closet Tanks



Cast brass seat and guide. 1-inch 20-gauge brass tubing overflow 10¾ inches long. Complete with lock nut, heavy rubber shank washer and brass lift wires—one threaded, for flush ball, the other for attaching to tank lever. Threaded for 2-inch iron pipe. Height over all 13½ inches, (for 2½ inch flush ball.)

(Ball Not Included)

Each
L6044E (201) X1D70★.....\$2.60
One in ctn. Wt. ctn. 2¼ lbs.

CLOSET SPUDS

With Locknut




Cast brass, plain finish, threaded for iron pipe. Complete with fiber washer and rubber closet spud washer.

Straight type, for 2-inch closet horn, 2-inch thread on spud.

Each
L6105E (CS/2x2) D6C5.....\$1.00
Loose. Wt. ca. ½ lb.

CLOSET ELBOW



High grade brass tubing 20 gauge (B & S). Outside diameter 2 inches. Complete with two cast brass nuts and rubber washers.


Size specified is from center of elbow to end.

Chromium Plated

Each	Size, ins.	Wt. ca., lbs.	Each
L6045E (206/4x6)	X1D30 4x6	1	\$1.95
L6046E (206/6x8)	X1D55 6x8	1½	2.35

Loose

TRIP LEVER



Double Acting
Chromium Plated

Cast brass arm with wrought brass lever, solid metal, artistically designed handle and plate. Chromium plated.

Each
L6013E (39) X1D05.....\$1.60
One in ctn. Wt. ctn. ¾ lb.



Single Acting

A modern, efficient and attractive trip lever that is easy to install—no small parts to get out of order.

One piece die cast handle with threaded die cast shank and lock nut. Chrome finish. Brass lever.
Each
L6091E (1930) D4C0★.....\$0.59
One in ctn. Wt. ctn. ¾ lb.

GUIDE HOLDERS



Guide Holders
Adjustable

Guide arm is adjustable so that lift wire holding tank ball can be properly centered.

Cast brass, nicely finished and machined. For 1-inch overflow pipe fitted with set screw. Adjustable guide arm threaded and fitted with union.

Each
L6066E (821/1) D2C5★.....\$0.40
Twenty-four in ctn. Wt. ctn. 3 lbs.

TANK SUPPLY PIPES

Tank Supply Pipes

For Closet Tanks

Chromium Plated

Semi-annealed 14 gauge brass pipe, with collar 1½-inch (outside diameter) formed on one end and threaded for ¾-inch iron pipe on the other end. Fitted with "Sure-Grip" wrought brass flange, diameter 2½ inches. Length over all 19 inches.

Each
L6078E (1124/19) X1D45.....\$2.25
Loose. Wt. ca. ¾ lb.

SINK FAUCETS

GOPHER

Chrome-Plated Brass



Top Mount Ledge Type


Stainless steel casing—will not tarnish regardless of detergent used. Tube spout. Re-Nu valves. Re-Nu seats. Dome lever handles indexed "H" and "C". Meets Federal Specifications WWP-541B.

Universal Pattern—8 Inch Centers

With Aerator and Spray

Each		Each
L6227E	(81A) X9D70.....	\$14.55

Ten in case. Wt. case 48 lbs.



Concealed Deck Type

For Cast Iron and Steel Sinks

Tube spout. Re-Nu valves. Re-Nu seats. Dome lever handles indexed "H" and "C". Meets Federal Specifications WWP-541P.

8 Inch Centers

Each		Wt. Case, lbs.	Each
------	--	-------------------	------

With Aerator and Spray

L6228E	(61A) X9D40	49	\$14.15
--------	-------------	----	---------

With Spray Without Aerator

L6230E	(61) X8D95	49	13.45
--------	------------	----	-------

With Aerator Without Spray

L6229E	(60A) X6D90	39	10.50
--------	-------------	----	-------

Without Aerator and Spray

L6231E	(60) X6D00★	38	9.00
--------	-------------	----	------

Ten in case



DeLuxe Wall Type


Cast spout. Re-Nu valves. Re-Nu seats. Dome lever handles indexed "H" and "C". Meets Federal Specifications WWP-541B.

8 Inch Centers

With Soap Dish and Aerator
Female Flange

Each		Each
L6221E	(40A) X8D05★.....	\$12.15

Ten in case. Wt. case 44 lbs.



Modern Wall Type

Re-Nu valves. Re-Nu seats. Dome lever handles indexed "H" and "C". Meets Federal Specifications WWP-541B.

8 Inch Centers

With Soap Dish—Female Flange

Each		Each
L6246E	(20) X6D95.....	\$10.50

Ten in case. Wt. case 37 lbs.

SPRAY ATTACHMENTS

Rinse-Quik®
REPLACEMENT SPRAY



For Sink Faucets

SPRAY HEAD ONLY

Each		Each
L5996E	X1D40.....	\$2.10

One in ctn. Wt. ctn. 1 lb.


SPRAY HOSE ONLY

Each		Each
L6098E	X1D20.....	\$1.80

Loose. Wt. each 1 lb.

SINK FAUCETS

DELTA



A single lever mixing faucet that is controlled by a finger's touch. Left—It's hot, Center—Medium, Right—Cold, Forward—full force, Back-off, and in-between at any rate of flow.


Heavy cast brass body that mounts and connects exactly like two handle faucets. Mounted on a full size gasket and chrome-plated closure, both designed to fit handsome escutcheon. No water leakage and no collecting of food particles. Clear water spray furnished.

Silken-smooth lever action (Teflon lined seal, nylon thrust) washers and stainless pivot arm eliminates jumpy, raspy motion. Resistant to boiling heat. Simple screw adjustment controls stiffness of lever and compensates for what little normal seal wear may occur.

Universal jam nut adapters for sinks up to 1 1/4 in. in thickness. Standard 8 in. center with 1/2 in. pipe connections. Hard wrought brass hydramold spout with permanent nickel-chromium finish. Furnished with aerator. Full size rubber mounting pad seal for cleanliness.

Each 61-1699/2-E (400) X18D95.....\$28.50
One in ctn. Wt. ctn. 6 1/4 lbs.

CONTINUOUS WASTES




End Outlet
For Combination Sinks
and Wash Trays

Seamless 20 gauge brass tubing waste arm and tail piece. Heavy cast brass tee and nuts. Good grade rubber washers. Rough brass finish. Outside diameter 1 1/2 inches. 4 inch tail piece.

Each	Size, ins.	Wt. pkg., lbs.	Each
L5932E (265H) X1D80	16	1 3/4	\$2.75
L6128E (SC52) X2D75★	25	2 1/2	4.15

One in pkg.



Center Outlet

Seamless 20 gauge brass tubing waste arms and tail piece. Cast brass tee and nuts. Good grade rubber washers. Rough brass finish. Outside diameter 1 1/2 inches.

Each	Size, ins.	Wt. pkg., lbs.	Each
L5930E (267H) X2D05	16	2	\$3.10
L6127E (SC25) X2D25★	25	3	3.35

One in pkg.

LAVATORY OR SINK TRAPS

These traps are made fully adjustable and are equipped with wrought tubes, wrought bends and cast hexagon nuts; the heavy flanges are provided with washers.

"P" STYLE



All Brass, 22-Gauge

Length, center of inlet to end of wall tube 11 inches.

WITH CLEANOUT
Chromium Plated

Each	Size, in.	Ctn. lbs.	Each
L6120E (PTC1 1/4 CO) X1D80	1 1/4	10	\$2.50
LX6120E (PTC1 1/4 CO) X1D67—	(Case lots 10)		

WITHOUT CLEANOUT
Chromium Plated

L6119E (PTC1 1/4) X1D20	1 1/4	10	1.65
LX6119E (PTC1 1/4) X1D10—	(Case lots 10)		
L6121E (PTC1 1/2) X1D55	1 1/2	12 1/2	2.10
LX6121E (PTC1 1/2) X1D40—	(Case lots 10)		

Satin Nickel Plated

L6050E (360) X1D16	1 1/4	10	1.60
LX6050E (360) X1D06—	(Case lots 10)		
L6038E (150) X1D35	1 1/2	12 1/2	1.80
LX6038E (150) X1D20—	(Case lots 10)		

One in box, ten in ctn.

"S" STYLE

All Brass 22-Gauge

Length, top of inlet to end of floor tube 20 1/2 inches.



WITH CLEANOUT
Satin Nickel Plated

Each	Size, in.	Ctn. lbs.	Each
L5938E (40/1 1/2) X2D65	1 1/2	27 1/2	\$3.75
LX5938E (40/1 1/2) X2D40—	(Case lots 10)		

WITHOUT CLEANOUT
Chromium Plated

L6131E (STC1 1/4) X2D00	1 1/4	20	2.75
LX6131E (STC1 1/4) X1D80—	(Case lots 10)		
L6132E (STC1 1/2) X2D20	1 1/2	25	2.95
LX6132E (STC1 1/2) X2D00—	(Case lots 10)		

Satin Nickel Plated

L6047E (225) X1D85	1 1/4	20	2.50
LX6047E (225) X1D67—	(Case lots 10)		
L6055E (375) X2D05	1 1/2	25	2.75
LX6055E (375) X1D83—	(Case lots 10)		

One in box, ten in ctn.

SINK TRAPS

KEENEY

No Cleanout

Adjustable



High quality 20 gauge cast brass, gleaming polished chrome finish. Extended swage on both ends. Cast brass slip nuts. Brass compression sleeve and ground joint outlet.

(454)

Each	Inlet, ins.	Outlet, ins.	Wt. ctn., lbs.	Each
L6058E X1D45	1 1/2	1 1/2	75	\$2.25

One in box; fifty in a ctn.

TAIL PIECES



For Lavatories
and Sinks

Satin Nickel Plated

High grade brass tubing, 22 gauge. (B. & S.)



No. 1587

No. 1588

Each	Outside Diam., ins.	Lgth., ins.	Each
L6084E (1587/4) D2C2	1 1/4	4	\$0.35
L6085E (1587/6) D3C0	1 1/4	6	.45
L6086E (1587/8) D3C9	1 1/4	8	.60
L6087E (1588/6) D3C0	1 1/2	6	.45
L6088E (1588/8) D3C9	1 1/2	8	.60

Loose. Wt. each 1/4 lb.

EXTENSION TUBES

High grade brass tubing, 22 gauge. (B. & S.)

Without Nuts



Each	Lgth., ins.	Outside Diam., ins.	Each
L6094E D4C3	8	1 1/4	\$0.65
L6095E D4C4	8	1 1/2	.70

Loose. Wt. each 1/2 lb

FLOOR AND CEILING PLATES



Specially intended to cover unsightly openings around pipes in floors and ceilings. Springs are highly tempered steel with sufficient tension to hold plate securely to ceiling.

Heavy gauge steel. Full 1-inch standard flange.

Nickel Plated (102C)

Each	For pipe, ins.	Inside diam., ins.	Outside diam., ins.	Wt., ozs.	Each
L6028E	D0C8	3/8	3/4	2 3/4	14 \$0.15
L6029E	D0C8	1/2	7/8	3	14 .15
L6030E	D0C8	3/4	1 1/8	3 1/8	14 .15
L6031E	D1C0	1	1 3/8	3 3/8	18 .20
L6032E	D1C0	1 1/4	1 3/4	3 3/4	18 .20
L6033E	D1C0	1 1/2	1 7/8	4	19 .20

Twelve in ctn.

SINK STRAINERS



Duplex

For all sinks with 2 or 2 1/2 in. outlet. Chrome plate brass, with combination basket-stopper, lock nut, coupling nut.

Without Tailpiece

Each	Without Tailpiece	Each
L6040E	(2103) X2D25	\$3.50

One in box. Wt. box 1/4 lb.

KEENEY



For Sinks With 2-inch Drain Opening

Wrought brass plug leveled on underside to fit modern sinks without recess. Diameter of flange 3 inches. Coupling and lock nut tapped to fit with leather and rubber packing washers. Removable strainer snaps into plug (a 1 1/4-inch rubber stopper can be used if desired).

Each	Each
L6130E (SSC1 1/2 x 4) D9C5	\$1.50

Wrapped in paper. Wt. each 1/2 lb.

SINK STRAINERS

SAYCO



Spin-N-Grin

Fits All Standard Sinks

Finger control valve action opens or closes—drops in gear, self-sealing. Will not open accidentally, and positively prevents back-up of drain water. Easy-to-empty basket remains stationary when opening or closing drain. Easily installed by hand—no wrench required.

Chrome brass in two-tone finish—polished chrome flange, satin chrome inside body.

Without Tailpiece

Each	Each
L6018E (TT-711) X3D15	\$4.75

Six in display ctn. Wt. ctn. 9 lbs.

COMBINATION STRAINER AND STOPPER



Specially designed and equipped with removable perforated strainer basket with knurled handle for operating. Holds water in sink when down and permits water to run out when raised. Will catch crumbs and other refuse.

Brass body chrome over nickel plating. Mirror finish. Threaded and fitted with coupling nut. Slip nut and heavy rubber washer. Bottom threaded for 1 1/2 inch pipe.

Cup Type


For sinks with 3 1/2-inch strainer opening. Flange 4 1/2 inches in diameter. Length under flange 2 1/2 inches.

Each	Each
L6048E (250) X1D80	\$2.50

One in box. Wt. box 1 1/4 lbs.

NEW STYLE

For Sinks with 3 1/2-inch Drain Opening



Chromium plated top flange. Snap-in strainer plate and lock nut.

One piece wrought brass body threaded and fitted with lock nut, coupling nut and heavy rubber washers. Flange diameter 4 1/2 inches. Galvanized lower flange. Length under flange 2 inches.

Each	Each
L6077E (1121) X1D55	\$2.25

One in box. Wt. box 1 1/4 lbs.

For Old Style Kitchen Sinks




Heavy brass (about 21 gauge) nicely polished and plated. Diameter 4 3/4 inches. Countersunk screw holes.

Each	Each
L6097E (4540/E) D2C0	\$0.30

Loose. Wt. each 2 3/4 ozs.

SINK STRAINER CUP

CHICAGO



Carded

Fits basket type sink strainers. Lifts and turns to open—turns and drops to close drain. Rustless stainless steel. Genuine Neoprene stopper. One on card.

Each	Each
L6092E (2104C) D7C5	\$1.15

Six in ctn. Wt. ctn. 1 3/8 lbs.

SINK CRUMB CUPS

CHICAGO



Nickel plated brass. Center post assembly for easy handling. Diameter 1 1/2 inches.

Each	Each
L6079E (1275) D1C7	\$0.25

Twenty-four in display ctn. Wt. ctn. 1 1/2 lbs.

SINK STRAINER GASKETS

CHICAGO



Quality Rubber

Diameter inside 3 3/8 inches, outside 4 1/4 inches. Thickness 1/8 inch.


Each	Each
L6402E (71) D0C6	\$0.10

Loose. Wt. each 6 ozs.

UNIVERSAL SINK HANGERS

CHICAGO

3-in-1



Heavy gauge pressed steel. Three different sizes of notch which makes it adaptable for most any style of sink.

Per Pair	Per Pair
L6010E (31) D1C7	\$0.25

Loose. Wt. pr. 1/2 lb.

SINK BOLTS



Flat slotted head. Rolled threads to head. Complete with two nuts. Size 1/4 x 2 1/4 inches.

Nickel Plated Brass

Per 100	Each
L6365E (BN252 1/4) X7D20	\$0.10

100 in ctn. Wt. Ctn. 4 lbs.

WATER AERATORS

WRIGHTWAY

Millions of lively bubbles of air, with purifying oxygen, instantly transforms the ordinary tap flow into clear, sparkling, better tasting water. Water loses its splash, gains new vitality, feels softer, makes richer suds with less soap. Solid brass, handsomely chrome plated.



Only One Internal Part

Fits all faucets with external threads for aerators (except Chicago).

(K100)

Each L6114E D6C0★ \$0.90

Twelve in ctn. Wt. ctn. 1½ lbs.



With Internal Expansion Adapter

To be installed inside faucets. Complete with an extra rubber sleeve for installation in large diameter spouts.

(K107)

Each L6116E D8C3 \$1.25

Twelve in ctn. Wt. ctn. 1 lb.



With Male Adapter

Fits Youngstown, Schaible and Milwaukee flush valve faucets. Also fits faucets tapped for ¾-inch pipe

(K106)

Each L6115E D8C3 \$1.25

Twelve in ctn. Wt. ctn. 2¼ lbs.

Combination—With Male Adapter

For washing machines and dishwashers. Combination adapter fits both aerator and filler hose connector.

(K111)

Each L6100E X1D00 \$1.50

Twelve in ctn. Wt. ctn. 1 lb.

FIRESTONE

Forces tap water through more than one thousand tiny holes to thoroughly mix it with air and emerge a mass of foam, permeated by millions of air bubbles, making the water clearer, softer and fluffier. Speeds up lathering with a very small amount of soap. No splashing.

Also, revitalizes drinking water to its original fresh state for better taste.

Consists of two small red rubber cylinders, with perforated brass disc and several small screen sections and vents.

Fits on the Faucet

(VF)

Each L6135E D3C9½★ \$0.59

One in pkg.

Twelve in an attractive counter display box
Wt. box 3 lbs.

FAUCET STRAINERS

FAUCET QUEEN

Combination Spray or Stream

Conveniently regulates water by turning a small lever. One direction produces a wide spray and the opposite direction an anti-splash stream. Neoprene casing. Spray member nickel plate on heavy brass. Diameter 2¼ inches.



Short Rigid Neck

Attaches to kitchen faucet by slipping on the outlet of faucet.

Assorted colors—Blue, green and red.

Fits Any Type Faucet

(55)

Per Card L6020E X2D30★ \$0.20

Twelve asstd. colors on attractive counter display card. Wt. card 1½ lbs.



Flexible Neck Model

Spray can be directed to any corner of sink. Attached to kitchen faucet by slipping on the outlet of faucet.

Assorted colors—Blue, green and red.

Fits Any Type Faucet

(56)

Per Box L6021E X3D90 \$0.49

Twelve asstd. colors in display box
Wt. box 1¼ lbs.

PLUMBING FIRST AID KIT

KIRK HILL



Contains 57 essential parts for home plumbing repairs, including rubber, fibre, leather and brass parts for repair of faucets, toilets, basin and sink traps and valves.

Each kit contains, in addition, a two color 16 page illustrated step by step instruction and installation booklet on home plumbing repairs.

Packed in hinged, snap lock, clear plastic box.

(W193)

Per Ctn. (6)

Per Kit

L6372E X3D20.....\$0.79

6 Kits in box. Wt. box 1 3/4 lbs.

"O" RING ASSORTMENT

LAVELLE



For Swing Spout Faucets

Made of tough black heat-resisting compound.

Size rings from 5/16 in. inside diameter to 7/8 in. inside diameter.

50 rings in a transparent container.

(POR)

Per Asst.

Each

L6428E X2D50.....\$0.10

One asst. in container. Wt. container 1/8 lb.

FAUCET WASHER ASSORTMENTS

CHICAGO



Handsome clear vision display cabinet with washers, illustrated folders and window streamers.

Du Pont Neoprene shur-seal beveled washers, withstand high degrees of heat, pressure and wear and tear of constant use. Will not dry out or crack. Precision made, with hole dead center.

Contains the following washers:

200—1/4 inch Small	200—3/8 inch Large
300—1/4 inch Regular	100—1/2 inch
300—1/4 inch Large	50—5/8 inch
300—3/8 inch Regular	50—3/4 inch

1500 Washers

Retail Value \$50.00

Per Asst.

Per Asst.

O-1500-E X19D75★

One asst. in ctn. Wt. ctn. 15 lbs.

FAUCET WASHER ASSORTMENTS

KIRKHILL



A practical assortment of quality rubber beveled faucet washers and screws. For hot or cold water.

Consists of:

36 boxes with cellophane front, each with 7 assorted size washers and 3 brass screws.

36 Boxes

Per Asst. Per Box
L6394E (W192) X2D40.....\$0.10

One asst. in attractive display ctn.
Wt. ctn. 1½ lbs.



NOROTATE

Swivel action keeps washer from rotating, prolonging the life of the washer and faucet. Easy to install.

Round brass cap with twin spring prong swivel action pin. High grade black rubber disc crimped in head.

Assortment of 50

Assorted sizes ¼ ¼L, ⅜, ⅜L, ½ and ½L.

Per Asst. Each
L6429E (900) X5D20.....\$0.19

One asst. in square tin container.
Wt. container ¾ lb.

OPEN STOCK

IN CANS OF 50

Per Can	Size, inches	Wt. Can, lbs.	Each
L6430E (901) X5D20	⅜-00	⅝	\$0.19
L6431E (902) X5D20	¼ Regular	¾	.19
L6432E (903) X5D20	¼ Large	¾	.19
L6433E (904) X5D20	⅜ Regular	¾	.19
L6434E (906) X5D20	⅜ Large	¾	.19

FAUCET WASHERS



SHUR SEAL—BEVELED
Semi-flexible neoprene base. Glossy finish. Withstands severe heat and abrasion without distorting.

Per Can	Outside Diam., ins.	Wt. Can, lbs.	Each
L6405E (100¼S) X1D00	17/32	2/16	2 for .05
L6404E (100¼R) X1D00	9/16	5/8	2 for .05
L6403E (100¼L) X1D00	19/32	3/4	2 for .05
L6407E (100¾R) X1D00	5/8	7/8	2 for .05

100 washers in a two color all metal can.

L6406E (100¾L) D5C0	11/16	1	2 for .05
L6408E (100½R) D5C0	3/4	1	2 for .05
L6409E (100¾R) D5C0	13/16	1¼	2 for .05
L6427E (100¾L) D5C0	13/16	1½	2 for .05

50 washers in a two color all metal can.

BALL COCK REPAIR ASSORTMENTS

LUCKY STRIKE



A Practical Assortment for Properly Repairing Any Ball Cock Valve Quickly and Easily.

Each Individual Box Contains:

- 7 Rubber Ball Cock Seat Washers—Assorted Sizes.
- 1 Brass Thumb Screw.
- 1 Cotter Pin.
- 1 Coupling Nut Washer.

Assortment of 24 Individual Boxes.

Per Asst.
(24 Boxes) Per Box
L6396E (8) X2D05.....\$0.15

One asst. (24 boxes) in attractive display ctn.
Wt. ctn. 1¼ lbs.

TOILET SEAT REPAIR KITS



Attractive Display Carton With 24 Kits as Follows—Each Kit Consists of Two White Rubber Bar Bumpers $2\frac{1}{4}$ inches Long and Two White Rubber Tack Bumpers. Complete With Six $\frac{3}{4}$ inch Round Head Nickel Plated Screws. Each Kit in Individual Box.

Per Ctn. (24 Kits) Per Kit

L6380E (TK) X2D35★.....\$0.15

Twenty-four kits in a ctn. Wt. ctn. 4 lbs.

TOILET SEAT BUMPERS

CHICAGO



Rapid Repair Set—Carded

For any type of toilet seat—tacks moulded in high grade rubber. Set of two bar bumpers and two tack bumpers on Trans-Vu card.

Per Card Per Card

L5942E (7675C) D1C8.....\$0.33

24 cards in ctn. Wt. ctn. $2\frac{1}{4}$ lbs.

TACK BUMPERS

LAVELLE




For use on toilet seat covers and many other purposes. Good quality white rubber head with steel tack.

Per Pkg.			Diam. Head, ins.	Height Head, ins.	Projects in.	Wt. Pkg. lbs.	Per Pkg.
L6435E (1103)	D9C0		$\frac{5}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	\$1.35
L6436E (1104)	X1D15		$\frac{3}{4}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{3}{4}$	1.75

Fifty in pkg.

FLAT SEAT BOLT WASHERS

LAVELLE



High grade white rubber. Outside diameter $1\frac{1}{2}$ inch. Thickness $\frac{1}{8}$ inch.

Per Box Each

L6437E (1141) D3C2.....2 for .05

Twenty-five in box. Wt. box 3 ozs.

SEAT BUMPERS

LAVELLE



High grade white rubber. Length $2\frac{1}{2}$ inches. Width $\frac{1}{2}$ inch. Height $\frac{1}{2}$ inch.

Per Box Each

L6438E (1152) X1D15.....\$0.07

Twenty-five in box. Wt. box $\frac{3}{4}$ lb.

BONNET WASHERS

LAVELLE




Cone shaped faucet bonnet or dome packings. Fabric and rubber construction with graphite finish.

Per Box			Diam. Inside, in.	Diam. Outside, in.	Height, in.	Wt. Box, ozs.	Each
L6412E (320)	X1D05		$\frac{3}{8}$	$\frac{3}{4}$	$\frac{1}{4}$	1	\$0.07
L6413E (330)	X1D05		$1\frac{1}{2}$	$\frac{3}{4}$	$1\frac{1}{2}$	2	.07
L6414E (340)	X1D25		$1\frac{1}{2}$	$1\frac{1}{2}$	$\frac{3}{8}$	3	.08

Twenty-five in box

DRAIN STOPPER ASSORTMENT

LAVELLE



LUCKY STRIKE

An attractive practical assortment containing all sizes of stoppers, each in a cellophane bag.

White solid rubber plugs with nickel plated brass posts and steel rings firmly attached. Non-swelling.

Consists of:

Quantity	Size ins.	List Each	Quantity	Size ins.	List Each
6	1	\$0.10	6	$1\frac{1}{2}$	\$0.15
6	$1\frac{1}{8}$.12	2	$1\frac{5}{8}$.16
4	$1\frac{1}{4}$.13	4	$1\frac{3}{4}$.18
2	$1\frac{3}{8}$.14	2	2	.21

Assortment of 32 Stoppers

Per Asst.

L6173E (32) X3D10★

One asst. in heavy cardboard display box with hinged lid. Wt. box $2\frac{1}{4}$ lbs.

DRAIN STOPPERS

WHITE RUBBER
Plug Type

For Lavatory or Bath Tub; White Rubber, with Moulded Rubber Knob and Plated Brass Ring for Chain.

(R)

Each		Diam., ins.	Wt. box, ozs.	Each
L6164E	D0C4	1	9	\$0.06
L6165E	D0C4	1 1/8	10	.06
L6166E	D0C4 1/2	1 1/4	11	.07
L6167E	D0C4 1/2	1 3/8	12	.07
L6168E	D0C5	1 1/2	13	.08
L6169E	D0C5 1/2	1 5/8	14	.09
L6170E	D0C6	1 3/4	16	.09
L6171E	D0C8 1/2	1 7/8	18	.13
L6172E	D1C0	2	22	.15

Twelve in box

SINK STOPPERS



Security suction high grade rubber stopper with finger lift for ease in breaking suction. Assorted colors, red, blue, green and white. Diameter 4 1/4 inches.

Each		Each
L6174E	(6) D1C0★	\$0.15

Twelve in box. Wt. box 2 lbs.

BEAD CHAINS



Chromium Plated; 3/8-inch Beads, with Type B Coupling.

Each		Lgth., ins.	Each
L6102E	(BC) D1C1	11	\$0.15
L6103E	(BC) D1C4	15	.20

Loose. Wt. each 1/2 oz.

CLOSET SPUD WASHERS




For Closet Combinations.

Flanged; Black Only
Inside Diameter, 2 5/8 inches; Outside Diameter, 3 1/4 inches; Height 3/4 inch.

Per Ctn.	Each
L6373E (CSW) X1D85	\$0.15

Twenty-five in ctn. Wt. ctn. 1 3/4 lbs.

FLUSH VALVE WASHERS



Beveled; Black Only

Diameter: Inside 2 1/4 inches; Outside 3 inches; Height 3/4 inch.

Per Ctn.	Each
L6440E (1405) X1D70	\$0.10

Twenty-five in ctn. Wt. ctn. 1 1/4 lbs.

BALL COCK WASHERS

Black Rubber



Assorted sizes—7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8, 11/16, 3/4, 13/16 inch.

Diameter 3/8 inch thick. For various ball cocks.

Per Can	▲ Per Can
L6377E (11BCSW) X1D10	\$1.65

100 in can. Wt. can 1/2 lb.

BALL COCK SHANK WASHERS



Heavy Beveled Type; Black Only

Diameter: Inside 5/8 inch; Outside 1 1/4 inches; Height 1/4 inch.

Per Ctn.	Each
L6439E (1395) D8C5	\$0.05

Twenty-five in ctn. Wt. ctn. 1/2 lb.

TANK AND BOWL GASKETS

LAVELLE



Bevelled Type

For close coupled tank units. Fits between tank and bowl on close coupled closets.

Soft sponge type, durometer hardness 25. Inside diameter 2 5/8 inches. Outside diameter 3 3/4 inches. Thickness 3/8 inch.

Each	Each
L6415E (459) D1C0	\$0.15

Twenty-five in box. Wt. box 2 lbs.

STAR ★ DENOTES BEST SELLER

CLOSET BOWL GASKETS




No-Seep Sleeve

Durable, one-piece polyethylene sleeve, specially formed and solidly moulded in a pre-formed wax gasket, for setting all floor type toilet bowls. Wax is watertight, gas tight, odor and vermin proof. Very adhesive and remains flexible. Conforms to Fed. Spec. HH-C-536a. Individually boxed.

Each	Each
L6367E D6C5	\$0.98

Twenty-four in ctn. Wt. ctn. 17 lbs.

RUBBER




For Use as a Cushion and Packing on Closet Bowl Horn.

Good Grade Black Rubber; Will Not Harden or Crack; Provides a Permanent Dependable Seal; No Leaks to Cause Damage to Floors and Ceilings.

Diameter 5 5/8 inches; Diameter Opening 3 1/4 inches; Thickness 3/4 inch.

Each	Each
L6374E (G15) D1C7	\$0.25

Loose. Wt. each 1/8 lb.



Genuine Bol-Wax

A superior product for setting toilet bowls. Makes a tight, permanent setting for all floor and wall type bowls. Watertight, gas tight, odor and vermin-proof.

Pre-formed wax gasket made from a special combination of high melting point petroleum waxes. Tested to hold 40 lbs. per square inch water pressure. Very adhesive and remains flexible. Will not crack or deteriorate.

No Waste, Mess or Fuss

Each	Each
L6442E (BW) D1C9★	\$0.30
LX6442E (BW) D1C8★	—(Case lots 48)

Forty-eight in case. Wt. case 28 lbs.

BASIN GASKETS**MACK**

For Connecting Basin Fittings.
Diameter Inside $1\frac{1}{4}$ inches. Outside 2 inches.
Height $\frac{3}{8}$ inch.

Black Rubber

Each L6401E (63) D0C3 $\frac{1}{2}$\$0.06

Twenty-five in a box. Wt. box $\frac{3}{8}$ lb.

SLIP JOINT WASHER ASSORTMENTS**Popular Sizes—100 Pieces**

All Sizes of Cut and Cone Shape Slip Joint Washers Arranged in Trays for Easy Selection. A Time-saving Handy Package.

Contains Washers:

Cut, Medium— $1\frac{1}{4}$, $1\frac{1}{2}$ and 2 inch.
Cone Shape— $1\frac{1}{16}$, $3\frac{3}{8}$, $4\frac{1}{2}$, $6\frac{1}{16}$ and $7\frac{7}{16}$ inch.
Small Cut— $\frac{3}{8}$, $\frac{1}{2}$ and $\frac{5}{8}$ inch.
Thin Cut— $1\frac{1}{4}$ and $1\frac{1}{2}$ inch.
Fibre Trap— $1\frac{1}{4}$ and $1\frac{1}{2}$ inch.

Per Asst.

L6397E (15) X1D35

One asst. in box. Wt. box $\frac{3}{4}$ lbs.

SLIP JOINT WASHERS

For slip joint connections on traps, strainers and supply pipes.

Gray stock with square edge. Will not break when stretched. Thickness $\frac{3}{16}$ in.

(SJ)

		Inside Diam., ins.	Outside Diam., ins.	Wt. Box	Each 2 for
Per Box					
L6381E	D9C0	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{1}{4}$	\$0.05
L6382E	X1D00	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{4}$	2 for 0.05

One hundred in box

LAVELLE

Extra soft grey stock with square edge. Heavy wall. Will not break when stretched. Thickness $\frac{3}{16}$ inch.

		Inside Diam., ins.	Outside Diam., ins.	Each 2 for
Per Box				
L6419E (741)	D2C4	$\frac{3}{8}$	$\frac{9}{16}$	\$0.05
				Wt. box $1\frac{1}{2}$ ozs.
L6420E (742)	D2C6	$\frac{1}{2}$	$\frac{11}{16}$	2 for 0.05
				Wt. box $1\frac{1}{2}$ ozs.
L6426E (743)	D2C7	$\frac{5}{8}$	$\frac{3}{4}$	2 for 0.05
				Wt. box $1\frac{1}{2}$ ozs.
L6423E (754)	D4C0	$1\frac{3}{8}$	$2\frac{1}{8}$	2 for 0.05
				Wt. box 5 ozs.

Twenty-five in box

CONE SHAPE SLIP JOINT WASHERS**LAVELLE**

For basin cock, bath cock and ball cock tail piece.

		In-side Dia. in.	Out-side Dia. in.	Hght. in.	Each 2 for
Per Box (25)					
L6400E (801)	D3C2	$\frac{3}{8}$	$\frac{5}{8}$	$\frac{9}{16}$	\$0.05
					Wt. pkg. 1 lb.
L6410E (808)	D3C2	$\frac{3}{8}$	$2\frac{1}{2}$	$\frac{1}{4}$	2 for 0.05
					Wt. pkg. 2 lbs.
L6411E (804)	D3C4	$\frac{1}{16}$	$\frac{3}{8}$	$\frac{3}{8}$	2 for 0.05
					Wt. pkg. 3 lbs.

Twenty-five in box.

BALL COCK COUPLING NUT WASHERS**LAVELLE**

Good grade leather. Diameter outside $\frac{7}{16}$ inch, inside $\frac{1}{2}$ inch. Thickness $\frac{3}{16}$ inch.

		Each
Per Box		
L6417E (508)	D2C7	\$0.02

Twenty-five in box. Wt. box $1\frac{1}{2}$ ozs.

BALL COCK PLUNGER WASHER ASSORTMENTS**LAVELLE**

High grade leather split on bias.


Consists of assorted sizes as follows:

Outside diameter, in.	Inside diameter, in.	Thickness, in.
$\frac{13}{16}$	$\frac{1}{2}$	$\frac{1}{8}$
$\frac{3}{4}$	$\frac{13}{16}$	$\frac{1}{8}$
$\frac{11}{16}$	$\frac{7}{8}$	$\frac{1}{8}$
$\frac{5}{8}$	$\frac{3}{4}$	$\frac{1}{8}$

Fifty Pieces

Per Asst. L6418E (514) D5C4.....\$0.80

One asst. in box. Wt. box $\frac{1}{4}$ lb.

TRAP WASHERS**LAVELLE**

High grade red fibre
Thickness $\frac{1}{8}$ inch.

		Diam., ins. inside	outside	Each 2 for
Per Box				
L6424E (856)	D4C0	$1\frac{1}{2}$	$1\frac{1}{2}$	\$0.05
L6425E (857)	D4C7	$1\frac{1}{2}$	$1\frac{1}{4}$	2 for 0.05

Twenty-five in box

FAUCET INSERTS**SUPERIOR**

Ends faucet drips and makes the old faucet good as new. No washers to replace or threads to wear out. Easily installed without taking faucet off the line.

Solid brass body with permanent black rubber washer at bottom. Solid brass stem with heavy black rubber valve, extra rubber washer and gaskets. Complete with screw.

For Standard or Regular Faucets**For Cold**

Each L6008E (27) D6C5.....\$0.98

For Hot

L6190E (22H) D6C5......98

Twelve in display box. Wt. box $1\frac{1}{4}$ lbs.