

SECTION 13

QUICK INDEX

	Page
PAPER BAGS	1
WRAPPING PAPER	14
TAPE	15
STAPLERS	18
TWINE	19
ROPE	22
OAKUM	23
TACKLE BLOCKS	31
HOISTS	33
TROLLEYS	37
CRANES	38



**SINCE
1870**



BUILDERS HARDWARE DIVISION

SECTION 13


ROOFING, GUTTERING,
SPOUTING
BUILDING AND WRAPPING
PAPERS

ROPE, TWINES, SEALING
TAPES
TACKLE BLOCKS,
HOISTS



**SINCE
1870**

NAIL BAGS

KEEN  KUTTER


Standard Self-Opening
Heavy Brown Kraft Paper

Per Pkg.		Size, ins.	Cap., lbs.	Pkg., Bale	Wt. Bale, lbs.
21-KN3-H	X1D10	4 3/4 x 2 7/8 x 7 1/2	2	16	36
21-KN5-H	X1D27	5 x 3 1/4 x 9 1/8	5	12	48
21-KN10-H	X2D15	6 1/4 x 3 13/16 x 10 3/4	10	4	41
21-KN16-H	X3D00	7 11/16 x 4 13/16 x 11 5/8	16	4	61
21-KN20-H	X3D20	8 3/16 x 5 3/8 x 12 3/8	20	4	67

250 in pkg.

Sold Only in Full Packages

LIGHT MERCHANDISE BAGS



Commonly Called Grocer Bags

For putting up various small items of hardware to save time of wrapping; made of first quality Kraft paper.

Brown Color


Self Opening

Bale Lots Less E %

Per Pkg.		Cap., lbs.	Size, ins.	Pkgs. in Bale	Wt. per Bale, lbs.
21-1GB-H	N-X1D00	1	3 1/2 x 2 1/8 x 6 7/8	16	55
21-2GB-H	N-X1D15	2	4 1/8 x 2 3/16 x 7 3/4	12	57
21-4GB-H	N-X1D45	4	4 7/8 x 3 1/16 x 9 3/8	8	14
21-6GB-H	N-X2D03	6	5 1/8 x 3 3/16 x 11 1/2	6	68
21-8GB-H	N-X2D32	8	6 1/8 x 3 1/16 x 12 3/8	4	58
21-12GB-H	N-X3D20	12	7 1/8 x 4 3/8 x 13 1/4	4	71
21-16GB-H	N-X3D75	16	7 3/4 x 4 3/4 x 15 3/4	2	49
21-25GB-H	N-X4D35	25	8 1/4 x 5 1/8 x 18	2	59

500 in pkg.

We Do Not Break Packages



NAIL BAGS

STANDARD SELF OPENING
Heavy Brown Kraft Paper

Per Pkg.		Size, ins.	Cap., lbs.	Pkgs. in Bale	Wt. per Bale, lbs.
21-3Q-H	N-X1D03★	4 3/4 x 2 7/8 x 7 1/2	3	8	36
21-5Q-H	N-X1D20★	5 x 3 1/4 x 9 1/8	5	8	48
21-10Q-H	N-X2D07★	6 1/4 x 3 13/16 x 10 3/4	10	4	41
21-16Q-H	N-X2D90	7 11/16 x 4 13/16 x 11 5/8	16	4	61
21-20Q-H	N-X3D08	8 3/16 x 5 3/8 x 12 3/8	20	4	67
21-25Q-H	N-X3D34	8 3/16 x 5 3/8 x 13 1/2	25	4	71


250 in pkg.

We Do Not Break Packages

Note--For Imprinting on Bags See Section 13--Page 12-C For Prices.

STAR ★ DENOTES BEST SELLER

NAIL BAGS



Heavy brown Tuffibre stock with wide mouth and satchel bottom. Well made.

Per Bundle		Size Bag, ins.	Size Btm., ins.	Wt. Bdl., lbs.
21-2WM-H	N-X1D85	7x7	2 $\frac{5}{8}$	8 $\frac{1}{2}$
21-3WM-H	N-X1D95	8x7	3	9 $\frac{1}{2}$
21-5WM-H	N-X2D30★	9 $\frac{1}{2}$ x8 $\frac{1}{2}$	3 $\frac{3}{8}$	13
21-10WM-H	N-X4D10★	11x10	3 $\frac{7}{8}$	17
21-20WM-H	N-X6D20	13 $\frac{1}{2}$ x12 $\frac{1}{2}$	4 $\frac{5}{8}$	32

500 in bdl.

PRINTING CHARGE FOR MERCHANDISE AND NAIL BAGS

Advertise your business by using printed merchandise and nail bags.

Please allow a delay of from 10 to 14 days for printing.

Per Lot
3000 Bags or less, in any size.....X8D50

Per 1000
Additional.....X2D50

Broken thousand lots will be charged at the thousand lot price.

Same size and style of copy to be printed on all bags, regardless of size of bags.

The above prices are for black ink only.

Additional cost for colored ink is as follows;

Per 1000
Red, Brown, Green or Blue.....D9C0

Additional charge of D7C5 per thousand to print No. WM Nail Bags.


PAPER BAG HOLDERS

Counter Type

STAR

Stands on counter. Bags can be taken out of front or back, 450 bags in one square foot of counter space.


Made of plated wire, 20 inches high, 10 inches wide at bottom tapering to 3 inches at top, nine compartments, each holding 50 bags, sizes $\frac{1}{4}$ lb. to 25 lbs. complete with take up twine holder on top.



Each
✚SCBH-H X3D45..... \$4.50

One in ctn. Wt. ctn. 5 lbs.

ROLL PAPER HOLDERS AND CUTTERS



Varnished hardwood top, all metal parts are made of steel. Absolutely unbreakab japan finish. Fastens to counter with screws.


Each		Width, inches	Weight Each, lbs.	Each
✚T12-H	X2D80	12	6	\$4.20
21-T18-H	X3D60★	18	7	5.40
21-T24-H	X4D25★	24	7 $\frac{3}{4}$	6.40
✚T30-H	X4D10	30	8 $\frac{3}{4}$	6.10
✚T36-H	X4D10	36	10 $\frac{1}{2}$	6.10

One in box

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory. Roll paper holders and cutters, F. O. B. St. Louis, Mo. Paper bag holders, F. O. B. Lamar, Mo. No freight allowed.

STAR ★ DENOTES BEST SELLER

WRAPPING PAPER

KEEN  KUTTER

(Not Printed)

30 lb. Kraft

For Sample of Paper See
Section 13—Page 14-A

Per Roll		Width, ins.	Avg. Wt. Roll, lbs.
21-18KK-H	X4D95	18	27
21-24KK-H	X6D60	24	36

(Not Printed)

30 lbs. Kraft

For Samples of Paper See
Section 13—Page 14-C

Per Roll		Width inches	Average Wt. Per Roll, lbs.
21-K12-H	X3D85	12	18
21-K15-H	X4D70	15	22
21-K18-H	X5D75	18	27
21-K20-H	X6D40	20	30
21-K24-H	X7D70	24	36
21-K30-H	X9D70	30	45

1,660 lineal feet to a roll.

Standard Brown Kraft

A good dependable grade of brown kraft paper
of extra strength and wearing quality.

Not Printed

Medium Weight

30 lb. Basis—24x36 inches

Guaranteed 1700 Feet to a Roll

Per Roll		Width, ins.	Avg. Wt. Roll, lbs.
21-S3015-H	N-X3D30	15	22
21-S3018-H	N-X3D90	18	26
21-S3020-H	N-X4D35	20	29
21-S3024-H	N-X5D10	24	34
21-S3030-H	N-X6D45	30	43
21-S3036-H	N-X7D65	36	51

Sold Only in Full Rolls

PRINTED

For Samples of Paper See
Section 13—Pages 14-E and 14-G

Per Roll	6 to 11 Rolls	12 to 24 Rolls	Approx. Wt. per roll, lbs.
✚KKTR3012-H	X6D00	X5D40	18
✚KKTR3015-H	X6D75	X6D20	23
✚KKTR3018-H	X7D88★	X7D15★	27
✚KKTR3020-H	X8D20	X7D63	30
✚KKTR3024-H	X9D30★	X8D70★	36
✚KKTR3030-H	X11D80	X11D20	45
✚KKTR3036-H	X13D70	X12D95	54

Special Imprinted Wrapping Paper Will
be Run on the 15th of the Month.Orders Arriving on the 10th of the Month
Will be Included in This Run. Orders
Received After the 10th Will be Included
in the Schedule for the Following Month.

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., St. Louis, Mo., N. F. A.

STAR ★ DENOTES BEST SELLER

KEEN KUTTER STORES




13-14-A

KEEN KUTTER STORES



KEEN KUT





This is a sample of SHAPLEIGH'S TRADE-AD Paper

Nos. KKTR 3012 to KKTR 3036

30 Pound All Sulphate Kraft - Roll widths 12 to 36 inch.

This imprint repeats every 12 inches.

Customer's advertising copy may include the firm name, street address, phone number and city, and any special advertising copy that would fit this space. Any special cuts, designs or monograms can be included, furnished by the customer, or factory will make including art work at the additional cost.

Minimum order, 6 assorted width rolls, all same imprint and color.

Thank You





CHANSLOR & YOUNG

HARDWARE — TOOLS
SPORTING GOODS — HOUSEWARES

KILLEEN, TEXAS

SCOTCH GIFT TAPE

MERCHANDISERS

**10c and 25c Rolls—Assorted Sizes**

Complete Christmas holiday tape department in a colorful, compact counter display. Includes 96 rolls of assorted colors in quantities and sizes as follows:

Qty.	Size, in.	Retail
48	1/2 x 150	25c
24	3/4 x 100	25c
24	5/16 x 100	10c

Per Display	Per Display
SX-X4-A X12D24	\$20.40
6 or more X11D22	

One display in ctn. Wt. ct. 5 lbs.

**25c Dispenser Rolls—3/4 x 100-Inch**

Christmas holiday gift tape in six assorted colorful flowing patterns in counter display—Total 24 rolls.

Per Display	Per Roll
S75A (152) X4D00	\$0.25
6 or more X3D60	

One display in ctn. Wt. ctn. 3 lbs.

**25c Dispenser Rolls—1/2 x 150-Inch**

Christmas holiday gift tape in eight assorted patterns and colors in counter display—Total 24 rolls.

Per Display	Per Roll
S76A (154) X4D00	\$0.25
6 or more X3D60	

One display in ctn. Wt. ctn. 3 lbs.

REFLECTIVE TAPE

MMM SCOTCHLITE



S61A



S64A

Red Safety—Self Sticking

Reflects headlight beams 50 to 100 times brighter than white paint and marks hazards sharply in red. Perfect after-dark warning marker for cars, trucks, trailers, farm machinery, etc. Red appearance night or day. Applied in minutes—lasts for years. Packed in attractive display carton.

Per Ctn.	Per Roll
S61A (S35) X3D00	\$0.39

Twelve rolls in ctn. Wt. ctn. 1 lb.

Per Ctn.	Per Roll
S64A (S37) X3D0078

Six rolls in ctn. Wt. ctn. 1 lb.

REFLECTIVE COATING

MMM REFLECTO-LITE

**Liquid—Bright White at Night**

Reflects 50 times brighter than white paint. Aluminum color by day. Brushes on like paint—on trees, rocks, walls, curbs, posts, mail boxes, garage doors, etc. One bottle covers approximately 500 square inches. Lasts for a year or more. Each bottle with brush on 4 1/2 x 6-inch punched display card showing uses.

Per Ctn.	Per Bottle
S65A (C1) X7D20	\$0.98

Twelve bottles in ctn. Wt. ctn. 3 lbs.

SCOTCH CELLOPHANE TAPE DISPLAYS



Attractive colored cardboard counter display 8 1/4 x 3 1/2 x 7 inches high.

Economy size refill rolls. Transparent and seals without moistening.

Size roll 1/2 x 792 inches.

Per Display **S102A** (175 1/2) **X4D96★** **■ Per Roll**
X4D61★ \$0.59
 6 or more
 One in box. Wt. box 2 lbs.



Seals without moistening and mends with full transparency.

Attractive colored cardboard counter display 9 1/4 x 4 1/2 x 5 3/8 inches high, with 12 rolls of tape, each on an individual metal dispenser with cutting edge for tape service.

12 Rolls—3/4 x 300 inches

Per Display **S77A** (157) **X3D28★** **■ Per Roll**
X3D05★ \$0.39
 6 or more
 One in box. Wt. box 1 1/4 lbs.



Attractive colored cardboard counter display 9 1/4 x 3 1/4 x 5 inches high, with 12 rolls of tape each on an individual metal dispenser with cutting edge for tape service.

12 Rolls—1/2 x 400 inches

Per Display **S93A** (167) **X3D28★** **■ Per Roll**
X3D05★ \$0.39
 6 or more
 One in box. Wt. box 1 lb.



No. 131

Transparent Tape

Per Display	Lots of Six or More	Size, ins.	Rolls in Display Box	Weight Box, lbs.	■ Per Roll
S47A (131) X2D52★	X2D34★	1/2 x 60	36	1 1/2	\$0.10
S20A (134) X1D26★	X1D17★	1/2 x 100	12	1 1/2	.25
S29A (135) X2D10★	X1D95★	3/4 x 150	12	1 1/2	.25
S43A (144) X2D10★	X1D95★	1/2 x 200	12	1 1/2	.25

Each display in an attractive counter ctn.



Nos. 134 135 144

SCOTCH CELLOPHANE TAPE



Affords quick sealing of store packages. Positive adhesion. Is transparent and blends with any color wrapper. Remains fixed until pulled off.

For Desk Type Dispensers No. 120

Per Roll	Lots of (12)	Size, ins.	■ Per Roll
S93A (1296) D6C8★	D6C1★	1/2 x 1296	\$1.00
S84A (1296) D9C0★	D8C1★	3/4 x 1296	1.35

One in box. Wt. box 1/4 lbs.

For Heavy Duty Dispensers (2592)

Per Roll	Lots of Rolls (12) in Can	Size, ins.	■ Per Roll
S176A D6C7★	D6C1★	3/8 x 2592	\$1.00
S177A D9C2★	D8C3★	2 1/2 x 2592	1.40
S203A X1D36★	X1D21★	1 3/4 x 2592	2.05

Wt. roll 3/8 lb.

White Price Marking Tape For Use with Ink or Marking Pencils Only (2592N)

Per Roll	Lots of Rolls (12) in Can	Size, ins.	■ Per Roll
S186A X1D42★	X1D28★	2 1/2 x 2592	\$1.95
S204A X1D99★	X1D80★	1 3/4 x 2592	2.70

Wt. roll 3/8 lb.

SCOTCH PLASTIC TAPE



(192)



(193)

Super-thin, stretchy, waterproof. Mends, decorates, protects, seals.

Packs Six Rolls—3/4 x 108 inches

Per Pack	Color	■ Per Pack
S98A (192) X1D00★	Red	\$1.50
S99A (192) X1D00★	White	1.50
S103A (192) X1D00★	Green	1.50
S106A (192) X1D00★	Brown	1.50

Three Rolls—1 1/2 x 108 inches

Per Pack	Color	■ Per Pack
S109A (193) X1D00★	Red	1.50
S110A (193) X1D00★	White	1.50
S112A (193) X1D00★	Green	1.50
S116A (193) X1D00★	Brown	1.50

Wt. pack 1/2 lb.

CELLOPHANE TAPE LE PAGE'S



Plasti-Pak Display Clear—1/2 x 1296-Inch Rolls

Each roll in plastic container dispenser. 24 rolls on free, chrome-plated wire merchandiser.

Per Display	■ Per Display
SX-7017-A X12D82	\$21.36

One display in ctn. Wt. ctn. 3 lbs.

Displays of Cellophane Tape May be Assorted With 2592 and 1296 Rolls to get Quantity Prices.

Note—Example: 3 Displays—3 Rolls
 STAR ★ DENOTES BEST SELLER

MYSTIK TAPE DEALS



For sealing, decorating and repairing

Three fastest selling sizes of self-stik cloth tape in 13 popular colors. Each roll cello wrapped and priced. In a metal self service display 11½ inches wide, 6 inches deep and 15½ inches high.

Contents:

8 rolls ¾x204 inches, 4 rolls 1½x204 inches, 52 rolls ¾x108 inches, 26 rolls 1½x108 inches and an envelope of colorful advertising material.

Counter Display and 90 Rolls

Per Deal Per Deal
6-AX-A X23D40.....\$35.10
One deal in ctn. Wt. ctn. 10 lbs.

OPEN STOCK

Refill Packs
Six Rolls—¾x108 Inches
(125)


Per Pack	Color	Per Pack
S147A X1D16★	White	\$1.74
S148A X1D16★	Black	1.74
S149A X1D16★	Brown	1.74
S151A X1D16★	Red	1.74
S152A X1D16★	Wine	1.74
S155A X1D16★	Green	1.74
S156A X1D16★	Blue	1.74
S157A X1D16★	Light Green	1.74
S158A X1D16★	Light Blue	1.74
S159A X1D16★	Tan	1.74
S160A X1D16★	Yellow	1.74
S161A X1D16★	Pink	1.74
S162A X1D16★	Gray	1.74

Three Rolls—1½x108 Inches
(150)

S163A X1D16★	White	1.77
S164A X1D16★	Black	1.77
S165A X1D16★	Brown	1.77
S166A X1D16★	Red	1.77
S167A X1D16★	Wine	1.77
S168A X1D16★	Green	1.77
S169A X1D16★	Blue	1.77
S170A X1D16★	Light Green	1.77
S171A X1D16★	Light Blue	1.77
S172A X1D16★	Tan	1.77
S173A X1D16★	Yellow	1.77
S174A X1D16★	Pink	1.77
S175A X1D16★	Gray	1.77

Wt. pack ½ lb.

GUMMED KRAFT TAPE



Utility Tape

For sealing, packing, labeling, mending, moth-proofing and many other uses in the home, school, office or shop.

Heavy brown kraft gummed paper rolls, 2 inches wide, 75 feet long.

Per Ctn. Per Roll
S223A (21) X2D00★.....\$0.25
One roll in box, 12 rolls in counter display ctn.
Wt. ctn. 5 lbs.

KRAFT SEALING TAPE

Security, plain, unprinted gummed tape for hand operated machines.

35-lb. Kraft—800-ft. Roll—Gummed Inside

Per Roll	Size, ins.	Rolls in Bdl.	Per Roll
S219A (800/1½) D5C8	1½	20	\$0.89
SX219A (800/1½) D5C7	(Case lots 20 rolls)		

Wt. bdl. 40 lbs.

For automatic tape machines.

35-lb. Kraft—500-ft. Roll—Gummed Outside

Per Roll	Size, ins.	Rolls in Bdl.	Per Roll
S205A (500/1) D2C9	1	30	\$0.45
SX205A (500/1) D2C8	(Case lots 30rolls)		
S207A (500/1½) D3C9	1½	20	.60
SX207A (500/1½) D3C8	(Case lots 20 rolls)		

Wt. bdl. 24 lbs.

For automatic tape machines. To be used on heavy packages and cartons.

60-lb. Kraft—600-ft. Roll—Gummed Inside

Per Roll	Size, ins.	Rolls in Bdl.	Per Roll
S224A (600/2) D6C5	2	15	\$0.95
SX224A (600/2) D6C0	(Case lots 15 rolls)		
S225A (600/2½) D7C9	2½	12	1.19
SX225A (600/2½) D7C7	(Case lots 12 rolls)		
S228A (600/3) D9C5	3	10	1.45
SX228A (600/3) D9C3	(Case lots 10 rolls)		

Wt. bdl. 40 lbs.

NOTE—On printed tape write for prices due to market quotations, which change without notice.

STAR ★ DENOTES BEST SELLER

GUMMED CLOTH TAPE




Seals cracks before papering, joints between insulation boards, wallboard, plywood, plaster board and sheet rock. Can also be used for packages, cartons and general household use.

50-foot Rolls—2 Inches Wide

Per Roll Per Roll
S221A (50) D4C0★.....\$0.59
Twelve rolls in box with attractive display ctn.
Wt. box 2½ lbs.


SCOTCH TAPE DISPENSERS



For Office, School and Home

Heavy cast frame, maroon color crackle finish. Four soft rubber feet prevent sliding. For tape ¼ to ¾ inch wide and with 1 inch core only. Nos. 792¾, 1296½ and 1296¾. Size 5¼x2¾x2¼ inches.


Each Each
S18A (120) X1D19.....\$1.79
12 or more X1D10
One in ctn. Wt. ctn. 4 lbs.



Heavy Duty—For Store and Factory

Steel case and reel, gun metal finish. Chrome plated front plate with cutter and back plate. Heavy corrugated rubber strip on bottom. Length 9¼ inches. Width 2¾ inches. Height 4¼ inches. Will hold tape ¼ to 1-inch wide with 3-inch core only. Nos. 2592¾, 2592½, 2592¼ and 2592/1.

Each Each
S13A (HD) X3D95.....\$5.95
One in ctn. Wt. ctn. 5 lbs.

TACKER KITS**ARROW**

All-purpose, heavy duty, automatic staple gun with jam-proof mechanism. Powerful drive with minimum squeeze pressure. Loads 85 staples of $\frac{1}{4}$, $\frac{3}{16}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$ inch or Ceiltite type for ceiling tile. All steel, chrome finish.

Kit Includes Following Items in Simulated Metal Carry Case with Metal Handle

T50 Automatic Staple Gun.

Screen Attachment—For screening, netting, etc.

Shade Attachment—For stapling window shades to rollers, etc.


Wire Attachment—For low voltage wire, barbed wire, etc.

SL50 Staple Lifter.

Multi-Staple Pak (complete staple assortment).

Each	Each
L5522F (T50MP) X11D67	\$17.50

One in box. 12 in ctn. Wt. ctn. 60 lbs.

GUN TACKERS**ARROW**

For insulation, electric wiring, ceiling tile, wire fencing and many other uses.


Heavy duty—loads 85 staples.

All steel construction with chrome finish, grooved blade positions wire for proper development of staples. Takes $\frac{1}{4}$ inch, $\frac{3}{8}$, $\frac{1}{2}$ and $\frac{5}{8}$ inch staples.

(T/50)

Each	Each
L5541F X8D30	\$12.50

One in box. Wt. box 2 lbs.

ARROW**Junior**

For light utility use. Fits hand comfortably, easy to operate. Handle locks in place for easy carrying. Built-in staple lifter. Loads 100 staples— $\frac{1}{4}$ or $\frac{3}{16}$ inch. Individually boxed.

Each	Each
L5523F (JT21) X3D30	\$4.95
Lots of 12	X2D97

One in box. Wt. box $3\frac{1}{2}$ lbs.

STAPLES**ARROW**

For (T/50) Gun Tacker

Wedge point, made of .050 Carbon.

Per Box (5000)		Length in.	Wt. Ctn. lbs.	Per Box (5000)
L5542F (T/50/1/4/5M) X1D65	$\frac{1}{4}$	30	\$2.45	
L5543F (T/50/3/8/5M) X1D80	$\frac{3}{8}$	35	2.75	

5000 in box. 20 boxes in ctn.

Special point for use, on ceiling tile.

Per Box (5,000)				Per Box (5,000)
L5545F (T50/CT) X2D35	$\frac{1}{8}$	92	\$3.50	

1000 in pkg. 5,000 in box. 20 boxes in ctn.

ARROW

For Tacker (JT21)

5,000 (Five 1000-Packettes) in Box

Per Box		Size, in.	Wt. Ctn., lbs.	Per Box
L5524F (JT21) X1D77	$\frac{1}{4}$	44	\$2.95	
L5525F (JT21) X1D77	$\frac{3}{16}$	48	2.95	

Fifty boxes in ctn.

SWINGLINE

For (101) Staplers

Per Box (1M)		Leg Length In.	Per Box
L5529F (101-4 $\frac{4}{16}$) D3C5$\frac{1}{2}$	$\frac{5}{16}$	\$0.59	
L5530F (101-5 $\frac{5}{16}$) D3C5$\frac{1}{2}$	$\frac{5}{16}$	0.59	


1000 in box. $\frac{1}{4}$ lb.

TWINE ASSORTMENT**JUMBO BALL**

(See Section 13—Page 20C)

Per Assortment	Per Ball
0-36-J X5D70	\$0.25

One Assortment in ctn. Wt. ctn. 7 lbs.

TACKER KITS**ARROW**

All-purpose, heavy duty, automatic staple gun with jam-proof mechanism. Powerful drive with minimum squeeze pressure. Loads 85 staples of $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{9}{16}$ inch or Ceilitite type for ceiling tile. All steel, chrome finish.

Kit Includes Following Items in Simulated Metal Carry Case with Metal Handle

T50 Automatic Staple Gun.

Screen Attachment—For screening, netting, etc.

Shade Attachment—For stapling window shades to rollers, etc.

Wire Attachment—For low voltage wire, barbed wire, etc.

SL50 Staple Lifter.

Multi-Staple Pak (complete staple assortment).

Each		Each
L5522F	(T50MP) X11D67	\$17.50

One in box. 12 in ctn. Wt. ctn. 60 lbs.

GUN TACKERS**ARROW****Junior**

For light utility use. Fits hand comfortably, easy to operate. Handle locks in place for easy carrying. Built-in staple lifter. Loads 100 staples— $\frac{1}{4}$ or $\frac{5}{16}$ inch. Individually boxed.

Each		Each
L5523F	(JT21) X3D30	\$4.95
Lots of 12	X2D97	

One in box. Wt. box $3\frac{1}{2}$ lbs.

STAPLES FOR ABOVE


5,000 (Five 1000-Packettes) in Box

Per Box		Size, in.	Wt. Ctn., lbs.	Per Box
L5524F	(JT21) X1D77	$\frac{1}{4}$	44	\$2.95
L5525F	(JT21) X1D77	$\frac{5}{16}$	48	2.95

Fifty boxes in ctn.

HOUSEHOLD TWINE

GRAMCO



For kite flying, parcel post wrappers and crocheting dish cloths, bed spreads, shopping bags, table mats, etc.

Four ply white cotton, 2 threads to each ply. High breaking strength. Light weight.

Twelve 200 foot Balls
(200)

Per Box **L6875J D8C0★** Each \$0.10
Twelve balls in box. Wt. box 1 lb.

DRAPERY CORD

KING COTTON



For all types of pull drapes. Can also be used as a slip cover binding, for tie-backs, picture and mirror hanging, valances, trim and many other uses.

Fine plied yarn, hard braid with a smooth finish. Combines toughness, strength and stretch resistance. Designed for hard wear and long life.

Natural Color—Cord Size 3½
(3½)

Per Box **L6600J X2D60★** Per Coil \$0.65
Six 50 ft. coils in display box. Wt. box 1¼ lbs.

Sold Only in Full Boxes

VENETIAN BLIND CORDS

BISON



Quality natural cord. Will re-cord two small or one large blind. Easily replaced by attaching the new cord to the old and pull through.

In 48 foot Hanks
Twelve Connected

(48N)

Per Box **L6862J X4D68★** Per Hank \$0.59

Twelve in display box. Wt. box 3¼ lbs.

CABLED KITE CORD

BIG CHIEF



Useful for many other purposes; an ideal household twine.

Two ply white cotton; 4 threads to each ply; light weight; extra high breaking strength, also used in many cases for crocheting.

Twelve 200 foot Balls

(CK200)

Per Box **L6876J D8C0** Each \$0.10

Twelve in box. Wt. box 1½ lbs.

TWINE ASSORTMENTS

KING COTTON



Core Wound Balls

Consists of:

	Retail Each
6 Balls Jute Garden Twine	\$0.10
6 Balls Polished India Twine.....	.10
3 Balls Red Gift Cord.....	.10
3 Balls Green Gift Cord.....	.10
15 Balls Cabled Household and Kite Twine	.10
15 Balls Parcel Post Twine.....	.10

48 Balls in Display Box

Retail Value \$4 80

Per Asst. **O-1N-J X3D20★** Each \$0.10
One asst. in ctn. Wt. asst. 4 lbs.

TWINE ASSORTMENT

JUMBO BALL

(See Section 13—Page 20)

Per Assortment **O-36-J X5D70** Per Ball \$0.25
One Assortment in ctn. Wt. ctn. 7 lbs.

STAR ★ DENOTES BEST SELLER

Jumbo Ball Twine Assortment

- 6 Balls 4 Ply Household-Kite Twine
- 4 Balls Mason-Seine Twine
- 6 Balls Express Twine Brown
- 2 Balls Express Twine Red
- 2 Balls Express Twine Green
- 6 Balls Parcel Post Twine
- 6 Balls Cabled Kite Twine
- 2 Balls Sea Island Red
- 2 Balls Sea Island Green



36 Balls

Packed in attractive display carton, as shown. Serves as shipping container and easily set-up for display. Gross shipping weight seven pounds.

Cotton Twines for Every Need

Used for tying small packages for mailing, heavy bundles for shipping, in the garden, flying kites, in the kitchen, gift wrapping, fishing line, Mason's cord, mending fish nets and play nets, crocheting, general household needs.

Dealer's Cost \$_____

TWINE ASSORTMENTS

BIG CHIEF



Senior Assortment

High grade twine for light, medium and heavy parcel post packages. Long yardage balls in an attractive cabinet.

Contains:

No. Balls	Ft. in Ball	Type Twine
6	125	Mason Line
12	500	Heavy Cable Cord
6	95	36 Polished India
12	300	Cotton
6	160	3 Ply Jute
6	100	24 Ply Cotton

Four Dozen Balls—Retail 25c Each

Per Asst.		Each
O-BCS-J	X7D50★	\$0.25
One asst. in ctn. Wt. ctn. 8¾ lbs.		

COTTON PARCEL POST TWINE



IN CONES

Weight about 2½ lbs. each.

For wrapping parcel post packages. Can also be used for sail twine.

Extra fine grade long fibre cotton.

Pure White

Per Cone		Feet to Plies the lb. Cone	Per
L6925J	(WC10) X2D00	10 1771	\$2.95
B-L6925J	(WC10) X2D00—(Bale Lots 100 Lbs.)		
L6926J	(WC16) X2D00★	16 1125	3.95
B-L6926J	(WC16) X2D00★ (Bale Lots 100 Lbs.)		

A Good Competitive Grade White

Per Cone		Feet to Plies the lb. Cone	Per
L6933J	(WC316) X1D87	16 882	\$2.80
B-L6933J	(WC316) X1D87—(Bale Lots 100 Lbs.)		
100 lbs. in bale			

COTTON PARCEL POST TWINE



For wrapping packages for parcel post. Can also be used as sail twine. Ten ply is used by many for tying sausages and 16 ply is used for tying roasts, etc.

IN BALLS

Six Balls to the Pound

Extra first grade long fibre cotton. Fine quality.

Pure White

Per Pound		Feet to Plies the lb. Ball	Per
L6936J	(WP610) D8C3	10 1771	\$0.20
B-L6936J	(WP610) D8C3—(Bale Lots 100 Lbs.)		
L6939J	(WP616) D8C3★	16 1125	.20
B-L6939J	(WP616) D8C3★—(Bale Lots 100 Lbs.)		

A Good Competitive Grade White

Per Pound		Feet to Plies the lb. Ball	Per
L6944J	(WP3610) D7C5	10 1386	\$0.20
B-L6944J	(WP3610) D7C5—(Bale Lots 100 Lbs.)		
L6947J	(WP3616) D7C8★	16 882	.20
B-L6947J	(WP3616) D7C8★ (Bale Lots 100 Lbs.)		
5 lbs. in sack			
100 lbs. in bale			

IN ½-LB. BALLS

Extra first grade long fibre cotton. Fine quality.

Pure White

Per Pound		Feet to Plies the lb. Ball	Per
L6945J	(WP10) D8C2	10 1771	\$0.60
B-L6945J	(WP10) D8C2—(Bale Lots 120 Lbs.)		
L6946J	(WP16) D8C2★	16 1125	.60
B-L6946J	(WP16) D8C2★—(Bale Lots 120 Lbs.)		

A Good Competitive Grade White

Per Pound		Feet to Plies the lb. Ball	Per
L6948J	(WP310) D7C3	10 1386	\$0.55
B-L6948J	(WP310) D7C3—(Bale Lots 120 Lbs.)		
L6949J	(WP316) D7C6★	16 882	.60
B-L6949J	(WP316) D7C6★—(Bale Lots 120 Lbs.)		
120 lbs. in bale			

RUG TWINE



Ideal for making rugs. Can also be used for wrapping extra heavy parcel post packages.

IN CONES

Weight about 2½ lbs. each. Extra first quality long cotton fibre. Fine quality. About 850 feet to the pound.

Pure White—24 Ply

Per Cone		Per Cone
L6927J	(WC24) X2D00	\$2.95
B-L6927J	(WC24) X2D00—(Bale Lots 100 Lbs.)	
100 lbs. in bale		

COTTON WRAPPING TWINE

IN BALLS

Six Balls to the Pound

Four-Ply



Extra fine grade long fibre cotton. 5040 feet to the pound.

Pure White

Per Pound		Per Ball
L6921J	(W) D8C0	\$0.20
B-L6921J	(W) D8C0—(Bale Lots 100 Lbs.)	

A Good Competitive Grade

White

Per Pound		Per Ball
L6924J	(W3) D7C5★	\$0.20
B-L6924J	(W3) D7C5★—(Bale Lots 100 Lbs.)	

5 lbs. in a sack. 100 lbs. in bale



IN CONES

Weight About 2½ lbs. Each

Four-Ply

Extra fine grade long fibre cotton. 5040 feet to the pound.

Pure White

Per Cone		Per Cone
L6922J	(WC) X1D95★	\$2.95
B-L6922J	(WC) X1D95★—(Bale Lots 100 Lbs.)	

A Good Competitive Grade

White

Per Cone		Per Cone
L6923J	(WC3) X1D80	\$2.75
B-L6923J	(WC3) X1D80—(Bale Lots 100 Lbs.)	
100 lbs. in bale		

PAPER FLEECE TWINE



For tying wool into bundles.

Made of 1-ply Brown Kraft paper. Tensile strength 55 lbs.

Per Tube		Approx. Feet on Tube	Weight Tube 1	Per Tube
L6913J	(FT1) D2C5	300	1	\$0.40
B-L6913J	(FT1) D2C5—(Carton lots 50 tubes)			
50 Tubes FT1 in a Carton				

JUTE TOMATO OR WRAPPING TWINE



Cut Shows Full Size

Soft Laid

In 1/2-lb. Balls

2 Ply

Per Pound

Per Ball

● L6930J (2W) D4C8..... \$0.36

● LX6930J (2W) D4C8..... .36

20 lbs. Sacks

● B-L6930J (2W) D4C5
(Bale Lots 150 to 200 lbs.) .36

JUTE WOOL TWINE



4 Jute Wool

Cut Shows Full Size

In 1-lb. Balls

4 Ply

For Tying Wool into Bundles; Tying Grape Vines, Etc.

Unfinished; 160 to 180 ft. to a Pound.

Per Pound


Per Pound

● L6934J (4) D5C7..... \$0.85

● B-L6934J (4) D5C6—(150 lbs. in a Bale)

WRAPPING TWINE

Fine Polished India



HARD LAID

Cut Shows Full Size


Medium Grade Standard Wrapping Twine

Light Color

Per Package		Pound in Ball	Per Ball
● L6857J (18BB)	X2D20★	1/2	\$0.55
● L6859J (24BB)	X2D15	1/2	.55
● L6860J (36BB)	X2D12★	1/2	.55
● L6861J (48BB)	X2D10	1/2	.55

3 lbs. in a Package; 168 lbs. in a Bale
We will Not Break Packages

INDIA HEMP TWINE



Cut Shows Full Size

For Tying Large or Heavy Packages and Bundles

Light Color

Two-Ply

Per Pound		Pounds in Ball	Per Ball
● L6935J (4 1/2/8)	D6C0★	1/2	\$0.45


Three-Ply

● L6938J (6)	D5C8	1	.85
--------------	------	---	-----

Loose

Approx. 150 lbs. in a Bale

JUTE TUBE ROPE



In 50-lb. Reels

For tying large,
heavy bundles, etc.
Single end.

3 Ply

Per Pound

Per Pound

3-3JT-J D5C3..... \$0.80

ALL ABOVE ITEMS ARE SOLD ON BASIS OF GROSS WEIGHT ONLY—
NO ALLOWANCE FOR TARE OR PACKING

STAR ★ DENOTES BEST SELLER

JUTE WOOL TWINE



4 Jute Wool
Cut Shows Full Size
In 1-lb. Balls

4 Ply

For Tying Wool into Bundles; Tying Grape Vines, Etc.

Unfinished; 160 to 180 ft. to a Pound.

(4)

Per Pound


Per Pound

● L6934J D5C7.....\$0.85

● 0-L6934J D5C6—(160 lbs. in a Bale)

WRAPPING TWINE

Fine Polished India



HARD LAID

Cut Shows Full Size


Medium Grade Standard Wrapping Twine

Light Color

Per Package			Pound in Ball	Per Ball
● L6857J	X2D20★	(18BB)	1½	\$0.55
● L6859J	X2D15	(24BB)	1½	.55
● L6860J	X2D12★	(36BB)	1½	.55
● L6861J	X2D10	(48BB)	1½	.55

3 lbs. in a Package; 168 lbs. in a Bale
We will Not Break Packages

INDIA HEMP TWINE



Cut Shows Full Size

For Tying Large or Heavy Packages and Bundles

Light Color

Two-Ply

Per Pound			Pounds in Ball	Per Ball
● L6935J	D6C0★	(4½/8)	1½	\$0.45

Three-Ply

● L6938J	D5C8	(6)	1	.85
----------	------	-----	---	-----

Loose

Approx. 150 lbs. in a Bale

JUTE TUBE ROPE



In 50-lb. Reels

For tying large,
heavy bundles, etc.
Single end.

3 Ply

Per Pound

Per Pound

3-3JT-J D5C3.....\$0.80

ITEMS MARKED ● ARE SOLD ON BASIS OF GROSS WEIGHT ONLY;
NO ALLOWANCE FOR TARE OR PACKING

STAR ★ DENOTES BEST SELLER

BINDER TWINE

(AGAVA) SISAL—INSECT TREATED

UNIFORM THICKNESS, ABOUT 500 FT.
IN A POUNDAVERAGE TENSIL STRENGTH,
ABOUT 80 POUNDS

F. O. B. ST. LOUIS, MO.

In 50 Pound Bales

Light Color, Sisal Twine, 5 Pound Balls

Per Bale	Per Ball
21-SIBT5-J N-X9D15★	\$1.50

Light Color, Sisal Twine, 8 Pound Balls

21-SIBT8-J N-X9D15	2.50
--------------------	------

All Above Items are sold on Bases of
Gross Weight Only

No Allowance for Tare or Packing

COMPARATIVE ROPE BRANDS OF LEADING ROPE MILLS


	No. 1 Manila Treated Rope	No. 1 Manila Untreated	No. 2 Manila	No. 1 Sisal Oiled and Water- proofed	No. 1 Sisal Uncoiled and Stainless	No. 2 Sisal Oiled and Water- proofed	No. 2 Sisal Uncoiled and Stainless
SHAPLEIGH'S	●Amco	●Diamond (Our No. DM)	Nonpareil (Our No. NM)	White Diamond Java Sisal (Our WDSO)	White Diamond Java Sisal (Our WDSU)	Diamond Sisal Bolt Rope (Our DSO)	
	●Simmons Green Marked (Our No. SGM)	Simmons Orange Marked (Our No. SOM)	Simmons Lily White (Our SLWO)	Simmons Lily White (Our SLWU)	Simmons Standard Sisal (Our SSO)	(Our ESU)
American Mfg. Co.....	●Amco	●American	Clipper	Royal	Spartan	Anchor	Anchor
Badger Cordage Co.....		Badger	Congo	Velvet
Cating Rope Works.....		K-Ting Majestic	Standard	K-Ting Java Bolt	K-Ting Java Bolt
Columbia Rope Co.....		Columbian	Eureka	Columbian Radium Java	Eureka
Cupples Co.....		Alpha	Amazon	Java Bolt	Arrow
Federal Fibre Mills.....		Titan	DeSoto	Ivory White	Ivory White	Sun Oiled	Sun Oiled
E. F. Fidler Co.....	Fidler Greenite	Fidler	Wm. Penn	Defense	Diamond S
Great Western Cordage Co.....		Security	Special	Special Sisal
Hoover & Allison Co.....		Blue Heart	Buckeye	Blue Heart	Red Heart
R. A. Kelly Co.....		Rakco-Superior	Miami	Racko Java	Shawnee
New Bedford Rope Co.	Maritime	New Bedford	Reliance	Topsail
Peoria Cordage Co.....		Peerless	Pioneer	Java	Java	Peerless
Plymouth Cordage Co..		Plymouth	Yankee	Pilgrim	Puritan
Portland Cordage Co...		Clover Leaf	Seaport	Malaysia Java	Standard
E. T. Rugg Co.....		Ocean Brand	Marine	Snow White	Ocean
St. Louis Cordage Mills.	●Amco	●American	Capstan	Royal	Spartan	Empire
Tubbs Cordage Co.....		Extra Superior	Mission	Victory Special	Standard
Wall Rope Works.....		Wall	Diamond	White Star	Diamond
Waterbury Rope Co...		Waterbury	Waterland	Waterbury Java	Challenger
Whitlock Cordage Co...		Whitlock Waterflex	Merchant Waterflex	Whitlock Batavia Sisal Bolt	Century

Items Marked ● Conform to Federal Specification No. TR601-A

Items Marked ★ Conform to Federal Specifications Nos. J.Q.D-478.

STAR ★ DENOTES BEST SELLER

COTTON ROPE



PLOW LINES

SHAPLEIGH'S



DIAMOND BRAND

A STRICTLY HIGHGRADE ALL-THREAD ROPE
RED MARKER

Per Pound		Diam. in.	Approx. No. ft. per lb.	Approx. Wt. per Tube, lbs.	Per Pound
		3 Ply			
21-DPR3/5/16-J	D6C8	5/16	36	35	\$1.00
21-DPR3/3/8-J	D6C8	3/8	30	35	1.00
21-DPR3/1/2-J	D6C8	1/2	18	35	1.00
		4 Ply			
±DPR4/5/16-J	D6C4	5/16	30	35	1.00
±DPR4/3/8-J	D6C4	3/8	30	35	1.00

All Put up on Universal Wound Tubes

In Hanks, 36 Foot Cut Lengths

Per Pound		Diam. ins.	No. of Strands	Per Pound
±DHPR3/5/16-J	D6C6	5/16	3	\$1.00
±DHPR4/5/16-J	D6C6	5/16	4	1.00

Four dozen in bale, weight bale 50 lbs.

DIRECT SHIPMENT

F. O. B. Anniston, Ala.

Per Pound		Per Pound
±DPR3/5/16-J	D6C4.....	\$1.00
±DPR3/3/8-J	D6C4.....	1.00
±DPR3/1/2-J	D6C4.....	1.00

PLOW LINES

TIP TOP

SOLID YARN NO FILLER

Per Pound		Diam. in.	Approx. No. ft. per lb.	Approx. Wt. per Tube, lbs.	Per Pound
		3 Ply			
±TTR3/5/16-J	D6C2	5/16	36	35	\$0.95
±TTR3/3/8-J	D6C2	3/8	30	35	.95
±TTR3/1/2-J	D6C2	1/2	18	35	.95
		4 Ply			
±TTR4/5/16-J	D6C2	5/16	36	35	.95
±TTR4/3/8-J	D6C2	3/8	30	35	.95

All Put up on Universal Wound Tubes

In Hanks, 36 Foot Cut Lengths

Per Pound		Diam. ins.	No. of Strands	Per Pound
±TTHR3/5/16-J	D6C4	5/16	3	\$1.00
±TTHR4/5/16-J	D6C4	5/16	4	1.00

Four dozen in bale, weight bale 50 lbs.

Lots of 100 lbs. or more, actual freight allowed up to X2D75 cwt. Less than 100 lbs. F. O. B. factory.

Items Marked ± Can Only be Furnished by Shipping Direct From Factory, F. O. B., Anniston, Ala.

IDEAL HAY OR BALE ROPE

STANDARD



For bundling spokes, castings, dressed lumber, woodenware, etc. Single end wound on wooden reel. Fifty lbs. each.

Stainless

Two-Ply and Up

Per lb.	300 lbs. or more Per lb.	Per lb.
	Medium	
● P-SUHM-J	N-D3C0	N-D2C9 \$0.45
	Fine	
● P-SUHF-J	N-D3C1	N-D3C0 .45

Note—If one-ply wanted D0C0½ lb. less.

5 or 10 lb. balls D0C1 per lb. extra

In Full Bale Lots

IDEAL HIDE, BANANA ROPE
AND LATH YARN

STANDARD



Hundred pound coils, stranded, many ends.

Stainless

Per lb.	300 lbs. or more Per lb.	Strands	Per lb.
	Medium		
● P-SDM-J	N-D3C0	N-D2C9 50	\$0.45
	Fine		
● P-SDF-J	N-D3C1	N-D3C0 100	.45

Lath Yarn furnished untarred (Stainless) or tarred. Specify type wanted.

EAGLE TWISTED
JUTE PACKING

(Also Referred to as Rope Oakum)



Nationally used for caulking water and gas mains, bell joint pipes, etc. Also largely used for caulking sewer mains.


In 5-lb. Balls

Per Pound	Per Pound
● 0-TJP5-J	N-D3C5★—Tarred.....\$0.55
● 0-UJP5-J	N-D3C5—Untarred..... .55
● P-DJP5-J	N-D3C9—Dry..... .60
Ten balls in bale	

In 50-lb. Coils

Per Pound	Per Pound
● P-TJP50-J	N-D3C0—Tarred.....\$0.45
● P-UJP50-J	N-D3C0—Untarred..... .45
● P-DJP50-J	N-D3C5—Dry..... .50


PLUMBERS SPUN OAKUM



Sliver Form—50 lb. Slatted Bales

Per Bale	Per Bale
● P-PO50-J	N-X14D30.....\$21.45
300 lbs. or more	N-X13D95
Single Strand—5 lb. Boxes, 10 Boxes to Ctn.	
Per Box	Per Box
● O-PO5-J	N-X1D75.....\$2.65
Full ctns. (10 boxes) N-X1D70	

MARINE OAKUM



Made of pure, Hemp Fibre, carefully carded and impregnated with Southern Pine Tar. Meets the most exacting specifications of all Marine trade.

Nos. AUO and CUO are **Unspun** or loose fibres which enable user to make spun type to suit his individual needs.

Nos. ASO and CSO are **Spun** in sliver (ribbon) ready for use.

This is the highest type of caulking material and should not be confused with the cheaper Plumbers Oakum.

In 50 lb. Bales

American Brand

Per Bale	Per Bale
● P-AUO-J	N-X16D75—Unspun..\$26.75
300 lbs. or more	N-X16D25

In fifty-lb. bales.

● P-ASO-J	N-X17D25—Spun....\$27.50
300 lbs. or more	N-X16D75

In balls weighing approximately 3 lbs.

Sixteen balls in bale. Gross wt. bale 50 lbs.

We Do Not Break Bales

SHAPLEIGH'S POINTERS

The Name Sisal—

Refers to Yucatan (Mexican) Java, Cuban, African and Haitian grades, all in demand for Sisal Rope and Twines.

Jute comes from India and ranks as one of the most useful fibres.

Oakum is loose Jute fibres. Used by Plumbers and others for caulking joints of various soil pipe and cast iron pipe. For home use, and waste water lines.

Above prices on Ideal Hay or Bale Rope, Ideal Hide Banana Rope or Lath Yarn, Jute Packing, Plumber's Oakum, Marine Oakum and are delivered to destination to all points in Zone 2, St. Louis, Mo., Illinois, Indiana, Ohio, Kentucky and West Virginia in lots of 300 lbs. or more. Shipments less than 300 lbs. are F. O. B. St. Louis, Mo.

ITEMS MARKED ● ARE SOLD ON BASIS OF GROSS WEIGHT ONLY—NO ALLOWANCE FOR TARE OR PACKING.

STAR ★ DENOTES BEST SELLER

CORDAGE INFORMATION

MANILA CORDAGE

The Manila Plant, Known in its Native State as the Abaca Plant, Belonging to the Banana Plant, is Grown in the Philippine Islands, which is Right on the Equator, the Largest Islands in the World. A Plant is Started from Shoots Ranging from 3 to 5 feet High, the Quality is, More or Less, Reflected by the Conditions Under which it is Grown and the Care Taken in Cleaning it. The Plant Requires Lots of Rain but Must be Grown in Soil Where the Drainage is Good. The Stalk Itself Grows from 6 to 20 feet in Height and it has been Known that the Plant will Actually Live 20 to 25 Years. Manila Fibre is Produced from the Stalk from Sheaths of the Plant—Care in Cleaning the Fibre is of Paramount Importance. After the Stalk has been Cut and the Various Sheaths have been Torn Apart, They are Flattened Out and then Cleaned by the Natives by Pulling the Fibre Over a Sharp Stripping Knife, which is 12 to 16 inches Long, Made Something Like a Saw, and then it is Hung on Poles to Dry. The Drying Depends on the Weather Conditions and Quality of the Fibre. Coarse Fibre takes Longer to Dry than Fine Texture.

AMCO "ALL-WEATHER" ROPE

This is a First Grade Manila Rope and, as the name Implies, it is an "ALL-WEATHER" Rope. The Individual Fibres of AMCO are Given a Treatment Before the Yarn is Spun into the Finished Product, which Definitely Resists Rot and Makes This Rope the Safest Cordage for All Purposes Because the Fibres are Protected Against Deterioration. It is Easy to Handle, Always Pliable even in Wet Freezing Weather, which is a Tremendous Advantage to the Ones Who Use it.

AMCO "ALL-WEATHER" Rope also Makes the Ideal Hay Fork Rope Because of its Rot Resistant Properties. Most Hay Ropes, for Instance Rot into Uselessness while Stored Between Seasons. AMCO is the Finest Rope to be Had—Lasts Longer.

MANILA ROPE

DIAMOND D

(REGISTERED)

(No. 1 Grade) Blue Tag

Strictly Best Quality, Long, Pure Manila; No Adulterants; Thoroughly Lubricated, but no Weighty Substance Used; Three Strands; Coils Burlapped and Stenciled with Trade Mark. It is Recommended for all Exacting Work. Green and Red Marker.

Conform to Federal Specifications No. TR601-A.

FOUR STRAND

SPECIAL HAY CARRIER ROPE

The Most Satisfactory Rope for Hay Carriers. Many Prefer it to the Ordinary Three Strand Cordage, Because it Resists Abrasive Wear Better. Four Strand Rope can be Furnished in Any Size, with Center Core or Without (We Always Recommend the Latter), at the Standard Differential of One Cent per Pound Over Prices Quoted Above on Three Strand Rope. $\frac{1}{16}$ -inch Size is Recommended for Hay Carrier Use. If Large Rope is Used, be Sure Pulleys are Large Enough to Permit Rope to Run Freely.

Unless Otherwise Specified, all Four Strand Rope is Furnished without Core. When Center Core is Wanted, Plainly Show "With Center" Core.

AMCO Treated Best Pure Manila is Recommended as the Best Rope Procurable for Hay Carriers. It is Always Pliable and the Rot-Proofed Feature Makes it the Most Economical Rope Because it Outwears Ordinary Cordage.

*ALL SIZES AND BRANDS OF MANILA AND SISAL ROPE CAN BE FURNISHED IN FULL COILS OF 1200 FEET OR HALF COILS OF 600 FEET, BEGINNING WITH $\frac{1}{2}$ INCH AND LARGER. SMALLER SIZES SEE THIRD COLUMN BELOW.

IN ACCORDANCE WITH SPECIFICATIONS BELOW:

APPROXIMATE WEIGHT AND STRENGTH OF 3-STRAND DIAMOND D AND "A" MANILA ROPE

Circumference in Inches	Diameter Ins.	Length Full Coils	Gr. Weight of Full Coil in Lbs. *Half Coils	Wt. 600 Ft. Half Coils in Lbs.	Weight per Feet Lbs.	No. Feet One Lb.	"DM" & "A" MANILA ROPE		Approximate Tensile Strength "WDSO" No. 1 Sisal Rope
							Safe Working Load	Approximate Tensile Strength	
6thd.-F $\frac{5}{8}$	$\frac{3}{16}$	3300	*25 50015	66.6	90	450	Lbs. 360
6thd. $\frac{3}{4}$	$\frac{1}{4}$	2500	*25 50020	50.0	120	600	480
9thd. 1	$\frac{5}{16}$	2100	*25 60029	34.5	200	1,000	800
12thd. $1\frac{1}{8}$	$\frac{3}{8}$	1600	*25 65041	24.4	270	1,350	1,080
15thd. $1\frac{1}{4}$	$\frac{7}{16}$	1400	*40 740525	19.0	350	1,750	1,400
21thd. $1\frac{1}{2}$	$\frac{1}{2}$	1200	90	45	.0750	13.3	530	2,650	2,120
13 $\frac{1}{4}$	$\frac{9}{16}$	"	125	63	.104	9.61	690	3,450	2,760
2	$\frac{5}{8}$	"	160	80	.133	7.52	880	4,400	3,520
2 $\frac{1}{4}$	$\frac{3}{4}$	"	200	100	.167	6.00	1,080	5,400	4,320
2 $\frac{1}{2}$	$1\frac{1}{16}$	"	234	117	.195	5.13	1,300	6,500	5,200
2 $\frac{3}{4}$	$\frac{1}{2}$	"	270	135	.225	4.45	1,540	7,700	6,160
3	$\frac{1}{2}$	"	324	162	.270	3.71	1,800	9,000	7,200
3 $\frac{1}{4}$	$1\frac{1}{16}$	"	375	188	.313	3.20	2,100	10,500	8,400
3 $\frac{1}{2}$	$1\frac{1}{8}$	"	432	216	.360	2.78	2,400	12,000	9,600
3 $\frac{3}{4}$	$1\frac{1}{4}$	"	502	251	.418	2.40	2,700	13,500	10,800
4	$1\frac{1}{8}$	"	576	288	.480	2.09	3,000	15,000	12,000
4 $\frac{1}{2}$	$1\frac{1}{2}$	"	720	360	.600	1.67	3,700	18,500	14,800
5	$1\frac{3}{8}$	"	893	447	.744	1.34	4,500	22,500	18,000
5 $\frac{1}{2}$	$1\frac{3}{4}$	"	1073	537	.895	1.12	5,300	26,500	21,200
6	2	"	1290	645	1.08	0.927	6,200	31,000	24,800
6 $\frac{1}{2}$	2 $\frac{1}{8}$	"	1503	752	1.25	.800	7,200	36,000	28,800
7	2 $\frac{1}{4}$	"	1752	876	1.46	.685	8,200	41,000	32,800
7 $\frac{1}{2}$	2 $\frac{1}{2}$	"	2004	1002	1.67	.600	9,300	46,500	37,200
8	2 $\frac{5}{8}$	"	2290	1145	1.91	.524	10,400	52,000	41,600
8 $\frac{1}{2}$	2 $\frac{7}{8}$	"	2580	1290	2.15	.465	11,600	58,000	46,400
9	3	"	2900	1450	2.42	.414	12,800	64,000	51,200
9 $\frac{1}{2}$	3 $\frac{1}{8}$	"	3225	1613	2.69	.372	14,200	71,000	56,800
10	3 $\frac{1}{4}$	"	3590	1795	2.99	.335	15,400	77,000	61,600
11	3 $\frac{3}{8}$	"	4400	2200	3.67	.273	18,200	91,000	72,800
12	4	"	5225	2613	4.36	.230	21,000	105,000	84,000

All Uncoiled Rope—1c Per Pound Extra

4-Strand rope, with or without Center Core, approximately 5 to 7% heavier than 3-Strand of the same size, and has approximately same strength as 3-Strand Rope. "WDSO" Sisal Rope, 3-Strand has 80%, of the breaking strength of 3-Strand "DM" Brand and "A" Manila Rope.

REEL-O-ROPE DISPLAY RACK

Each

-625-J

NO CHARGE

FREE with the purchase of 6 reels of manila or sisal or 12 reels of synthetic rope or any combination making a full rack.
NOTE—Two reels of synthetic take same space as one reel of manila or sisal.

Specify each item from the following list.

NATURAL FIBER ROPES 3-STRAND

DIAMOND BEST PURE MANILA ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
21-DM316R-J	X19D62	3/16	1650	\$0.02
21-DM14R-J	X18D81	1/4	1200	.02 1/2
21-DM516R-J	X19D49	5/16	860	.03
21-DM38R-J	X18D59	3/8	600	.04 1/2
21-DM716R-J	X18D59	7/16	475	.05 1/2
21-DM12R-J	X18D32	1/2	330	.08
✚DM916R-J	X18D45	9/16	240	.11
21-DM58R-J	X17D55	5/8	190	.15
✚DM34R-J	X16D20	3/4	150	.16 1/2

WHITE DIAMOND OILED AND WATERPROOFED No. 1 SISAL ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
21-WDSO316R-J	X14D27	3/16	1650	\$0.01 1/4
21-WDSO14R-J	X13D59	1/4	1200	.01 1/2
21-WDSO516R-J	X14D13	5/16	860	.02 1/4
21-WDSO38R-J	X13D54	3/8	600	.03
21-WDSO716R-J	X13D50	7/16	475	.04
21-WDSO12R-J	X13D28	1/2	330	.06
21-WDSO916R-J	X13D41	9/16	240	.08
21-WDSO58R-J	X13D32	5/8	190	.09
21-WDSO34R-J	X12D83	3/4	150	.12

AMCO ALL WEATHER PURE MANILA ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✚A316R-J	X19D85	3/16	1650	\$0.02
21-A14R-J	X18D99	1/4	1200	.02 1/2
✚A516R-J	X19D71	5/16	860	.03
21-A38R-J	X18D81	3/8	600	.04 1/2
✚A716R-J	X18D81	7/16	475	.05 1/2
21-A12R-J	X18D54	1/2	330	.08
✚A916R-J	X18D68	9/16	240	.11
✚A58R-J	X17D78	5/8	190	.15
✚A34R-J	X16D43	3/4	150	.16 1/2

EMPIRE UNOILED SISAL ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✚ESU316R-J	X9D32	3/16	1650	\$0.01
✚ESU14R-J	X9D00	1/4	1200	.01 1/4
✚ESU516R-J	X9D32	5/16	860	.01 3/4
✚ESU38R-J	X9D20	3/8	600	.02 1/4
✚ESU716R-J	X9D45	7/16	475	.03
✚ESU12R-J	X9D30	1/2	330	.04
✚ESU916R-J	X9D35	9/16	240	.05 1/2
✚ESU58R-J	X9D45	5/8	190	.09
✚ESU34R-J	X9D35	3/4	150	.07

PURE MANILA ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
21-SOM14R-J	X18D14	1/4	1200	\$0.02 1/4
21-SOM516R-J	X18D81	5/16	860	.03
21-SOM38R-J	X17D96	3/8	600	.04 1/2
21-SOM716R-J	X17D91	7/16	475	.05
21-SOM12R-J	X17D64	1/2	330	.08
✚SOM916R-J	X17D69	9/16	240	.10
21-SOM58R-J	X16D83	5/8	190	.13 1/2
✚SOM34R-J	X15D53	3/4	150	.15

One reel in ctn. Wt. ctn. 27 lbs.

SYNTHETIC FIBER ROPES

AMERICAN BRAND FILAMENT NYLON ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✚N316R-J	X26D10	3/16	825	\$0.05
✚N14R-J	X30D96	1/4	600	.07 1/2
✚N38R-J	X33D48	5/8	300	.18

AMERICAN BRAND FILAMENT DACRON ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✚D14R-J	X54D45	1/4	600	\$0.13 1/2
✚D38R-J	X59D80	3/8	300	.30

One reel in ctn. Wt. ctn. 7 to 15 lbs.

AMERICAN BRAND POLYETHYLENE FLOTEROPE

Solid Yellow

Per Reel		Diam. in.	Feet in Reel	Per Ft.
21-P316R-J	X16D16	5/16	825	\$0.03
21-P14R-J	X18D81	1/4	600	.04 1/2
21-P516R-J	X20D12	5/8	430	.07

Available in solid yellow, red, green, blue, black and white; also variegated one-strand red, and two-strand white or one-strand black and two-strand yellow. If order does not specify color, solid yellow will be shipped.


✚P38R-J X21D42 3/8 300 .10 1/2

One reel in ctn. Wt. ctn. 7 to 15 lbs.

NOTE—Nos. P316R, P14R and P516R Available in Assorted Colors, as Above, by Ordering Direct from Factory.

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis.
Full Freight Allowed on First Full Rack Assortment.

ZONE MAP—Plumbers and Marine Oakum - Twisted Jute Packing



FREIGHT ZONE DIFFERENTIALS

"EAGLE" AND "RAPID" TWISTED JUTE PACKING ROPE				"ROYAL" Plumbers Spun and Marine Oakum (Bales average 50# each when shipped.)			
L.C.L. SHIPMENTS		CARLOAD SHIPMENTS (30,000# Minimum)		L.C.L. SHIPMENTS		CARLOAD SHIPMENTS (30,000# Minimum)	
ZONE	LIST PRICES	150 lb. Under Zone 1 Prices	150 lb. Under Zone 1 Prices	LIST PRICES	150 lb. Under Zone 1 Prices	150 lb. Under Zone 1 Prices	150 lb. Under Zone 1 Prices
1	1/40 lb. Over Zone 1 Prices	1/40 lb. Under Zone 1 Prices	1/40 lb. Under Zone 1 Prices	12 1/2c bale Over Zone 1 Price	12 1/2c bale Under Zone 1 Price	12 1/2c bale Under Zone 1 Price	12 1/2c bale Under Zone 1 Price
2	1/40 lb. Over Zone 1 Prices	1/40 lb. Under Zone 1 Prices	1/40 lb. Under Zone 1 Prices	25c bale Over Zone 1 Price	25c bale Under Zone 1 Price	25c bale Under Zone 1 Price	25c bale Under Zone 1 Price
3	1/40 lb. Over Zone 1 Prices	1/40 lb. Under Zone 1 Prices	1/40 lb. Under Zone 1 Prices	37 1/2c bale Over Zone 1 Price	37 1/2c bale Under Zone 1 Price	37 1/2c bale Under Zone 1 Price	37 1/2c bale Under Zone 1 Price
4	1c lb. Over Zone 1 Prices	1c lb. Under Zone 1 Prices	1c lb. Under Zone 1 Prices	50c bale Over Zone 1 Price	50c bale Under Zone 1 Price	50c bale Under Zone 1 Price	50c bale Under Zone 1 Price
5	2c lb. Over Zone 1 Prices	2c lb. Under Zone 1 Prices	2c lb. Under Zone 1 Prices	\$1.00 bale Over Zone 1 Price	\$1.00 bale Under Zone 1 Price	\$1.00 bale Under Zone 1 Price	\$1.00 bale Under Zone 1 Price
6	3c lb. Over Zone 1 Prices	3c lb. Under Zone 1 Prices	3c lb. Under Zone 1 Prices	\$1.00 bale Over Zone 1 Price	\$1.00 bale Under Zone 1 Price	\$1.00 bale Under Zone 1 Price	\$1.00 bale Under Zone 1 Price

REEL-O-ROPE DISPLAY RACK

Each

-625-J

NO CHARGE

FREE with the purchase of 6 reels of manila or sisal or 12 reels of synthetic rope or any combination making a full rack.

NOTE—Two reels of synthetic take same space as one reel of manila or sisal.

Specify each item from the following list.

NATURAL FIBER ROPES 3-STRAND

DIAMOND BEST PURE MANILA ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✦DM316R-J	X19D10.....	3/16	1650	\$0.02
✦DM14R-J	X18D25.....	1/4	1200	.02 1/2
✦DM516R-J	X18D90.....	5/16	860	.03
✦DM38R-J	X18D10.....	3/8	600	.04 1/2
✦DM716R-J	X17D90.....	7/16	475	.05 1/2
✦DM12R-J	X17D60.....	1/2	330	.08
✦DM916R-J	X17D75.....	3/16	240	.11
✦DM58R-J	X17D20.....	5/8	190	.15
✦DM34R-J	X16D25.....	3/4	150	.16 1/2

WHITE DIAMOND OILED AND WATERPROOFED No. 1 SISAL ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✦WDSO316R-J	X13D50.....	3/16	1650	\$0.01 1/4
✦WDSO14R-J	X12D85.....	1/4	1200	.01 1/2
✦WDSO516R-J	X13D30.....	5/16	860	.02 1/4
✦WDSO38R-J	X12D80.....	3/8	600	.03
✦WDSO716R-J	X12D70.....	7/16	475	.04
✦WDSO12R-J	X12D50.....	1/2	330	.06
✦WDSO916R-J	X12D65.....	3/16	240	.08
✦WDSO58R-J	X12D50.....	5/8	190	.09
✦WDSO34R-J	X12D00.....	3/4	150	.12

AMCO ALL WEATHER PURE MANILA ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✦A316R-J	X19D35.....	3/16	1650	\$0.02
✦A14R-J	X18D50.....	1/4	1200	.02 1/2
✦A516R-J	X19D15.....	5/16	860	.03
✦A38R-J	X18D35.....	3/8	600	.04 1/2
✦A716R-J	X18D15.....	7/16	475	.05 1/2
✦A12R-J	X17D85.....	1/2	330	.08
✦A916R-J	X18D00.....	3/16	240	.11
✦A58R-J	X17D45.....	5/8	190	.15
✦A34R-J	X16D50.....	3/4	150	.16 1/2

EMPIRE UNOILED SISAL ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✦ESU316R-J	X9D30.....	3/16	1650	\$0.01
✦ESU14R-J	X9D00.....	1/4	1200	.01 1/4
✦ESU516R-J	X9D30.....	5/16	860	.01 3/4
✦ESU38R-J	X9D20.....	3/8	600	.02 1/4
✦ESU716R-J	X9D45.....	7/16	475	.03
✦ESU12R-J	X9D30.....	1/2	330	.04
✦ESU916R-J	X9D35.....	3/16	240	.05 1/2
✦ESU58R-J	X9D45.....	5/8	190	.09
✦ESU34R-J	X9D35.....	3/4	150	.07

PURE MANILA ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✦SOM14R-J	X17D50.....	1/4	1200	\$0.02 1/4
✦SOM516R-J	X18D20.....	5/16	860	.03
✦SOM38R-J	X17D35.....	3/8	600	.04 1/2
✦SOM716R-J	X17D15.....	7/16	475	.05
✦SOM12R-J	X16D85.....	1/2	330	.08
✦SOM916R-J	X17D00.....	3/16	240	.10
✦SOM58R-J	X16D45.....	5/8	190	.13 1/2
✦SOM34R-J	X15D50.....	3/4	150	.15

One reel in ctn. Wt. ctn. 27 lbs.

SYNTHETIC FIBER ROPES

AMERICAN BRAND FILAMENT NYLON ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✦N316R-J	X26D50.....	3/16	825	\$0.05
✦N14R-J	X31D35.....	1/4	600	.07 1/2
✦N38R-J	X33D80.....	3/8	300	.18

AMERICAN BRAND FILAMENT DACRON ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✦D14R-J	X54D55.....	1/4	600	\$0.12 1/2
✦D38R-J	X59D80.....	3/8	300	.30

One reel in ctn. Wt. ctn. 7 to 15 lbs.

AMERICAN BRAND POLYETHYLENE FLOTEROPE

(Assorted Colors—Specify)

Available in solid yellow, red, green, blue, black and white; also variegated one-strand red, and two-strand white or one-strand black and two-strand yellow. If order does not specify color, solid yellow will be shipped.

Per Reel		Diam. in.	Feet in Reel	Per Ft.
✦P316R-J	X16D40.....	3/16	825	\$0.03
✦P14R-J	X19D00.....	1/4	600	.04 1/2
✦P516R-J	X20D35.....	5/16	430	.07
✦P38R-J	X21D60.....	3/8	300	.10 1/2

One reel in ctn. Wt. ctn. 7 to 15 lbs.

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis.
Full Freight Allowed on First Full Rack Assortment.

MANILA ROPE



SOM

Pure Manila rope with outside orange surface marker appearing on all sizes beginning with $\frac{1}{2}$ inch. Excellent tensile strength.

Three Strands

Per lb.		Number of Threads	Diam., in.	Per lb.
P-SOM $\frac{1}{4}$ -J	D5C6	6 Regular	$\frac{1}{4}$	\$0.80
P-SOM $\frac{5}{16}$ -J	D5C6	9	$\frac{5}{16}$.80
P-SOM $\frac{3}{8}$ -J	D5C3	12	$\frac{3}{8}$.75
P-SOM $\frac{7}{16}$ -J	D5C1	15	$\frac{7}{16}$.75
P-SOM $\frac{1}{2}$ -J	D5C1	21	$\frac{1}{2}$.75
P-SOM $\frac{9}{16}$ -J	D5C1	..	$\frac{9}{16}$.75
P-SOM $\frac{5}{8}$ -J	D5C0	..	$\frac{5}{8}$.72
P-SOM $\frac{3}{4}$ -J	D4C8	..	$\frac{3}{4}$.70
P-SOM $\frac{13}{16}$ -J	D4C8	..	$\frac{13}{16}$.70
P-SOM $\frac{7}{8}$ -J	D4C8	..	$\frac{7}{8}$.70
P-SOM1-J	D4C8	..	1	.70
P-SOM1 $\frac{1}{4}$ -J	D4C8	..	1 $\frac{1}{4}$.70
P-SOM1 $\frac{1}{2}$ -J	D4C8	..	1 $\frac{1}{2}$.70
P-SOM1 $\frac{3}{4}$ -J	D4C8	..	1 $\frac{3}{4}$.70
P-SOM2-J	D4C8	..	2	.70

PM

A very substantial hardware grade of pure Manila rope. No outside marker yarns in any size.

Three Strands

Per lb.		Number of Threads	Diam., in.	Per lb.
P-PM $\frac{1}{4}$ -J	D5C3	6 Regular	$\frac{1}{4}$	\$0.75
P-PM $\frac{5}{16}$ -J	D5C3	9	$\frac{5}{16}$.75
21-PM $\frac{3}{8}$ -J	D5C2	12	$\frac{3}{8}$.75
P-PM $\frac{7}{16}$ -J	D4C9	15	$\frac{7}{16}$.70
21-PM $\frac{1}{2}$ -J	D4C9	21	$\frac{1}{2}$.70
P-PM $\frac{9}{16}$ -J	D4C9	..	$\frac{9}{16}$.70
P-PM $\frac{5}{8}$ -J	D4C8	..	$\frac{5}{8}$.70
21-PM $\frac{3}{4}$ -J	D4C6	..	$\frac{3}{4}$.65
P-PM1 $\frac{1}{4}$ -J	D4C6	..	1 $\frac{1}{4}$.65
P-PM1 $\frac{1}{2}$ -J	D4C6	..	1 $\frac{1}{2}$.65
P-PM1 $\frac{3}{4}$ -J	D4C6	..	1 $\frac{3}{4}$.65
P-PM2-J	D4C6	..	2	.65

Shipments 150 lbs. and Over, Full Freight Allowed to Destination; Shipments Less than 150 lbs., F.O.B., St. Louis, Mo.; with Published LCL Rail Freight Allowed to Destination on Actual Weight of Rope.

Coils of 540 Feet of $\frac{1}{2}$ -inch and Larger Can be Furnished without Extra Charge

ALL ABOVE ITEMS ARE SOLD ON BASIS OF GROSS WEIGHT ONLY—NO ALLOWANCE FOR TARE OR PACKING
POSITIVELY NO CUT LENGTHS ON SOM AND PM ROPE


Reel - O - Rope

11-6-57

13-26-

REEL-O-ROPE DISPLAY RACK No. 625 ILLUSTRATED BELOW IS FILLED WITH SIX (6) REELS OF NATURAL FIBER ROPES AND IF DEALER DESIRES HE CAN SUBSTITUTE ONE OR MORE OF THESE REELS WITH TWICE THAT NUMBER OF REELS CONTAINING SYNTHETIC FIBER ROPES.

- TO BOOST SALES
ATTRACTIVE THREE COLOR SIGN
SUGGESTING MANY ROPE USES.
- MANILA AND SISAL ROPE MARKED
EVERY FIVE FEET FOR DEALERS CON-
VENIENCE. MEASURING OTHER
ROPES MADE EASY BY SCALE ON
RACK.
- RACK FINISHED IN BRILLIANT RED.
- EASY TO ASSEMBLE.
- HEIGHT: 48 INCHES.
- OCCUPIES LESS THAN 4 SQUARE
FEET OF FLOOR SPACE.



**THIS RACK
FREE**

(DISPLAY RACK No. 625 IS FURNISHED FREE TO DEALER WITH HIS FIRST ORDER FOR A MINIMUM COMPLETE LOADING.) ON THIS INITIAL ORDER DEALER HAS CHOICE OF AN ASSORTMENT OF OUR POPULAR BRANDS AND SIZES. RACK HOLDS SIX (6) REELS OF MANILA — SISAL AND LINEN ROPES OR TWELVE (12) REELS OF SYNTHETIC FIBER ROPES AND HE CAN SELECT HIS COMPLETE LOADING FROM ANY COMBINATION OF THESE.

TWO (2) SYNTHETIC ROPE REELS TAKE SAME SPACE AS ONE (1) REEL OF NATURAL FIBER ROPE.

Distributed by:

ST. LOUIS CORDAGE MILLS

ST. LOUIS 4, MO.

ROPE - TWINE - OAKUM - PACKING

REEL-O-ROPE DISPLAY RACK

Each

-625-J

NO CHARGE

FREE with the purchase of 6 reels of manila or sisal or 12 reels of synthetic rope or any combination making a full rack.

NOTE—Two reels of synthetic take same space as one reel of manila or sisal.

Specify each item from the following list.

NATURAL FIBER ROPES 3-STRAND

DIAMOND BEST PURE MANILA ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
P-DM316R-J	X18D35	$\frac{3}{16}$	1650	\$0.02
P-DM14R-J	X17D50	$\frac{1}{4}$	1200	.02 $\frac{1}{2}$
P-DM516R-J	X18D20	$\frac{5}{16}$	860	.03
P-DM38R-J	X17D35	$\frac{3}{8}$	600	.04 $\frac{1}{2}$
P-DM716R-J	X17D15	$\frac{7}{16}$	475	.05 $\frac{1}{2}$
P-DM12R-J	X16D85	$\frac{1}{2}$	330	.08
P-DM916R-J	X17D00	$\frac{9}{16}$	240	.11
P-DM58R-J	X16D45	$\frac{5}{8}$	190	.15
P-DM34R-J	X15D50	$\frac{3}{4}$	150	.16 $\frac{1}{2}$

WHITE DIAMOND OILED AND WATERPROOFED No. 1 SISAL ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
P-WDSO316R-J	X13D50	$\frac{3}{16}$	1650	\$0.01 $\frac{1}{4}$
P-WDSO14R-J	X12D85	$\frac{1}{4}$	1200	.01 $\frac{1}{2}$
P-WDSO516R-J	X13D30	$\frac{5}{16}$	860	.02 $\frac{1}{4}$
P-WDSO38R-J	X12D80	$\frac{3}{8}$	600	.03
P-WDSO716R-J	X12D70	$\frac{7}{16}$	475	.04
P-WDSO12R-J	X12D50	$\frac{1}{2}$	330	.06
P-WDSO916R-J	X12D65	$\frac{9}{16}$	240	.08
P-WDSO58R-J	X12D50	$\frac{5}{8}$	190	.09
P-WDSO34R-J	X12D00	$\frac{3}{4}$	150	.12

AMCO ALL WEATHER PURE MANILA ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
P-A316R-J	X18D60	$\frac{3}{16}$	1650	\$0.02
P-A14R-J	X17D75	$\frac{1}{4}$	1200	.02 $\frac{1}{2}$
P-A516R-J	X18D45	$\frac{5}{16}$	860	.03
P-A38R-J	X17D60	$\frac{3}{8}$	600	.04 $\frac{1}{2}$
P-A716R-J	X17D40	$\frac{7}{16}$	475	.05 $\frac{1}{2}$
P-A12R-J	X17D10	$\frac{1}{2}$	330	.08
P-A916R-J	X17D25	$\frac{9}{16}$	240	.11
P-A58R-J	X16D70	$\frac{5}{8}$	190	.15
P-A34R-J	X15D75	$\frac{3}{4}$	150	.16 $\frac{1}{2}$

EMPIRE UNOILED SISAL ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
P-ESU316R-J	X9D30	$\frac{3}{16}$	1650	\$0.01
P-ESU14R-J	X9D00	$\frac{1}{4}$	1200	.01 $\frac{1}{4}$
P-ESU516R-J	X9D30	$\frac{5}{16}$	860	.01 $\frac{3}{4}$
P-ESU38R-J	X9D20	$\frac{3}{8}$	600	.02 $\frac{1}{4}$
P-ESU716R-J	X9D45	$\frac{7}{16}$	475	.03
P-ESU12R-J	X9D30	$\frac{1}{2}$	330	.04
P-ESU916R-J	X9D35	$\frac{9}{16}$	240	.05 $\frac{1}{2}$
P-ESU58R-J	X9D45	$\frac{5}{8}$	190	.09
P-ESU34R-J	X9D35	$\frac{3}{4}$	150	.07

PURE MANILA ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
P-SOM14R-J	X16D55	$\frac{1}{4}$	1200	\$0.02 $\frac{1}{4}$
P-SOM516R-J	X17D20	$\frac{5}{16}$	860	.03
P-SOM38R-J	X16D35	$\frac{3}{8}$	600	.04 $\frac{1}{2}$
P-SOM716R-J	X16D15	$\frac{7}{16}$	475	.05
P-SOM12R-J	X15D85	$\frac{1}{2}$	330	.08
P-SOM916R-J	X16D00	$\frac{9}{16}$	240	.10
P-SOM58R-J	X15D45	$\frac{5}{8}$	190	.13 $\frac{1}{2}$
P-SOM34R-J	X14D50	$\frac{3}{4}$	150	.15

One reel in ctn. Wt. ctn. 27 lbs.

SYNTHETIC FIBER ROPES

AMERICAN BRAND FILAMENT NYLON ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
P-N316R-J	X25D50	$\frac{3}{16}$	825	\$0.05
P-N14R-J	X29D90	$\frac{1}{4}$	600	.07 $\frac{1}{2}$
P-N38R-J	X33D05	$\frac{3}{8}$	300	.18

AMERICAN BRAND FILAMENT DACRON ROPE

Per Reel		Diam. in.	Feet in Reel	Per Ft.
P-D14R-J	X54D00	$\frac{1}{4}$	600	\$0.33 $\frac{1}{2}$
P-D38R-J	X59D40	$\frac{3}{8}$	300	.30

One reel in ctn. Wt. ctn. 7 to 15 lbs.

AMERICAN BRAND POLYETHYLENE FLOTEROPE

(Assorted Colors—Specify)

Available in solid yellow, red, green, blue, black and white; also variegated one-strand red, and two-strand white or one-strand black and two-strand yellow. If order does not specify color, solid yellow will be shipped.

Per Reel		Diam. in.	Feet in Reel	Per Ft.
P-P316R-J	X15D20	$\frac{3}{16}$	825	\$0.03
P-P14R-J	X17D95	$\frac{1}{4}$	600	.04 $\frac{1}{2}$
P-P516R-J	X19D35	$\frac{5}{16}$	430	.07
P-P38R-J	X20D85	$\frac{3}{8}$	300	.10 $\frac{1}{2}$

One reel in ctn. Wt. ctn. 7 to 15 lbs.

Items marked - not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis.
Full Freight Allowed on First Full Rack Assortment.

MANILA ROPE



SOM

Pure Manila rope with outside orange surface marker appearing on all sizes beginning with $\frac{1}{2}$ inch. Excellent tensile strength.

Three Strands

Per lb.		Number of Threads	Diam., in.	Per lb.
✦SOM $\frac{1}{4}$ -J	D7C0	6 Regular	$\frac{1}{4}$	\$0.95
✦SOM $\frac{5}{16}$ -J	D7C0	9	$\frac{5}{16}$.95
✦SOM $\frac{3}{8}$ -J	D6C6 $\frac{1}{2}$	12	$\frac{3}{8}$.90
✦SOM $\frac{7}{16}$ -J	D6C5	15	$\frac{7}{16}$.90
✦SOM $\frac{1}{2}$ -J	D6C5	21	$\frac{1}{2}$.90
✦SOM $\frac{9}{16}$ -J	D6C5	..	$\frac{9}{16}$.90
✦SOM $\frac{5}{8}$ -J	D6C1	..	$\frac{5}{8}$.85
✦SOM $\frac{3}{4}$ -J	D5C6	..	$\frac{3}{4}$.80
✦SOM $1\frac{1}{16}$ -J	D5C6	..	$1\frac{1}{16}$.80
✦SOM $\frac{7}{8}$ -J	D5C4	..	$\frac{7}{8}$.75
✦SOM 1-J	D5C4	..	1	.75
✦SOM $1\frac{1}{4}$ -J	D5C1	..	$1\frac{1}{4}$.70
✦SOM $1\frac{1}{2}$ -J	D5C1	..	$1\frac{1}{2}$.70
✦SOM $1\frac{3}{4}$ -J	D5C1	..	$1\frac{3}{4}$.70
✦SOM 2-J	D5C1	..	2	.70

PM

A very substantial hardware grade of pure Manila rope. No outside marker yarns in any size.

Three Strands

Per lb.		Number of Threads	Diam., in.	Per lb.
21-PM $\frac{3}{8}$ -J	D6C1 $\frac{1}{2}$	12	$\frac{3}{8}$	\$0.90
21-PM $\frac{1}{2}$ -J	D5C9	21	$\frac{1}{2}$.85
21-PM $\frac{3}{4}$ -J	D5C3	..	$\frac{3}{4}$.75
21-PM $\frac{7}{8}$ -J	D5C1	..	$\frac{7}{8}$.65

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis, Mo.

Shipments 300 lbs. and over, full freight allowed to destination. On shipments less than 300 lbs. current published rate of freight per cwt. will be allowed on actual weight of rope shipped.

Colls of 540 Feet of $\frac{1}{2}$ -inch and Larger Can be Furnished without Extra Charge

ALL ABOVE ITEMS ARE SOLD ON BASIS OF GROSS WEIGHT ONLY—NO ALLOWANCE FOR TARE OR PACKING
POSITIVELY NO CUT LENGTHS ON SOM AND PM ROPE

MANILA ROPE



Diamond D Rope is Made of No. 1 Grade Long Fibre Pure Manila, is Strong and Tough and Will Give Long Satisfactory Service.



It is About 25% Stronger than Sisal and Far More Durable. Soft and Pliable, Easy to Handle Wet or Dry.

Weather and Water-proof—Will Not Freeze

DIAMOND D

(REGISTERED)

(No. 1 Grade) Blue Tag

Strictly No. 1 Grade Pure Manila. Long Fibre. No Adulterant, Inferior Fibre or Weighing Substance of Any Kind Used. Red and Green Marker Yarn Showing on the Outside of One Strand Beginning With $\frac{5}{8}$ Inch and Larger.

Conforms to Federal Specifications No. TR601A.

Three Strands Red and Green Marker

Per Pound		Number of Threads	Diam., in.	Per Pound
✦DM $\frac{3}{16}$ -J	D7C3	6 Fine	$\frac{3}{16}$	\$1.05
✦DM $\frac{1}{4}$ -J	D7C2	6 Regular	$\frac{1}{4}$	1.05
✦DM $\frac{5}{16}$ -J	D7C2	9	$\frac{5}{16}$	1.05
✦DM $\frac{3}{8}$ -J	D7C0	12	$\frac{3}{8}$	1.00
✦DM $\frac{7}{16}$ -J	D6C7 $\frac{1}{2}$	15	$\frac{7}{16}$	1.00
✦DM $\frac{1}{2}$ -J	D6C7 $\frac{1}{2}$	21	$\frac{1}{2}$	1.00
✦DM $\frac{9}{16}$ -J	D6C7 $\frac{1}{2}$..	$\frac{9}{16}$	1.00
✦DM $\frac{5}{8}$ -J	D6C3	..	$\frac{5}{8}$.95
✦DM $\frac{3}{4}$ -J	D5C9	..	$\frac{3}{4}$.90
✦DM $\frac{13}{16}$ -J	D5C9	..	$\frac{13}{16}$.90
✦DM $\frac{7}{8}$ -J	D5C6	..	$\frac{7}{8}$.85
✦DM1-J	D5C6	..	1	.85
✦DM1 $\frac{1}{4}$ -J	D5C3	..	1 $\frac{1}{4}$.80
✦DM1 $\frac{1}{2}$ -J	D5C3	..	1 $\frac{1}{2}$.80
✦DM1 $\frac{3}{4}$ -J	D5C3	..	1 $\frac{3}{4}$.80
✦DM2-J	D5C3	..	2	.80

Coils Burlapped and Stenciled with Trade Mark.

NOTE—We Can Furnish 4-Strand Manila Rope in All Above Grades at D0C1 $\frac{1}{2}$ per lb. Net Advance.

Cut Lengths D0C2 Per lb. Extra

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis, Mo.

Shipments 300 lbs. and over, full freight allowed to destination. On shipments less than 300 lbs. current published rate of freight per cwt. will be allowed on actual weight of rope shipped.

Coils of 540 Feet of $\frac{1}{2}$ -inch and Larger Can be Furnished without Extra Charge

ALL ABOVE ITEMS ARE SOLD ON BASIS OF GROSS WEIGHT ONLY—NO ALLOWANCE FOR TARE OR PACKING

HAY CARRIER ROPE

Regular Hay Carrier Rope is Four-Strand Rope $\frac{1}{16}$ and $\frac{7}{8}$ inch Recommended without Center Core.

DIAMOND D

(REGISTERED)

(No. 1 Grade) Blue Tag

Strictly No. 1 Grade Pure Manila; Long Fibre; No Adulterant, Inferior Fibre or Weighing Substance of Any Kind Used.

Conforms to Federal Specifications No. TR601A.

Per Pound		Diam., in.	Per Pound
✦DHM $\frac{3}{4}$ -J	D6C0 $\frac{1}{2}$	$\frac{3}{4}$	\$0.90
✦DHM $\frac{13}{16}$ -J	D6C0 $\frac{1}{2}$	$\frac{13}{16}$.90
✦DHM $\frac{7}{8}$ -J	D6C0 $\frac{1}{2}$	$\frac{7}{8}$.90
✦DHM1-J	D6C0 $\frac{1}{2}$	1	.90

Coils Burlapped and Stenciled with Trade Mark.

NOTE—State Plainly on Order if Wanted with or without Center Core Unless Otherwise Stated, without Center Core will be Furnished.

MANILA ROPE

AMCO-ALL WEATHER

Rot-Proofed and Weather-Proofed

This Rope is Made as Nearly Rot-Proofed and Weather-Proofed as Manila Rope Can be Made Each Fibre is Carefully Processed Before Spinning. Will Remain Pliable and Easy to Handle Under All Weather Conditions. It is Unusually Strong and the Wearing Quality is Protected Against Deterioration Between Seasons.

Brown Color, with Red and Green Marker Yarn Showing on the Outside of One Strand Beginning with 3/4 inch and Larger. It is as Clean to Handle and Weighs No More than Untreated Rope.



Three Strands

Per Pound		Number of Threads	Diam., in.	Per Pound
✕A3/16-J	D7C4	6 Fine	3/16	\$1.10
✕A1/4-J	D7C3	6 Regular	1/4	1.10
✕A5/16-J	D7C3	9	5/16	1.10
✕A3/8-J	D7C1	12	3/8	1.05
✕A7/16-J	D6C9	15	7/16	1.05
✕A1/2-J	D6C9	21	1/2	1.05
✕A9/16-J	D6C9	..	9/16	1.05
✕A5/8-J	D6C4	..	5/8	.95
✕A3/4-J	D6C0	..	3/4	.90
✕A13/16-J	D6C0	..	13/16	.90
✕A7/8-J	D5C7	..	7/8	.85
✕A1-J	D5C7	..	1	.85
✕A1 1/4-J	D5C4	..	1 1/4	.85
✕A1 1/2-J	D5C4	..	1 1/2	.85
✕A1 3/4-J	D5C4	..	1 3/4	.85
✕A2-J	D5C4	..	2	.85

Four Strands; No Center Core.

Best Rope Recommended for Hay Carrier; Sizes 3/4, 1 1/8, 1 3/8-inch.

Per Pound		Diam., ins.	Per Pound
✕A4 3/4-J	D6C1 1/2	3/4	\$0.95
✕A4 13/16-J	D6C1 1/2	13/16	.95
✕A4 7/8-J	D5C8 1/2	7/8	.90
✕A4 1-J	D5C8 1/2	1	.90
✕A4 1 1/4-J	D5C5 1/2	1 1/4	.85
✕A4 1 1/2-J	D5C5 1/2	1 1/2	.85
✕A4 1 3/4-J	D5C5 1/2	1 3/4	.85
✕A4 2-J	D5C5 1/2	2	.85

HAY CARRIER ROPE

Four Strands with Center Core.

Per Pound		Diam., in.	Per Pound
✕AH 3/4-J	D6C1 1/2	3/4	\$0.95
✕AH 13/16-J	D6C1 1/2	13/16	.95
✕AH 7/8-J	D5C8 1/2	7/8	.90
✕AH 1-J	D5C8 1/2	1	.90


Items marked ✕ not carried in stock. Can only be furnished by shipping direct from factory. F. O. B. St. Louis, Mo.

Shipments 300 lbs. and over, full freight allowed to destination. On shipments less than 300 lbs. current published rate of freight per cwt. will be allowed on actual weight of rope shipped.

Coils of 540 Feet of 1/2-inch and Larger can be Furnished without Extra Charge.

ALL ABOVE ITEMS ARE SOLD ON BASIS OF GROSS WEIGHT ONLY-NO ALLOWANCE FOR TARE OR PACKING,

ROPE



MANILA

AMERICAN

100 Foot Handy Coils

In 100 foot coils connected in a purple corrugated counter carton, lettered in gold

THREE STRAND

Per Carton		No. Coils Connected in Carton	Diam., in.	Per Coil
3-ADM100 $\frac{1}{4}$ -J	X11D43	7	$\frac{1}{4}$	\$2.80
3-ADM100 $\frac{5}{16}$ -J	X11D52	5	$\frac{5}{16}$	3.50
3-ADM100 $\frac{3}{8}$ -J	X12D38	4	$\frac{3}{8}$	4.75
3-ADM100 $\frac{1}{2}$ -J	X10D98	2	$\frac{1}{2}$	8.25

Weight per carton 15 lbs.

Eight cartons in a master carton

SISAL

AMERICAN NO. 1

100 Foot Handy Coils

In 100 foot coils connected in a purple corrugated counter carton, lettered in gold.

THREE STRAND, OILED AND WATERPROOFED

Per Carton		No. Coils Connected in Carton	Diam., in.	Per Coil
3-AWDSO100 $\frac{1}{4}$ -J	X8D06	7	$\frac{1}{4}$	\$1.75
3-AWDSO100 $\frac{5}{16}$ -J	X8D15	5	$\frac{5}{16}$	2.45
3-AWDSO100 $\frac{3}{8}$ -J	X8D64	4	$\frac{3}{8}$	3.25
3-AWDSO100 $\frac{1}{2}$ -J	X7D74	2	$\frac{1}{2}$	5.80

Weight per carton 15 lbs.

Eight cartons in a master carton

Shipments 300 lbs. and over, full freight allowed to destination. On shipments less than 300 lbs. current published rate of freight per cwt. will be allowed on actual weight of rope shipped.

**ALL ABOVE ITEMS ARE SOLD ON BASIS OF GROSS WEIGHT ONLY—
NO ALLOWANCE FOR TARE OR PACKING**

SISAL ROPE

EMPIRE



No. 2 GRADE

Three Strand—Unolled

High grade sisal, suitable where extra high quality is not required.

HALF COILS

Per Ft.		Diam., in.	Min. Ft. Coil	Wt. lbs.	Per Ft.
✕ESUHC $\frac{3}{16}$ -J	D0C0 $\frac{5}{10}$	$\frac{3}{16}$	1650	25	\$0.007 $\frac{1}{2}$
21-ESUHC $\frac{1}{4}$ -J	D0C0 $\frac{6}{10}$	$\frac{1}{4}$	1250	25	.009
21-ESUHC $\frac{5}{16}$ -J	D0C0 $\frac{8}{10}$	$\frac{5}{16}$	865	25	.01 $\frac{1}{2}$
21-ESUHC $\frac{3}{8}$ -J	D0C1 $\frac{1}{10}$	$\frac{3}{8}$	600	25	.02
21-ESUHC $\frac{7}{16}$ -J	D0C1 $\frac{5}{10}$	$\frac{7}{16}$	850	40	.03
21-ESUHC $\frac{1}{2}$ -J	D0C2	$\frac{1}{2}$	600	45	.04
✕ESUHC $\frac{3}{16}$ -J	D0C2 $\frac{8}{10}$	$\frac{3}{16}$	600	63	.05
21-ESUHC $\frac{5}{16}$ -J	D0C3 $\frac{5}{10}$	$\frac{5}{16}$	600	80	.06
✕ESUHC $\frac{3}{4}$ -J	D0C4 $\frac{5}{10}$	$\frac{3}{4}$	600	100	.07


FULL COILS

Per Ft.		Diam., in.	Min. Ft. Coil	Wt. lbs.	Per Ft.
✕ESUFC $\frac{3}{16}$ -J	D0C0 $\frac{5}{10}$	$\frac{3}{16}$	3300	50	\$0.007
21-ESUFC $\frac{1}{4}$ -J	D0C0 $\frac{6}{10}$	$\frac{1}{4}$	2500	50	.009
21-ESUFC $\frac{5}{16}$ -J	D0C0 $\frac{8}{10}$	$\frac{5}{16}$	2250	60	.01 $\frac{1}{2}$
21-ESUFC $\frac{3}{8}$ -J	D0C1 $\frac{1}{10}$	$\frac{3}{8}$	1600	65	.02
21-ESUFC $\frac{7}{16}$ -J	D0C1 $\frac{5}{10}$	$\frac{7}{16}$	1200	74	.03
21-ESUFC $\frac{1}{2}$ -J	D0C2	$\frac{1}{2}$	1200	90	.04

Positively No Cut Lengths Furnished on Sisal Rope
Sizes Larger Than $\frac{5}{8}$ inch Not Returnable.

Items marked ✕ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis, Mo.

Shipments 300 lbs. and over, full freight allowed to destination, except to Wyoming, Montana, Arizona, New Mexico, Utah and points west where D0C5 cents per pound must be added for freight. On shipments less than 300 lbs. current published rate of freight per cwt. will be allowed on actual weight of rope shipped.



100 Foot Counter Coils

Six 100 foot coils connected in an attractive colorful carton.

Three Strand

Per Carton		Diam., ins.	Per Coil
3-ESU100 $\frac{1}{4}$ -J	X7D38	$\frac{1}{4}$	\$1.80
✕ESU100 $\frac{5}{16}$ -J	X10D54	$\frac{5}{16}$	2.65
3-ESU100 $\frac{3}{8}$ -J	X13D91	$\frac{3}{8}$	3.50
✕ESU100 $\frac{1}{2}$ -J	X24D84	$\frac{1}{2}$	6.25

Wt. ctn 16 lbs.

Positively no Cut Lengths Furnished on Sisal Rope
Sizes Larger Than $\frac{5}{8}$ inch Not Returnable

Items marked ✕ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis, Mo.

Shipments 300 lbs. and over, full freight allowed to destination. On shipments less than 300 lbs. current published rate of freight per cwt. will be allowed on actual weight of rope shipped.

ALL ABOVE ITEMS ARE SOLD ON BASIS OF GROSS WEIGHT ONLY—
NO ALLOWANCE FOR TARE OR PACKING


SISAL ROPE



WHITE DIAMOND

STRICTLY No. 1 GRADE—THREE STRAND

A Fancy White Pure Java Sisal; Long Fibre; Extra Strong;
Made Especially for High Grade Trade. (Superior in Quality
and Finish to Cuban Sisal Bolt Rope.)



Oiled and Waterproofed

Per lb.		Diam., ins.	Per lb.
✦WDSO $\frac{3}{16}$ -J	D5C2	$\frac{3}{16}$	\$0.80
✦WDSO $\frac{1}{4}$ -J	D5C1	$\frac{1}{4}$.80
✦WDSO $\frac{5}{16}$ -J	D5C1	$\frac{5}{16}$.80
✦WDSO $\frac{3}{8}$ -J	D5C0 $\frac{1}{2}$	$\frac{3}{8}$.75
✦WDSO $\frac{7}{16}$ -J	D4C7 $\frac{1}{2}$	$\frac{7}{16}$.70
✦WDSO $\frac{1}{2}$ -J	D4C7 $\frac{1}{2}$	$\frac{1}{2}$.70
✦WDSO $\frac{9}{16}$ -J	D4C7 $\frac{1}{2}$	$\frac{9}{16}$.70
✦WDSO $\frac{5}{8}$ -J	D4C6 $\frac{1}{2}$	$\frac{5}{8}$.70
✦WDSO $\frac{3}{4}$ -J	D4C5	$\frac{3}{4}$.70
✦WDSO $\frac{13}{16}$ -J	D4C5	$\frac{13}{16}$.70
✦WDSO $\frac{7}{8}$ -J	D3C9 $\frac{1}{2}$	$\frac{7}{8}$.60
✦WDSO1-J	D3C9 $\frac{1}{2}$	1	.60
✦WDSO1 $\frac{1}{4}$ -J	D3C9 $\frac{1}{2}$	1 $\frac{1}{4}$.60
✦WDSO1 $\frac{1}{2}$ -J	D3C9 $\frac{1}{2}$	1 $\frac{1}{2}$.60

Positively no Cut Lengths Furnished on Sisal Rope.

Sizes Larger than $\frac{5}{8}$ inch Not Returnable.

NOTE—We Can Furnish 4-Strand Sisal Rope in all above Grades at D0C1 $\frac{1}{2}$ cent per lb. Net Advance.

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis, Mo.

Shipments 300 lbs. and over, full freight allowed to destination. On shipments less than 300 lbs. current published rate of freight per cwt. will be allowed on actual weight of rope shipped.

ALL ABOVE ITEMS ARE SOLD ON BASIS OF GROSS WEIGHT ONLY—
NO ALLOWANCE FOR TARE OR PACKING


**YACHT QUALITY MANILA LARIAT**

Illustration Shows a Length of Diamond D Manila Lariat Rope Unraveled; It is Beautifully Glossy; It is the Finest, Purest, Strongest Lariat Rope Made; the First Step in Its Manufacture is the Careful Selection of the Best "Marks" or Grades of Glossy, White Strictly Pure Manila Fibers; These Fibers so Selected are so Full of Shine That They Resemble Silk Threads in Lustre; but in Strength These Same Fibers are Far Stronger and Tougher than Really Necessary and it is the Use of Such Strong Fibers that Makes Diamond D Manila Lariat so Durable; Average Length of Fibers is 8 to 10 feet.

Diamond D Manila Lariat is Manufactured on Modern Machines, Designed to Turn Out This High Grade Rope so it will Have the "Just Right" Hard Twist and always Perform with Absolute Satisfaction.

LARIAT ROPE

DIAMOND D—Manila. Same as Factory's "Lightning" Brand.
(REGISTERED)

Specially Selected, Highest Quality, Pure White Manila Fiber, Yacht Line Grade, Carefully Hard Laid; Recommended as Best Lariat Rope Made.

Per lb.		No. of Strands	Diam., in.	No. of Threads	Approx. ft. in 100 lb. coils	Per lb.
-3DM3 ³ / ₂₄ -J	X1D37	3	³ / ₈ Exact	21	2100	\$2.10
-3DM3 ³ / ₂₇ -J	X1D37	3	³ / ₈ Full	24	2100	2.10
-3DM7 ⁷ / ₁₆ 30-J	X1D37	3	⁷ / ₁₆ Scant	30	1400	2.10
21-3DM7 ⁷ / ₁₆ 33-J	X1D37	3	⁷ / ₁₆ Exact	33	1400	2.10
-3DM7 ⁷ / ₁₆ 36-J	X1D37	3	⁷ / ₁₆ Full	36	1400	2.10
-3DM1 ¹ / ₂ 42-J	X1D37	3	¹ / ₂ Exact	42	1400	2.10
-4DM3 ³ / ₂₄ -J	X1D37	4	³ / ₈ Exact	24	2200	2.10
-4DM3 ³ / ₂₈ -J	X1D37	4	³ / ₈ Full	28	2200	2.10
-4DM7 ⁷ / ₁₆ 32-J	X1D37	4	⁷ / ₁₆ Exact	32	1500	2.10
-4DM7 ⁷ / ₁₆ 36-J	X1D37	4	⁷ / ₁₆ Full	36	1500	2.10
-4DM1 ¹ / ₂ 44-J	X1D37	4	¹ / ₂ Exact	44	2100	2.10

AMERICAN—Manila.

Made of Strictly No. 1 Grade Manila Fiber, Hard Laid and Equal to Many so-called High Grade Lariat Ropes; Has Green and Red Outside Marker Yarns.

Marker Yarns.		Unolled				
Per lb.		No. of Strands	Diam., in.	No. of Threads	Approx. ft. in 100 lb. coil	Per lb.
✦3DSM $\frac{3}{8}$ 24-J	X1D12	3	$\frac{5}{8}$ Exact	24	2100	\$1.70
✦3DSM $\frac{3}{8}$ 27-J	X1D12	3	$\frac{5}{8}$ Full	27	2100	1.70
✦3DSM $\frac{7}{16}$ 30-J	X1D12	3	$\frac{7}{16}$ Scant	30	1400	1.70
✦3DSM $\frac{7}{16}$ 33-J	X1D12	3	$\frac{7}{16}$ Exact	33	1400	1.70
✦3DSM $\frac{7}{16}$ 36-J	X1D12	3	$\frac{7}{16}$ Full	36	1400	1.70
✦3DSM $\frac{1}{2}$ 39-J	X1D12	3	$\frac{1}{2}$ Scant	39	1400	1.70
✦3DSM $\frac{1}{2}$ 42-J	X1D12	3	$\frac{1}{2}$ Exact	42	1400	1.70
✦4DSM $\frac{3}{8}$ 24-J	X1D12	4	$\frac{3}{8}$ Exact	24	2200	1.70
✦4DSM $\frac{3}{8}$ 28-J	X1D12	4	$\frac{3}{8}$ Full	28	2200	1.70
✦4DSM $\frac{7}{16}$ 32-J	X1D12	4	$\frac{7}{16}$ Exact	32	1500	1.70
✦4DSM $\frac{7}{16}$ 36-J	X1D12	4	$\frac{7}{16}$ Full	36	1500	1.70
✦4DSM $\frac{1}{2}$ 44-J	X1D12	4	$\frac{1}{2}$ Exact	44	2100	1.70

DIAMOND D—Sisal.

(REGISTERED)

Made of the Highest Grade, Specially Selected, Long White Sisal Fiber, Hard Laid and Free from Ragged Strands: Recommended as the Highest Grade Lariat Rope Made.

Per lb.	No. of Strands	Diam., in.	Approx. ft. in 100 lb. Coils	Per lb.
3DS3/8-J	D5C4	3 3/8	2100	\$0.85
21-3DS7/16-J	D5C4	3 7/16	1400	.85
3DS1/2-J	D5C4	3 1/2	1400	.85
4DS3/8-J	D5C4	4 3/8	2200	.85
4DS7/16-J	D5C4	4 7/16	1500	.85
4DS1/2-J	D5C4	4 1/2	1200	.85

POSITIVELY, NO CUT LENGTH FURNISHED ON LARIAT ROPES

All Lariat Rope Furnished in Coils, Either 50 or 100 lbs. Each. 100-lb. Coils Shipped Unless 50-lb. Coils are Specified. 25-lb. Coils D0C2 per pound Extra.

Items marked + not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis, Mo.


Shipments 300 lbs. and over, full freight allowed to destination. On shipments less than 300 lbs. current published rate of freight per cwt. will be allowed on actual weight of rope shipped.

ALL ABOVE ITEMS ARE SOLD ON BASIS OF GROSS WEIGHT ONLY — NO ALLOWANCE FOR TARE OR PACKING.

ROPE

Diamond D coils burlapped and stenciled with our trade mark, each coil tagged with special color tag bearing the brand and our trade mark.

Some dealers prefer what is called a "scant" 3/8 or 7/16, others want to specify a certain number of threads. Lariat rope can be furnished in this way with no extra charge. Regular standard diameters will be furnished unless otherwise specified.

**TRANSMISSION ROPE
AMERICAN BRAND****Manila**

Made of Strictly Pure Selected Manila Fibre, Scientifically Lubricated; Four Strands and Center Core; We Can Furnish any Size or Length without Splice.

When Wanted Spliced for Use on Elevators, Etc., Specify "Endless" Extra Charge for Splicing.

Any Length, Per Pound

+MTRR-J D9C0

Diameter	Per Splice
3/4-inch	X1D25
1-inch	X1D25
1 1/8-inch	X1D55
1 1/4-inch	X1D55
1 1/2-inch	X1D90
1 3/4-inch	X2D25
2-inch	X2D70

**OIL WELL CORDAGE
AMERICAN****HAWSER LAID ROPE**

Made in Best Quality DM Grade Only; Specially Constructed Rope, Sometimes Called Nine-Strand or Cable Laid; Made by Laying Three Regular Three-Strand Ropes Together; 1/2-inch and Larger Hawser Laid Rope is Not as Strong as Three-Strand Plain Laid Rope; Makes a Hard Laid Rope that Resists Abrasive Wear; Used in Many Places for Well Drilling, 5/8 and 3/4 inch Used for Governor Rope on Elevators.

Manila

No. 1 Grade Manila
Up to 1 3/4-inch Diameter

+HLR-J—Advance Over DM (No. 1 Grade) Any Lgth. Per Pound
1/2-inch Diameter and Smaller D0C1 1/2
5/8-inch Diameter and Larger D0C6

No Extra Charge for Cut Lengths; Regular Differentials for Sizes Apply. Same Freight Allowances as Regular Rope.

Hawser Laid Rope in Diameters Over 1 3/4-inch is Made in Drilling Cable Grade Only. See No. MDC.

DRILLING CABLE**TROJAN****Manila**


Made of Especially Selected Fibres, Finest Manila.

Usually Sold in Sizes: 1 1/2-inch, 1 5/8-inch, 1 3/4-inch, 1 7/8-inch, 2-inch, 2 1/8-inch, 2 1/4-inch, 2 1/2-inch.

Any Length, Up to 5,000 Feet, Without Splice.

Per lb. No Extra Charge for Cut Lgths Per lb.
+MDC-J D6C4 \$0.95

LARIAT ROPES LIGHTNING




SILK MANILA YACHT

Ropes are of selected fibers of highest quality silk Manila, expertly twisted, with uniform balance, weight and firm lay. Will give long perfect service under severe usage.

Three Strand Counter Coils—30 feet

Each	Diam.	No.	Threads	Each
54-LM3030-J	X3D08	1/8	Scant	30 \$4.55
54-LM3033-J	X3D36	1/8	Regular	33 4.95
Six in ctn. Wt. ctn. 15 lbs.				

NYLON ROPE KING COTTON



Braided

100% nylon braided rope. Used for starter cord, boat lines, anchor line, tent ropes, flag line, clothesline, sash cord, farm rope, slings, etc.

Display Rack Assortment

Consists of one spool each 1/8, 3/16, 1/4 and 5/16 inch diameter rope (see open stock listing below) and free metal counter display rack to hold and dispense each spool. Rack measures only 24 inches high—takes less than one square foot of counter space.

Per Asst.	Per Asst.
3-5050-J	X42D63.....\$71.06
One asst. in ctn. Wt. ctn. 20 lbs.	

OPEN STOCK

Per Spool	Dia.	Size	Tensile Strength	Ft. Per Spool	Per Ft.
3-5051-J	X8D37	1/8	4	370	600 \$0.021 1/2
3-5052-J	X13D39	3/16	6	740	475 .05
3-5053-J	X8D20	1/4	8	1100	200 .07
3-5054-J	X12D67	5/16	10	2000	175 .12 1/2
One spool in ctn. Average Wt. ctn. 3 1/2 lbs.					

NYLON ROPE AMERICAN



A high grade cordage with tremendous strength and very little deterioration.

3 Strands

Per Pound	Cut Lengths (nothing less than 100 feet)	Full coils 1200 feet. Half coils 600 feet.	Diameter, in.	Average Tensile Strength, lbs.	Approx. feet, lb.	Approx. wt. 1200 ft. Coils, lbs.	Per Pound
†AN1/4-J	N-X3D15	N-X2D90	1/4	1200	60	20	\$4.75
†AN3/8-J	N-X3D10	N-X2D85	3/8	2700	27	45	4.65
†AN1/2-J	N-X3D05	N-X2D80	1/2	4700	16	80	4.55
†AN5/8-J	N-X3D00	N-X2D75	5/8	7400	10 1/2	110	4.50

NYLON BRAIDED ROPE ASSORTMENT SOUTH EASTERN CORDAGE



Multiple of uses—flag poles, tent rope, anchor rope, venetian blind, etc., as well as general utility. Baked red enamel metal display rack complete with four 5 1/2 in. diameter spools resting horizontally.

Size	Diameter, ins.	Feet Per Spool	Tensile Strength, lbs.	Color	Per Ft.
4	1/8	400	370	White	\$0.03
8	1/4	125	1100	White	.08 1/2
6	3/16	200	740	Variegated	.07
10	5/16	75	2000	Variegated	.17

Assortment of Four Spools

Per Asst.	Per Asst.
3-4/2-J	X27D95

One asst. in ctn. Wt. ctn. 10 lbs.

OPEN STOCK


Per Spool	Size	Diam. in.	Feet Per Spool	Color	Per Ft.
3-14-J X6D90	4	1/8	400	White	\$0.03
3-16-J X7D95	6	3/16	200	Variegated	.08 1/2
3-18-J X5D95	8	1/4	125	White	.07
3-110-J X7D20	10	5/16	75	Variegated	.17

One spool in ctn. Wt. ctn. 2 lbs.

Items marked † not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. St. Louis, Mo.

Shipments 300 lbs. and over, full freight allowed to destination. On shipments less than 300 lbs. current published rate of freight per cwt. will be allowed on actual weight of rope shipped.

✦ WIRE ROPE

HOISTING; IMPROVED PLOW STEEL;
BRIGHT WIRE PREFORMED

6x19 Fiber Center

Particularly adapted for hay presses, general farm use, etc., where high resistance to fatigue from bending is desirable and where strength and resistance to abrasion are not of primary importance. The wire used in the construction is of the best quality of mild plow steel, possessing approximately double the strength of iron in the same diameter.

Per 100 Feet	In Coils of 500 ft.	In Reels of 500 ft.	Diam., in.	Approx. circum., ins.	Approx. breaking strain, tons	Approx. wt. per ft., lbs.
✦PS1-JX	X53D10	X55D10	1	3 1/8	36.4	1.6
✦PS7/8-JX	X43D10	X45D10	7/8	2 3/4	28.0	1.23
✦PS3/4-JX	X35D20	X36D20	3/4	2 3/8	20.7	.9
✦PS5/8-JX	X25D40	X26D40	5/8	2	14.5	.63
✦PS1/2-JX	X19D00	X21D00	1/2	1 5/8	9.35	.4
✦PS3/8-JX	X15D60	X17D60	3/8	1 1/8	5.31	.23
✦PS5/16-JX	X13D90	X14D90	5/16	1	3.71	.16
✦PS1/4-JX	X12D10	X13D10	1/4	3/4	2.39	.1

Furnished with wire core at an advance of slightly higher prices. If ordering less than 500 ft. add D1C0% to above prices.

When ordering, state stock number and for what purposes rope is to be used.

The manufacturers are prepared at their works for splicing rope to make endless. Write for prices.

Put up in coils and reels. Can be furnished any length desired. We cannot accept the return of cut lengths of wire rope.

✦ IRON WIRE SASH CORD

GALVANIZED



Used principally for farm implements, window weights, bell cords, automobile brakes, whistles and shades. Consists of six strands, each strand seven wires and cotton core.

Per 100 Feet		Diam., in.	Breaking Strain, lbs.	Weight per 100 ft., lbs.
✦G26-J	X10D80	1/4	1225	9.4
✦G27-J	X9D20	7/32	940	7.2
✦G27 1/2-J	X7D10	3/16	688	5.3
✦G28-J	X5D70	1/8	306	2.3
✦G28 1/2-J	X5D10	3/32	172	1.3

In reels of 500 and 1000 feet.

CUTTING CHARGE

In order to obtain maximum service from ropes of the above construction, it is recommended that drums and sheaves used have diameter of 39 times the rope diameter and in any case that they have a minimum diameter of 26 times the rope diameter.

USE SEPARATE ORDER BLANKS

Items marked ✦ not carried in stock; can only be furnished by shipping direct from Warehouse in St. Louis. Freight allowed to railroad station nearest point of destination on all shipments 200 lbs. net or more. Shipments of less than 200 lbs. net are F. O. B. St. Louis.

STEEL TACKLE BLOCKS

UPSON-WALTON

For Manila Rope, Iron Bushed

Hooks, Straps, Shells and Pins are of High Grade Steel; Hooks and Straps Carefully Forged; Sheaves are Made of Best Quality Gray Iron; Straps Extend to Bottom of Shell and Support the heavy becket rope thimble; the Edges of the Shell are Well Turned and Rounded to Prevent Wear of Rope; With Loose Side Hooks.



No. 100



No. 200

SINGLE SHEAVE, ALL WITH BECKETS OR ROPE THIMBLE

Each		Lgth. Shell, ins.	Diam. Sheave, ins.	For Rope, ins.	Wt. Each, lbs.	Each
0-100/3-K	X2D09	3	1 3/4	3/8	1	\$3.15
0-100/4-K	X2D28	4	2 1/4	1/2	1 1/2	3.45
0-100/5-K	X2D61	5	3	5/8	2 1/2	3.95
0-100/6-K	X2D97	6	3 1/2	3/4	4	4.45
0-100/8-K	X5D58	8	4 3/4	1	8 1/2	8.45

DOUBLE SHEAVE; HALF WITH BECKETS OR ROPE THIMBLE

Each		Lgth. Shell, ins.	Diam. Sheave, ins.	For Rope, ins.	Wt. Each, lbs.	Each
0-200/3-K	X3D30	3	1 3/4	3/8	1 1/2	\$4.95
0-200/4-K	X3D65	4	2 1/4	1/2	2 3/4	5.50
0-200/5-K	X4D19	5	3	5/8	4	6.30
0-200/6-K	X5D25	6	3 1/2	3/4	5 1/2	7.95

Loose

METAL SNATCH BLOCKS

UPSON-WALTON

WOOD

Lacquered hardwood shell riveted and cross bolted. Cast iron sheaves. Drop forged hook, head and link. Steel center pins with jam nut. Full length strap.



Drop Link

Swivel Hook, Iron Bushed.

Each		Lgth. Shell, ins.	Diam. Sheave, ins.	For Rope, ins.	Wt. Each, lbs.	Each
0-40/6-K	X9D51	6	3	3/4	5 3/4	\$14.25

Loose



STEEL

Enameled steel shell. Cast iron sheaves. Drop forged cross heads and links. Full length strap. Drop forged swivel hook. Steel center pins.

Drop Link

Swivel Hook, Iron Bushed.

Each		Lgth. Shell, ins.	Diam. Sheave, ins.	For Rope, ins.	Wt. Each, lbs.	Each
0-B272P/6-K	X9D51	6	3	3/4	5 3/4	\$14.25
0-B272P/8-K	X13D16	8	4 1/2	7/8, 1	13	19.75

Loose

NOTE—Instead of Equipping Standard Steel Tackle Blocks with Becketts, they are Now Supplied with a Pipe Sleeve, or Thimble, at the Bottom and Made with Shells of Sufficient Length so that the Rope will Pass Readily Over the Sheave without Interfering with the Rope Tied to Thimble; Either Part of the Double or Triple Blocks can be Used as the Becket Part; this Feature is of Great Advantage to Both Dealer and Consumer—the Dealer not being Required to Keep an Assortment of Blocks and the Consumer not being Compelled to Change Blocks when it Becomes Necessary to Use as Becket Block; Simply Tie the Rope to the Thimble.

WIRE ROPE SNATCH BLOCKS

UPSON-WALTON

Heavy steel plate shells. Rugged one piece forged steel strap with forged eyes for link connections. Drop forged steel hooks, heads and links. Flange on steel plates prevents chafing of rope. Impressed guard on shell plate prevents rope from jamming between shell and sheave. Shells and cast iron sheaves enameled, other parts natural finish.



SAFETY LOCKING

With stiff swivel hooks and cast iron self-lubricating phosphor bronze bushings.

Each			Diam. Sheave, ins.	For Rope, in.	Wt. Ea., lbs.	Each
0-B372S 6-K	X19D65	6	$\frac{3}{8}$, $\frac{1}{2}$	14	\$29.50	
0-B372S 8-K	X27D03	8	$\frac{1}{2}$, $\frac{5}{8}$	30	40.55	



DROP LINK

With stiff swivel hooks and plain bore cast iron sheaves.

Each			Diam. Sheave, in.	For Rope, in.	Wt. Ea., lbs.	Each
0-B371P 6-K	X13D63	6	$\frac{3}{8}$, $\frac{1}{2}$	14	\$20.30	

Loose



GENUINE CROSBY

The Red U Bolt

Drop forged from special analysis steel and thoroughly galvanized.

Each			For Rope, in.	Weight Each, ozs.	Each
F2517K (C $\frac{1}{4}$)	D3C7	$\frac{1}{4}$	3	\$0.56	
F2518K (C $\frac{5}{16}$)	D3C8	$\frac{5}{16}$	5	.57	
F2519K (C $\frac{3}{8}$)	D4C3	$\frac{3}{8}$	8	.65	
F2520K (C $\frac{1}{2}$)	D5C0	$\frac{1}{2}$	9	.75	
F2521K (C $\frac{5}{8}$)	D5C8	$\frac{5}{8}$	10	.87	
F2522K (C $\frac{3}{4}$)	D7C6	$\frac{3}{4}$	16	1.14	

Loose



Black Finish

Each			For Rope, in.	Wt. Each, ozs.	Each
F2536K (WRC $\frac{3}{16}$)	D0C8	$\frac{3}{16}$	1 $\frac{1}{4}$	\$0.15	
F2537K (WRC $\frac{1}{4}$)	D1C0	$\frac{1}{4}$	2	.15	
F2538K (WRC $\frac{5}{16}$)	D1C1	$\frac{5}{16}$	2 $\frac{1}{4}$.17	
F2539K (WRC $\frac{3}{8}$)	D1C6	$\frac{3}{8}$	3 $\frac{1}{2}$.25	
F2540K (WRC $\frac{7}{16}$)	D1C7 $\frac{1}{2}$	$\frac{7}{16}$	4 $\frac{1}{4}$.25	
F2541K (WRC $\frac{1}{2}$)	D1C9	$\frac{1}{2}$	6 $\frac{1}{2}$.29	
F2542K (WRC $\frac{5}{8}$)	D2C5	$\frac{5}{8}$	8 $\frac{1}{2}$.39	
F2543K (WRC $\frac{3}{4}$)	D3C5	$\frac{3}{4}$	13	.55	
F2544K (WRC $\frac{7}{8}$)	D5C0	$\frac{7}{8}$	20	.75	
F2545K (WRC1)	D6C1	1	23	.90	

Loose

WOOD TACKLE BLOCKS

UPSON-WALTON—For Manilla Rope

Varnished hardwood shell, riveted together. Oval edge. Drop forged hook. Steel strapped. Cast iron sheaves. Steel center pins.

Single Sheaves
All with BeckettsSingle Sheave—Plain
Iron Bushed

Each			Lgth. Shell, ins.	Diam. Sheave, ins.	For Rope, ins.	Wt. Each, lbs.	Each
0-10/3-K	X2D61	3	1 $\frac{3}{4}$	$\frac{3}{8}$	1	\$3.90	
0-10/4-K	X2D97	4	2 $\frac{1}{4}$	$\frac{1}{2}$	1 $\frac{3}{8}$	4.45	
0-10/5-K	X3D68	5	3	$\frac{5}{8}$	2 $\frac{3}{4}$	5.55	
0-10/6-K	X4D35	6	3 $\frac{1}{2}$	$\frac{3}{4}$	5 $\frac{1}{2}$	6.55	

Loose

Double Sheaves
Half with Becketts

Double Sheave—Plain Iron, Bushed

Each			Lgth. Shell, ins.	Diam. Sheave, ins.	For Rope, ins.	Wt. Each, lbs.	Each
0-20/3-K	X4D19	3	1 $\frac{3}{4}$	$\frac{3}{8}$	3	\$6.30	
0-20/4-K	X4D56	4	2 $\frac{1}{4}$	$\frac{1}{2}$	3 $\frac{1}{4}$	6.84	
0-20/5-K	X5D58	5	3	$\frac{5}{8}$	4 $\frac{1}{2}$	8.50	
0-20/6-K	X6D99	6	3 $\frac{1}{2}$	$\frac{3}{4}$	7	10.50	

Loose

WIRE ROPE CLIPS

Malleable iron plate with spiral corrugations to fit between the strand of wire rope and prevent slipping Steel U-bolts and nuts.


Cadmium Plated

Each			For Rope, in.	Wt. Each, ozs.	Each
F2525K (GRC $\frac{1}{8}$)	D0C9	$\frac{1}{8}$	$\frac{1}{2}$	\$0.15	
F2526K (GRC $\frac{3}{16}$)	D0C9	$\frac{3}{16}$	1 $\frac{1}{4}$.15	
F2527K (GRC $\frac{1}{4}$)	D1C0 $\frac{1}{2}$	$\frac{1}{4}$	2	.17	
F2528K (GRC $\frac{5}{16}$)	D1C2	$\frac{5}{16}$	2 $\frac{1}{4}$.19	
F2529K (GRC $\frac{3}{8}$)	D1C6 $\frac{1}{2}$	$\frac{3}{8}$	3 $\frac{1}{2}$.25	
F2530K (GRC $\frac{7}{16}$)	D1C8 $\frac{1}{2}$	$\frac{7}{16}$	5 $\frac{1}{4}$.29	
F2531K (GRC $\frac{1}{2}$)	D2C1	$\frac{1}{2}$	6 $\frac{1}{2}$.30	
F2532K (GRC $\frac{5}{8}$)	D2C8	$\frac{5}{8}$	8 $\frac{1}{2}$.45	
F2533K (GRC $\frac{3}{4}$)	D4C0	$\frac{3}{4}$	13	.60	
F2534K (GRC $\frac{7}{8}$)	D5C7	$\frac{7}{8}$	20	.85	
F2535K (GRC1)	D6C9	1	23	1.05	

Loose

WIRE ROPE THIMBLES

Oval, Drop Forged Steel, Hot Galvanized



Each			For Size of Rope, Each	ins.	Wt. ozs.	Each
F2508K	(154/3/16)	D0C6	3/16	1 1/2	\$0.10	
F2509K	(154/1/4)	D0C6	1/4	3/4	.10	
F2510K	(154/3/16)	D0C7 1/2	3/16	1	.12	
F2511K	(154/3/8)	D0C7 1/2	3/8	1	.12	
F2512K	(154/1/2)	D0C8	1/2	1 3/4	.15	
F2513K	(154/3/8)	D1C8	3/8	4	.29	
F2514K	(154/3/4)	D2C5	3/4	5	.39	
F2515K	(154/7/8)	D4C5	7/8	8	.69	

Loose

PULL-A-WAY HOISTS

WRIGHT



Type "G"

Portable maintenance tool for lifting, lowering and hauling requirements.

A multitude of uses: stretching fence, trenching pipe, tightening wires, moving machines, etc. 20 1/2 inch lever.

Each		Ton	Stand- ard lift in Ft.	Handle pull to lift full load, lbs.	Minimum Distance between Hooks, ins.	Minimum Reach, Ft. ins.	Standard Length Chain, Ft. ins.	Net Wt. lbs.	Gross Wt., lbs.
O-1 1/2-K	X85D50	1 1/2	5	83	13 1/2	6 1 1/2	5 6	23 1/2	28
O-3-K	X108D00	3	5	84	23 1/2	6 8 1/2	11 6	36 1/2	40

One in ctn.

DIRECT SHIPMENT

F. O. B., York, Pa. Minimum freight rates allowed on 200 lbs. or more.

Extra Lifts

If higher or longer lift is wanted other than standard add for each additional foot of lift as below:

On No. 1 1/2—1 lineal ft. required for each foot of extra lift.

On No. 3—2 lineal ft. required for each foot of extra lift.


Per Lineal Ft.

+1 1/2 EL-K X2D45

+3 EL-K X4D95

PULL-A-WAY HOISTS

WRIGHT



Ideal shop tool for moving motors, machinery, open car doors, stretching and holding tension supports and many other quick hook-ups.

Safety Features:

Double interlocking pawls lock automatically, eliminating the danger of slipping brakes.

Automatic notch-per-cycle let down assures positive control.

"Safety Handle" bends before any other part of the unit fails—bending at approximately 4500 pounds pull, hooks will bend, will not break, if overstressed.

Construction Features:

Frame is drop forged ductile aluminum alloy.

Preformed extra flexible 222 wire hoist cable for maximum strength and greatest flexibility (6x37 construction). Hoist cable is long enough to give 5 feet 6 inches of pull or lift double strand and 14 feet single strand.

Eight inch minimum handle movement—for close hook-ups.

2 inch drum hub accommodates cable.

No oiling needed throughout.

Removable, reversible safety handle.

Reverse pawl wheel permits automatic load lowering.

Drop forged steel hook construction makes pull-a-way versatile—easy to make many rigs, solve loading or unloading problems.

Rated capacity up to 3000 lbs. when double reeved.

Each
O-R-K X37D00.....\$47.50

One in ctn. Wt. ctn. 9 lbs.

DOUBLE TREES

For Pull-A-Way Hoists

Provides a 4000 lb. capacity and enables two men to operate the unit.

Per Pair
O-DT-K X15D00.....\$22.50

One pair in two ctns. Wt. ctns. 6 lbs.

ROPE HOISTS

Roller Bearing—Rope Lock

Extra heavy duty drop forged steel swiveling hooks. Lock holds in any position. Pressed steel sheaves. Reinforced at points of greatest strain. All parts of Liberal Design. All-steel construction. Bright green enamel finish.



(Nos. 12A and 13A)

(Nos. 12 and 13)

Without Rope

Each		Size Rope, ins.	Capacity, lbs.	Sheave Diam., ins.	Wt. Ctn. lbs.	Each
0-13-K	X2D15	$\frac{3}{4}$	1000	$2\frac{1}{8}$	27	\$3.25
0-12-K	X3D60	$\frac{1}{2}$	2000	$2\frac{1}{2}$	72	5.50

With 24 Feet of Rope


0-13A-K	X2D90	$\frac{3}{4}$	1000	$2\frac{1}{8}$	39	4.40
0-12A-K	X5D00	$\frac{1}{2}$	2000	$2\frac{1}{2}$	96	7.50

Twelve in ctn.

CHAIN HOISTS

WRIGHT

Safeway



Light weight, high speed, close headroom hand hoist. Engineered to operate easily and efficiently.

Heavy steel housing enclosing all vulnerable parts. Sealed construction. Weston type break with a specially constructed lining of uniform thickness. Will resist high temperature, exposure of cold, wet and dusty atmosphere. Reversible balanced load wheel with heavy pressed steel cover. Drop forged special heat treated hooks, will open slowly without fracture from excessive overload. Wide throat bottom nook with special shackle and rocker action which effects easy alignment of load. Thrust bearing for easy

swiveling of load. Steel load chains, proof tested and formed to accurate pitch gauge. High tensile and heat treated. Special reservoir with wick applicator for lubrication of chain. Central reservoir provides complete lubrication for all axial parts.

CHAIN HOISTS

WRIGHT DIFFERENTIAL

Malleable Frames

A simple, reliable hoist that serves its purpose well where loads are to be lifted infrequently—for the small garage, apartment buildings for handling ashes, etc.

Compares favorably with the Wright high speed type, but requires three times the effort to raise the load. Automatically holds load at any point.



Malleable iron, extra heavy load sheaves. Malleable yokes and heat-treated drop-forged hooks. Special analysis steel load chain. Thrust bearing under bottom hook permits swiveling load without twisting chain.

D1C0%	Capacity, Tons	Lift, ft.	Chain in Block, ft.	Wt. Ea. Boxed, lbs.	▲ Each
±WD $\frac{1}{4}$ -K	$\frac{1}{4}$	6	22	24	\$26.75
0-WD $\frac{1}{2}$ -K	$\frac{1}{2}$	7	26	32	31.00
0-WD1-K	1	8	30	55	49.00
±WD1 $\frac{1}{2}$ -K	1 $\frac{1}{2}$	8 $\frac{1}{2}$	33	93	62.00

One in box

EXTRA LIFT

If higher or longer lift is wanted than standard add for each additional foot of lift as below:

Each foot of extra lift requires 4 feet of chain.

D1C0%	Capacity, Tons	▲ Per Foot
Per Foot		
±WDL $\frac{1}{4}$ -K	$\frac{1}{4}$	\$3.60
±WDL $\frac{1}{2}$ -K	$\frac{1}{2}$	3.60
±WDL1-K	1	4.00
±WDL1 $\frac{1}{2}$ -K	1 $\frac{1}{2}$	4.25

Specifications:

	Reg. Lift in feet	Min. Distance Between Hooks, in.	Standard Reach, feet	Chain Pull in lbs. to Lift Full Load	Feet of Chain Overhauled to Lift Load one ft.
WS $\frac{1}{2}$	8	11 $\frac{3}{4}$	9	56	21
WS1	8	12 $\frac{1}{4}$	9	70	33
WS1 $\frac{1}{2}$	8	15 $\frac{1}{2}$	9 $\frac{1}{4}$	104	31
WS2	9	16	10 $\frac{3}{4}$	100	42
WS3	10	19 $\frac{1}{2}$	11 $\frac{3}{4}$	93	77
WS4	10	19 $\frac{3}{4}$	11 $\frac{3}{4}$	113	84

Each		Cap., Tons	Weight Each lbs.
±WS $\frac{1}{2}$ -K	X132D00	$\frac{1}{2}$	44
±WS1-K	X170D00	1	50
±WS1 $\frac{1}{2}$ -K	X225D00	1 $\frac{1}{2}$	83
±WS2-K	X263D00	2	88
±WS3-K	X367D00	3	130
±WS4-K	X440D00	4	140

One in a box

EXTRA LIFTS

Hoists can be furnished with longer and higher lifts at additional price per foot as follows.

Per Foot		For Nos.
±WSL $\frac{1}{2}$ -K	X4D10	WS $\frac{1}{2}$
±WSL1-K	X4D25	WS1
±WSL1 $\frac{1}{2}$ -K	X4D50	WS1 $\frac{1}{2}$
±WSL2-K	X4D80	WS2
±WSL3-K	X5D95	WS3
±WSL4-K	X6D65	WS4


Items marked ± not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., York, Pa.

Minimum Freight Rates Allowed to Destination on 200 lbs. or More

I-BEAM TROLLEYS

WRIGHT

With Timken Tapered Roller Bearings

Cut
Shows
Plain
(Trolley)

These trolleys incorporate ruggedness, flexibility of design and ease of operation. The fundamental point of excellence of this trolley is the set of eight timken tapered roller bearings with which each trolley is equipped. All trolley wheels are subjected to both radial load and end thrust, and end thrust cannot be absorbed by a plain roller bearing. The timken roller bearing, because of its tapered design, positively absorbs all thrust and radial load and reduces the effort to operate the trolley along the I-beam to less than half that required by a trolley equipped with plain roller bearings. It takes only 11 pounds to move a fully loaded 1 ton Wright timken trolley along the track.


Plain

Each		Capacity, Tons	Adjustable for Beam Sizes, ins.	Net Wt. lbs.
✱WTBP1/4-K	X61D00	1/4	4 to 7	32
✱WTBP1/2-K	X63D00	1/2	5 to 8	36
✱WTBP1-K	X82D00	1	6 to 9	47
✱WTBP1 1/2-K	X115D00	1 1/2	7 to 10	91
✱WTBP2-K	X128D00	2	8 to 12	109
✱WTBP3-K	X164D00	3	9 to 15	143
✱WTBP4-K	X227D00	4	10 to 18	204
✱WTBP5-K	X269D00	5	12 to 20	345
✱WTBP6-K	X350D00	6	12 to 20	350
✱WTBP8-K	X548D00	8	15 to 24	400
✱WTBP10-K	X601D00	10	15 to 24	475


Geared

Each		Capacity, Tons	Price Includes Hand Chain to Drop	Adjustable for Beam Sizes, ins.	Net Wt. lbs. Less Chain
✱WTBG1-K	X137D00	1	8 ft. 8 ins.	6 to 9	74
✱WTBG1 1/2-K	X172D00	1 1/2	9 ft.	7 to 10	117
✱WTBG2-K	X204D00	2	10 ft. 5 ins.	8 to 12	133
✱WTBG3-K	X233D00	3	12 ft. 3 ins.	9 to 15	181
✱WTBG4-K	X309D00	4	12 ft. 6 ins.	10 to 18	239
✱WTBG5-K	X356D00	5	15 ft. 3 ins.	12 to 20	368
✱WTBG6-K	X449D00	6	15 ft. 5 ins.	12 to 20	415
✱WTBG8-K	X712D00	8	16 ft. 2 ins.	15 to 24	470
✱WTBG10-K	X758D00	10	16 ft. 9 ins.	15 to 24	543

Items marked ✱ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., York, Pa.
Minimum Freight Allowed to Destination on 200 lbs. or More

WRIGHT HAND-TRAVELING CRANES**Timken Tapered Roller Bearing**

Built in Any Desired Capacity to Suit Any Special Need for Top Running or Underhung Types, Single or Double Beam Construction. Built with Structural Steel Members Rigidly Braced and Welded. All Truck Wheels Run on Timken Tapered Roller Bearings which Absorb All Radial and Thrust Loads. End Trucks Can be Furnished Separately so That I-Beams Can be Purchased Locally and Fabricated.

PRICES ON APPLICATION.**SPEEDWAY ELECTRIC HOIST****CAPACITY 1/4 TO 10 TONS****Plain Trolley Mounting**

A Safe, Efficient, Compact Hoist with a Full Standard Lift of 12 feet without Overwinding the Cable. Designed for Speed.

Can be furnished with lug, hook or base mounting, also Timken trolley suspension, either cross or parallel mounted. Trolleys are furnished for either manual operation or motor driven to meet varying service requirements.

Fully Enclosed Ball Bearing Motor. Anti-Friction Bearings. Grooved Cable Drum. Heat Treated Alloy Steel Gear Train. Mechanical and Electric Load Brakes. Pre-formed Wire Rope with Swaged on Fitting for Anchoring. Hook and Lug. Timken Tapered Roller Bearing Trolley Suspension or with Base Mounting as Required. Push Button Control.

Motors built to NEMA specifications. Rated on basis of 30 minute duty cycle with a temperature rise not to exceed 50° C. over the ambient. Hoists built for 220 volt, 3 phase AC are reconnectable for use on 440 volt, 3 phase AC by merely reconnecting terminal leads. Specify voltage, lift in feet, speed of lift in feet, what suspension lug, hook trolley plain, geared or motorized and what capacity.

PRICES ON APPLICATION