

SECTION 16

QUICK INDEX

	Page
ELECTRIC APPLIANCES	1
ELECTRIC BLANKETS	26
ELECTRIC HEATERS	28
FOOD FREEZERS	33
ELECTRIC WASHERS	39
VACUUM CLEANERS	45
WATER COOLERS	50
RADIOS	54
PHONOGRAPHS	58
RADIO BATTERIES	59

PROCEDURE FOR HANDLING DEFECTIVE APPLIANCES

All Electric Housewares offered for sale by Shapleigh Hardware Company carry a warranty of service from the manufacturer. This warranty is a written statement establishing the limits of the manufacturer's responsibility (usually defective workmanship and materials exclusive of cord sets, for a given period of time) and the degree of recourse to which the consumer is entitled.

An example warranty has been reproduced below. Except for some variation in length of warranty period it can be applied to all Electric Housewares.

WARRANTY

General Electric Company warrants to the purchaser of this new General Electric Appliance that any part thereof (except cord set), which proves to be defective in material or workmanship within one year from the date of original purchase for use, will be repaired or replaced or said appliance will be replaced with a new or factory rebuilt appliance, free of charge. We have no other obligation of liability in connection with said appliance.

To obtain repairs, said appliance should be returned to the dealer from whom it was **purchased**, or should be sent, charges prepaid to the nearest **authorized General Electric Appliance Center**.

DO NOT RETURN APPLIANCES TO US. Shapleigh Hardware Company is not an authorized service center and we are not equipped to make repairs. Returns to us result in unnecessary delay and additional expense to the retailer. We must insist that all returns for repairs be made to the nearest authorized service center. See authorized service centers on the following pages or on Warranty Certificate. Where no repair agencies have been authorized, returns will be made direct to the factory.

A letter giving the date of purchase by the consumer and stating the reason for the return should be attached to the package containing the appliance. If returns are made without giving the date of purchase by the consumer, the service center will be guided by the serial number which indicates date of manufacture. The statement "Within Warranty" or "Defective" is not sufficient information.

Appliances returned to us without written permission, will be forwarded to the St. Louis service center or to the factory concerned. A minimum charge of \$1.00 will be made to cover parcel post and handling. We will instruct the service center or factory to submit an estimate of the cost of repairs direct to the dealer.

TOASTMASTER ELECTRIC HOUSEWARES

Automatic Toasters

Fully automatic—just drop in bread and press handle down. Set the toast control knob for light, dark or in-between toast. Superflex Timer assures uniform toasting. Long lasting elements. Hinged crumb tray—press button to open for easy cleaning. Durable, easy-to-clean chrome plating. Cool handles.



2 Slice

Smartly styled. Chrome plated with black and gold handles.

Operates on 110-120 volts A.C. or D.C. 1210 Watts

Each	■ Each
81-1B24-C X13D97	\$19.95
3 or more X13D47	

Three in ctn. Wt. ctn. 6 $\frac{1}{4}$ lbs.



2 Slice

Extra Small—Takes Less Space on Crowded Table

Operates on A.C. only, 110 to 120 Volts, 900 Watts.

Each	■ Each
81-1B21-C X12D56	\$17.95
3 or more X12D12	

One in ctn. Wt. ctn. 4 $\frac{1}{4}$ lbs.



One Slice

For small family, or person living alone.

Operates on 110-120 volts A.C. only, 60 cycles, 550 Watts

Each	■ Each
81-1A6-C X11D17	\$15.95
3 or more X10D38	

Three in ctn. Wt. ctn. 10 $\frac{3}{4}$ lbs.

GENERAL ELECTRIC AUTHORIZED SMALL APPLIANCE AND RADIO SERVICE STATIONS

ALABAMA

Birmingham

Jones-McLeod Appliance Service
1801 8th Ave. N.

Mobile

Foster's Appliance Repairs
112 S. Jefferson St.

ARKANSAS

Little Rock

Woodson Appliance Service
700 Pulaski St.

COLORADO

Denver

Western Repair and Electric Co.
1203 California St.

FLORIDA

Jacksonville

White's, Inc.
407 Park St.

Miami

Marple Electric Sales & Service
5136 N. W. 17th Ave.

Orlando

Southern Electric Co.
32 East Church St.

Tampa

Patrick Electrical Service
1519 W. Hillsboro Ave.

GEORGIA

Atlanta

General Electric Service Center
1777 Ellsworth Industrial Drive, N. W.

Savannah

Hagins Appliance Service Center
413 E. Broughton St.

ILLINOIS

Chicago

G-E Small Appliance Service Center
847 S. Clinton St.

Peoria

Appliance Service Center
733 W. Main St.

Rockford

Tuell Vacuum Cleaner Service
421 7th St.

Springfield

B. & M. Electric Co.
809-11 E. Adams St.

INDIANA

Evansville

Franklin Electric Co.
713 W. Franklin St.

Fort Wayne

Parton Electric Co.
1323 S. Calhoun St.

Indianapolis

Sharper & Gardner Electric Co.
4040 E. Tenth St.

South Bend

Home Service Co.
727 Lincoln Way West

IOWA

Davenport

Naugle's Appliance Service
323 E. Fourth St.

Des Moines

Electric Equipment Co.
515-517 E. Grand Ave.

Sioux City

Sioux City Electric Repair Center
4th & Iowa Sts.

KANSAS

Wichita

Alan Appliance Co.
341 N. Main St.

KENTUCKY

Lexington

Fred E. Payne Co.
930 S. Limestone St.

Louisville

Maury's Fluorescent Service
912-914 So. Second St.

LOUISIANA

Baton Rouge

Home Appliance Service
600 Florida St.

New Orleans

Royal Supply Co.
710 Baronne St.

Shreveport

Malloy Electric Service
2008 Marshall St.

MISSISSIPPI

Jackson

May & Jackson
125 S. Lamar St.

MISSOURI

Kansas City

G-E Small Appliance Service Center
2619 McGee Trafficway

St. Louis (10)

General Electric Service Dept.
2355 Hampton Ave.

NEBRASKA

Lincoln

Sperry TV Service
1325 South St.

Omaha

J. L. Tucker Co.
2512 Farnam St.

OHIO

Akron

Portable Appliance Parts & Service
219 Wooster Rd.

Cincinnati

Golden Rule Electric Inc.
808 Elm St.

Cleveland

G-E Small Appliance Service Center
2373 E. Ninth St.

Columbus

Ace Radio & TV Service
214 E. Gay St.

BR-Ace Appliance Service
190 E. Gay St.

Buckeye Radio Laboratory
364-368 E. Whittier St.

Dayton

Laver Electric Service
1225 Brown St.

Delphos

Clawson's Electric
302-06 North Main St.

Hamilton

Bruck Radio Service
201 Walnut St.

Portsmouth

Acme Radio & TV Service
1010 Chillicothe St.

OHIO—Continued

Toledo

H. A. Dennis
752 Western Ave.

Youngstown

B. F. Clausen & Co.
26-28 E. Front St.

OKLAHOMA

Oklahoma City

Hohmann's Appliance Service
316 N. W. 6th St.

Tulsa

Globe Electric Co.
1342 E. 11th St.

TENNESSEE

Chattanooga

Light Electric Co.
111 E. 6th St.

Knoxville

Brown Appliance Co.
935 N. Central Ave.

Memphis

Camp Electric Co.
1425 S. Bellevue Blvd.

Nashville

Stansell Electric Co.
209 14th Ave. No.

TEXAS

Abilene

A-1 Service Co.
205 Grape St.

Amarillo

Panhandle Appliance Service Center
407 N. Fillmore

Austin

Appliance Serv. Center, Dept. of
Calcasieu Lbr. Co.
311 W. 2nd St.

Baumont

Dawson Appliance Co.
1905 Calder Ave.

Corpus Christi

Appliance Service Co.
618 South Staples St.

Dallas

G-E Small Appliance Service Center
961 Dragon St.

El Paso

Allen Arms, Inc.
315 Mills St.

Fort Worth

Wilson Electric Repair Shop
1121 Hemphill

Houston

C. R. Stone Electric Co.
2003 Pease Ave.

Lubbock

Repairit Shop
2135 19th St.

San Antonio

Murrie Appliance Service
1423 W. Hildebrand Ave.

Wichita Falls

Peoples Electric Co.
1112 Lamar Ave.

WISCONSIN

Milwaukee

The Tuberg Co.
4517 West North Ave.

DORMEYER APPLIANCE SERVICE STATIONS

PLEASE SEND APPLIANCES TO YOUR NEAREST SERVICE STATION.

ALABAMA**Birmingham**Jones-McLeod
1801 No. 8th Ave.**Mobile**Household Electric Sales & Service
1003½ South Washington**ARKANSAS****Little Rock**J. M. Peck Elec. Equip. Service
4404 Asher Avenue**CALIFORNIA****Long Beach**California Electric Serv. Inc.
1407 E. 4th Street**Los Angeles 5**California Electric Serv. Inc.
832 S. Alvarado Street**Oakland**California Electric Serv. Inc.
1246 E. 14th Street**Pasadena 9**California Electric Serv. Inc.
2594 E. Colorado Street**San Francisco**California Electric Serv. Inc.
168 First Street**San Jose**California Electric Serv. Inc.
783 The Alameda**Van Nuys**California Electric Serv. Inc.
5761 Van Nuys Blvd.**Sacramento**Lamco Electric
1415 - 21st. Street**San Diego 2**Electrical Appliance Service Corp.
302 - 17th Street**Santa Barbara**Mel-Time Repairs
220 W. Carrillo Street**Los Angeles**Western States Electric Service Co.
5707 Santa Monica**Santa Ana**Western States Electric Service Co.
117 South Bristol**COLORADO****Denver 4**Midwest Electric Service
1126 Santa Fe Drive**ILLINOIS****Chicago 22**Dormeyer Service Center
912 W. North Ave.**ILLINOIS****Peoria**Appliance Service Center
1523 Main Street**Springfield**D. & M. Electric
809-811 E. Adams Street**INDIANA****Indianapolis 4**Gangel Electric Co.
102-04 W. North**South Bend**All-Rite Service Co.
2126 W. Western**IOWA****Des Moines**Electronic Engineering Co.
1317 Locust Street**KANSAS****Wichita**Alan Appliance Co.
341 N. Main Street**KENTUCKY****Louisville 3**Maury's Fluorescent & Appl. Serv.
912-14 South Second**LOUISIANA****Baton Rouge**Home Appliance Service
660 Florida Street**New Orleans 13**Royal Supply Co.
710 Baronne Street**Shreveport**Malloy's Electrical Service
2008 Marshall Street**MISSISSIPPI****Jackson**Authorized Appliance Service
1223 N. West StreetCamp Electric Company
143 East Amite**MISSOURI****Kansas City 6**Mar-Heck Appliance Serv. Co.
123 W. 8th Street**St. Louis 3**Kaemmerlen Electric Co.
2728 Locust Street**OHIO****Cincinnati**Golden Rule Electric Co.
808 Elm Street**Cleveland 15**Electric Sweeney Service Co.
2034 Euclid Ave.**Cleveland 13**B-H Electrical Service
2512 Church Ave.**OHIO****Columbus 15**Mixer Service Co.
342 S. High Street**Dayton 9**Layor Electric
1223-1225 Brown Street**Toledo 13**Mohr Electrical Appl. H Repair
3107 Alexis Road**Youngstown 3**B.F. Clausen & Company
26-28 E. Front Street**OKLAHOMA****Oklahoma City 3**Bohmann's Appl. Repair
314-316 N.W. 6th Street**Tulsa**H. L. Moss Co.
1712 E. 15th Street**Tulsa 3**Venale Electric Co.
425-27 E. Third Street**TEXAS****Amarillo**Panhandle Appliance Service Center
407 N. Fillmore**Corpus Christi**Appliance Service Company
618 S. Staples Street**Dallas**Appliance Service & Supply Company
1712 North Field StreetPearsal Appliance Company
2223 Commerce**El Paso**Wayne M. Tinkler Service
2731 E. Yandell**Ft. Worth**Pearsal Appliance Company
2811 W. 7th Street**Houston**Arnold Electric Company
1027 W. Alabama Ave.**Lubbock**Fitchett Electric Shop
1927-19th Street**San Antonio 1**Murrie Radio & Appliance Service
1422 W. Hildebrand**WISCONSIN****Green Bay**Video-Electronics
1514 N. Irwin Ave.**WISCONSIN****Milwaukee 7**Power Equipment Company
2373 S. Kinnickinnic

SUNBEAM ELECTRIC APPLIANCE SERVICE STATIONS

PLEASE SEND SUNBEAM APPLIANCES AND ALL ORDERS FOR REPAIR PARTS TO YOUR NEAREST SERVICE STATION.

Colorado-Denver (4), *Sunbeam Appliance Service Co., 1055 Santa Fe Drive.

Illinois-Chicago (50), *Sunbeam Corp., Service Dept., 5430 W. Roosevelt Rd.

Chicago (13), *Sunbeam Appliance Service Co., 3906 N. Lincoln Ave.

Peoria (2), Sunbeam Appliance Service Co., 509 Fulton St.

Indiana-Indianapolis (4), *Sunbeam Appliance Service Co., 423 East Market St.

Iowa-Des Moines (9), Sunbeam Appliance Service Co., 1113 High St.

Kansas-Wichita (2), Alan Appliance Co., 339 North Main

Kentucky-Louisville (4), *Sunbeam Appliance Service Co., 966 Baxter St.

Louisiana-New Orleans (12), *Sunbeam Appliance Service Co., 823 Poydras St.

Missouri-Kansas City (6), *Sunbeam Appliance Service Co., 1307 Grand Ave.

St. Louis (3), Sunbeam Appliance Service Co., 3236 Olive St.

Nebraska-Omaha-*Sunbeam Appliance Service Co. 2711 Leavenworth St.

Ohio-Cincinnati (19), *Sunbeam Appliance Service Co., 2531 Vine St.

Cleveland (14), *Sunbeam Appliance Service, 109 St. Clair Ave., N. E.

Columbus (15) *Sunbeam Appliance Service Co., 121 E. Gay St.

Toledo (2), *Sunbeam Appliance Service Co., 1801 Adams St.

Oklahoma-Oklahoma City (4), *Sunbeam Appliance Service Co., 1104 W. Main St.

Tennessee-Memphis (5), *Sunbeam Appliance Service Co., 408 Mosby St.

Texas-Amarillo, Panhandle Appliance Service Center, 407 N. Fillmore St.

Dallas (1), *Sunbeam Appliance Service Co., 3414 Ross Ave.

El Paso, Wayne M. Tinkler Co., Ltd., 2731 E. Yandell St.

Houston (3), *Sunbeam Appliance Service Co., 1610 Bell St.

San Antonio (9), Appliance Service Center, 300 W. Josephine St.

Washington-Seattle (1), *Sunbeam Appliance Service Co., 1923 3rd. Ave.

Spokane (8), Appliance Parts and Service Co., 609 W. Trent Ave.

Tacoma (3), Ajax Electric Co., 747 Fawcett Ave.

*Factory owned and operated Stations; also service Clipmasters, Shearmasters and sharpen blades.

THE KNAPP-MONARCH COMPANY AUTHORIZED SERVICE STATIONS

ARIZONA**Phoenix**

Vinson-Carter Electric Co.
325 N. 4th Street

ARKANSAS**Little Rock**

J. M. Peck Electrical Equipment Service
4404 Asher

CALIFORNIA**Los Angeles**

Electrical Appliance Service Corp.
726 W. Venice Blvd.

San Diego

Electrical Appliance Service Corp.
302 17th Street

San Francisco

Electrical Appliance Service Corp.
1434 Howard Street

COLORADO**Denver**

Western Repair and Electric
1203 California

FLORIDA**Jacksonville**

Appliance Service Center
712 Newnan Street

Miami

David Electrical & Radio Co.
525 N. W. 29th St.

Tampa

Shaw Electric Company
210 Tampa Street

GEORGIA**Atlanta**

Woodall Electric Appliance Co.
1024 Boulevard, N. E.

ILLINOIS**Chicago**

Master Electric Service Co.
835 W. Washington Blvd.

INDIANA**Indianapolis**

Gangel Electric Service Co.
447 E. Washington

LOUISIANA**New Orleans**

Royal Supply Company
710 Baronne Street

Shreveport

Hanby's
1517 Marshall

MARYLAND**Baltimore**

The Electric Motor Repair Co.
340 Fallway (2)

MASSACHUSETTS**Boston**

Clark & Mills Electric Co.
75 Newbury Street

MICHIGAN**Detroit**

Cooley-Van Howe Service Co.
21 Henry Street

MINNESOTA**Minneapolis**

Hurd Electric Company
2516 Lyndale Ave., So.

MISSISSIPPI**Jackson**

May & Jackson Company
125 Lamar St., So.

MISSOURI**Kansas City**

Mar-Beck Appliance Service Co., Inc.
123 West 8th Street

MONTANA**Billings**

Billings Electric Company
208 N. 29th Street

NEBRASKA**Omaha**

J. L. Tucker Service Company
2512 Farnam Street

NEW JERSEY**Newark**

Electra-Craft Appliance Company
270 Halsey Street

NEW YORK**Buffalo**

Wangler Electric Company
2637 Main Street

New York City

Electra-Craft Appliance Company
301 W. 42nd Street

Syracuse

J. J. Bartlett Company
225 E. Onondaga

NORTH CAROLINA**Charlotte**

Tryon Repair Service
215 W. Kingston Ave.

OHIO**Cleveland**

Electric Sweeper Service Co.
(Div. Pearsol Appliance Corp.)
2034 Euclid Avenue

Cincinnati

Golden Rule Electric Shop
808 Elm Street

OKLAHOMA**Oklahoma City**

Hohmann's Appliance Service Co.
314 N. W. 6th Street

OREGON**Portland**

Morrison Electric Service (Appliances)
1200 S. W. Washington
Houston's (Sparklets only)
403 S. W. 10th Street

PENNSYLVANIA**Philadelphia**

The Arnold Company
1427 Vine Street

Pittsburgh

Quick Service Electric Company
300 Ferry

TENNESSEE**Memphis**

Camp Electric Company
1425 S. Bellevue Blvd.

TEXAS**Dallas**

Pearsol Appliance Company
2223 Commerce Street

El Paso

Wayne Tinkler & Company, Ltd.
2731 E. Yandell

Houston

The Arnold Company
1817 West Alabama

Lubbock

Repairsit Shop
2215 19th Street

San Antonio

Murrie Appliance Service
1422 W. Hildebrand

UTAH**Salt Lake City**

Appliance Service Center
57 Richards

VIRGINIA**Richmond**

National Electric Appl. Serv. Inc.
1815 W. Broad St.

WASHINGTON**Seattle**

J. M. Hooper Electric Company
222 Marion Street

Spokane

Spokane Appliance Repair
173 S. Wall Street

WISCONSIN**Milwaukee**

Charles W. Schneck Company
1333 N. 12th Street

DISTRICT OF COLUMBIA**Washington**

C. A. Leppert Parts & Service
914 Eye Street

FOREIGN**CANADA****Brantford, Ontario**

Crown Electric Mfg. Co., Ltd.
17-21 Sydenham

LANDERS FRARY AND CLARK ELECTRIC APPLIANCE SERVICE STATIONS

PLEASE SEND UNIVERSAL APPLIANCES TO YOUR NEAREST SERVICE STATION

ALABAMA**Birmingham, 8**Jones-McLeod Appliance Service
1801 8th Ave. No.**Mobile**Household Electrical Sales & Service
1003 1/2 S. Washington**Montgomery**Radio Hospital
236 Jefferson St.**ARKANSAS****Little Rock**Woodson's Appliance Service,
1223 W. Capitol**COLORADO****Denver**Midwest Electric Service Co.
1124 Santa Fe Drive**ILLINOIS****Chicago, 12**Mid-West Elec. Appl. Service Center
907 S. Western Ave.**Chicago, 10**The Wacker Electric Co.
117 West Grand Ave.**Springfield**H & M. Electric,
809 E. Adams**INDIANA****Evansville, 8**Evansville Electric Service, Inc.
226 Main St.**Fort Wayne, 2**Stucky Brothers
623 1/2 South Clinton St.**Indianapolis, 1**Sharper & Gardner Electric Co., Inc.
4040 E. 10th Street**IOWA****Des Moines, 8**Electric Equipment Co.
515 E. Grand**KANSAS****Wichita 2,**Alan Appliance Co.
339 N. Main St.**KENTUCKY****Louisville, 4**Irvin Martin Electric Company
1280 Bardstown Road**LOUISIANA****Baton Rouge**Home Appliance Service
680 Florida Street**LOUISIANA—Continued****New Orleans, 13**Royal Supply Co.
710 Baronne St.**Shreveport**Malloy Electric Service,
2008 Marshall St.**MISSISSIPPI****Jackson**May & Jackson
125 South Lamar St.**MISSOURI****Kansas City, 5**Mar-Beck Appliance Service Co., Inc.
121 West 8th St.**St. Louis, 3**Kaemmerlien Electric Company
2728 Locust Street**NEBRASKA****Omaha, 2**J. L. Tucker Co.
2512 Farnam St.**OHIO****Cincinnati, 2**Golden Rule Electric, Inc.
808 Elm Street**Cleveland, 15**Electric Sweeper Service Co.
2034 Euclid Ave.**Cleveland, 13**R. H. Electrical Service Co.
2512 Church Ave.**Columbus, 11**Buckeye Electric Company
933 East Hudson Street**Dayton, 9**Laver Electric Service Co.
1225 Brown St.**Toledo, 4**General Repair & Equipment Co.
130 Summit St.**Youngstown, 3**B. F. Clausen Co.
23 South Hazel St.**OKLAHOMA****Oklahoma City, 3**Hohmann's Appliance Service
316 N. W. 6th St.**Tulsa, 3**Globe Electric Co.
1342 E. 11th St.**TENNESSEE****Chattanooga**Light Electric Co.
111 East 6th St.**Knoxville, 2**Brown Appliance Co.
935 N. Central Ave.**Memphis, 6**Camp Electric Company
1425-27 S. Bellevue**Nashville**Stansell Electric Co.
209 Fourteenth Ave. No.**TEXAS****Amarillo**Panhandle Appl. Service Center
407 No. Fillmore**Beaumont**Dawson Appliance Company
1905 Calder St.**Corpus Christi**Appliance Service Co.
618 S. Staples**Dallas, 1**Appliance Service & Supply Co.
1712 No. Field St.**El Paso**Wayne M. Tinkler & Co., Ltd.
2731 E. Yandell**Fort Worth, 2**Appliance Service Center
1408 Houston Street**Houston, 7**Arnold Electric Co.
1827 W. Alabama**Lubbock**Fitchett Electric Shop
1927 19th St.**San Antonio, 1**Murrie Radio & Appliance Service
1422 W. Hildebrand Ave.**WISCONSIN****Madison, 4**Appliance Service Center
2314 Atwood Ave.**Milwaukee, 8**The Tuberg Co.
4517 West North Ave.

MIRRO ELECTRIC PERCOLATOR SERVICE STATIONS

PLEASE SEND MIRRO PERCOLATORS TO YOUR NEAREST SERVICE STATION

ALABAMA

Birmingham 8

Jones-McLeod Appliance Service
1801 Eighth Ave. No.

Mobile 21

Foster's Appliance Repairs
63 S. Bayou St.

Montgomery

Radio Hospital
236 Jefferson St.

ARKANSAS

Little Rock

J. M. Peck Electrical Equipment Service
4404 Asher Ave.

COLORADO

Denver 4

Midwest Electric Service Co.
1126 Santa Fe Drive

Grand Junction

Electrical Repair Supply Co.
736 Main St.

Greeley

Herdman Electric Co.
809 Tenth St.

ILLINOIS

Chicago 7

Master Electric Service Co.
835 W. Washington Blvd.

Lake Villa

Kerr Fixit Shop

Peoria

ABC Appliance Co.
839 Main St.

Springfield

B & M Electric Co.
813 E. Adams St.

INDIANA

Evansville 8

Evansville Electric Service
226 Main St.

Fort Wayne 2

Stucky Bros., Inc.
122 E. Washington Blvd.

Indianapolis

Gangel Electric Service Co.
103-104 W. North St.
Shafer Repair Shop
2745 S. Tindall

Muncie

Lasater's United Electric, Inc.
1600 N. Broadway

Terre Haute

Jensen Appliances
828 Wabash Ave.

IOWA

Cedar Rapids

Stalker Electric Co.
213 First St., S. E.

Des Moines 9

Electric Equipment Co.
515-517 E. Grand Ave.

Des Moines 14

Hansen Electric Appliance Co.
1320 Second Ave.

Sioux City

K & K Radio Television Service
709 West Seventh
Williams Appliance Co.
1606 Pierce St.

KANSAS

Pittsburg

B. W. Ritter Electric Shop
108 West Fifth

Salina

Quillens Appliance
118 N. Santa Fe

Wichita 2

Alan Appliance Co.
339 N. Main St.

KENTUCKY

Louisville 15

Leaver's Fixit Shop
1479 Oakwood Ave.

Mayfield

Evens Electric Appliance
110 N. Sixth St.

Lexington

Fred E. Payne & Co.
930 S. Limestone

LOUISIANA

Baton Rouge 1

Home Appliance Service
600 Florida St.

New Orleans 13

Royal Supply Co.
710 Baronne St.

Shreveport

Hanby's
1517 Marshall St.

MISSISSIPPI

Jackson

May & Jackson
125 S. Lamar St.
Camp Electric Co.
143 E. Amite St.

MISSOURI

Columbia

Edgar's Electric
1013 E. Broadway

Kansas City 6

Mar-Beck Appliance Service Co., Inc.
121 W. Eighth St.

Springfield

Blue's Home Appliances
214 S. Campbell Ave.

St. Joseph 24

Midland Empire Sales & Service, Inc.
1224 Frederick Ave.

St. Louis 3

Kaenmerlen Electric Co.
2728 Locust St.

NEBRASKA

Kearney

Kearney Hardware Co.
2014 Central Ave.

Omaha 9

Myers Electric Co.
1404 S. 16th St.

OHIO

Cincinnati 2

Golden Rule Electric, Inc.
808 Elm St.

Cleveland 15

Electric Sweeper Service Co.
2034 Euclid Ave.

Columbus 7

Hoernle's
1894 Parsons Ave.

Dayton 9

Laver Electric Service
1225 Brown St.

Portsmouth

West End Electric Co.
714 Tenth St., P. O. Box 12

Toledo 4

General Repair & Equipment Co.
130 Summit St.

Youngstown 3

B. F. Clausen & Co.
26-28 E. Front St.

Zanesville

Lawrence Electric Co.
940 W. Main St.

OKLAHOMA

Oklahoma City 3

Hohmann's Appliance Service
316 N. W. Sixth St.

Tulsa 3

Globe Electric Co.
1342-44 East 11th St.

TENNESSEE

Chattanooga 2

Bynum Electric Sales & Service
718 Cherry St.

Columbia

Frakes Electric Co.

Johnson City

Jones Hardware Co.
114 Buffalo St.

Knoxville 2

Brown Appliance Co.
857 N. Central Ave.

Memphis 6

Camp Electric Co.
1425 S. Bellevue

Nashville

Austin Electric Shop
3430 West End Ave.

TEXAS

Abilene

A-1 Service Co.
205 Grape St.

Amarillo

Panhandle Appliance Service Center
407 N. Fillmore

Beaumont

Dawson Appliance Co.
1905 Calder

Corpus Christi

Appliance Service Co.
618 S. Staples

Dallas 1

Pearson Appliance Co.
2223 Commerce St.

El Paso

Wayne M. Tinkler & Co., Ltd.
2731 E. Yandell

Houston 6

Arnold Electric Co.
1827 W. Alabama Ave.

Houston

Appliance Service & Supply Co.
1507 Louisiana St.

Lubbock

Repairit Shop
2135-19th St.

San Angelo

Ragsdale Appliance Co.
229 S. Chadbourne

San Antonio 1

Murrie Appliance Service
1422 W. Hidebrand Ave.

WISCONSIN

La Crosse

Floyd Tolley
614 Main St.

Madison

Main Appliance Co.
1843 Monroe St.

Manitowoc

Mirro Aluminum Co.

Milwaukee 5

C. W. Schneek Co.
1331 N. 12th St.

NESCO ELECTRIC APPLIANCE SERVICE STATIONS

PLEASE SEND NESCO APPLIANCES TO YOUR NEAREST SERVICE STATION

ALABAMA

Birmingham

Moskowitz Electric & Supply Co.
1709 3rd Ave. N.

ARIZONA

Phoenix

Vinson-Carter Electric Company
335 North 4th Street

ARKANSAS

Little Rock

J. M. Peck Electrical Equip. Service
4404 Asher

COLORADO

Denver

Western Repair and Electric
1203 California

FLORIDA

Jacksonville

Appliance Service Center
712 Newnan Street

Miami

David Electric & Radio Co.
525 N. W. 20th St.

GEORGIA

Atlanta

Woodall Electric Service Co.
1034 Boulevard, N. E.

ILLINOIS

Chicago

Master Electric Service Co.
835 W. Washington Blvd.

IOWA

Sioux City

K and K Radio and Television Service
706 West 7th Street

INDIANA

Indianapolis

Sharpner & Gardner
4040 E. 10th St.

KANSAS

Wichita

Alan Appliance Service
339 North Main

KENTUCKY

Louisville

Maury's Florescent & Appliance Service
912-914 So. 2nd St.

LOUISIANA

New Orleans

Royal Supply Company
710 Baronne Street

Shreveport

Hanby's
1517 Marshall

MICHIGAN

Detroit

The Cooley Appliance Service Co.
21 Henry St. at Woodward

Grand Rapids

Van Howe Company
239 South Division

MINNESOTA

Minneapolis

Hurd Electric Company
2516 Lyndale Ave., So.

MISSISSIPPI

Jackson

May & Jackson Company
125 Lamar Street, So.

MISSOURI

Kansas City

Mar-Beck Appliance Service, Inc.
13 West 8th Street

St. Louis

Nesco Industries, Inc., Service Dept.
Factory

MONTANA

Billings

General Cycle Company
10 North 31st Street

NEBRASKA

Omaha

J. L. Tucker Company
2512 Farnam Street

NORTH CAROLINA

Charlotte

Fryon Repair Service
209 W. Worthington Ave.

OHIO

Cleveland

Electric Sweeper Service Co.
2034 Euclid Avenue

Cincinnati

Golden Rule Electric Inc.
808 Elm Street

OKLAHOMA

Oklahoma City

Hohmann's Appliance Service
316 N. W. 6th Street

Tulsa

H. L. Moss Co.
1712 E. 15th Street

OREGON

Portland

Morrison Electric Company
1206 S. W. Washington

TENNESSEE

Memphis

Camp Electric Company
1425 S. Bellevue Blvd.

TEXAS

Dallas

Pearson Appliance Company
2223 Commerce Street

El Paso

Wayne Tinkler & Company
2731 E. Vandell

Fort Worth

Pearson Appliance Co. (Branch)
2811 W. 7th Street

Houston

Arnold Electric Company
1827 West Alabama

Lubbock

Repair Shop
2135—19th Street

San Antonio

Murrie Appliance Service
1422 W. Hildebrand Ave.

UTAH

Salt Lake City

Appliance Service Center
57 Richards Street

VIRGINIA

Richmond

National Electric Appl. Serv. Inc.
1815 W. Broad Street

WEST VIRGINIA

Wheeling

Smith Appliance Co.
145 18th Street

WASHINGTON

Seattle

J. M. Hooper Electric Company
215 Marion Street

Spokane

Spokane Appliance Repair
611 2nd Avenue

WISCONSIN

Milwaukee

Charles W. Schneck Company, Inc.
1333 No. 12th Street

CHICAGO ELECTRIC CO. APPLIANCE SERVICE STATIONS

PLEASE SEND HANDYHOT APPLIANCES TO YOUR NEAREST SERVICE STATION

ALABAMA Birmingham Simmona Electric Co. 26 S. 20th Street	IOWA Cedar Rapids Stalker Electric Co. 213 First St. S. E. Des Moines University Electric Company 2300 University Avenue	NEW JERSEY Newark Electra-Craft, Inc. 270 Halsey Street	RHODE ISLAND Providence Appliance Service Co. 316 Cranston St.
ARIZONA Phoenix Dependable Radio & Electronics Co. 1631 West Jefferson St.	KANSAS Wichita Alan Appliance Company 341 N. Main St.	NEW MEXICO Albuquerque Appliance Service Center 1903 Fourth Street, N. W.	SOUTH CAROLINA Charleston William S. Anderson Electric Co., Inc. 246 Meeting Street
ARKANSAS North Little Rock Todd Appliance Co. 113 Main St.	KENTUCKY Louisville 5 Leaver's Fisit Shop 1481 Oakwood Avenue	NEW YORK Albany Central Appliance Company 51 Central Avenue	Columbia Krell Radio Appliance Supply Co. 1712 Main Street
CALIFORNIA San Francisco 15 Byington Electric Co. 1809 Fillmore St. Long Beach California Electric Service, Inc. 1407 East Fourth Street Los Angeles 5 California Electric Service, Inc. 832 South Alvarado Street	LOUISIANA New Orleans 12 Royal Supply Co. 640 Baronne St. Shreveport Hanby's 1517 Marshall St.	NEW YORK New York 18 Electra Craft Appliance Co. 361 West 42nd Street Rochester 4 Shave Electric Corporation 50 Stone Street Syracuse 3 J. J. Bartlett 225-231 East Onondago St. Utica J. J. Bartlett 10 Devereux	TENNESSEE Chattanooga Bynum Electric Sales & Service 718 Cherry Street Knoxville The Brown Appliance Co. 935-937 North Central Avenue Memphis 6 Camp Electric Company 1425-27 South Bellevue
COLORADO Denver Midwest Electric Service Co. 1126 Santa Fe Drive	MAINE Portland The Bartlett Radio Co. 8 Longfellow Square	NORTH CAROLINA Charlotte 2 Economy Electric & Supply Co. 109 West 6th Street	TEXAS Amarillo Panhandle Appliance Service Center 407 North Fillmore St.
DELAWARE Wilmington Arthur Biloon 1135 West 4th Street	MARYLAND Baltimore 2 Electric Motor Repair Co., Inc. 340 Fallsway	Raleigh Hayes-Barton Appliance Co. 2005 Fairview Road	Dallas 2 Fredrick Electric Company 907 Elm Street El Paso Wayne M. Tinkler & Co., Inc. 2731 E. Yandell
DISTRICT OF COLUMBIA Washington 16 General Electronics 4513 Wisconsin Ave. N. W.	MASSACHUSETTS Boston Flint Equipment & Service Co. 133 Essex Street	OHIO Cincinnati 2 Golden Rule Electric, Inc. 808 Elm Street	Fort Worth Appliance Service Center 1311 Houston Street Houston 6 Arnold Electric Co. 1817 W. Alabama
FLORIDA Jacksonville 2 Appliance Service Center 712 Newnan Street	MICHIGAN Detroit 1 Cooley-Van Howe Service Co. 21 Henry St. at Woodward	Cleveland Electrical Repair & Const. Co. 638 Huron Rd. Columbus 15 Mixer Service Company 342 S. High Street	San Antonio Appliance Service Center 335 West Josephine Street
Tampa Shaw Electric Co. 210 Tampa St.	Grand Rapids Cooley-Van Howe Service Co. 239 South Division	Toledo 4 General Repair & Equipment Co. 130 Summit Street	UTAH Salt Lake City 1 Appliance Service Center 57 Richards St.
GEORGIA Atlanta Woodall Electric Appl. Co. 1024 Boulevard, N. E.	MINNESOTA Minneapolis 5 Hurd Elec. Co. 2516 Lyndale Avenue, South	OKLAHOMA Oklahoma City 3 Hehmann's Appliance Service 316 N. W. 6th Street	VIRGINIA Norfolk Eastern Electric Corp. 37th St. & Hampton Blvd.
HAWAII Honolulu 6 W. A. Ramsey, Ltd. P. O. Box 1721	MISSOURI Kansas City 6 Boese Hilburn Electric Co. 123 W. 8th Street St. Louis 3 Kaenmerlen Electric Co. 2728 Locust Street	OREGON Portland 4 Brassie Electric Co. 909 S. W. Fifth St.	Richmond Union Electric Company, Inc. 318 East Franklin Street
ILLINOIS Chicago 7 Master Electric Service Co. 835 W. Washington Blvd.	MONTANA Butte Radio Engineering & Service Co. 219 W. Park Street	PENNSYLVANIA Altoona Central Electric Company 1124 Eleventh Avenue Philadelphia 2 The Arnold Company, Inc. 1427 Vine Street	WASHINGTON Seattle 4 J. M. Hooper Electric Co. 222 Marion St.
Peoria 4 A. B. C. Appliance Co. 312 Knoxville Ave.	NEBRASKA Lincoln Allied Electric Co. 314 South 13th St. Omaha Bumstead's Appliance Service 3533 Seward Street	Pittsburgh 22 Quick Service Elec. Co. 300 Ferry St., Cor. Third Ave.	WISCONSIN Milwaukee 7 Power Equipment Company 2373 So. Kinnickinnic Ave.

DOMINION ELECTRIC APPLIANCE SERVICE STATIONS

PLEASE SEND DOMINION APPLIANCES TO YOUR NEAREST SERVICE STATION

COLORADO

Denver (2)
Western Appliance Company
1159 Stout Street

ILLINOIS

Chicago (10)
Wacker Electric Service
117 West Grand Avenue

INDIANA

Indianapolis (1)
Sharper & Gardner Electric Company
4040 East Tenth Street

IOWA

Des Moines
University Electric Company
2300 University Avenue

LOUISIANA

New Orleans (12)
Royal Supply Company
640 Baronne Street

MISSOURI

Kansas City (6)
Beese-Hilburn Electric Company
100 West Ninth Street
St. Louis
Kaemmerlen Electric Company
2728 Locust Street

NEBRASKA

Omaha
Henry W. Miller Electric Company
415 South Eighteenth Street

OHIO

Cincinnati (2)
Fischer Sales and Service
334 East Fifth
Cleveland
Electric Sweeper Service Company
2034 Euclid Avenue

OREGON

Portland
Morrison Electric Company
1206 S. W. Washington at 12th

TEXAS

Amarillo
Pan Handle Service Appliance Center
407 North Fillmore
Dallas (1)
Pearson Appliance Corporation
2223 Commerce Street
El Paso
Wayne Tinkler Company
813 Cedar Street at Five Points
Houston
Gra-Bell Appliance Company
216 Hathaway

WASHINGTON

Seattle (4)
J. M. Hooper Electric Company
222 Marion Street
Spokane
Duncan Electric Company
124 North Washington Street

WISCONSIN

Madison (4)
Appliance Service Center
2314 Atwood Avenue
Milwaukee (9)
Taberg Company, Inc.
4517 West North Avenue

LIBERTY ELECTRIC APPLIANCE SERVICE STATIONS

PLEASE SEND LIBERTY APPLIANCES TO YOUR NEAREST SERVICE STATION

COLORADO

Denver
Midwest Electric
1124 Santa Fe Drive

Western Appliance & Electric Company
1159 Stout Street

MISSOURI

St. Louis (3)
Kaemmerlen Electric Company
2728 Locust Street

NEW MEXICO

Albuquerque
L. H. Chant Electric Company
2714 North Fourth Street

TEXAS

El Paso
Wayne M. Tinkler
813 Cedar Street

WASHINGTON

Spokane
Appliances Parts and Service Company
West 609 Trent Avenue
Tacoma (3)
Ajax Electric Company
747 Fawcett Avenue

HAMILTON-BEACH ELECTRIC APPLIANCE SERVICE STATIONS

PLEASE SEND HAMILTON-BEACH APPLIANCES TO YOUR NEAREST SERVICE STATION

ALABAMA**Birmingham**

Jones-McLeod Appliance Service
1801 Eighth Avenue, North

Mobile

Foster's Appliance Repairs
63 So. Bayou Street

COLORADO**Denver**

Midwest Electric Service Company
1124-1126 Santa Fe Drive

ILLINOIS**Chicago (7)**

Master Electric Service Company
835 West Washington Blvd.

INDIANA**Indianapolis**

Gangel's Appliance Service
102-104 W. North Street

IOWA**Cedar Rapids**

Stalker Electric Company
213 First Street, S. E.

Des Moines

Electrical Equipment Company
515-517 E. Grand

Sioux City

Williams Home Appliances
1606 Pierce Street

KENTUCKY**Louisville**

Maury's Fluorescent & Appliance Service
912-914 So. Second

LOUISIANA**New Orleans (12)**

Royal Supply Company
710 Baronne Street

MISSISSIPPI**Jackson**

Camp Electric Company
143 E. Amite Street

MISSOURI**Kansas City**

Independent Electric Machinery Company
300 Southwest Boulevard

St. Louis

Brandt Electric Company
904 Pine Street

Kaemmerlen Electric Company
2728 Locust Street

MONTANA**Billings**

General Cycle & Appliance Company
3107 First Avenue, North

NEBRASKA**Omaha**

John L. Tucker Company
2512 Farnam Street

Bumsted's Appliance Service Company
3533 Seward Street

OHIO**Cincinnati**

Fischer Sales and Service
21 East Eighth Street

Cleveland

Electric Sweeper Service Company
2034 Euclid Avenue

OKLAHOMA**Oklahoma City**

Krueger Electric Motor Service
2410 North Robinson

Tulsa

H. L. Moss Company
1712 East Fifteenth Street

OREGON**Portland (5)**

Morrison Electric Company
1206 S. W. Washington Street

TENNESSEE**Memphis (6)**

Camp Electric Company
1425-1427 South Bellevue

TEXAS**Dallas (1)**

Pearson Appliance Company
2223 Commerce Street

El Paso

Wayne M. Tinkler & Company, Ltd.
2713 East Vandell

Houston

Arnold Electric Company
1817 West Alabama

Lubbock

Repair-It-Shop
2135 Nineteenth Street

San Antonio (1)

Murrie Radio and Appliance Service
1422 West Hildebrand Avenue

WASHINGTON**Seattle**

Appliance Parts and Service Company
214-216 Stewart Street

PRESTO ELECTRIC APPLIANCE SERVICE STATIONS

PLEASE SEND PRESTO APPLIANCES TO YOUR NEAREST SERVICE STATION

1. Pack the appliance in a strong carton with ample packing to insure safe arrival. Transit damage is not covered by our warranty.
2. Affix a letter to the outside of carton, describing the trouble and indicating date appliance was purchased.
3. Ship the appliance post prepaid.

ARKANSAS**Little Rock**

J. M. Peck Electrical Equipment Co.
4404 Asher Ave.

COLORADO**Denver (4)**

Midwest Electric Service Company
1124-1126 Santa Fe Drive

ILLINOIS**Chicago (7)**

Master Electric Service Company
835 West Washington Boulevard

INDIANA**Indianapolis (4)**

Sharper and Gardner Electric Company
4040 East Tenth Street

IOWA**Des Moines**

University Electric Appliance Service Co.
2400 University Avenue

KENTUCKY**Louisville (4)**

Irvin Martin Electric Company
1280 Bardstown Road

LOUISIANA**New Orleans (12)**

Royal Supply Company
710 Baronne Street

MISSISSIPPI**Jackson**

May and Jackson
125 South Lamar Street

MISSOURI**Kansas City**

Mar-Beck Appliance Service Company
121 West Eighth Street

St. Louis (3)

Kaemmerlen Electric Company
2728 Locust Street

NEBRASKA**Omaha (2)**

J. L. Tucker Company
2512 Farnam Street

OHIO**Cincinnati**

Golden Rule Electric, Inc.
808 Elm Street

Cleveland (13)

R-H Electrical Service Company
2512 Church Avenue

Columbus

Hoernle's Appliance Store
1894 Parsons Avenue

Toledo (13)

Mohr Electrical Appliance and Repair
3107 Alexis Road

OKLAHOMA**Oklahoma City (3)**

Holmann's Appliance Service
316 N. W. Sixth Street

TENNESSEE**Memphis (6)**

Camp Electric Company
1425 S. Bellevue Avenue

TEXAS**Amarillo**

Panhandle Appliance Service Center
407 North Fillmore

Dallas (1)

Pearson Appliance Company
2223 Commerce Street

El Paso

Wayne M. Tinkler & Company, Ltd.
2731 E. Yandell

Houston (6)

Arnold Electric Company
1817 West Alabama Avenue

San Antonio

Murrie Appliance Service
P. O. Box 5206
1422 W. Hildebrand

WASHINGTON**Seattle (22)**

A. Appliance Company
610 East Pine Street

Spokane (8)

Appliance Parts and Service Company
609 W. Trent Avenue

WISCONSIN**Milwaukee (5)**

C. W. Schneck Company
1331-33 North Twelfth Street

CAPITOL ELECTRICAL APPLIANCE SERVICE STATIONS

PLEASE SEND CAPITOL APPLIANCES TO YOUR NEAREST SERVICE STATION

CALIFORNIA**Los Angeles**

Electric Lighting Supply Co.
216 W. Third

San Francisco

Appliance Service Factors
123 Stewart St.

COLORADO**Denver**

Jensen's Radio & Appliance Co.

ILLINOIS**Chicago**

Midwest Electrical Appliance Service
723 S. Western Ave. Zone 12

MISSOURI**St. Louis**

Kaemmerlen Electric Co.
2728 Locust St.

NEW YORK**New York City**

Reading Electric Co.
102 Park Row

OHIO**Cincinnati**

Golden Rule Electric Co.
808 Elm St.

OREGON**Portland**

Morrison Electric Co.
1206 S. W. Washington St.

TEXAS**Houston**

Arnold Electric Co.
1817 W. Alabama

TOASTMASTER ELECTRIC APPLIANCE SERVICE STATIONS

PLEASE SEND TOASTMASTER APPLIANCES TO YOUR NEAREST SERVICE STATION

COLORADO

Denver (1) (Commercial Products Only)

E. S. Hawkins Electrical Service
716 18th Street

Denver (4) (Domestic Products Only)

Midwest Electric Service Co.
1124-26 Santa Fe Drive

ILLINOIS

Chicago (6)

Gregg-Roberts Appliance Service, Inc.
13 South Clinton Street

Elgin

Toastmaster Products Division
McGraw Electric Company
(Factory Service Station)

INDIANA

Indianapolis (25)

Apex Electric Service Company
141 West Maryland Street

KENTUCKY

Louisville (2)

Maury's Fluorescent & Appliance Service
912-914 South Second

MISSOURI

Kansas City (5)

Mar-Beck Appliance Service, Inc.
121 West Eighth Street

St. Louis (3)

Kaemmerlen Electric Company
2728 Locust Street

NEBRASKA

Omaha (2)

Sterling Electric Company
2429 Farnam Street

OHIO

Cincinnati (10)

Whittle Electric Company
1711 Elm Street

Cleveland (15)

Electrical Repair & Construction Company
638 Huron Road

OKLAHOMA

Oklahoma City (3)

Holmann's Appliance Service
316 N. W. 6th Street

Tulsa

H. L. Moss Company
1712 East 15th Street

TENNESSEE

Memphis (6)

Camp Electric Company
1425 South Bellevue Avenue

TEXAS

Amarillo

Panhandle Appliance Service Center
407 North Fillmore

Dallas (1)

Pearsol Appliance Company
2223 Commerce Street

El Paso

Wayne M. Tinkler & Co., Ltd.
2731 E. Yandell at Five Points

Houston (6)

Arnold Electric Company
1817 West Alabama

WASHINGTON

Seattle (1)

Appliance Parts & Service Company
214-216 Stewart Street

Spokane (8)

Appliance Parts & Service Company
609 W. Trent Avenue

WISCONSIN

Milwaukee (5)

Rogers Appliance Service
2212 North Teutonia Avenue

CORY AUTHORIZED SERVICE STATIONS

PLEASE SEND APPLIANCES TO YOUR NEAREST SERVICE STATION

ALABAMA

Birmingham

Lewis Electrical Services, Inc.,
803-5 Eighteenth Street, South

Eufaula

Walker Service Company,
South Randolph Street

ARIZONA

Tucson

Appliance Service Company,
3008 North Maple Boulevard

Yuma

Lentz-Whitford,
453 First Avenue

ARKANSAS

Fort Smith

Bromley Radio Service,
18 North Eighth Street

CALIFORNIA

Bakersfield

Day and Night Service Company,
501 East Nineteenth Street

Los Angeles

Sterling Service,
927 South Grand Avenue

Long Beach

Baum Electric Company,
1100 Myrtle Avenue

Modesto

L. W. Zimmerman Company,
819 Eleventh Street

Palm Springs

McLaughlin Electric,
190 North Indian Avenue

Sacramento

Lam-Co Electric,
1415 Twenty-first Street

Salinas

Salinas Valley Hotel Supply,
117 Main Street

San Diego

J. F. Zwiener Electric Company,
1242 First Avenue

San Francisco

H. C. Johnson Electric,
443 Valencia Street

San Louis Obispo

Cambell's Refrigeration Company,
532 1 Oguera Street

Santa Barbara

Appliance Service Center,
320 West Carrillo Street

COLORADO

Denver

Midwest Electric Service Company,
323 West Colfax Avenue

CONNECTICUT

Hartford

Hartford Refrigeration Service Company,
40 John Street

New Haven

Myers Electric Company,
357 Dixwell Avenue

DELAWARE

Wilmington

Bloom's Electric Service,
Corner of Fourth and Harrison Streets

DISTRICT OF COLUMBIA

Carl W. Dauber & Sons,
2230 Eighteenth Street, N. W.

FLORIDA

Jacksonville

E. H. Thompson,
730 West Bay StreetBaker-Phelps Radio Corporation,
16 West Duval Street

Miami

Florida Electric, Inc.,
733 S. W. Eighth Street

Orlando

Barker-Willis Electric Company,
928 North Mills Street

Pensacola

Cobb's Radio Service, Inc.,
1120 West Cervantes

St. Petersburg

Commercial Appliance,
2900 Ninth Street, North

Tampa

Brodie-Edwards Radio Company,
116 Morgan Street

West Palm Beach

Techni Services,
407 Flamingo Drive

GEORGIA

Atlanta

Woodall Electric Appliance Company,
1024 Boulevard, N. E.

IDAHO

Boise

Electric Service Company,
826 Idaho Street

Lewiston

John's Electric Shop

Moscow

Moscow Electrical Company,
203 South Main Street

Twin Falls

Electric Service Company,
233 Second Avenue, East

ILLINOIS

Chicago

Cory Corporation,
2100 South Marshall Boulevard

Danville

Rupert's Radio and Electric Service,
401 East Main Street

Dundee

David R. Suttin, Electrical Contractor,
610 Kane

Moline

Sharp's Appliance and Repair Shop,
1405 Seventh Avenue

Rockford

Hedrick Electric Company,
201 Seventh Street

Springfield

Herrin-Zittle Electric Company,
306 East Adams Street

INDIANA

Fort Wayne

Butler Service Shop,
1915 Kentucky

Indianapolis

Gangel Electric Company,
447 E. Washington Street

South Bend

Dependable Appliance Company,
1520 Mishawaka Avenue

Terre Haute

Jensen Furniture and Appliances,
826 Walash Avenue

IOWA

Cedar Rapids

Stalker Electric,
213 First Street, S. E.

Des Moines

Moore Electric Company,
1317 Walnut

Dubuque

Higley-Myer Electric Company,
902 Main Street

Ottumwa

Ottumwa Electric Company,
111 West Main Street

KANSAS

Topeka

Taylor Refrigeration Company,
1275 Garfield

Wichita

Southwestern Electric Company,
123 North Market

KENTUCKY

Louisville

Appliance Service Center,
126 West Main

LOUISIANA

Baton Rouge

Evans Electric, Inc.,
790 Main Street

New Orleans

Reliance Electric Works,
820 Carondelet

MAINE

Portland

Portland Appliance Servicenter,
15 Portland Street

MARYLAND

Baltimore

Baltimore Electric Light Company,
300 West Cold Spring LaneDavis and Sewell,
1320 Hartford Avenue

Silver Spring

Goodman Electric Corner,
8400 Georgia Avenue

MASSACHUSETTS

Boston

"Pete" DiPiero and Company,
26-30 Main Street

Greenfield

Clark Electric Company,
Tyler Place

Springfield

Hettinger Electric Company,
802 State Street

MICHIGAN

Bay City

Kirchman Brothers,
744 East Midland Street

Dearborn

A. A. A. Service Company,
4444 Croissant

Detroit

Served also by Dearborn Service Station
Cooley-Van-Howe Service Company,
21 Henry Street

Escanaba

George Herr Electric Company,
1719 Third Avenue, North

CORY AUTHORIZED SERVICE STATIONS—Continued

PLEASE SEND APPLIANCES TO YOUR NEAREST SERVICE STATION

MICHIGAN

Grand Rapids

Geldeen Electric Company,
505 Eastern Avenue, S. E.

Hancock

Nichols Electric Service,
130 Quincy Street

Kalamazoo

Service Appliance Company,
401 East Michigan Avenue

MINNESOTA

Albert Lea

Jewell's Radio and Refrigerator Company,
116 South Washington

Austin

Maloney Refrigeration Service,
107 South Chatham

Brainerd

Brainerd Equipment Company, Inc.,
813 Washington

Duluth

General Appliance Company,
331 West First Street

East Grand Forks

Dixon Electric Company,
309 Demers Avenue

Fairmont

DeYoung Electric Company, Inc.,
123 East Third Street

Fergus Falls

Hintgen-Karst Electric Company

Glencoe

Howard E. Gould, Inc.,
1106 Hennepin Avenue, North

Luverne

Hinkly Appliance,
114 West Main Street

Mankato

Meyer and Sons, Inc.,
211-213 North Front Street

Minneapolis

Electric Motor Repair,
255 Third Avenue, South
General Parts Supply Company,
618 Third Avenue, South

Morris

Midwest Electric Refrigeration Service,
22 East Sixth Street

Red Wing

Kask Electric Company,
435 Main Street

Rochester

Foster Electric Company,
211 First Avenue, S. W.

St. Cloud

Appliance Repair Center,
25 Ninth Avenue, North

Virginia

H & S Radio and Electric Service,
307 Second Avenue, South

Winona

Harlan J. Wood Home Appliances,
159 East Third Street

MISSOURI

Kansas City

Boese-Hilburn Electric Company,
123 West Eighth Street

St. Louis

Kaemmerlen Electric Company,
2728 Locust Street
Emil P. Kluba,
4026 Heege Avenue

NEBRASKA

Lincoln

Colin Electric Motor Service,
127 South Nineteenth Street

Omaha

Sterling Electric Company,
2429 Farnam Street

NEW JERSEY

Newark

Jordan Services, Inc.,
312 Halsey Street

NEW YORK

Buffalo

Appliance Installation & Service Corp.,
701 Seneca Street

New York

Campbell Appliance Engineering Company,
24 Watts Street

Rensselaer

Thorpe Electric Company,
118 Broadway

Albany

Served by Rensselaer Service Station

Troy

Served by Rensselaer Service Station

Rochester

Hanas Electric Company,
180 North Street

Rockville Centre

Nationwide Electric Company,
650 Sunrise Highway

Syracuse

J. J. Bartlett,
225-31 East Onondaga Street

Utica

J. J. Bartlett,
10 Devereux Street

NORTH CAROLINA

Raleigh

Stevick Electric Company,
108 West Martin Street

Winston-Salem

L. L. Carter and Son,
2825 North Liberty Street

NORTH DAKOTA

Bismarck

Montana-Dakota Utilities Company

Devils Lake

Electrical Service Company,
823 First Street

Dickinson

Electrical Sales and Service

Fargo

Fargo Electric Motor Company,
620 Second Avenue, North

Minot

Shea's Radio and Appliance Service,
118 First Street, S. E.

Williston

H. J. Gardner Electric

OHIO

Akron

Cahoon's
38 South High Street

Cincinnati

Whittle Electric Company,
1711 Elm Street

Cleveland

The Electrical Repair & Construction Co.,
638 Huron Road

OHIO

Columbus

Sanner Electric Company,
167 East Beaumont RoadMixer Service Company,
44 North Lazalle Street

Dayton

Laver Electric Service,
1225 Brown

Hicksville

Smith's Hardware and Implements

Sylvania

Cline's Home Maintenance,
6803 Monroe

Toledo

General Repair and Equipment Company,
130 Summit Street

Youngstown

O'Connor's Sales and Service,
3224-96 Market Street

OKLAHOMA

Bartlesville

Fred's Handy Service,
411 West Eighth Street

Muskogee

Walt's Appliance Repair,
110 North Sixth

Norman

Dorsett Electric Company,
122 West Main Street

Oklahoma City

E. E. E. Fountain Service Company,
703 N. W. Third Street

Shawnee

Williams Service,
139 South Osage

Tulsa

Circle-L Electric Company,
119 South Cincinnati

OREGON

Astoria

Aladdin Electric Company,
211 West Bond Street

Bend

Deschutes Electric,
838 Wall

Eugene

C. and S. Electric,
1070 Willamette

Grants Pass

Hollywood Electric Company,
626 South Sixth Street

Klamath Falls

Leach Service Station,
123 South Sixth Street

La Grande

Vaughan's Electric,
1117 Adams Street

Medford

Trowbridge and Flynn Electric Company,
214 West Main Street

North Bend

North Bend Electric,
1980 Sherman Avenue

Pendleton

R. A. F. elland Fixit Shop,
Second and Courth

Portland

Bessie Electric Company,
909 S. W. Fifth Avenue

CORY AUTHORIZED SERVICE STATIONS—Continued

PLEASE SEND APPLIANCES TO NEAREST SERVICE STATION

OREGON

Roseburg

Roseburg Electric Company,
131 North Jackson

Salem

Marion Electric Company,
2697 Portland Road

PENNSYLVANIA

Beaver Falls

Rawding Electric Service, Inc.,
1601 Seventh Avenue

Bethlehem

Austin Brothers,
306 Broadhead Avenue

Erie

Harry E. Mueller,
18 East Ninth

New Castle

H. C. Hornberger,
208 North Mercer Street

Philadelphia

S. P. Sloan Electrical Service,
1228 South Fourth Street

Pittsburg

Ferry Electric Service Company,
127 Fourth Avenue

Ryan Brothers,
541 North Homewood Avenue

Quick Service Electric Company,
Jenkins Arcade

Reading

Metropolitan Equipment Company, Inc.,
442 Court Street

Wilkes-Barre

Willco Repair Service,
126 North Washington Street

Williamsport

The Prior and Sallada Company,
230 Pine Street

RHODE ISLAND

Providence

Magnetic Electric Company,
142 Summer Street

SOUTH CAROLINA

Columbia

Home Heating and Appliance Company,
736 Hardin Street

Charleston

William S. Anderson Electric Company,
346 Meeting Street

SOUTH DAKOTA

Aberdeen

Ace Washing Machine & Appliance Repair,
518 South Main Street

Mobridge

Rempfer Electric,
South Main Street

Pierre

Modern Electric Store,
110 South Pierre Street

Sioux Falls

Electric Motor Repair

TENNESSEE

Chattanooga

Vacuum Cleaner Supply House,
718 Cherry Street

TENNESSEE

Knoxville

G and S Refrigeration Service,
203 Pelham Road

Memphis

Camp Electric Company,
1425 South Bellevue

Nashville

Stansell Electric Company,
1408 Church Street

TEXAS

Amarillo

Panhandle Appliance Service Center,
407 Fillmore

Austin

W. O. Harper,
2546 Guadalupe Street

Beaumont

Dawson Appliance Company,
1820 Calder

Dallas

Pearson Appliance Company,
2223 Commerce Street

Fort Worth

Electric Appliance Repair Service,
1113 Cherry Street

Galveston

Eddie Delany's Home Electric,
3224 Broadway

Houston

Restaurant Maintenance Company,
2200 Chenevert Street

Arnold Electric Company,
1817 West Alabama

San Antonio

Acme Electric Service,
902 East Quincy Street

Wichita Falls

Joe Adair Electric,
1602 Ninth Street

UTAH

Ogden

Appliance Service Center,
2420 Grant Avenue

Salt Lake City

Appliance Service Center,
57 Richards Street

VIRGINIA

Newport News

Perry Electric Company, Inc.,
247 Twenty-seventh Street

Norfolk

Shirk Electric Company,
2916-18 Colonial Avenue

Richmond

Union Electric Company, Inc.,
318 East Franklin Street

Roanoke

Engleby Electric Company, Inc.,
313 First Street, S. W.

WASHINGTON

Aberdeen

A. and F. Electric Shop,
112-114 South Jefferson Street

WASHINGTON

Bellingham

Henry von Barga,
1146 State Street

Bremerton

Ahearn Electric Company,
826 Sixth Street

Chehalis

Costal Refrigeration Company,
1075-1083 Market Street

Everett

The Willingham Electric Company,
1810 Hewitt Street

Kennewick

Grigg Brothers,
Box 227,
214 Kennewick Avenue

Longview

Nelson Electric Service Company,
1145 Commerce Street

Mount Vernon

The Consumers Electric, Inc.,
Second and Milwaukee

Port Angeles

Olympic Electric Company,
Fifth and Lincoln

Seattle

Home Appliance Company,
2114 North Forty-fifth

Spokane

Spokane Appliance Repair,
South 173 Wall Street

Tacoma

Ajax Electric Company,
747 Fawcett Avenue

Walla Walla

Appliance Services, Inc.,
113 West Adler Street

Wenatchee

Edwards Appliance Shop,
318 Pennsylvania Avenue

Yakima

Yakima Hardware Company

WEST VIRGINIA

Charleston

Charleston Radio Service
Bilt-Rite Appliance Company
118 West Washington Street

Huntington

Powell and Wilcox,
2511 Third Avenue

WISCONSIN

Eagle River

Mayerly's

Eau Claire

Eau Claire Radio Shop,
132 Graham Avenue

Green Bay

Prey Appliance Company,
119 Main Street

Madison

Appliance Service Center,
2514 Atwood Avenue

Milwaukee

Roger's Appliance Service,
2212 North Teutonia Avenue

TERRITORY OF HAWAII

Hawaiian Electric Company

ARVIN AUTHORIZED SERVICE STATIONS

PLEASE SEND APPLIANCES TO NEAREST SERVICE STATION

COLORADO

Denver 4

Midwest Electric Service Company
1124-26 Santa Fe Drive

FLORIDA

Jacksonville

Appliance Service Center
712 Newman Street

Miami 36

Florida Electric Inc.
733 S. W. Eighth Street

ILLINOIS

Chicago 7

Master Electric Service Company
835 W. Washington Boulevard

INDIANA

Columbus

Arvin Industries, Inc.
Electric Housewares Division
17th Street Plant

IOWA

Des Moines

Electric Equipment Company
515 Grand Avenue

KANSAS

Wichita

Alan Appliance Company
341 North Main Street

LOUISIANA

New Orleans 13

Royal Supply Company
710 Baronne Street

MICHIGAN

Detroit 1

The Cooley Appliance Company
21 Henry Street at Woodward

MINNESOTA

Minneapolis

General Parts & Service Company
64-66 Glenwood Avenue

St. Paul

General Parts & Supply Company
1010 University Avenue

MISSOURI

St. Louis 3

Kaemmerlen Electric Company
2728 Locust Street

Kansas City 6

Mar-Beck Appliance Service
123 West Eighth Street

NEBRASKA

Omaha 2

J. L. Tocker Company
2512 Fornam Street

OHIO

Cincinnati 10

Whittle Electric Co.
1711 Elm Street

Cleveland 15

Electric Sweeper Service Company, Inc.
2034 Euclid Avenue

Columbus 15

Mixer Service Co.
342 South High Street

OKLAHOMA

Oklahoma City

Hohmann's Appliance Service
316 N. W. Sixth Street

Tulsa

H. L. Moss Co.
1712 East 15th Street

TENNESSEE

Knoxville 2

Brown Supply Company
935 N. Central Avenue

Memphis

Kirby Ball Radio Sales & Service
850 Linden

Nashville 4

Stansell Electric Company
209 14th Avenue North

TEXAS

Houston 6

Arnold Electric Company
1827 W. Alabama

Amarillo

Panhandle Appliance Service Center
407 North Fillmore

Dallas 1

Pearson Appliance Company
2223 Commerce Street

El Paso

Wayne M. Tinkler & Company, Ltd.
2731 E. Yandell

Ft. Worth

Pearson Appliance Co.
2811 South 7th Street

San Antonio 1

Murrie Appliance Service
1422 W. Hildebrand Avenue

WASHINGTON

Seattle 2

Hooper Electric Company
215 Marion Street

Spokane 8

Spokane Appliance Repair
S. 173 Wall Street

Tacoma 3

Apex Electric Co.
747 Fawcett Avenue

WISCONSIN

Milwaukee 5

C. W. Schnock Company
1321-33 N. Twelfth Street

MANNING BOWMAN SERVICE STATIONS

PLEASE SEND APPLIANCES TO NEAREST SERVICE STATION

ALABAMA**Birmingham**

Jones-McLeod Appl. Service
1801 8th Ave. North

COLORADO**Denver 4**

Midwest Electric Co.
1124 Santa Fe Drive

ILLINOIS**Chicago**

Gregg-Roberts Appl. Service, Inc.
13 So. Clinton St.

Wacker Elec. Service Co.
117 W. Grand Ave.

MISSISSIPPI**Jackson**

Camp Elec. Co.
143 Amite St.

MISSOURI**Kansas City 5**

Mar Beck Appliance Service Inc.,
121 W. 8th Street

St. Louis

Kaemmerlen Electric Co.
2728 Locust Street

NEBRASKA**Omaha**

Sterling Electric Co.
2429 Farnum Street

OHIO**Cincinnati 10**

Whittle Electric Co.
1711 Elm Street

Cleveland 15

Electrical Repair & Construction
638 Huron Road

OREGON**Portland**

Northwest Repair Service
Northeast 41st & Sandy Blvd.

TENNESSEE**Memphis**

Camp Elec. Co.
1425 S. Bellevue

TEXAS**Dallas 1**

Pearson Appliance Co.
2223 Commerce

El Paso

Wayne M. Tinkler Service Co.
2731 E. Yandell

Houston

Arnold Electric Co.
1817 W. Alabama

WASHINGTON**Seattle**

Appliance Parts and Service
216 Stewart

Spokane

Appliance Parts and Service
209 W. Trent Avenue

WISCONSIN**Milwaukee**

A. A. Vacuum Cleaner Service
1433 N. 3rd Street

WESTINGHOUSE SERVICE STATIONS

PLEASE SEND APPLIANCES TO YOUR NEAREST SERVICE STATION

ALABAMA

Birmingham 2

Moore-Hamley Hardware Co., Inc.
2013 First Avenue, South

Mobile

Service Sales Co.
302 St. Michael Street

Montgomery

Alabama Home Supply Co.
105-107 Bibb Street

ARIZONA

Phoenix

Westinghouse Electric Supply Co.
1110 N. 21st Avenue

ARKANSAS

Little Rock

Fones Bros. Hardware Co.
Second & Rock Streets
J. M. Peck Electric Equip. Service Co.
4404 Asher Avenue

CALIFORNIA

Long Beach

California Electric Service, Inc.
1007 East Fourth Street

Los Angeles

California Electric Service, Inc.
842 S. Alvarado Street
The Corwin Company
1147 S. Hope Street

Oakland 7

Westinghouse Electric Supply Co.
711 E. 8th Street

Oakland

California Electric Service, Inc.
1240 E. 14th Street

Pasadena

California Electric Service, Inc.
2582 E. Colorado Street

San Diego 12

Electric Supplies Distributing Co.
435 Second Avenue

San Francisco

California Electric Service, Inc.
108 First Street

COLORADO

Denver

McCullum-Law Corp.
E. 48th Avenue & Colorado Boulevard

Denver 17

Savage & Son, Inc.
Terminal Annex, P. O. Box 5540

CONNECTICUT

Hamden 14

Mechanical Electric Service Co.
1228 Whitney Avenue

Hartford

Utility Electric Service, Inc.
115 Main Street

DISTRICT OF COLUMBIA

Washington 5

Edgar Morris Sales Co.
712 13th Street, N. W.

DELAWARE

Wilmington

Williams Appliance Repair Service
1300 French Street

FLORIDA

Jacksonville

Westinghouse Electric Supply Co.
545 E. 4th Street

Miami

David Electric & Radio Co.
525 N. W. 29th Street
Westinghouse Electric Supply Co.
11 N. E. Sixth Street

Tampa 1

Westinghouse Electric Supply Co.
417 Ellamae Avenue

GEORGIA

Atlanta

Woodall Electric Service Co.
1024 Boulevard, N. E.

Atlanta 2

Westinghouse Electric Supply Co.
1299 Northside Drive, N. W.

IDAHO

Boise

Home Appliance Service
1416 Idaho Street

ILLINOIS

Chicago

Westinghouse Electric Supply Co.
2201 W. Pershing Road

INDIANA

Evansville 8

Westinghouse Electric Supply Co.
201 N. W. 1st Street

Indianapolis

Westinghouse Electric Supply Co.
137 S. Pennsylvania Street

IOWA

Des Moines

Electric Equipment Company
207 Grand Avenue

KANSAS

Wichita

Westinghouse Electric Supply Co.
233 So. St. Francis Street

KENTUCKY

Louisville

Appliance Service Center
126 W. Main Street
Electric Appliance Service
122 Bullitt Street

LOUISIANA

Monroe

Appliance Dealer Service Shop
307 K. Street

New Orleans

Royal Supply Co.
640 Baronne Street

Baton Rouge 1

Home Appliance Service
600 Florida Street

Shreveport 45

Westinghouse Electric Supply Co.
120 Caddo Street

MAINE

Portland

Portland Appliance Servicenter
109 Center Street

MARYLAND

Baltimore 2

The Electric Motor Repair Co.
340 N. Fallaway

MASSACHUSETTS

Boston

Electric Equipment Co.
137 Pearl Street

Leicester

Richer Electric Co., Inc.
W. Main Street

Springfield

Westinghouse Electric Supply Co.
46 Hampden Street

MICHIGAN

Detroit 1

The Cooley Appliance Service
21 Henry at Woodward

Flint

Diversified Repair Service
221 E. Pasadena

Grand Rapids 2

Van Howe Company
239 Division Avenue, So.

Muskegon

Kamm Electric
247 W. Laketon

Saginaw

Morley Brothers
115-29 N. Washington Avenue

MINNESOTA

Minneapolis

Hurd Electric Co.
2516 Lyndale Avenue, South

MISSISSIPPI

Jackson

Authorized Appliance Service
606 College Street

MAGIC MAID OR SUN CHIEF AUTHORIZED SERVICE STATIONS**ARKANSAS****North Little Rock**

Todd Appliance Co.
113 Main Street

COLORADO**Denver**

Midwest Electric Service Co.
1124-26 Santa Fe Drive

GEORGIA**Atlanta**

Appliance Service Co.
517 Ponce de Leon Ave., N. E.

ILLINOIS**Chicago 12**

Midwest Elect'l Appl. Serv. Center
907 S. Western Avenue

INDIANA**Indianapolis**

Gangel Electric Service Co.
447 E. Washington Street

LOUISIANA**New Orleans**

Royal Supply Co.
710 Baronne Street

MISSOURI**Kansas City**

Mar-Beck Appliance Serv. Inc.
123 West 8th Street

St. Louis

Kaemmerlen Elec. Co.
2728 Locust Street

OHIO**Cincinnati**

Golden Rule Electric Inc.
808 Elm Street

Cleveland

Electric Sweeper Service Co.
2034 Euclid

OKLAHOMA**Oklahoma City**

Hohmann's Appliance Service
316 N. W. 6th Street

TEXAS**Amarillo**

Panhandle Appl. Serv. Center
407 North Fillmore

Dallas

Pearsol Appliance Co.
2223 Commerce Street

Houston

Dye Brothers
2513 Washington Street

San Antonio 1

Murrie Appliance Service
1432 West Hildebrand Avenue

WASHINGTON**Seattle**

J. M. Hopper Electric Co.
215 Marion Street

WISCONSIN**Milwaukee 5**

C. W. Schneck Co.
1331-33 N. 12th Street

MAGIC MAID OR SUN CHIEF AUTHORIZED SERVICE STATIONS**ARKANSAS****North Little Rock**

Todd Appliance Co.
113 Main Street

COLORADO**Denver**

Midwest Electric Service Co.
1124-26 Santa Fe Drive

GEORGIA**Atlanta**

Appliance Service Co.
517 Ponce de Leon Ave., N. E.

ILLINOIS**Chicago 12**

Midwest Elect'l Appl. Serv. Center
907 S. Western Avenue

INDIANA**Indianapolis**

Gangel Electric Service Co.
447 E. Washington Street

LOUISIANA**New Orleans**

Royal Supply Co.
710 Baronne Street

MISSOURI**Kansas City**

Mar-Beck Appliance Serv. Inc.
123 West 8th Street

St. Louis

Kaemmerlen Elec. Co.
2728 Locust Street

OHIO**Cincinnati**

Golden Rule Electric Inc.
808 Elm Street

Cleveland

Electric Sweeper Service Co.
2034 Euclid

OKLAHOMA**Oklahoma City**

Hohmann's Appliance Service
316 N. W. 6th Street

TEXAS**Amarillo**

Panhandle Appl. Serv. Center
407 North Fillmore

Dallas

Pearson Appliance Co.
2223 Commerce Street

Houston

Dye Brothers
2513 Washington Street

San Antonio 1

Murrie Appliance Service
1432 West Hildebrand Avenue

WASHINGTON**Seattle**

J. M. Hopper Electric Co.
215 Marion Street

WISCONSIN**Milwaukee 5**

C. W. Schneck Co.
1331-33 N. 12th Street

A. C. GILBERT COMPANY'S AUTHORIZED SERVICE STATIONS

PLEASE SEND APPLIANCES TO THE NEAREST SERVICE STATION

ALABAMA**Birmingham**

Moskowitz Electric & Supply Co.
219-21 North 17th St.

Mobile

Foster's Appliance Repairs
112 South Jefferson Street

COLORADO**Denver**

Western Repairs and Electric Co.
1203 California Street

FLORIDA**Fort Lauderdale**

Jack's Electric Motor Repairs, Inc.
19 N. W. 5th Street

Jacksonville

Appliance Servicer
712 Newman Street
Frank Whipple's
2817 Main Street

Miami

David Electric & Radio Co.
525 N. W. 29th Street

Tampa

Shaw Electric
210 Tampa Street

GEORGIA**Atlanta**

Woodall Electric Service Co.
1028 Boulevard N. E.

Decatur

R. A. Navarre
124 Park Place

ILLINOIS**Chicago**

Hatlin & Company
2215 South Halsted Street
Wacker Electric Service, Inc.
117 W. Grand Avenue

INDIANA**Indianapolis**

Les' Repair Service
1724 Central Avenue (Rear)

IOWA**Des Moines**

Electric Equipment Company
207-209 Grand Avenue

KENTUCKY**Lexington**

B & M Service
1000 N. Limestone Street

MISSOURI**Kansas City**

Mar-Beck Appliance Service Co., Inc.
121 West 8th Street

St. Louis

Brandt Electric Company
904 Pine Street
Lionel Radio Service
3469 South Grand
P. M. Electric Company
5280 Fyler Avenue

OHIO**Cincinnati**

Don's Hobby Service
709 Main Street
Golden Rule Electric, Inc.
808 Elm Street

Cleveland

Electric Sweeper Service Company
2034 Euclid Avenue

Columbus

Beacon Appliance Repair
663 W. Broad Street

Dayton

Lay Electric Service
1223-1225 Brown Street

OKLAHOMA**Oklahoma City**

Hohmann's Appliance Service
316 N. W. 6th Street

TENNESSEE**Knoxville**

Brown Appliance Company
935 N. Central Avenue

Memphis

Memphis Electric Company
285 Madison Avenue

Nashville

Austin Electric Shop
3430 West End Avenue

TEXAS**Beaumont**

Dawson Appliance Company
1005 Calder Street

Dallas

Pearson Appliance Company
2223 Commerce Street

El Paso

Wayne M. Tinkler & Co., Ltd.
2731 E. Yandell

Fort Worth

Appliance Service Center
1408 Houston Street

Houston

Cra-Bell Vacuum Cleaner Co.
216 Hathaway

Lubbock

Repair-it Shop
2135 19th Street

San Antonio

Murrie Appliance Service
1422 W. Hildebrand Avenue

WASHINGTON**Seattle**

J. M. Hooper Electric Company
215 Marion Street

WISCONSIN**Milwaukee**

C. W. Schneck Company
1333 North 12th Street

MAGIC MAID OR SUN CHIEF AUTHORIZED SERVICE STATIONS**ARKANSAS****North Little Rock**

Todd Appliance Co.
113 Main Street

COLORADO**Denver**

Midwest Electric Service Co.
1124-26 Santa Fe Drive

GEORGIA**Atlanta**

Appliance Service Co.
517 Ponce de Leon Ave., N. E.

ILLINOIS**Chicago 12**

Midwest Elect'l Appl. Serv. Center
907 S. Western Avenue

INDIANA**Indianapolis**

Gangel Electric Service Co.
447 E. Washington Street

LOUISIANA**New Orleans**

Royal Supply Co.
710 Baronne Street

MISSOURI**Kansas City**

Mar-Beck Appliance Serv. Inc.
123 West 8th Street

St. Louis

Kaemmerlen Elec. Co.
2728 Locust Street

OHIO**Cincinnati**

Golden Rule Electric Inc.
808 Elm Street

Cleveland

Electric Sweeper Service Co.
2034 Euclid

OKLAHOMA**Oklahoma City**

Hohmann's Appliance Service
316 N. W. 6th Street

TEXAS**Amarillo**

Panhandle Appl. Serv. Center
407 North Fillmore

Dallas

Pearsol Appliance Co.
2223 Commerce Street

Houston

Dye Brothers
2513 Washington Street

San Antonio 1

Murrie Appliance Service
1432 West Hildebrand Avenue

WASHINGTON**Seattle**

J. M. Hopper Electric Co.
215 Marion Street

WISCONSIN**Milwaukee 5**

C. W. Schneck Co.
1331-33 N. 12th Street

PROCEDURE FOR HANDLING DEFECTIVE APPLIANCES

All Electric Housewares offered for sale by Shapleigh Hardware Company carry a warranty of service from the manufacturer. This warranty is a written statement establishing the limits of the manufacturer's responsibility (usually defective workmanship and materials exclusive of cord sets, for a given period of time) and the degree of recourse to which the consumer is entitled.

An example warranty has been reproduced below. Except for some variation in length of warranty period it can be applied to all Electric Housewares.

WARRANTY

General Electric Company warrants to the purchaser of this new General Electric Appliance that any part thereof (except cord set), which proves to be defective in material or workmanship within one year from the date of original purchase for use, will be repaired or replaced or said appliance will be replaced with a new or factory rebuilt appliance, free of charge. We have no other obligation of liability in connection with said appliance.

To obtain repairs, said appliance should be returned to the dealer from whom it was **purchased**, or should be sent, charges prepaid to the nearest **authorized General Electric Appliance Center**.

DO NOT RETURN APPLIANCES TO US. Shapleigh Hardware Company is not an authorized service center and we are not equipped to make repairs. Returns to us result in unnecessary delay and additional expense to the retailer. We must insist that all returns for repairs be made to the nearest authorized service center. See authorized service centers on the following pages or on Warranty Certificate. Where no repair agencies have been authorized, returns will be made direct to the factory.

A letter giving the date of purchase by the consumer and stating the reason for the return should be attached to the package containing the appliance. If returns are made without giving the date of purchase by the consumer, the service center will be guided by the serial number which indicates date of manufacture. The statement "Within Warranty" or "Defective" is not sufficient information.

Appliances returned to us without written permission, will be forwarded to the St. Louis service center or to the factory concerned. A minimum charge of \$1.00 will be made to cover parcel post and handling. We will instruct the service center or factory to submit an estimate of the cost of repairs direct to the dealer.

TOASTMASTER ELECTRIC HOUSEWARES

POWERMATIC TOASTERS

No levers to push, powerful electric motor lowers bread and starts it toasting, then serves it up fast. Easy to clean, push button operated hinged crumb tray. Beautifully styled in chrome with cool, brown handles.

Bread is lowered, toasted, served up automatically. Toasts one slice in any slot. Set toast control dial for any color toast desired. Exclusive Superflex timer toasts fast when cold... faster when hot. Toasting action can be stopped at any time by pressing Toast Control Dial.



3-Slice

For Big Families

Length 11 $\frac{3}{4}$ inches. Height 7 $\frac{3}{4}$ inches. Width 7 $\frac{1}{2}$ inches.
Guaranteed for one year against defects in material or workmanship.
Operates on A. C. only, 110 to 120 volts, 1380 watts.

Each	■ Each
81-1C4-C X24D82★	\$34.95
3 or more X23D59★	

One in ctn. Wt. ctn. 7 $\frac{1}{4}$ lbs.

2-Slice

Length 11 $\frac{1}{4}$ in. Height 7 $\frac{1}{4}$ in. Width 5 $\frac{3}{4}$ in.
Operates on A. C. only, 110 to 120 volts, 1080 watts.

Each	■ Each
81-1B16-C X21D30★	\$29.95
3 or more X20D22★	

One in ctn. Wt. ctn. 6 $\frac{1}{2}$ lbs.

AUTOMATIC TOASTERS

Fully automatic—just drop in bread and press handle down. Set the toast control knob for light, dark or in-between toast. Superflex Timer assures uniform toasting. Long lasting elements. Hinged crumb tray—press button to open for easy cleaning. Durable, easy-to-clean chrome plating. Cool handles.



3-Slice Tripletoaster

Gleaming chrome and cool brown handles. Operates on 110-120 Volts A.C. Only, 1380 Watts.

Each	■ Each
81-1C5-C X21D30	\$29.95
3 or more X20D22	

One in ctn. Wt. ctn. 6 $\frac{3}{4}$ lbs.

2 Slice

Smartly styled. Chrome plated with black and gold handles.
Operates on 110-120 volts A.C. or D.C. 1210 Watts

Each	■ Each
81-1B24-C X14D83	\$21.00
3 or more X14D23	

Three in ctn. Wt. ctn. 6 $\frac{1}{4}$ lbs.

2 Slice

Extra Small—Takes Less Space on Crowded Table
Operates on A.C. only, 110 to 120 Volts, 900 Watts.

Each	■ Each
81-1B21-C X12D75	\$17.95
3 or more X12D12	

One in ctn. Wt. ctn. 4 $\frac{1}{4}$ lbs.

TOASTMASTER ELECTRIC HOUSEWARES

AUTOMATIC COFFEE MAKER



10 Cup Capacity

Make 3 cups or 10—at the rate of a cup a minute.

No glass knobs to break or burn fingers. Two heating elements with dual control. Super-efficient stainless steel pump and "Flavor-Dome" assure even distribution of water over coffee. Jeweled signal light shows coffee is ready.

Auxiliary heating element keeps coffee piping hot for hours—will not re-percolate. No-drip spout and balanced handle prevents burnt knuckles. Cup markings on inside. Brew control selector at front.

Chrome plated. Brown bakelite handle at base. Detachable cord.

Percolator element 450 watts. Auxiliary element 550 watts - Total wattage 1000.

Height 11 inches. Diameter 5 3/8 in.

Operates on 110 to 120 Volts A. C. only, 60 Cycle, 1000 Watts

Each		Each
81-5D1-C	X20D82.....	\$29.95
3 or more	X19D47	

One in ctn. Wt. ctn. 5 1/2 lbs.

ELECTRIC FRY PANS



Without Covers

Thermostatically controlled for even heat.

High, slanting walls for easy serving—greater capacity. Cool bakelite handle and feet. Completely immersible to control knob. Highly polished aluminum pan with cast-in element. Temperature cooking chart and easy-to-set temperature control knob. Automatic signal light on handle. 6 ft. detachable cord.

Operates on A.C. only, 110 to 120 Volts, 1150 Watts

Each		Size, in.	Cap., ozs.	Wt. Ctn., lbs.	Each
81-8A1-C	X13D97	11	85	5 1/2	\$19.95
6 or more	X13D47				
81-8B1-C	X17D47	12	120	6 1/2	24.95
6 or more	X16D59				
One in ctn.					

FRY PAN COVERS

For Toastmaster Automatic Fry Pans

Each		For Pan, in.	Wt. Ctn., lbs.	Each
81-8A1-A2-C	X2D33	11	2	\$3.50
One in ctn.				

SUNBEAM ELECTRIC HOUSEWARES

ELECTRIC MIXERS

Approved by Underwriters' Laboratories, Inc.



DeLuxe Mixmaster

Choice of 12 scientifically correct mixing speeds. Built-in mixing chart for 22 most common mixing operations.

Motor maintains full power at all speeds.

Automatic beater ejector and exclusive bowl-fit beaters. No unmixed whirlpools or pile-up of unmixed batter at sides of bowl. No hand turning of bowls—automatic bowl-speed control. Bowl-shift lever shifts beaters to correct position for thorough, even mixing. Motor and beaters can be lifted off for portability.

Includes 2 heat-resistant glass bowls—4 quart and 1 quart, 26 ounces. All white and colored models supplied with matching heat-resistant glass bowls. Chrome models with white bowls.

Operates on 110-120 Volts A. C. or D. C.

With Juicer

Each		Color	Wt. Ctn., lbs.	Each
81-12-C	X35D67★	White	63	\$57.95
3 or more	X34D39★			
81-12C-C	X42D67★	Chrome	63	60.95
3 or more	X41D14★			

Three in ctn.

Without Juicer

Each		Color	Wt. Ctn., lbs.	Each
81-12WW-C	X33D57★	White	54	\$47.95
3 or more	X32D37★			
81-12WP-C	X33D57★	Pink	54	47.95
3 or more	X32D37★			
81-12WY-C	X33D57★	Yellow	54	47.95
3 or more	X32D37★			
81-12WT-C	X33D57★	Turquoise	54	47.95
3 or more	X32D37★			
81-12CW-C	X40D57★	Chrome	54	57.95
3 or more	X39D12★			

Three in ctn.

Mixmaster
Twelve Speeds

Convenient mixing guide on front of handle puts twelve scientifically correct mixing speeds at fingertips. Powerful, governor-controlled motor. Extra-large full-mix beaters—automatic thumb-tip ejector. Streamlined modern styling in white with gold trim.

Complete with sturdy stand, removable cord and 3½ and 1½ quart heat-resistant glass mixing bowls with pouring lip.

110-120 Volts AC-DC

Each		Each
81-EM-C	X26D57	\$37.95
3 or more	X25D62	

One in ctn. Wt. ctn. 14 lbs.

STAR ★ DENOTES BEST SELLER

SUNBEAM ELECTRIC HOUSEWARES

ELECTRIC MIXERS

**Jr. Mixmaster**

Thumb-tip push button beater ejector—no messy finger, no tugging. "Keyhole Slot" slips over screw provided, for easy attachment to wall.

Heel rest prevents wobbling and thumb-tip speed control and on-off switch is easy to get to. Built-in mixing chart. White and Decorator colors with golden trim.

Operates on 110-120 Volts

Each		Color	Each
81-HMW-C	X14D60★	White	\$21.00
3 or more	X13D65★		
81-HMP-C	X14D60★	Pink	21.00
3 or more	X13D65★		
81-HMY-C	X14D60★	Yellow	21.00
3 or more	X13D65★		
81-HMT-C	X14D60★	Turquoise	21.00
3 or more	X13D65★		
81-HMC-C	X16D65★	Chrome	23.95
3 or more	X15D57★		

Three in ctn. Wt. ctn. 12 lbs.

**Hand Mixmaster****Twelve Speeds**

Convenient mixing guide and speed control on front of handle. Powerful, governor-controlled motor. Extra-large, full mix beaters—automatic thumb tip ejector. Key-hole slot permits hanging on wall. Streamlined, modern style in white with gold trim. With removable cord.

110-120 Volts AC-DC

Each		Each
81-EML-C	X19D57	\$27.95
3 or more	X18D87	

One in ctn. Wt. ctn. 6 lbs.

STAR ★ DENOTES BEST SELLER

SUNBEAM ELECTRIC HOUSEWARES ATTACHMENTS FOR SUNBEAM MIXMASTER



MEAT GRINDER

For All Sunbeam Mixers

Each	Each
6-FW6B-C X5D27	\$8.95
3 or more	X5D04
One in ctn. Wt. ctn. 3 lbs.	

POWER UNITS

For No. 10 and 11 Mixmaster

Each	Each
6-PU10-C X5D25	\$7.50
3 or more	X5D06

For All Previous Models

6-PU6-C X5D25	7.50
3 or more	X5D06
One in ctn. Wt. ctn. 3 lbs.	

DRINK MIXER

For No. 10 and 11 Mixmaster

Each	Each
6-DM10-C X4D52	\$6.50
3 or more	X4D23

For All Previous Models

6-DM9-C X4D52	6.50
3 or more	X4D23
One in ctn. Wt. ctn. 7 lbs.	



BOWLS

For No. 10 and 11 Mixmaster
White Glass

Each		Size, qts.	Wt. Each, lbs.	Each
81-10/1182-C	X1D69	3	5	\$2.25
6 or more	X1D58			
81-10/1183-C	X1D13	1	3	1.50
6 or more	X1D05			

Colored Glass

Each		Color	Capacity Qts.	Wt. Each, lbs.	Each
81-10/1182P-C	X1D95	Pink	3	5	\$2.60
6 or more	X1D82				
81-10/1183P-C	X1D31	Pink	1	3	1.75
6 or more	X1D23				
81-10/1182Y-C	X1D95	Yellow	3	5	2.60
6 or more	X1D82				
81-10/1183Y-C	X1D31	Yellow	1	3	1.75
6 or more	X1D23				
81-10/1182T-C	X1D95	Turquoise	3	5	2.60
6 or more	X1D82				
81-10/1183T-C	X1D31	Turquoise	1	3	1.75
6 or more	X1D23				

One in ctn.

For All Previous Models
White Glass

Each		Size, qts.	Wt. Each, lbs.	Each
81-10/P20775/2-C	X1D69	3	5	2.25
6 or more	X1D58			
81-10/P20782/1-C	X1D13	1	3	1.50
6 or more	X1D05			
One in ctn.				

Items marked * not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Chicago, Ill.

ASSORTMENTS

- An assortment of 6 or more of any Sunbeam Appliances for shipment at one time (not repair or replacement parts, attachments, fry pan covers or tray sets), takes the suggested minimum resale net prices. When 6 or more Sunbeam Appliances are shipped at one time all other Sunbeam items shipped at the same time also take the suggested minimum net prices.
- 3 or more Sunbeam Mixmasters or Sunbeam electric blankets or Sunbeam electric sheets purchased for shipment at one time permits the suggested minimum resale net prices on other items shipped at the same time.

BEATERS

For No. 7B Mixmaster

Each	Each
R-C3BF-C	D7C1
6 or more	D6C6

For Junior Mixmaster

Each	Each
R-11/2187-C	D7C1
6 or more	D6C6

Loose. Wt. 1/2 lb.

Set For No. 9 Mixmaster

Per Set	Per Set
R-C83CA-C	X1D85
6 or more	X1D55

One set in pkg. Wt. pkg. 1 lb.

Set For No. 10 and 11 Mixmaster

Per Set	Per Set
R-G94CJ-C	X1D74
6 or more	X1D61

One set in pkg. Wt. pkg. 1 lb.

BLENDER ATTACHMENT

For Model 10 and 11
Mixmaster

Handles all the steps in cake, pastry and cookie preparation in one fast operation. Chops and grinds raw vegetables and takes only seconds to whip up milk shakes and cocktails.

Large, durable glass blending jar 8 inches high. Sharp steel cutting blades insure greater aeration of mixtures.



40 Ounce—Liquid Capacity

Each	Each
81-MB1-C	X9D77
3 or more	X9D42

One in ctn. Wt. ctn. 4 3/4 lbs.

BLENDER ADAPTOR

Adapts MB1 Blender to Model 9
and Earlier Model Mixmasters

Each	Each
K33C (BA9)	D9C5
3 or more	D9C1

One in box. Wt. box 1 oz.

Sunbeam COFFEEMASTER

PERFECT COFFEE EVERY TIME—AUTOMATICALLY

Coffeemaster Coffee is always delicious—because everything is automatic. In Sunbeam Coffeemaster the water is always at the same high heat—automatically. Brewing time is always the same—automatically. Coffee is kept piping hot, at the perfect drinking temperature, after it's made—automatically. There is no dilution whether one cup to ten are made. Capacity 10 cups.



Operates on 110-120 volts, A.C. only. Complete with cord set.

Chrome Upper and Lower Bowls

Each		Each
81-C30-C	X27D97★	\$39.95
6 or more	X26D97★	

One in ctn. Wt. ctn. 7 lbs.

FILTERS—Stainless Steel (Jet Action)—For C30 Coffeemaster

Each		Each
R-12/5153-C	X1D99★	\$2.65
6 or more	X1D86★	

One in box, six in ctn. Wt. 3½ lb.

FILTER ASSEMBLY

Includes Screen, Lower Frame and Rubber Gasket

Each		Each
R-12/6476-C	X1D31★	\$1.75
6 or more	X1D23★	

One in box, twelve in ctn. Wt. ctn. 3½ lb.

FILTER PAPERS—For Sunbeam Coffeemaster
Schwartz single service coffee filters. Flavor saver. Use once and throw away. Sanitary, no filter to wash.
50 in pkgs.

Per Ctn.		Per Pkg.
R-4230-C	X2D40★	\$0.29
12 pkgs. in ctn.		Wt. ctn. 2 lbs.

Sold Only in Full Cartons



SUNBEAM FILTER CLOTHS

For Nos. C30 or C30AB

Coffeemaster

Six Packages of 12 Filters in a Display Box

Per Box		Per Pkg.
R-G1CC-C	X2D46★	\$0.55
6 or more boxes	X2D28★	
		Wt. per box 1 lb.

CORD AND PLUG SETS

For Sunbeam Appliances

Fits C30, B2, AP8, AP10, FPM, FPL, E2.

Each		Each
R-32/5356-C	D7C7★	\$1.15
		Fits FPS and CFS.
R-32/2056-C	X1D35	\$2.00
		Loose

SEAT RINGS

For C30 Coffeemaster

Each		Each
R-G82CA-C	D8C3	\$1.25
		Loose

SUNBEAM COFFEE PERCOLATORS

Automatic

Makes coffee, mild or strong, to suit the taste, automatically. Control keeps coffee hot at perfect drinking temperature. Automatically resets itself for the next brewing cycle.

Rich gem-like finish and smart modern styling. Fast heating 400 watt enclosed tubular element and accurate thermostat control. Strength selectorial. Stainless steel percolator pump for easy cleaning and long life.

Operates on A.C. only, 110 to 120 volts, 400 watts.



Each		Capacity, cups	Wt. each, lbs.	Each
81-AP8-C	X19D57★	2 to 8	5	\$27.95
6 or more	X18D87★			
81-AP10-C	X20D97★	2 to 10	6	\$29.95
6 or more	X20D22★			
		One in ctn.		

PERCOLATOR TOPS

SUNBEAM

For 81-AP8-C and 81-AP10-C Percolators

Each		Each
R-30/3777-C	D2C0	\$0.30
		Twelve in ctn. Wt. ctn. 2 lbs.

ASSORTMENTS

- (1) An assortment of 6 or more of any Sunbeam Appliances for shipment at one time (not repair or replacement parts, attachments, fry pan covers or tray sets), takes the suggested minimum resale net prices. When 6 or more Sunbeam Appliances are shipped at one time all other Sunbeam items shipped at the same time also take the suggested minimum net prices.
- (2) 3 or more Sunbeam Mixmasters or Sunbeam electric blankets or Sunbeam electric sheets purchased for shipment at one time permits the suggested minimum resale net prices on other items shipped at the same time.

- (3) Minimum resale prices on Mixmaster attachments including power units apply where 3 or more of one attachment or 6 attachments assorted, are shipped at the same time.
- (4) Suggested minimum resale prices on Fry Pan covers apply where 6 of one type cover or 6 covers assorted are shipped at the same time.
- (5) Sunbeam Appliances are not to be combined with other lines of merchandise for quantity prices.

STAR ★ DENOTES BEST SELLER

SUNBEAM ELECTRIC HOUSEWARES

ELECTRIC TOASTERS



Radiant Control Automatic

Automatically adjusts itself to thick, thin, frozen, fresh, rye or white bread to give exact shade of toast selected. Lowers bread automatically—no banging or popping. Attractively designed in chrome finish with black trim.

Complete with cord.

110-120 Volts AC

Each		■Each
81-T35-C	X20D97	\$29.95
3 or more	X20D22	

One in ctn. Wt. ctn. 6½ lbs.



Automatic

Make uniform toast slice after slice. Toasts large and thick slices, frozen waffles, English Muffins, etc. Nine dial markings, for color selection, above handle. Convenient, extra high toast lift—even small slices. Snap-out crumb tray. Modern design in lifetime chrome finish with black trim.

Complete with cord.

110-120 Volts AC

Each		■Each
81-T10-C	X16D07	\$22.95
3 or more	X15D49	

One in ctn. Wt. ctn. 5 lbs.

ELECTRIC GRIDDLES



Automatic

Removable Heat Control

Completely immersible for washing with control removed. Easy-to-see grillguide on handle. Triangular-shaped heating element—even heat distribution, greater efficiency. Big family size—cooks 15 large hamburgers at one time.

Without heat control (Uses No. RC Control).

110-120 Volts AC

Each		■Each
81-RG-C	X12D57	\$17.95
3 or more	X12D12	

One in ctn. Wt. ctn. 5 lbs.

For Heat Control Only—See Electric Fry Pans

SUNBEAM ELECTRIC HOUSEWARES

WAFFLE BAKER AND GRILL



A combination radiant control appliance that makes perfect waffles as well as toasted sandwiches, bacon, eggs, pancakes, etc. Exclusive control responds to heat radiated from grid instead of by actual contact with a thermostat.

Easy to see signal light with one-piece bakelite handle which serves as supporting leg when grids are open. Grill grids have two draining spouts and drip cup for pouring off excess grease.

Eye-appealing gem-like chrome finish.

Each	110-120 volts A. C. Only, 1250 Watts	Each
81-CG-C	X26D57★	\$37.95
3 or more	X25D62★	

One in ctn. Wt. ctn. 14 lbs.

Each	WAFFLE BAKER ONLY	Each
81-CG/W-C	X23D07★	\$32.95
3 or more	X22D24★	

One in ctn. Wt. ctn. 13 lbs.

Each	GRILL PLATES	Each
81-GP-C	X4D20★	\$6.00
3 or more	X4D05★	

One in ctn. Wt. ctn. 3 lbs.

SUNBEAM COOKER AND DEEP FRYERS



All-in-one cooker, deep fryer, chafing dish, casserole, steamer, bun warmer, corn popper and blancher.

Cook guide attached to side and recommended temperature and time range.

No ridges or ledges. Easy to clean. Large fry basket of perforated stamped aluminum.

Accurate thermostat control with simmer range.

Capacity of cooking well 5 liquid quarts. Frying capacity 6 lbs. of shortening or 6 pints of oil.

Operates on A. C. only 110-120 volts, 1500 watts.

Polished Aluminum Exterior—Spun Aluminum Interior

Each		Each
81-CF5-C	X18D87★	\$26.95
3 or more	X18D19★	

One in ctn. Wt. ctn. 8 1/4 lbs.

ASSORTMENTS

- (1) An assortment of 6 or more of any Sunbeam Appliances for shipment at one time (not repair or replacement parts, attachments, fry pan covers or tray sets), takes the suggested minimum resale net prices. When 6 or more Sunbeam Appliances are shipped at one time all other Sunbeam items shipped at the same time also take the suggested minimum net prices.
- (2) 3 or more Sunbeam Mixmasters or Sunbeam electric blankets or Sunbeam electric sheets purchased for shipment at one time permits the suggested minimum resale net prices on other items shipped at the same time.

STAR ★ DENOTES BEST SELLER

SAUCE PAN



Simmer—safe controlled heat—everything can be cooked without fear of boiling over. Reduces roast shrinkage up to 23% and holds food nutrition.

Easy-to-see cook-guide gives correct temperature and cooking time. Exclusive double wall

gives cool economical cooking because of insulation.

Can be immersed up to signal light. There are no bolts, rivets or ridges to hold food or grease.

Each		Cap. Qtn.	Wt. Ctn. lbs.	Each
81-SP3-C	X19D43	3	5	\$27.95
3 or more	X18D17			
81-SP5-C	X20D82	5	6	29.95
3 or more	X19D47			

One in ctn.

SAUCE PAN BASKET
SUNBEAM

For Sauce Pan
No.

Each			Each
81-270233-C	X1D69	81-SP3-C	\$2.50
81-270232-C	X1D99	81-SP5-C	2.95

One in ctn. Wt. ctn. 3/4 lb.

Automatic
Removable Heat Control

Completely immersible for washing with control removed. Easy-to-see cookguide on handle. Triangular-shaped heating element—even heat distribution, greater efficiency. Complete with vented metal cover. Chrome and black.

Without heat control (Use No. RC Control).

110-120 Volts AC

Each		Each
81-R53-C	X12D57	\$17.95
3 or more	X12D12	

One in ctn. Wt. ctn. 4 1/4 lbs.

For Heat Control Only—See Electric Fry Pans

- (3) Minimum resale prices on Mixmaster attachments including power units apply where 3 or more of one attachment or 6 attachments assorted, are shipped at the same time.
- (4) Suggested minimum resale prices on Fry Pan covers apply where 6 of one type cover or 6 covers assorted are shipped at the same time.
- (5) Sunbeam Appliances are not to be combined with other lines of merchandise for quantity prices.

SUNBEAM ELECTRIC HOUSEWARES

ELECTRIC FRY PANS



Automatic—Controlled Heat

Perfect controlled heat for more delicious cooking by simply setting the dial. Easy to read fry guide gives the recommended frying temperatures for your favorite dishes. Signal light goes off at proper temperature and flashes on when temperature drops.

Heavy cast aluminum square pan with an embedded controlled water sealed tubular heating element. Accurate thermostat. Bakelite handle with easy to read fry guide, heat control and signal light. Bakelite feet.

Operates on A. C., 110 to 120 volts, 1150 watts.

ALUMINUM FINISH

Without Cover

Each	Size	Approx. in.	Wt. lbs.	Each
61-FPST-C X11D78	Standard	9	4	\$16.95
Lots of 6 X11D02				
61-FPM-C X13D97★	Medium	10	6½	19.95
Lots of 6 X13D47★				
61-FPL-C X16D77★	Large	11	8	23.95
Lots of 6 X16D17★				
61-FPS-C X18D87★	Super	12	9	26.95
Lots of 6 X18D19★				
One in ctn.				

COLORED ENAMEL FINISH

Without Cover

Medium Size—Approximately 10 in.

Each	Color	Each
61-FPM/P-C X14D94	Pink	\$21.50
Lots of 6 X13D98		
61-FPM/Y-C X14D94	Yellow	21.50
Lots of 6 X13D98		
61-FPM/T-C X14D94	Turquoise	21.50
Lots of 6 X13D98		

One in ctn. Wt. ctn. 8½ lbs.

ASSORTMENTS

- (1) An assortment of 6 or more of any Sunbeam Appliances for shipment at one time (not repair or replacement parts, attachments, fry pan covers or tray sets), takes the suggested minimum resale net prices. When 6 or more Sunbeam Appliances are shipped at one time all other Sunbeam items shipped at the same time also take the suggested minimum net prices.
- (2) 3 or more Sunbeam Mixmasters or Sunbeam electric blankets or Sunbeam electric sheets purchased for shipment at one time permits the suggested minimum resale net prices on other items shipped at the same time.



Removable Automatic Heat Control

Completely immersible in water, with automatic heat control unit removed. Compact unit with sensitive, accurate control, convenient, easy-to-see and set dial and signal light. Triangular-shaped heating element with 30% more surface contact assures greater efficiency and even heat distribution. Easy-to-see Fryguide on cool, finger-fitting, molded handle.

UL Approved
110-120 Volts AC Only, 1150 Watts

FRY PAN ONLY

Each	Size	Approx. in.	Wt. lbs.	Each
61-RM-C X9D77	Medium	10	4	\$13.95
6 or more X9D42				
61-RL-C X11D17	Large	11	4½	15.95
6 or more X10D77				
One in ctn. Wt. ctn. 4½ lbs.				

AUTOMATIC HEAT CONTROL ONLY

Each	Each
61-RC-C X5D57	\$7.95
6 or more X5D37	
One in ctn. Wt. ctn. 1 lb.	

COVERS ALUMINUM

Each	Size	Approx. in.	Wt. lbs.	Each
61-FMCST-C X2D10	Standard	9	2	\$3.00
Lots of 6 X2D00				
61-FMC/M-C X2D45★	Medium	10	2½	3.50
Lots of 6 X2D36★				
61-FMC/L-C X3D15★	Large	11	2½	4.50
Lots of 6 X3D04★				
61-FMC/S-C X3D50★	Super	12	4	5.00
Lots of 6 X3D38★				

HEAT RESISTANT GLASS

61-FGCST-C X1D58	Standard	9	3	2.25
Lots of 6 X1D50				
61-FGC/M-C X1D75★	Medium	10	4	2.50
Lots of 6 X1D69★				
61-FGC/L-C X2D45★	Large	11	4½	3.50
Lots of 6 X2D36★				

One in ctn.

ENAMELED ALUMINUM Medium Size—Approximately 10 in.

Each	Color	Each
61-FMCM/P-C X2D98	Pink	\$4.25
Lots of 6 X2D83		
61-FMCM/Y-C X2D98	Yellow	4.25
Lots of 6 X2D83		
61-FMCM/T-C X2D98	Turquoise	4.25
Lots of 6 X2D83		

One in ctn. Wt. ctn. 2½ lbs.

- (3) Minimum resale prices on Mixmaster attachments including power units apply where 3 or more of one attachment or 5 attachments assorted, are shipped at the same time.
- (4) Suggested minimum resale prices on Fry Pan covers apply where 6 of one type cover or 6 covers assorted are shipped at the same time.
- (5) Sunbeam Appliances are not to be combined with other lines of merchandise for quantity prices.

STAR ★ DENOTES BEST SELLER

SUNBEAM ELECTRIC HOUSEWARES

ELECTRIC IRONS



Steam or Dry

Steams and holds more water than most irons of this type yet is lighter weight.

Fast heating and modern design combined makes this a most efficient iron. Thumb tip control with convenient marking for steam. Chrome plated hard steel sole plate and hood. Stainless steel tank.

Operates on 110-120 Volts A.C. Only, 1000 Watts.

Each		Each
K96C (S4/5)	X12D57★	\$17.95
6-K96C (S4/5)	X12D12★ (Case lots 6)	
Six in ctn. Wt. ctn. 25 lbs.		



IRONMASTER

Hot in 20 seconds and reaches temperature for rayon in only 40 seconds. Thumb-tip control makes it simple to dial correct heat for any fabric.

Speeds up job when ironing shirts, blouses, trousers. Location of button nooks make it simple to gently "pick up" buttons and do thorough job of pressing under them. Complete with cord.

Operates on 110-120 Volts, A.C. Only, 1100 Watts
Chromium Plated

Lightweight—Aluminum Alloy Sole Plate

Each		Wt. Ctn.	Each
		lbs.	
K6C (A11)	X8D37★	12	\$11.95
6 or more (A11)	X8D07★		

Regular Weight—Hard Steel Sole Plate

K7C (A12)	X8D93★	24	12.75
KX7C (A12)	X8D61★ (Case lots 6)		
Six in ctn.			

ASSORTMENTS

- (1) An assortment of 6 or more of any Sunbeam Appliances for shipment at one time (not repair or replacement parts, attachments, fry pan covers or tray sets), takes the suggested minimum resale net prices. When 6 or more Sunbeam Appliances are shipped at one time all other Sunbeam items shipped at the same time also take the suggested minimum net prices.
- (2) 3 or more Sunbeam Mixmasters or Sunbeam electric blankets or Sunbeam electric sheets purchased for shipment at one time permits the suggested minimum resale net prices on other items shipped at the same time.

EGG COOKER



The Sunbeam Egg Cooker cooks eggs to the exact degree desired—every time. It can't miss because it's regulated by the famous Sunbeam thermostatic control. Clicks off automatically when the eggs are done. Clear plastic tube on top calibrated for the amount of water to use in the cooker for soft, medium or hard cooked eggs or any degree in between. Dimensions: height 6 1/2 inches, diameter 5 1/4 inches. Operates on 110-120 volts, A. C. only.

Complete with permanently attached cord set.

Each		Each
81-E/2-C	X12D57★	\$17.95
6 or more	X12D12★	

One in ctn. Wt. ctn. 2 1/4 lbs.

EGG POACHER ATTACHMENTS

For No. E/2 Electric Egg Cookers—Poaches 3 Eggs



Each		Each
61-C95CH-C	X1D23★	\$1.75
6 or more	X1D18★	

One in ctn. Wt. ctn. 1/2 lb.

CORD AND PLUG SETS

For All Models of Sunbeam Frypans, Coffeeaster, Percolators, Bottle Warmers and Egg Cookers

Each		Each
R-G87AH-C	D7C7★	\$1.15
Loose		

- (3) Minimum resale prices on Mixmaster attachments including power units apply where 3 or more of one attachment or 6 attachments assorted, are shipped at the same time.
- (4) Suggested minimum resale prices on Fry Pan covers apply where 6 of one type cover or 6 covers assorted are shipped at the same time.
- (5) Sunbeam Appliances are not to be combined with other lines of merchandise for quantity prices.

SUNBEAM ELECTRIC HOUSEWARES

HAIR DRYER



Dries faster than professional dryer and hand type dryer. All warm air is directed to hair—ends discomfort of heat on face, neck, shoulders. Air passes over scalp carrying moisture to escape opening in front. Inner pocket of warm, dry air concentrated on back of head where hair is heavier.

Easily set for hot, warm, medium and cool.

110-120 Volts A. C. Only, 60 Cycles

Each		Color	Each
81-HDP-C	X18D87★	Pink	\$26.95
3 or more	X18D19★		
81-HDT-C	X18D87★	Turquoise	
3 or more	X18D19★		
81-HDB-C	X18D87★	Blue	
3 or more	X18D19★		

One in ctn. Wt. ctn. 4 lbs.

BABY BOTTLE WARMERS



Automatically warms baby's bottle the same temperature every time and sterilizes the nipple. Thermostatically controlled to warm from 2 to 8 ounces of milk, either of room or refrigerator temperature.

Heavy cast aluminum base with high grade heating element. Steel bottle rest. Light aluminum dome top holds steam for all over bottle warming. Clear plastic measuring tube on top, calibrated on one side for room temperature contents and refrigerator temperature on the other. Black bakelite handles, control lever and feet. Complete with approved cord and attachment plug.

Height 12½ inches. Diameter at base 4¾ inches.

Operates on A. C. 110 to 120 volts, 500 watts.

Dependable, Automatic, Long Lasting Service

Each		Each
6-B2-C	X12D57	\$17.95
6 or more	X12D12	

One in ctn. Wt. ctn. 3½ lbs.

ASSORTMENTS

- (1) An assortment of 6 or more of any Sunbeam Appliances for shipment at one time (not repair or replacement parts, attachments, fry pan covers or tray sets), takes the suggested minimum resale net prices. When 6 or more Sunbeam Appliances are shipped at one time all other Sunbeam items shipped at the same time also take the suggested minimum net prices.
- (2) 3 or more Sunbeam Mixmasters or Sunbeam electric blankets or Sunbeam electric sheets purchased for shipment at one time permits the suggested minimum resale net prices on other items shipped at the same time.

- (3) Minimum resale prices on Mixmaster attachments including power units apply where 3 or more of one attachment or 6 attachments assorted, are shipped at the same time.
- (4) Suggested minimum resale prices on Fry Pan covers apply where 6 of one type cover or 6 covers assorted are shipped at the same time.
- (5) Sunbeam Appliances are not to be combined with other lines of merchandise for quantity prices.



ELECTRIC HOUSEWARES

Listed by Underwriters' Laboratories, Inc.

ELECTRIC MIXERS



All Purpose

Use as a stand mixer or as a light weight portable by simply removing mixing head from stand.

Conveniently located speed selector gives 12 kitchen-tested mixing speeds. Large mixing chart below selector gives settings for 22 food recipes. When used as portable, heel stand lets drippings fall back into bowl. Key-hole slot permits "hang on wall" storage for mixer head.

Beaters designed to help prevent splashing. Ejector eliminates tugging. Vinyl base guard prevents bowl chipping. Power unit needs no oiling. Revolving two position bowl pan. Complete with two glass bowls 1½ and 3 quart capacity. 6 ft. permanently attached cord.

Operates on 115 Volts A. C. Only, 125 Watts.

Each		Color	■ Each
81-M25W-C	X20D97	White	\$29.95
3 or more	X20D22		
81-M25T-C	X20D97	Turquoise	29.95
3 or more	X20D22		
81-M25Y-C	X20D97	Yellow	29.95
3 or more	X20D22		

One in ctn. Wt. ctn. 8 lbs.

ELECTRIC MIXER ACCESSORIES

GENERAL ELECTRIC

BOWLS

For No. M9 Electric Mixers

Each		Cap. Qts.	Wt. Each, lbs.	Each
81-24x2-C	X1D46	3	5	\$1.95
81-24x1-C	D8C2	1	3	1.10

For No. 15 Series Electric Mixers

Each		Each
R-XM24X8-C	X1D32	\$1.75
One in ctn.		

BEATERS

Per Set (3)		For Mixer No.	Wt. lb.	Per Set
R-16x7-C	X1D58	M9, M12	¾	\$2.10
Each				Each
R-XM16x11-C	D4C9	M10, M17	¾	\$0.65
Loose				

ELECTRIC MIXERS



Handy three-speed control located on top of handle with High, Medium and Low speed selector. Mixing chart right on mixer. Key-hole slot permits hanging on wall. Beater ejector eliminates tugging. Sits down like an iron and drippings fall back into bowl. Removable cord set eliminates dangling cord when mixer hangs up.

Grease-resistant case. Soft vinyl base guard prevents bowl-chipping. Complete with Recipe and instruction book.

Operates on 115 volts A. C. or D. C., 100 watts.

Each		Color	■ Each
K59C (M37)	X13D97	White	\$19.95
6-K59C (M37)	X13D47—(Case lots 3)		
K60C (M37)	X13D97	Pink	19.95
6-K60C (M37)	X13D7—(Case lots 3)		
K77C (M37)	X13D97	Turquoise	19.95
6-K77C (M37)	X13D47—(Case lots 3)		
K78C (M37)	X13D97	Yellow	19.95
6-K78C (M37)	X13D47—(Case lots 3)		

One in box, three in ctn. Wt. ctn. 9 lbs.

COMBINATION GRILL AND WAFFLE BAKER



Reversible non-stick cast aluminum grids with grease spouts. No extra set of grids to store.

Jewel signal light on top. Accurate temperature control has six pre-tested settings. Spring mounted thermostat keeps constant pressure against grid. Bright chrome plate finish. Nickel chromium heating element. Attached cord set.

Listed by Underwriters' Laboratories, Inc.

115 volts A. C. only, 1100 watts.

Each		Each
81-G42-C	X16D77★	\$23.95
3 or more	X16D17★	

One in ctn. Wt. ctn. 9 lbs.

STAR ★ DENOTES BEST SELLER



ELECTRIC HOUSEWARES

Listed by Underwriters' Laboratories, Inc.

TOAST-R-OVEN



"Upstairs" section is fully automatic toaster. Press button operation lowers bread and starts toasting. Extra-high toast lift guards against singed fingers. Temperature control for light, dark or any shade in between.

"Downstairs" part is unique "Oven" for making toast, canapes, tangy garlic bread, etc. Oven drawer removable for cleaning.

Chrome plated steel shell with heat-resistant plastic handles, feet and controls. Attached cord set.

Operates on 120 volts, AC only, 1200 watts.

Each		■ Each
81-T83-C	X22D37	\$31.95
3 or more	X21D57	

One in ctn. Wt. ctn. 3½ lbs

ELECTRIC TOASTERS



9-Position Automatic

Controlled heat for versatility. Pops toast up extra high—both or just one slice in either slot.

Clean classic design with chrome plated steel shell and heat resistant plastic feet, handles and end shields. Snap-out crumb tray easily removed. Six-foot attached cord set.

120 Volts A.C.—1200 Watts

Each		Each
81-T92-C	X15D37	\$21.95
3 or more	X14D82	

One in ctn. Wt. ctn. 5½ lbs.

ELECTRIC COFFEE MAKERS



Automatic

Brews the finest coffee, as you like it, automatically. Coffee remains at serving temperature as long as you like. If coffee maker has been disconnected, plug in and set at reheat and coffee will be reheated without re-percolating. Indicator light signals when coffee is ready.

Gleaming chrome body with large opening. Balanced for easy pouring. Specially designed spout eliminates dripping. Comfortable safety grip handle with plastic guard against body. Cup markings on inside. Pump and basket are separate for easy cleaning. Brew selector and indicator light. Detachable six foot cord and plug. Makes 2 to 9 cups of percolator coffee or 2 to 14 cups of instant coffee.

Operates on A. C. 115 volts, 800 watts.

Each		■ Each
81-P30-C	X20D97★	\$29.95
3 or more	X20D22★	

One in ctn. Wt. ctn. 5½ lbs

Deluxe Automatic

Solid stainless steel interior, pump mechanism and stem. Aluminum basket and spreader.

Each		■ Each
81-P40-C	X22D37	\$31.95
3 or more	X21D57	

One in ctn. Wt. ctn. 5½ lbs.

STAR ★ DENOTES BEST SELLER

ELECTRIC HOUSEWARES

GENERAL ELECTRIC

Approved by Underwriters' Laboratories, Inc.

ELECTRIC COFFEE MAKERS



Peek-A-Brew Automatic

"Peek-A-Brew" window tells how much coffee is left. Transparent tube and accurate markings take guesswork out of measuring water for perfect coffee. Brews coffee, stops perking and stays hot automatically. Brew selector for mild, medium or strong coffee. Brews 3 or 10 cups of coffee perfectly.

Chrome-plated with heat-resistant handle and base. Wide open top for ease in cleaning. Tube open at top for easy cleaning. Detachable six foot cord set.

120 Volts A.C.—600 Watts

Capacity—3 - 10 Five-ounce Cups

Each	Each
81-P41-C X13D97.....	\$19.95
3 or more X13D47.....	

One in ctn. Wt. ctn. 3 3/4 lbs.

ROTISSERIES



Rotisserie-Oven

Thermostatic oven control. Both upper and lower Calrod heating units push button controlled from sloping panel. Three and three-quarter hour Telechron electric timer shuts off heat and buzzes automatically. Counterbalanced lid flips up for easy access. Coppertone body, satin finish aluminum lid. Interior well chrome plated. With removable drip tray, steak rack, spit rod, two skewers and instruction and recipe book.

Heats up to 350° F. in 4 minutes. 18x13 1/4 x 11-inch interior with 10 3/4 inch spit swing—capacity 18 lb. turkey.

Operates on 120 Volts A.C. Only, 1500 Watts

Each	Each
81-R20-C X62D97★.....	\$89.95
6 or more X60D72★.....	

One in ctn. Wt. ctn. 29 1/2 lbs.

ELECTRIC SKILLETS



Automatic—Removable Control

Bakes, fries and stews. Cook, serve and keep food warm right at the table. Controls heat with extreme accuracy—hotter or cooler. Set desired temperature with Silicone thermostat—no smoking—no burning. Handy cooking chart on handle. Calrod heating element conforms to shape of pan—heat is even over entire bottom of pan. Completely immersible because thermostat is removable—pulls right out like a plug. Used with No. PBI control. Ring for hanging.

Polished drawn aluminum. Handles and feet of heat-resistant plastic. Aluminum cover with adjustable vent.

120 volts A.C.

Each	Size, ins.	Watts	Wt. Ctn., lbs.	Each
King Size—With Cover—Without Control				
81-C121-C X14D67.....	12"	1200	8 1/2	\$20.95
3 or more X14D14.....				
Standard Size—With Cover—Without Control				
81-C110B-C X13D27.....	10"	1150	7	18.95
6 or more X12D79.....				

One in ctn.

CONTROLS ONLY

Fits Above Skillets and 81-S20-C, 81-S40-C Sauce Pans

Each	Each
K21C (BP1) X5D56.....	\$7.95
KX21C (BP1) X5D37—(Case lots 6)	

Six in ctn. Wt. ctn. 5 lbs.

CAN OPENERS

Listed by Underwriter's Laboratories, Inc.



Automatic

Opens any round can from small frozen juice to No. 3 cylinder size. Lever locks and punctures can in one easy motion. Start-stop switch bar provides a smooth clean cut. Ceramic magnet automatically removes cut-out lid. White plastic case with steel back plate for wall mounting.

120 Volts, 60 Cycles, AC—175 Watts.

Each	Each
K2831C (EC4) X17D49.....	\$24.95
KK2831C (EC4) X16D84—(Case lots 3)	

One in ctn. Wt. ctn. 8 lbs.

STAND FOR ABOVE CAN OPENER

Chrome Plated Steel Legs—Rubber Feet

Each	Each
K2880C (EC4/A1) X1D37.....	\$1.95
3 or more X1D32.....	

Six in ctn. Wt. ctn. 4 3/4 lbs.

STAR ★ DENOTES BEST SELLER

ELECTRIC HOUSEWARES

ELECTRIC SKILLETS

It fries, bakes, stews and braises. Indicator light located on end of handle goes off when it is preheated and ready to use. Accurate fingertip temperature selector from 160° to 400°. Complete cooking guide on handle.



Cast aluminum with sealed-in Calrod heating element. Handle and feet are of heat-resistant plastic. Easy to clean—immerse in water right up to indicator light. Detachable 6 foot cord.

Listed by Underwriters Laboratories, Inc.
115 volts, A. C. only, 1150 watts.

Family Size
Without Covers

Each	■ Each
81-C120-C X13D27★	\$18.95
3 or more X12D79★	One in ctn. Wt. ctn. 6 lbs.

Turquoise Porcelain Finish—Without Covers

Each	■ Each
81-C120T-C X13D27	\$18.95
3 or more X12D79	One in ctn. Wt. ctn. 6½ lbs.

COVERS

For No. C120 and C120T Skillets
Aluminum

Each	■ Each
81-C120A1-C X2D10★	\$3.00
3 or more X2D03★	

Coppertone

81-C120C1-C X2D45	3.50
6 or more X2D36	Six in ctn. Wt. ctn. 8½ lbs.



It Bakes, Fries and Stews

Built-in thermostat for correct cooking heat. Handy cooking chart listed right on handle. Special finish prevents foods from sticking. Immerse in water clear up to light on handle.

Cast aluminum with handles and feet of heat-resistant plastic. Detachable six foot cord set.

Operates on 120 Volts A.C. only, 900 Watts

Handy Size
Without Covers

Each	■ Each
81-C100-C X9D07	\$12.95
6 or more X8D74	

Turquoise

81-C100T-C X9D07	12.95
6 or more X8D74	One in ctn. Wt. ctn. 4 lbs.

COVERS

For 81-C100-C and 81-C100T-C Skillets
Aluminum

Each	■ Each
81-C100A1-C X1D75	\$2.50
6 or more X1D69	

Coppertone

81-C100C1-C X2D10	3.00
6 or more X2D03	Six in ctn. Wt. ctn. 6½ lbs.

AUTOMATIC SAUCE PANS



For simmering, stewing or frying.

Accurate temperature control. Signal light goes out when pan is ready for cooking. Highly sensitive silicone thermostat automatically maintains correct heat. No burning—no boil-overs.

Convenient hanging ring and removable temperature control for easy wall storage. Completely immersible—can even be washed in dishwasher.

Polished drawn aluminum body and heat-resistant plastic handle and feet. Removable thermostat with six foot cord.

Complete with cover.

Operation 120 volts, A.C. only.

Family Size
Rated 1200 Watts
Four Quart

Helper handle and fry basket for deep fat frying.

Each	■ Each
81-S40-C X18D83	\$26.90
3 or more X18D16	

One in ctn. Wt. ctn. 5½ lbs.

Rated 700 Watts
Two Quarts

Each	■ Each
81-S20-C X16D03	\$22.90
3 or more X15D46	

One in ctn. Wt. ctn. 4 lbs.

ELECTRIC AUTOMATIC VAPORIZERS



Trouble-free operation. No salt needed, uses ordinary tap water. Eight full hours of steam. Automatic shut-off and pushbutton switch—no need to disconnect plug. Easy to fill medication chamber.

Warms baby's bottle. Just remove plastic lid and milk is exact temperature in a few minutes.

Comes already packed in colorful self-selling display for counter or window.

One Year Warranty

Assures repair or replacement of any part which proves defective in material or workmanship.

Each	Color	Each
6-VIP-C X9D72	Pink	\$14.95
6-VIB-C X9D72	Blue	14.95

One in box. Wt. box 6 lbs.



ELECTRIC HOUSEWARES

ELECTRIC IRONS

Spray, Steam and Dry

Sprinkles while ironing. Saves pre-dampening heavy cottons, linens and starched fabrics.

Use as steam iron—even-flow steam penetrates deeper. Presses perfectly. Whips out crisp, satin-smooth ironing. Changes instantly from "steam" to "dry."

Dial temperature—fabric dial selects temperature—for every fabric from synthetics to linens. Handy cord-lift keeps cord off fabric—allows ironing with right or left hand. Large 30 square inch sole plate.

Operates on 120 volts, A.C. only.



Each			Each
K15C	(F61)	X15D37	\$21.95
6-K15C	(F61)	X14D82—(Case lots 6)	

Six in ctn. Wt. ctn. 19½ lbs.

Combination Steam and Dry

Even-flow steam—steady steam penetration for greater ironing ease.

Flip button up it's on steam—push button down and it's on dry. Easy to fill and easy-to-get-at funnel. Holds about 1 cup of water. Use tap water in all but extremely hard water areas. Refill anytime during ironing. Convenience cord allows left or right hand ironing. Keeps cord set off ironing surface.

Handy fabric dial. Settings for all fabrics including new synthetics.



Each			Each
K16C	(F60)	X12D57★	\$17.95
6-K16C	(F60)	X12D12★—(Case lots 6)	

One in box. Six in ctn. Wt. ctn. 24 lbs.

Specifications:

Calrod heating unit. Double button nooks. Extra-large (30 square inch) soleplate. Attached cord set. 120 volts A.C. only, 1100 watts.

Visualizer

Teflight tells when selected temperature setting is reached. Visualizer fabric dial at fingertips. Cord lift allows left or right hand ironing and helps keep cord set off ironing surface.

Chrome-plated steel soleplate provides mirror-like finish without extra weight. Iron weighs only 2½ lbs. Twin calrod heating elements embedded in copper.

Operates on 120 volts, A.C. only, 1100 watts.



Each			Each
K87C	(F43)	X6D97	\$9.95
6-K87C	(F43)	X6D72—(Case lots 6)	

Six in ctn. Wt. ctn. 20 lbs.



Automatic

Fast-heating iron with large sole plate and long double button nooks. Super air cooled handle with double thumb rests for right or left hand use. Exclusive cast-in Calrod heating unit. Practically indestructible. High precision thermostat assures temperature selected. Operates on A.C. only, 115 volts, 1000 watts.

Complete with G.E. cord set and plug.

Featherweight

Weights 2½ lbs.

Each			Each
K265C	(F34)	X7D67	\$10.95
6-K265C	(F34)	X7D39—(Case lots 6)	

One in box, six in ctn. Wt. ctn. 16½ lbs.

Standard Weight

Weights 4 lbs.

Each			Each
K80C	(F44)	X7D67	\$10.95
6-K80C	(F44)	X7D39—(Case lots 6)	

One in box, six in ctn. Wt. ctn. 25 lbs.



Automatic-Travel Steam or Dry

Large 19 square inch sole plate. Calrod heating unit. Dial-the-fabric control assures right heat for all fabrics. With full bulb attached, iron steams for 17 minutes of continuous ironing. Water feeds into iron one drop at a time, falls onto hot sole plate and flashes instantly to steam. Remove bulb for dry ironing. Attractive handle folds down. Attached 8 foot cord. Smart cloth carrying case.

Operates on A.C. or D.C. 120 volts, 650 watts.

Each			Each
K604C	(F29)	X8D37★	\$11.95
KX604C	(F29)	X8D07★—(Case lots 6)	

One in combination display and gift ctn. Wt. ctn. 13½ lbs.

ASSORTMENTS: The following assortments carry the low dealer price: (1) Three or more General Electric mixers, roasters, sandwich grills, or toasters, assorted if desired, ordered for shipment at one time to one location. (2) Six or more of any General Electric appliances or accessories, assorted if desired, ordered for shipment at one time to one location.

STAR ★ DENOTES BEST SELLER

UNIVERSAL ELECTRIC HOUSEWARES

ELECTRIC PERCOLATORS

Coffeematic

Under gleaming finish is solid copper. Heavily plated for lasting beauty. Automatic flavor selector exactly as desired—mild, medium and strong.

Redi-lite requires no more guessing or watching. Keeps coffee piping hot with increasing strength and without boiling. Cold water pump starts perking immediately without waiting for water to boil.

Non-drip spout and heat guard handle.

Includes 6 ft. detachable cord.



Operates on 110-120 volts A. C., 600 watt unit, 55 watts maintains serving temperature.

10 Cup—Chrome

Each	■ Each
81-4470-C X20D97★	\$29.95
6 or more X20D22★	

10 Cup—Copper

Each	■ Each
81-4471-C X23D07	\$32.95
6 or more X22D24	

One in ctn. Wt. ctn. 17 lbs.



Operates on 110-120 volts A. C., 450 watts. 45 watts maintains serving temperature.

8 Cup—Chrome

Each	■ Each
81-4468-C X18D87★	\$26.95
6 or more X18D19★	

One in ctn. Wt. ctn. 14 lbs.



Black base, handle and cover. Operates on 110-120 volts A.C. 400 watts. 45 watts maintains serving temperature.

8 Cup—Chrome

Each	■ Each
81-4448-C X13D97	\$19.95
6 or more X13D47	

One in ctn. Wt. ctn. 5½ lbs.



Immersible

Can be washed completely under water. Black base and handle. Operates on 110-120 volts A. C. 600 watts—maintains serving temperature at 45 watts.

8 Cup—Chrome

Each	■ Each
81-4498-C X13D87	\$19.95

Three in ctn. Wt. ctn. 13 lbs.

Safety Fuse Plugs for Coffeematic

Prevents damage through over-heating, as it melts and break the circuit if excessive heat is attained.

Per Card	Each
(12)	
R-8-C X1D80	\$0.25

One doz. on card, Wt. card ¼ lb.

Insets for Coffeematic

Nos. EA4408 and EA4428

Each	Each
R-A125-C X1D16	\$1.55

Loose. Wt. each ¼ lb.

Assortments

Any assortment of six Universal Electric Housewares shown on this page for shipment at one time to one destination carries the low dealer price.

STAR ★ DENOTES BEST SELLER

■ UNIVERSAL ELECTRIC HOUSEWARES

ELECTRIC IRONS



Steam 'N Dry

Big 32 square inch ironing surface. Jiffy switch from "Dry" to "Steam." Wrinkle-proof heel. Large, easy reading dial for all fabrics including synthetics. Easy, quick filling with tap water. Steams for 30 to 40 minutes on one filling. Cord switches for left handed users. Black and gold, chrome trim.

Operates on 120 volts A. C. only.

With Cord and Plug

Each		■ Each
K27C (1810)	X11D70.....	\$16.95
KX27C (1810)	X11D36—(Case lots 6)	
Six in ctn. Wt. ctn. 30 lbs.		



Leader—Automatic

Heavily chromed case. Large aluminum sole plate with bevel all around and cast-in heating element. Automatic temperature control and fabric dial. Plastic handle with thumb rest. Six foot attached cord. Perfectly balanced for easy handling.

Operates on A.C. 110 to 120 volts; 1100 Watts.

Each		■ Each
K95C (EA1229)	X6D67.....	\$9.95
KX95C (EA1229)	X6D47—(Case lots 6)	
Six in ctn. Wt. ctn. 16½ lbs.		

TWIN UNIT PORTABLE STOVE



Enclosed steel frame with white baked enamel base. Chrome plated cooking top. Units give long time service without distortion or breakdown.

New multi-therm control provides any degree of heat from zero to maximum input wattage at cooking surface. Cooking top 18 inches long, 8½ inches wide. Left unit 1000 watts, right unit 650 watts. Operates on 110-120 volts only.

Each		■ Each
81-EA5202-C	X13D97 ★.....	\$19.95
6 or more	X13D47 ★.....	

One in ctn. Wt. ctn. 20½ lbs.

Assortments

Any assortment of six Universal Electric Housewares shown on this page for shipment at one time to one destination carries the low dealer price.

STAR ★ DENOTES BEST SELLER

PRESTO ELECTRIC HOUSEWARES

CONTROL MASTER

True controlled heat appliances with true submergibility—not just to point of handle, but completely. Control is in cord. Plugged in, Control Master appliances becomes automatic—turns heat up or down to keep temperatures at exact setting indicated. Cooking guide handle gives proper heat setting. Foods can't burn or scorch.

CONTROL MASTER

Plugs in for automatic controlled heat. Detaches so appliances wash safely under water, handle and all.

Length of Cord 6 ft.

Fits All Presto Control Master Appliances

Each		■ Each
K30C	(HC10) X4D69	\$6.95
6 Asst. units	(HC10) X4D38	

Six in ctn. Wt. ctn. 8 lbs.



FRY PANS



Heavy cast aluminum body. Beautiful silversmith finish. Handle and legs of heat resistant plastic.

Without Control Master
Operates on 1150 Watts at 115 Volts A.C.

Each		Size ins.	Wt. Ctn. lbs.	■ Each
81-SS34-C	X7D39	9	4 3/4	\$10.95
6 Asst. units	X5D90			
81-SS32-C	X10D09	11	5 3/4	14.95
6 Asst. units	X9D42			
81-KC01-C	X11D44	12	6 1/4	18.95
6 Asst. units	X10D68			

GLASS COVERS

For 9 inch Fry Pans 81-SS34-C

Each		■ Each
81-99/160-C	X1D32	\$1.95
6 Asst. units	X1D23	

One in ctn. Wt. ctn. 2 5/8 lbs.

For 11 inch Fry Pans 81-SS32-C

Each		■ Each
81-99/161-C	X1D52	\$2.25
6 Asst. units	X1D42	

One in ctn. Wt. ctn. 4 1/8 lbs.

METAL COVERS

For 11 inch Fry Pan 81-SS32-C

Each		■ Each
81-99/164-C	X2D19	\$3.25
6 Asst. units	X2D05	

One in ctn. Wt. ctn. 1 3/8 lbs.

For 12 inch Fry Pan 81-7CC01-C

Each		■ Each
81-Z002-C	X2D87	\$4.25
6 or more Asst. units	X2D68	

One in ctn. Wt. ctn. 1 1/2 lbs.

GRIDDLES



Cooks big meals all at once. Removable drip pan catches grease. Operated by detachable Control Master. Cooking Guide handles give proper heat setting.

Heavy gauge aluminum. Gleaming silversmith finish.

Without Control Master

Operates on 1400 Watts at 115 Volts A.C.

Size 9x15 inches

Each		■ Each
81-SG33-C	X11D44	\$18.95
6 Asst. units	X10D68	

One in ctn. Wt. ctn. 6 1/4 lbs.

GLASS COVERS

For Griddle 81-SG33-C

Each		■ Each
81-99/169-C	X1D99	\$2.95
6 Asst. units	X1D86	

One in ctn. Wt. ctn. 5 1/8 lbs.

SAUCE PANS



Custards and cream sauces never separate. Cereals never need stirring, spaghetti and rice never boil over.

Cooking guide on handle.

Operates on 115 Volts A.C., 1000 Watts

With Cover

Capacity 3 Quarts

Each		■ Each
81-SP38-C	X10D09	\$14.95
6 Asst. units	X9D42	

One in ctn. Wt. ctn. 4 3/8 lbs.

PRESTO ELECTRIC HOUSEWARES

CONTROL MASTER

True controlled heat appliances with true submergibility—not just to point of handle, but completely. Control is in cord. Plugged in, Control Master appliance becomes automatic—turns heat up or down to keep temperatures at exact setting indicated. Cooking guide handle gives proper heat setting. Foods can't burn or scorch.

PRESSURE COOKER



Set sweep heat selector—pressure stays constant. Air released automatically retains vitamins and flavor. Cooks 4 lb. roast in 30 minutes carrots in three minutes.

Menu Guide Handle Operates on 1300 Watts at 115 Volts A.C.

With Cover

Capacity 4 Quarts

Each		■ Each
81-SC35-C	X13D47.....	\$19.95
6 Asst. units	X12D56	

One in ctn. Wt. ctn. 8½ lbs.

DUTCH OVEN



Cool kitchen baking. Portable use at table as chafing dish. Favorite one-dish meals automatically.

Time, temperature panel lists popular foods. Stay cool handles. Stick-proof surface and silversmith finish.

Operates on 115 Volts A.C., 1300 Watts

With Cover

Capacity 5 Quarts

Each		■ Each
81-SD35-C	X12D12.....	\$17.95
6 Asst. units	X11D31	

One in ctn. Wt. ctn. 6 lbs.

COFFEE MAKERS



Automatic—Submersible

Makes coffee the one right way—automatically. Pilot light signals when coffee is ready to serve—automatically held at serving temperature. No controls to set.

Extra wide "Heart of Gold" coffee basket—easy to fill and keep clean. Open spout easily cleaned. With cord and coffee measure.

Washes completely under water for spotless cleaning.

Approved for Submersibility by Underwriters' Laboratories

115 Volts AC—500 Watts

2-9 Cup Capacity—Stainless Steel

Each		Each
81-KK01-C	X16D84.....	\$24.95
6 or more	X15D72	

One in ctn. Wt. ctn. 3½ lbs.

INSERT IN YOUR CATALOG OPPOSITE SEC. 16 PAGE 13

January 29, 1958.

MODEL 993 MARY PROCTOR IRON INTRODUCTORY OFFER

To introduce the new MARY PROCTOR STEAM AND DRY IRON,
you can offer 1 Free With 12.

Enter on regular orders as follows:—

12 only KX5C	PROCTOR IRON	X10D67
1 only K5C	PROCTOR IRON	XXX

SILEX ELECTRIC HOUSEWARE**Copper—Keynote of Fashion
ELECTRIC OVEN TOASTER**

Heat control adds versatility. Can be used for steaks, chops and bacon.

Anodized aluminum shell on steel framework, copper colored top and black sides.

Size—5 inches high, 9 inches deep, 10 inches wide. Depth increases to 15 inches with tray and handle.

Operates on 115 Volts A. C. Only—800 Watts

Each		■ Each
81-1504-C	X10D27	\$14.95
6 or more	X9D78	
One in ctn. Wt. ctn. 6½ lbs.		

ELECTRIC BUN AND FOOD WARMER

Keeps buns, bread, waffles, pancakes, etc., at serving temperatures, refresh bakery goods, pop corn and potato chips.

Anodized aluminum copper colored body with black trim. Tarnish free.

Removable base unit for simple cleaning. Starlight ventilator assures proper moisture control.

120 Volts, A. C. or D. C.—80 Watts

Each		■ Each
81-3200-C	X6D72	\$9.95
6 or more	X6D31	

One in ctn. Wt. ctn. 3¼ lbs.

BOWL HEATERS

Big 18 inch bowl heater for quick radiant heat. Dispels chill and dampness in bedrooms, bathrooms, or wherever auxiliary heating is required. Adjustable for slanting of heat concentration.

Steel bowl copper plated reflector, painted beige back. Steel guard. Cast iron base.

Operates on 115 Volts A. C. or D. C.—1000 Watts

Each		■ Each
81-1211C-C	X6D72	\$9.95
6 or more	X6D31	

One in ctn. Wt. ctn. 5½ lbs.

ELECTRIC OVEN TOASTER

MUNSEY

Approved by Underwriter's Laboratories, Inc.



Three purpose—grills, bakes and broils. Get hot buttered toast in 90 seconds. Slide out tray and rack for easy cleaning. Graceful lines and high polished finish with black bakelite handle.

Complete with cord.

Operates on 110-130 volts A. C. or D. C.

Each		Each
81-110-C	X4C63★	\$6.95
12 or more	X4C17★	

One in ctn. Wt. ctn. 3¼ lbs.

ELECTRIC IRONS

SUPER LECTRIC

Automatic



Just right for perfect balance and easy handling for quicker, effortless, efficient ironing.

Gleaming chrome. Heavy even heat sole plate with beveled edges and rounded corners.

Accurately controlled heat selector with easy to read dial. Fast heating element. Air cooled bakelite handle with thumb rest. Permanently attached cord, side mounted for free motion.

Operates on A. C. 100-120 volts, 1000 watts.

Each		Each
K9C (210)	X5D25★	\$8.75
KX9C (210)	X5D00★—(Case lots 6)	

One in box. Six in ctn. Wt. ctn. 24 lbs.

STAR ★ DENOTES BEST SELLER

HAMILTON BEACH

Electric Mixers and Accessories



Mixguide
Without Juicer

Guaranteed for 5 years.

Beater reaches down to bottom for finer and smoother blend of ingredients.

Bowl control shifts bowl while beaters are moving to give full-coverage mixing.

Mixguide puts 10 selected speeds, magnified for flash reading. Mixer slides right off stand—nothing to release or detach.

One piece guarded chromium plated beaters that mix heaviest batters are easy to remove and clean. Two white pyrex bowls—1 quart, 3 quarts. Bakelite handle. Complete with 6 foot rubber cord with unbreakable moulded rubber plug.

Operates on 110-120 volts A. C.

White

Each ■ Each
81-KWT-C X34D97★.....\$49.95

3 or more **X32D47★**

One in ctn. Wt. ctn. 16½ lbs.

Chrome

Each ■ Each
81-KCT-C X41D97★.....\$59.95

3 or more **X38D97★**

One in ctn. Wt. ctn. 16 lbs.

BEATERS

For Models HW1 and HC1 Hamilton Mixers

Per Set Per Set
R-8FMC190R-C X1D88.....\$2.50

One in ctn. Wt. ctn. ¾ lb.



Mixette

Guaranteed for 5 years.

Three selected speeds and a positive beater ejector. Stands on end or hangs on wall. Metal case with a beautiful finish.

Complete with cord and recipe instruction book.

Operates on 110-120 volts A. C.

Each	1 or 2	3 or more	Color	■ Each
81-60MW-C X15D05 X13D98			White	\$21.50
81-60MP-C X15D05 X13D98			Pink	21.50
81-60MT-C X15D05 X13D98			Turquoise	21.50
81-60MY-C X15D05 X13D98			Yellow	21.50

One in ctn. Wt. ctn. 4¾ lbs.

81-60MC-C X17D15 X15D92 Chrome 24.50

One in ctn. Wt. ctn. 5¼ lbs.

BEATERS

For Models B, C, D, E and G

Per Set	■ Per Set
R-WMC190R-C X1D88	\$2.50
Loose. Wt. set ¾ lb.	

BOWLS

Each	Capacity, qts.	Weight, lbs.	■ Each
81-140R-C X1D69	3	5	\$2.25
81-141R-C X1D13	1	3	1.50

One in ctn.

DRINK MIXERS



Makes smooth, creamy malts, milk shakes and many other drinks. Refreshes frozen orange juice by aeration.

One piece die cast chrome plated shock-proof housing frame with top and bottom metal covers. Universal high speed motor. Four fold aerator mixer button. Zinc die cast column with baked enamel finish. Non-toxic 20-ounce plastic cup. Height 14¾ inches.

Operates on A. C. or D. C., 110-120 volts, 75 cycles.

Each	■ Each
6-51DW-C X17D47	\$24.95
3 or more X16D22	

One in ctn. Wt. ctn. 4¾ lbs.

HAMILTON BEACH ELECTRIC HOUSEWARES

UL Approved—Five-Year Guarantee

ELECTRIC TOASTER

Five Year Guarantee



No prying or digging. Even smallest slices are easy to remove without burning fingers. Color control knob adjusts from light to dark. Bi-metal timer and evenly distributed heating elements. Hinged spring latched crumb tray—nothing to take apart.

Chrome plated steel. Complete with 6 ft. rubber cord. Cool, easy to grip plastic handles.

Length 12 $\frac{3}{4}$ in. Height 8 $\frac{3}{4}$ in. Width 6 $\frac{3}{4}$ in.

Operates on 115 volts, A.C. only, 1200 Watts.

Each	■ Each
81-2T-C X13D97	\$19.95
3 or more X12D97	

One in ctn. Wt. ctn. 6 $\frac{1}{2}$ lbs.

AUTOMATIC ELECTRIC FRY PANS



With Oven Rack

Deep family size pan—fries, stew, bakes or braises. Doubles as a sauce pan. Exclusive oven rack makes it a portable ovenette. Immersible, thermostatically controlled—chart on handle. Indicator light.

Permanent mold casting, embedded element. Calibrated heat control. Six-foot detachable neoprene cord. Chrome steel oven rack. Size 11 $\frac{1}{2}$ inches. Capacity four quarts.

110 Volts AC—1150 Watts

Without Cover

Each	Each
81-11F-C X16D07	\$22.95
3 or more X14D92	

One in ctn. Wt. ctn. 8 lbs.

COVER ONLY

Fits within pan for perfect basting. Steam vented.

Each	1 or 2	3 or more	Each
81-11FCA-C X2D45	X2D28	Aluminum	\$3.50
81-11FCC-C X2D80	X2D60	Copper	4.00

One in ctn. Wt. ctn. 2 lbs.

ELECTRIC BLENDER



Liqui-Blender

Makes fruit and vegetable juices, sauces, soups, salad dressings, iced drinks—chops, blends, grates, mixes, pulverizes, purees, liquefies, etc. High and low speeds.

$\frac{1}{2}$ H.P. heavy duty motor. Neoprene coupling. 32 ounce lightweight container. Two-piece center-lock top. Six-foot locked-in cord.

115 Volts AC—350 Watts

Each	Color	Each
81-6BW-C X27D97	White	\$39.95
3 or more X25D97		

One in ctn. Wt. ctn. 10 lbs.

MIRRO ELECTRIC HOUSEWARES

ELECTRIC COFFEE PERCOLATORS

MIRRO-MATIC



Flavor-Control Automatic

Accurate, fingertip choice of mild, medium or strong coffee. Signal light glows when coffee is done. Keeps coffee drinking hot.

Chrome-on-aluminum with graduations on coffee and water sections. Immersion-type element. With cord.

Guaranteed for One Year

115 Volts AC—600-55 Watts
Capacity 9 (5½ oz.) Cups

Each		Each
81-109M-C	X10D95	\$15.95
One in ctn. Wt. ctn. 2¾ lbs.		



Completely automatic—no switches, no lights. Makes 4 to 8 cups and perks in 30 seconds. Snap-action thermostat stops perking when coffee is done.

Keeps coffee hot for hours. Beautifully styled and brightly polished 20 gauge aluminum. Dual-immersion type element (600-30 watt). Cool plastic handle. Cord set included.

Guaranteed for One Year
Operates on A.C. 105 to 120 Volts
Capacity 8 Cups

Each		Each
81-312M-C	X6D25★	\$8.95
One in ctn. Wt. ctn. 3 lbs.		



Sparkling chrome finish body with black aluminite base. Never needs polish—just wipe with damp cloth.

Stops automatically when coffee is done. Keeps it drinking hot till served. No dials to set or lights to watch.

Removable glass top locks securely. Dual-immersion type element (600-30 watt).

Guaranteed for one year.

Operates on A. C. 110 to 120 volts.

Capacity 9 (5½ oz.) Cups

Each		Each
81-132M-C	X11D50★	\$15.95
One in ctn. Wt. ctn. 2¾ lbs.		



Completely automatic. Makes perfectly flavored coffee and keeps it hot for hours. Starts perking in 30 seconds and stops automatically when coffee is done.

Finest 18 gauge aluminum. Walnut colored cool plastic handle. Plastic feet. Dual immersion type element. Complete with cord set.

Operates on A. C. 105 to 120 volts.
Capacity 8 Cups

Polished Aluminum

Each		Cap. Cups	Wt. Each lbs.	Each
81-101M-C	X6D95★	4	3	\$9.95
81-102M-C	X7D95★	8	3¾	10.95
One in ctn.				



Brilliantly polished aluminum. Just add water and coffee according to graduations imprinted on coffee and water sections. Stops automatically when coffee is done. Keeps it drinking hot until served.

No dials to set or lights to watch. Removable glass top locks securely. Complete with cord.

Guaranteed For One Year

Operates on 110 to 120 volts A.C. only (600-30) watt.

Capacity 9 (5½ oz.) Cups

Each		Each
81-152M-C	X7D95★	\$10.95
One in ctn. Wt. ctn. 2¾ lbs.		



URN DESIGN

Finest .22 gauge aluminum body and tight-fitting cover with long skirt. Glass top. Double wall insulated pump, promotes instant action with percolation continued just below boiling point. Highly efficient long life immersion type heating element. Black enameled replaceable wood handle. Fibre feet. Complete with cord set.

Operates on A. C. or D. C. 105 to 120 volts.

Capacity 8 Cups

Each		Each
81-192-C	X4D25★	\$6.95
One in ctn. Wt. ctn. 2¾ lbs.		

STAR ★ DENOTES BEST SELLER

MIRRO ELECTRIC HOUSEWARES

ELECTRIC COFFEE URNS



(126M)



(128M)

MIRRO-MATIC**Completely Automatic**

Starts perking in seconds—no dials or switches to set. Jewel light glows when coffee is done. Dual type element keeps coffee drinking hot for hours.

Graduated on basket and perc for accurate measurements. Threaded glass top. Easy to handle and clean.

18 Gauge, highly polished aluminum. With cord and instruction folder.

Guaranteed for One Year**115 Volts A. C.****10-35 Cup Size—1150-90 Watts****No Drip Faucet**

Each	Each
81-126M-C X16D63.....	\$24.95

One in ctn. Wt. ctn. 5½ lbs.

15-55 Cup Super Size—1500-150 Watts

Snap-back, lock-open coffee tap. Gauge show exact amount of coffee left.

Each	Each
81-128M-C X26D25.....	\$39.95

One in ctn. Wt. ctn. 9 lbs.

ELECTRIC FRY PAN



Completely immersible when control is removed. Heat control plug. Just dial right heat for whatever is being cooked. Signal light indicates when heat is right.

Heat resistant plastic handle and feet. Pan 8 gauge aluminum. 11 inches square—2¼ inches deep.

Operates on 115 Volts A. C. only 1500 Watts.

With Cover

Each	Each
61-271M-C X12D25.....	\$16.95

One in ctn. Wt. ctn. 6 lbs.

ELECTRIC CORN POPPERS



Automatic and efficient. No shaking or stirring. Also used for heating soups, vegetables, stews and poaching eggs.

Polished 18 gauge aluminum. Heat proof plastic handles, feet and cover knob. Ceramic heating element. Complete with cord set.

Operates on A. C. 115 to 120 volts, 500 Watts.

Each	Each
81-A100M-C X4D65★.....	\$6.95

One in ctn. Wt. ctn. 3 lbs.

STAR ★ DENOTES BEST SELLER

MANNING BOWMAN PRODUCTS

Guaranteed for One Year

KNIFE SHARPENER



Puts keen edge on any knife safely, easily and quickly. Modern, easy to clean white plastic. Super silent motor doesn't interfere with radio or TV. Guard guide holds cutlery at correct angle for steady end-to-end sharpening.

Guide is removable for sharpening scissors, tools, etc.

Three suction cups and extra long 6 foot cord.

Operates on 115 volts A.C. only, 40 watts.

(200)

Each

K139C

X8D38

■ Each

\$12.50

6-K139C X7D89 (Case lots 6)

One in box, six in ctn. Wt. ctn. 26 lbs.

EMPIRE ELECTRIC HOUSEWARES

COFFEE PERCOLATORS

PERCO-DRIP
Guaranteed



"Cold water" valveless pump—Starts percolation in 30 to 40 sec. Foods and coffee does not boil. Patented immersion element—No heat loss—Uses less current. Heavy seamless body. Cool black plastic handles and scratch-proof feet. Without cord set.

Operates on 110-120 volt, A. C. or D. C.

Each		Capacity, cups	Wt. each, lbs.	Each
61-1801-C	X3D68★	5	2 3/4	\$5.65
61-1802-C	X3D15★	8	2 1/2	6.50

One in ctn., six in case

PERCO-DRIP

Fully Guaranteed

Perfect coffee every time. Clear and richly flavored.

Seamless highly polished aluminum body. Insulated valveless pump. Heavy duty patented immersion element, uses little current and starts percolating very quickly. Easy pouring spout. Black plastic handle. Scratch proof feet. Without cord set.

Operates on A. C. or D. C. 110-120 volts, 250 watts.



Two Cup

Each		Weight each	Each
61-63-C	X3D00	1 1/2 lbs.	\$4.75

One in ctn.

TWO-SLICE TOASTERS

Listed by Underwriters'
Laboratories, Inc.

Chromium finish with black enameled base. Ebonized handles. Toasts two slices of bread. Open doors and bread turns over to be toasted on other side. Nichrome element. 475 watts.

Size 7 1/2 x 7 x 4 3/4 inches.

Without Cord Set

Each		Weight each	Each
81-769-C	X3D80★	3 lbs.	\$5.05

One in box, six in ctn.



ICE CRUSHERS

RIVAL

One Year Guarantee



Ice-O-Matic

Crushed ice works wonders with drinks, fruit and sea-food cocktails, appetizers and desserts.

Uses cube or lump ice and it is small and requires no more portable space than an electric toaster.

Selector dial adjusts to any setting. Ice drawers hold output of standard ice cube tray. Handy ice chute safety feed door takes cube or lump ice.

One-piece molded metal case with white baked-on enamel. Chrome trim on controls and tray base. Cushion base of non-marking black rubber. Four precision sharpened stainless steel talons. Never needs oiling.

Height 10 in. Width 8 3/4 in. Depth 6 1/2 in.

Complete with 6 ft. neoprene cord. Complete with free recipe book.

Operates on 110 volts, A.C. only, 1700 R.P.M. motor

Each		Each
81-800-C	X19D97	\$29.95
3 or more	X17D97	

One in ctn. Wt. ctn. 10 1/2 lbs.

ELECTRIC CORN POPPERS

COMET



Automatic—Aluminum

22-gauge aluminum, polished outside, natural inside. Black, heat-resisting plastic knobs, legs and handle. Ceramic element. Capacity 2 3/4 quarts. Without cord.

Underwriters' Laboratories Listed
105-120 Volts A. C. - D. C. - 500 Watts

Each		Each
81-9220-C	X2D70	\$3.49

One in box, six in ctn. Wt. ctn. 15 lbs.

STAR ★ DENOTES BEST SELLER

OSTER PRODUCTS

ELECTRIC LIQUIFIER-BLENDER



Osterizer

High and low speed. Blends, purees and mixes in seconds.

Crystal clear container. Exclusive neoprene top has "non-spill" ingredient adder cap with full ounce "measure-rite" container.

Flex-o-matic seal permits separation of processing unit from glass container for easy removal of semi-solid and solid foods.

Processing unit is designed to fit all standard mason jars.

Includes recipe book "Modern Meal Maker".

Operates on AC or DC 115 volts.

Each			■ Each
81-403C-C	X37D07	Chrome Base.....	\$52.95
3 or more	X34D42		
81-403W-C	X33D57	White enamel Base.....	47.95
3 or more	X31D17		

One in ctn. Wt. ctn. 14 lbs.

HANDY HANNAH PRODUCTS

HAIR DRYERS

Light in weight. Equipped with Shur-Grip Handle and has adjustable and removable base. Perfect balance. No oiling required. Ideal for other uses; drying lingerie, hosiery, nail polish, pets or to defrost refrigerators and frozen foods.

Two switches—On and off, hot or cold. Length of cord 6 feet.

Fully Guaranteed

Operates on 110-120 volts A.C. only, 215 watts, 50-60 cycle.



Bright Chroma Finish
(995C)

Each **K307C** **X6D47** ★ Each **\$0.95**
KX307C **X5D97** ★—(Case lots 6)
One in box, 6 in ctn. Wt. ctn. 18 lbs.



Soft Blue Baked Enamel with Chrome Parts
(895)

Each **K308C** **X4D52** ★ Each **\$0.95**
KX308C **X4D17** ★—(Case lots 6)
One in box, 6 in ctn. Wt. ctn. 17½ lbs.

FOOT VIBRATOR

Approved by National Foot Health Council

A professional type foot exerciser for home use. Relieves tired, aching feet. Stimulates blood circulation and improves muscle tone.

Beautiful soft blue baked enamel finish—chrome trim. Compact power unit. On-off switch. Length of cord 6 feet. No oiling required.

110-120 Volts A.C. only, 50-60 cycles.

Fully Guaranteed
(1950)

Each **K309C** **X6D17** Each **\$7.95**
KX309C **X4D77** ★—(Case lots 6)
One in box, six in ctn. Wt. ctn. 17 lbs.

DUAL FOOT VIBRATOR

Approved by National Foot Health Council



Professional Type—For Home Use

For front arch and toes. For arch and leg muscles.

Soft gray plastic housing with chrome finish base. Removable white plastic massage caps. Length of cord 6 ft. No oiling required.

Compact—12½x3½ inches.

110-120 Volts A.C. only 50-60 cycles.

Fully Guaranteed

Each **6-1495-C** **X9D72** Each **\$14.95**
Lots of 6 **X8D97**

One in ctn. Wt. ctn. 4 lbs.

VITALIZER



A stimulating and revitalizing light weight finger tip vibrating massager. Stimulates the famous Swedish rotary type. Excellent for scalp and tired aching muscles.

Compact motor mounted on sponge rubber cushion. Adjustable and flexible spring strap. Pearlescent blue plastic housing with chrome plated hand springs and parts.


110-120 Volts—A.C. only, 30 Watts, 50-60 Cycle.

Fully Guaranteed
(995V)

Each **K310C** **X6D47** Each **\$9.95**
KX310C **X5D97** ★—(Case lots 6)

One in box, six in ctn. Wt. ctn. 10 lbs.

ELECTRIC KNIFE SHARPENERS



Designed to quickly and easily sharpen any blade from the finest hollow ground carving knife to the smallest paring knife.

Sturdily constructed from flame proof plastic and steel. Beautiful soft ivory finish. Rubber feet on base. Guide slots hold blades at exact angle for correct sharpening. Powerful air-cooled motor. Visible abrasive wheels aids precision results. On-off switch. Six foot cord and plug.

Length 5¼ inches. Width 4½ inches. Height 4¼ inches.

Operates on A.C. 110 to 120 volts, 60 to 60 cycles, 28 watts.

Safe—Fast—Accurate

(895)

Less than case lots D3C5%
Case lots D4C0%

Each **F5513A** **X6D47** ★ Each **\$9.95**
FX5513A **X5D97** ★—(Case lots 6)

One in box, six in ctn. Wt. ctn. 10 lbs.

STAR ★ DENOTES BEST SELLER

ROTISSERIES

BLACK ANGUS

Bakes, Barbecues, Fries, Toasts, Grills, Roasts, Broils and Boils.
King Size

One Full Year Guarantee



Monte Carlo

Heavy gauge steel body triple chrome plated for lasting service. Tubular rod heating element. Cook-O-Meter indicator. Glass splatter door opens out as serving tray. Open-rest top cover. Removable aluminum grill plate.

Complete with pilot light, extra timer outlet, rotisserie motor buttons, automatic push-button heat control (hi-low-med.) and two hour timer.

Size 24x15x15½ inches over-all.

Oven—16x10½x14½ inches.

Operates on 115 Volts A. C. Only—1600 Watts

Each		Each
81-S7RT-C	X58D47	\$89.95
3 or more	X53D97	

One in ctn. Wt. ctn. 32 lbs.



Holiday

Heavy gauge steel body triple chrome plated for lasting service. Tubular rod heating element. Cook-O-Meter indicator. Glass splatter opens out as serving tray.

Complete with two hour timer and infinite heat control.

Size 24x15x15½ inches over-all.

Oven—16x10½x14½ inches.

Operates on 115 Volts A. C. Only—1600 Watts

Each		Each
81-S6-C	X51D97	\$79.95
3 or more	X47D97	

One in ctn. Wt. ctn. 30 lbs.



Lido

Heavy gauge steel body triple chrome plated for lasting service. Tubular rod heating element. Glass splatter door opens out as service tray.

Complete with two hour timer and infinite heat control.

Size 24x15x15½ inches over-all.

Oven—16x10½x14½ inches.

Operates on 115 Volts A. C. Only—1600 Watts

Each		Each
81-S6T-C	X46D47	\$69.95
3 or more	X41D97	

One in ctn. Wt. ctn. 28 lbs.

ROTISSERIES

ROTO-BROIL "400"

Grills, toasts, fries, boils, roasts, barbecues and broils. Seals in healthful vitamins and juices. Cuts down meat shrinkage. Store-away all glass spatter shield.

Gleaming chrome—inside and out. Bakelite handles.



Capri

Beautiful wrap around top cover, restaurant type grill. Extra timing outlet makes all appliances automatic.

Use bak-a-tray as a food warmer and server outside broiler.

Finishing touches include push-button panel, bell ringing timer and pilot light.

Operates on 110 volts A. C. only.

With Bak-A-Tray

Each	▲ Each
81-CAPRI-C X56D00	\$79.95
One in ctn. Wt. ctn 30 lbs.	



Supreme

Built-in automatic timer, 2 heat switch-high-low-varied heat control. One spit, four adjustable broiling levels.

Without Bak-A-Tray

Each	▲ Each
81-SUPREME-C X26D63	\$39.95
One in ctn. Wt. ctn. 25 lbs.	

POP-UP TOASTERS**MAGIC MAID**

Finished in gleaming triple-chrome plate with rich dark brown Bakelite parts and high-heat baked enamel base to match. Brown heavy duty matching cord and plug.

Fully automatic one-stroke starter is adjustable to any shade of toast. Has automatic shut-off and pop-up mechanism.

(664)

Each		Each
------	--	------

K4563C	X7D95★	\$11.95
--------	--------	---------

KX4563C	X7D60★	(Case lots 5)
---------	--------	---------------

One in box. Wt. box 5½ lbs.

ELECTRIC TOASTER**BERSTED**

Highly polished all chrome finish.

Plastic handles and cool fiber feet. Nichrome ribbon element wound on genuine mica.

A mere tip of the door and toast turns itself.

Height 7¼ inches. Length 8¾ inches. Width 5½ inches.

115 volts A. C. only, 400 watts.

Each		▲ Each
------	--	--------

61-71-C	X2D45★	\$3.95
---------	--------	--------

One in box. Six in ctn. Wt. ctn. 14 lbs.

LIBERTY ELECTRIC GRILL STOVES

UNDERWRITERS' APPROVED

Operates On 110 to 120 Volts, A. C. or D. C.

Heating Unit Guaranteed for Two Years

Made of 20 and 22 gauge steel. Top surface is baked black Japan. Jacket baked white enamel. Galvanized sheet steel bottom. Complete with heavy duty heater cord and rubber plug.



Heating units are equipped with stainless steel drip rings and are totally enclosed in metal. Resistance wire is completely embedded in cement.

Two 7-inch Speedway range type chrome plated heating units—right hand: three heat 1000 watts. Left hand: single heat 650 watts. Size: 19 inches long, 10 inches wide, 5 3/4 inches high.

Each **81-408-C** **X9D28 *** **Each**
6 or more **X8D61 *** **\$13.95**

One in ctn. Wt. ctn. 12 lbs.



Heavy No. 14 gauge flame proof lead wire is used throughout.

Two open type heating elements—right hand: 7-inch, three heat, 1000 watts. Left hand: 6-inch, single heat 650 watts. Size: 19 inches long, 10 inches wide, 5 3/4 inches high.

Each **81-408-D-C** **X7D95 *** **Each**
6 or more **X7D38 *** **\$11.95**

One in ctn. Wt. ctn. 10 1/2 lbs.

WHITE PORCELAIN ENAMELED TOP

Heating Unit Guaranteed for Two Years



Body made of 22 gauge steel with 20 gauge steel top. Baked white synthetic enamel finish. Galvanized sheet steel bottom.

Two 7 1/2 inch Speedway range type no-drip heating units, highly polished chrome finish. Right hand unit is 1000 watts, three heat. Left hand 650 watts, single heat. No. 14 gauge flame-proof lead wire used throughout. Heavy duty toggle switch. Complete with heavy duty approved heater cord and rubber plug.

Length 19 inches. Width 10 inches. Height 5 3/4 inches.

Each **81-520L-C** **X11D01** **Each**
6 or more **X10D20** **\$16.75**

One in ctn. Wt. ctn. 12 lbs.

LIBERTY SPEEDWAY MODELS

Surface of stove black Japan finish—jacket is baked white synthetic enamel. Bottom of stove is galvanized sheet steel.

Heavy cord and attachment plug. Double pole toggle switches.




SINGLE BURNER

Equipped with one 6-inch open type 800 watt heating unit, single heat size 8 1/4 inches long, 8 1/4 inches wide, 4 3/4 inches high.

Each **81-401-C** **X3D13** **Each**
6 or more **X2D89** **\$4.75**

One in ctn. Wt. ctn. 4 lbs.



DOUBLE BURNER

Equipped with two 6-inch open type 800 watt heating units, single heat size, 16 inches long, 8 inches wide, 4 3/4 inches high.

Each **81-402-C** **X5D60 *** **Each**
6 or more **X5D18 *** **\$8.50**

One in ctn. Wt. ctn. 7 lbs.

STAR * DENOTES BEST SELLER



Hammerstone gray finish with black base. Coiled wire heating unit with ceramic plate. Height 3 inches. Diameter 8 inches.

Complete with cord. Operates on 120 Volts A. C. or D. C., 650 Watts.

(33)

Each **K605C** **X1D46 *** **Each**
KX605C **X1D46 * (Case lots 12)** **\$2.19**
Twelve in ctn. Wt. ctn. 33 lbs.

ELECTRIC GRILL STOVES

LIBERTY
UNDERWRITERS' APPROVED
 Operates On 110 to 120 Volts, A. C. or D. C.

Heating Unit Guaranteed for Two Years



Body made of 22 gauge steel with 20 gauge steel top. Baked white synthetic enamel finish. Galvanized sheet steel bottom.

Two 7 3/4 inch Speedway range type no-drip heating units, highly polished chrome finish. Right hand unit is 1000 watts, three heat. Left hand 650 watts, single heat. No. 14 gauge flame-proof lead wire used throughout. Heavy duty toggle switch. Complete with heavy duty approved heater cord and rubber plug.

Length 19 inches. Width 10 inches. Height 5 3/4 inches.

Each	■ Each
81-520-C X11D24	\$10.95
6 or more X10D31	
One in ctn. Wt. ctn. 12 lbs.	



Enclosed Heating Units



Open Heating Units

Made of 20 and 22 gauge steel. Top surface is baked black Japan. Jacket baked white enamel. Galvanized sheet steel bottom. Complete with heavy duty heater cord and rubber plug.

Two 7-inch heating units—right hand: three heat 1000 watts. Left hand: single heat 650 watts. Size: 19 inches long, 10 inches wide, 5 3/4 inches high.

Speedway, Chrome Plated, Range Type Heating Units

Heating units are equipped with stainless steel drip rings and are totally enclosed in metal. Resistance wire is completely embedded in cement.

Each	■ Each
81-408-C X9D28★	\$13.95
6 or more X8D61★	
One in ctn. Wt. ctn. 12 lbs.	

Open Type Heating Units

Heavy No. 14 gauge flame proof lead wire is used throughout.

Each	■ Each
81-408/0-C X7D95★	\$11.95
6 or more X7D39★	
One in ctn. Wt. ctn. 10 3/4 lbs.	



Speedway Model

Surface of stove black Japan finish—jacket is baked white synthetic enamel. Bottom of stove is galvanized sheet steel.

Heavy cord and attachment plug. Double pole toggle switches.

Double Burner

Equipped with two 6-inch open type 800 watt heating units, single heat size. 16 inches long, 8 inches wide, 4 1/4 inches high.

Each	■ Each
81-402-C X5D60★	\$8.50
6 or more X5D18★	
One in ctn. Wt. ctn. 7 lbs.	

Single Burner

Equipped with one 6-inch open type 800 watt heating unit, single heat. Size 8 3/4 inches long, 8 3/4 inches wide, 4 1/4 inches high.

Each	■ Each
81-401-C X3D13★	\$4.75
6 or more X2D89★	
One in ctn. Wt. ctn. 4 lbs.	



Hammerstone gray finish with black base. Coiled wire heating unit with ceramic plate. Height 3 inches. Diameter 8 inches.

Complete with cord. Operates on 120 Volts A. C. or D. C., 650 Watts.

Each	■ Each
K605C (33) X1D46★	\$2.19
KX605C (33) X1D46★	(Case lots 12)
Twelve in ctn. Wt. ctn. 33 lbs.	

STAR ★ DENOTES BEST SELLER

HOLBROOK



Double Unit—With Toggle Switches



Single Unit—With Toggle Switch



Single Unit—Without Toggle Switch

Approved popular design. High quality material throughout. Baked enamel finish that will take abuse. Black top with gray hammer-tone body. 3000 cycle cords.

Operates on A.C. or D.C.

Double Unit—1320 Watts—With Toggle Switches

Size 8x17x4 1/4 inches.

Each	Each
61-1702-C X4D75★	\$7.15
Lots of 6 X4D50★	
One in box. Six in ctn. Wt. ctn. 31 lbs.	

Single Unit—660 Watts—With Toggle Switch

Size 8x8x4 1/4 inches.

Each	Each
61-801-C X2D45★	\$3.69
Lots of 12 X2D35★	
One in box. Twelve in ctn. Wt. ctn. 31 lbs.	

Single Unit—660 Watts—Without Toggle Switch

Size 8x8x4 1/4 inches.

Each	Each
61-800-C X1D90★	\$3.85
Lots of 6 X1D80★	
One in box. Six in ctn. Wt. ctn. 15 1/4 lbs.	

IMMERSION TYPE ELECTRIC WATER HEATERS

FLASHEAT



A great convenience for everyone. Produces hot water on short notice by simply putting the unit in a container of water and plug into electric outlet.

Ideal for the kitchen, bathroom, laundry, summer cottage, trailer, sickroom and farm.

Nickel chrome finish heating unit, equipped with heavy rubberized cord and plug. Length 5 3/4 inches. Diameter 2 inches. Guaranteed for one year against defective material and workmanship.

Operates on A. C. or D. C. 110 volts, 1320 watts.

Each	Each
K24C (101) X3D97★	\$5.95
KX24C (101) X3D57★	(Case lots 24)

One in box. Twenty-four in ctn. Wt. ctn. 30 lbs.

SUPER-LUX



Heats water quickly. Just place in a pan, pail or tub with water and plug into your nearest electric outlet. Will heat sufficient water for bathing, washing, scrubbing, sterilizing and many other purposes.

Exclusive boil-vents which allows faster percolation. Aluminum oval shell 4x5 1/2 x 1 3/4 inches. High grade heating element. Permanently attached heavy rubber cord 6 feet long and plug.

Guaranteed for one year against defective workmanship. Advertising material with each dozen heaters.

Operates on A. C., 110 to 120 volts.

Each	Each
K25C (LUX) X1D70★	\$2.25
KX25C (LUX) X1D58★	(Case lots 12)

One in box. Twelve in case. Wt. case 12 lbs.

Lux Jr. Pocket Size


3 1/2 x 5 x 3/4 inches

Each	Each
K20C (LUX, JR.) D9C8	\$1.48

One in box, twelve in ctn. Wt. ctn. 10 lbs.

HEATING ELEMENT FLASH

For Cylinder Type Heaters



Popular immersion type water heater element. Use on farms, homes, summer homes, etc.

Size of element—length 4 1/4 in., width 1 3/4 inches.

110 Volts A.C. or D.C. 1320 Watts

Each	Each
K1081C X1D20	\$2.00

One in box, Wt. box 2 lbs.

IMMERSION TYPE ELECTRIC WATER HEATERS

SHOCKLESS



Standard

Designed around the famous Stiebel (German) heating element. Will heat liquids quickly, economically and safely—from a cup of water for quick hot coffee to larger quantities. Handy for home, cottage, trailer, farm, etc. Nickel-plated. Three-foot cord. Length 10 1/2 inches. Coil 2x2 inches.

110 Volts AC-DC—1000 Watts

Each	Each
K34C (TR10) X3D30	\$4.95

Six in box. Wt. box 4 lbs.

ELECTRIC COFFEE URN

ENTERPRISE

Approved by Underwriters Laboratory Inc.



No danger of under-or-over-brewing. "On" position switch and automatic low heat switch.

16 gauge aluminum coffee container.

Water compartment and base—20 gauge aluminum.

"Perco" top—heavy transparent heat resisting glass.

Cover—cool bakelite handle attached to domed cover.

Liquid coffee container—exclusive 1385 watt heating element and thermostat for perking; requires only 165 watts.

Liqua-level gauge—easy to see quantity of fluid coffee in urn.

Simpli-snap faucet—no after drip.

Toggle Switch—Built in base for convenient "On-Off" operation.

Temp-Lite—red jeweled light comes on when coffee is ready to serve.

Dual Thermostats—prevents element from burning out even if plugged in when dry.

Complete with 6 foot attached cord.

Operates on 110-120 Volts A.C.

Capacity 48 Cups

Height 18 1/2 inches. Diameter 10 5/8 inches. Width 14 1/2 inches at base.

Each	Each
81-AP48-C X23D75	\$35.75

One in ctn. Wt. ctn. 9 lbs.

Capacity 84 Cups

Height 20 3/4 inches. Diameter 10 5/8 inches. Width 14 1/2 inches at base.

Each	Each
81-AP84-C X25D75	\$38.75

One in ctn. Wt. ctn. 11 lbs.

CASH IN on the BIG MONEY in HOT WATER

**\$1 MILLION
MARKET
Every Year**

Everyone imaginable has a need for the Super-LUX water heater! Housewives, garagemen, farmers, barbershops, trailer camps etc. buy them repeatedly because they find so many places to use them. This makes a steady \$1 Million a year market.



**Merchandising + Advertising =
Key to
PROFIT**



**FREE NEWSPAPER ADVERTISING
Brings 'em in!
COUNTER MERCHANDISER
Sells 'em!**

FREE newspaper ads over your store name at LUX Co. expense bring people rushing in. This attractive merchandiser display sells them on sight. A terrific impulse item!

with the Super-LUX **"Buckets of Hot Water"** MERCHANDISER

Per Deal
61-SL255/B9-C X18D96..... Each
One deal in ctn. Wt. ctn. 9 lbs. \$2.60

Actual heater mounts on cord. Customers can see what they are buying without tearing open the cartons. Also lets them see the superior construction of this highly efficient heater.

FREE 10 qt. galvanized measuring bucket that you can keep for your own use after all of the heaters are sold or you can place it on sale and realize extra profits from this deal. This bucket is a \$1.25 Value. Yours FREE with this offer!

**It Sets Up
and Sells**



Attractive, 2 color card with the "SELL" built-in. Bright fluorescent color draws everyone's attention. Easily attaches to the back of the bucket. Whole display sets up in seconds.

Novel printed receptacle that shows how easy it is to obtain fast, hot, water. Die cut to fit plug of the display heater.

One dozen of the finest portable electric water heaters on the market today. Attractively packaged in colorful red and yellow cartons. A heater that you will be proud to sell. A heater that is GUARANTEED against faulty workmanship for ONE FULL YEAR.


Stock No. SL 255-B9

Cash in now on this big profit item. Sales records show that this heater is a continually hot seller in itself, but with this counter merchandiser and the FREE newspaper ads the profit potential is enormous. A big repeat seller too. People buy more, year after year, because when they find out how convenient it is to just place the Super-LUX in a bucket or tub

of water and plug it in for quick HOT water they want more. The Super-LUX pocket size ELECTRIC Water Heater is the original nationally distributed portable electric heater. Millions have been sold to satisfied customers. It now has the EXCLUSIVE new and different "BOIL VENTS" which allow boiling water to percolate faster.

SEE BIG 40% DEALER PROFIT PACKAGE

HERE'S THE RED HOT DEAL



This BOX contains

- ★ 12 SL255 Super-LUX portable electric Water Heaters @\$2.55...\$30.60
- ★ 1 10 qt. Measuring BucketN.C.
- ★ 1 "Buckets of Hot Water" Sign.....N.C.
- ★ 1 Free newspaper adv. cardN.C.

TOTAL VALUE \$30.60

MAKE 40% PROFIT

YOUR PROFIT-

Profit from sale of 12 Super-LUX water heaters (\$1.02 profit each)...\$12.24
Plus FREE 10 qt. bucket(Value) 1.25

TOTAL PROFIT \$13.49

YOUR COST-

12 SL255 Super-LUX water heaters.....\$30.60
Less 40 % Discount 12.24
18.36

Plus Fed. Excise Tax @5¢ .60

TOTAL COST \$18.96

(Note: Heater retails for \$2.60 including Fed. Excise Tax.)

Put this page in your Want Book right Now!

Don't delay-Order Today!

Don't wait to cash in on this big profit opportunity. Customers always need hot water and you want to be able to supply their needs. Why not have the best water heater for them? With an offer like this where you can make 40% Profit too you can't afford to miss it. Just mail the order blank today and start getting your share of this MILLION DOLLAR a year "Hot Water" market.

THE LUX CO. INC.
ELKHART, INDIANA



Order Form

YES! I agree with you. I can't afford to miss this terrific deal.
RUSH ME _____ Super-LUX
"Buckets of Hot Water" Deals at
\$18.96 each.

Have them delivered from

JOBBER name _____

His address _____

City _____ Zone _____ State _____

Store Name _____

Address _____

City _____ Zone _____ State _____

Buyer _____

© 1994
THE LUX CO. INC.

Manufactured by
THE LUX CO. Inc., Elkhart, Indiana

ELECTRIC CAN OPENERS

SWING-A-WAY



Lids lock in position and start automatically. Lid is cut out in one revolution, magnet picks up lid and opener stops automatically. Finger tip switch operates knife sharpener, too. Non-marring rubber feet.

Complete with 6 ft. cord. White with gold, chrome trim.

Operates on 115 Volts, A.C. Only

Each			Each
K2825C	(2100)	X18D12	\$27.95
KK2825C	(2100)	X16D77	—(Case lots 3)

Three in ctn. Wt. ctn. 25 lbs.

DAZEY



Push Button Electra

Three push buttons—opens round, oval, square, even tall juice cans with a clean cut. Punctures lid of can automatically. Holds can securely until manually released. Motor shuts off after lid is cut out. Magnetic lid-lifter. Cutting mechanism easily removed for cleaning. Grease-sealed cutting wheel. Self-storing cord. Built-in handle.

110 Volts AC

Each		Each
81-2EM-C	X18D63	\$27.95

One in ctn. Wt. ctn. 8 lbs.

ELECTRIC KNIFE SHARPENER

CORY



Precision sharpened blades in a minute or two. Solves your carving problems. Perfectly safe and will not harm your knives.

White enameled steel case with rubber treaded base. Pressure panel type finger tip switch. Fan cooled quiet motor, needs no oiling or greasing. Stainless steel guide clips assure precision edge. Self dressing 1 1/2 inch grinding wheel, stops automatically with excess pressure. Complete with cord and plug. Size 8 1/2 x 4 1/2 x 3 1/2 inches. Operates on A. C. 110 volts, 50-60 cycles.

D3C5%

Each

F5504C (DKS) X9D72★

D4C0%

6 or more

X9D32★

Each

\$14.95

6 in ctn. Wt. ctn. 18 lbs.

STAR ★ DENOTES BEST SELLER

INFRA-RED BROILER



TETFOAM

Handi-Broil

Almost any utensil acts as a perfect drip-pan (including glass bakeware), 10 or 12-inch skillets, pans, etc.

Easy to clean and prepare food quickly.

Spun aluminum broiler, rust-proof broiler rack and U. L. approved cord set.

Operates on 115 volts AC or DC, 660 watts.

Each		Each
81-498-C	X3D49	\$5.49
6 or more	X3D32	

One in ctn. Wt. ctn. 3½ lbs.

ELECTRIC INSECT DESTROYER



Bug-Kill

Destroys household insect pests. Kills carpet beetles, exposed roaches, clover mites, water bugs, night bugs, centipedes, mosquitos, crickets, silverfish, spiders, hornets, wasps, ants, flies, moths, fleas.

A scientifically designed low watt heating unit that vaporizes pellets of lindane.

Fatal effect to insects last for at least two weeks. One pellet is enough for an average room.

Nickel-chrome heating element can't wear out—takes no more electricity than a small light bulb.

Vented for proper circulation of air and spreading vapor.

Five foot extension cord.

Plugs into any outlet.

Packed in self selling display carton.

Each	Each
K298C	X1D79

\$2.98

One in box. Twelve boxes in ctn. Wt. ctn. 7½ lbs.

SOUTHERN NATIONAL MFG. CO.

Bugmaster



Uses Bugmaster sensational Lindane as insecticide. No messy spray or stain. Invisible vapors even penetrate closets and cupboards. Kills flies, mosquitos, moths, fleas, etc.

Add Lindane refill to Bugmaster once a month for continuous protection.

5 Year Guaranteed

Lindane output .4 or .5 gram per 24 hours.

Choice of decorator colors—black, yellow or green.

Operates on 115 volts A. C., D. C., 15 watts.

Each	Each
K300C (H) 1 to 5	X6D47★
6 or more	X5D97★

\$9.95

Six in ctn. Wt. ctn. 10½ lbs.

REFILLS

For K300C&K298C Electric Insect Destroyer

Each	Each
K306C	D4C5

Six in box. Wt. box 6 ozs.

\$0.75

STAR ★ DENOTES BEST SELLER

ELECTRIC
INSECT DESTROYERS

BUG KING



Effective—Ornamental

Operates electrically, chemically and scientifically to kill flying and crawling insects—flies, mosquitos, ants, roaches, etc.

Attractive planter design ceramic in ebony, black, green and brown—hangs on the wall. Fine brass mesh basket in top holds crystals. With 30-40 days supply of crystals, 6-foot UL-approved cord and instructions.

Each	Each
K3878C	X5D97
KK3878C	X5D37—(Case lots 6)

Six in ctn. Wt. ctn. 12 lbs.

\$8.95

HEATING PADS

GENERAL ELECTRIC

Approved by Underwriters Laboratories Inc.

Traffic Stopping Window Counter Display
One Year Warranty

Three heat warmth--High, medium, low.
Illuminated push button control and T-cordset for fingertip operation. Waterproof--use with or without wet packs. Removable, washable flannel zipper cover.

Rating--60 watts, 115 volts A.C. & D.C.

Size 12x15 in.

Pink or Turquoise Cover
(Specify Color)
(P18)

Each
K666C
6 or more

X5D82
X5D54

One in box. Wt. box 1 1/4 lbs.

Each
\$8.95



Three heat levels. Illuminated push-button control.
Waterproof with removable and washable terry cloth cover.
Rating--60 watts, 115 volts A.C. & D.C.

Size 12x15 in.

Red Cover
(P17)

Each
K682C
6 or more

X5D17
X4D91

One in box. Wt. box 1 1/4 lbs.

Each
\$7.95



Three heat level with push-button control.
Waterproof, removable, washable cover.
Rating--60 watts, 115 volts A.C. & D.C.

Size 12x15 in.

Cover of attractive colored flower print on white flannel.
(P15)

Each
K690C
6 or more

X3D87
X3D67

One in box. Wt. box 1 1/4 lbs.

Each
\$5.95



Three positive heat levels and push button control.
Moisture resistant pad. Removable, washable flannel cover.

Turquoise Cover
(P14)

Each
K692C
6 or more

X3D22
X3D06

One in box. Wt. box 1 1/4 lbs.

Each
\$4.95

HEATING PADS

GENERAL ELECTRIC

Push-Button Control—Three Positive Heats—High, Medium, Low
 "Purofab" Treated Covers—Inhibit Growth of Germs and Bacteria—Removable, Washable
 Completely Waterproof—Wet Pack Applications a Cinch
 Underwriters' Laboratories Listed
 One-Year Written Guarantee



Model P18

Glow-Light, Reach-Easy Control and cordset in off-white—finger touch heat selection even in the dark. Luxurious nylon taffeta pink quilted zipper cover.

Size 12x15 inches

Each	Each
K666C (P18) X5D82★	\$8.95
One in box. Wt. box 1 3/4 lbs.	



7-Pad Pack Display Deal

Free Heating Pad and Display Rack

Permanent metal display rack and seven heating pads as follows:

Qty.

- 2—Model P18
- 2—Model P17
- 2—Model P16
- 1—Model P25 (Free)

Per Deal	Per Deal
61-7 PACK-C X31D02	\$53.65
One deal in ctn. Wt. ctn. 12 lbs.	



Model P16

Control and cordset in off-white. Attractive colored flower print on white flannel zipper cover.

Size 12x15 inches

Each	Each
K690C (P16) X4D52★	\$6.95
One in box. Wt. box 1 3/4 lbs.	



Model P17

Glow-Light control and cordset in off-white—easy heat selection even in the dark. Red terry cloth zipper cover.

Size 12x15 inches

Each	Each
K682C (P17) X5D17★	\$7.95
One in box. Wt. box 1 3/4 lbs.	

GENERAL ELECTRIC
HEATING PAD SERVICE
POLICY

IN WARRANTY: Heating Pads, which show defects in workmanship and material within one year from the date of original purchase for use, will be exchanged with an identical or similar model at no charge, provided the pad is returned to the nearest authorized General Electric Service Station, and is accompanied by a letter of instruction.

OUT OF WARRANTY: Heating Pads, over one year old and less than three years old, having internal defects, will be exchanged at the following service exchange price plan. PS8A1 X3D78, Retail \$4.65, PS8A3 X5D24, Retail \$5.95, PS8A2 X4D68, Retail \$5.35, PS8A4 X3D58, Retail \$3.95. No exchange or repairs will be made for Heating Pads over three years old.

Exchange must be made direct with service station.



Model P25

Aqua color flannel zipper cover.

Size 12x15 inches

Each	Each
K692C (P25) X3D87★	\$5.95
One in box. Wt. box 1 3/4 lbs.	

STAR ★ DENOTES BEST SELLER

ELECTRIC BLANKETS

GENERAL ELECTRIC

Comfort Selector—Automatically maintains heating level selected (separate settings for each side of dual control model). Lights when turned on—serves as a reminder to turn off blanket in morning. Ivory-colored flexible cord.

Sleep-Guard—Automatically cuts off current if temperature of blanket exceeds a certain limit. No lumpy thermostats.

Fabric—Lightweight, mothproof, non-allergenic miracle fabric by Chatam. Luxurious blend of rayon and cotton. Durable 100% nylon binding full 4½ inches wide. Can be laundered by hand or automatic washer and put in dryer.

Listed by Underwriters' Laboratories, Inc.

115 Volts, 50-60 Cycles, A. C.



De Luxe Automatic—Custom Contour
Two-Year G-E Guarantee

Double Bed Dual Control Model

Size 72 x 85 inches (Wired 55½ x 70 inches)

Each		Color	Each
K3811C	(A23) X30D25	Rose Pink	\$43.95
KK3811C	(A23) X29D17—(Case lots 3)		
K3937C	(A23) X30D25	Seafoam Green	43.95
KK3937C	(A23) X29D17—(Case lots 3)		
K3936C	(A23) X30D25	Caribbean Blue	43.95
KK3936C	(A23) X29D17—(Case lots 3)		

One in box, three in ctn. Wt. ctn. 26 lbs.

Double Bed Single Control Model

Size 72 x 85 inches (Wired 55½ x 70 inches)

Each		Color	Each
K3795C	(A22) X23D53	Rose Pink	\$33.95
KK3795C	(A22) X22D67—(Case lots 3)		
K3810C	(A22) X23D53	Seafoam Green	33.95
KK3810C	(A22) X22D67—(Case lots 3)		
K3807C	(A22) X23D53	Caribbean Blue	33.95
KK3807C	(A22) X22D67—(Case lots 3)		

One in box, three in ctn. Wt. ctn. 23 lbs.

Twin Bed Single Control Model

Size 60 x 85 inches (Wired 39½ x 70 inches)

Each		Color	Each
K3763C	(A21) X20D15	Rose Pink	\$28.95
KK3763C	(A21) X19D42—(Case lots 3)		
K3794C	(A21) X20D15	Seafoam Green	28.95
KK3794C	(A21) X19D42—(Case lots 3)		
K3768C	(A21) X20D15	Caribbean Blue	28.95
KK3768C	(A21) X19D42—(Case lots 3)		

One in box, three in ctn. Wt. ctn. 21 lbs.



Ridgefield Automatic

One-Year G-E Warranty

Double Bed Dual Control Model

Size 72x85 inches (Wired 55½x70 inches)

Each		Color	Each
K3694C	(A33) X27D96	Rose Pink	\$39.95
KK3694C	(A33) X26D97—(Case lots 3)		
K3695C	(A33) X27D96	Seafoam Green	39.95
KK3695C	(A33) X26D97—(Case lots 3)		
K3698C	(A33) X27D96	Caribbean Blue	39.95
KK3698C	(A33) X26D97—(Case lots 3)		

One in box, three in ctn. Wt. ctn. 26 lbs.

Double Bed Single Control Model

Size 72x85 inches (Wired 55½x70 inches)

Each		Color	Each
K3691C	(A32) X20D97	Rose Pink	\$29.95
KK3691C	(A32) X20D22—(Case lots 3)		
K3692C	(A32) X20D97	Seafoam Green	29.95
KK3692C	(A32) X20D22—(Case lots 3)		
K3693C	(A32) X20D97	Caribbean Blue	29.95
KK3693C	(A32) X20D22—(Case lots 3)		

One in box, three in ctn. Wt. ctn. 23 lbs.

Twin Bed Single Control Model

Size 60x85 inches (Wired 39½x70 inches)

Each		Color	Each
K3677C	(A31) X17D47	Rose Pink	\$24.95
KK3677C	(A31) X16D84—(Case lots 3)		
K3678C	(A31) X17D47	Seafoam Green	24.95
KK3678C	(A31) X16D84—(Case lots 3)		
K3690C	(A31) X17D47	Caribbean Blue	24.95
KK3690C	(A31) X16D84—(Case lots 3)		

One in box, three in ctn. Wt. ctn. 21 lbs.

ELECTRIC BLANKETS AND SHEETS

SUNBEAM

Approved by Underwriters' Laboratories Inc.

Guaranteed for One Year

BLANKETS



Thermostatic control automatically maintains same gentle, soothing warmth during all changes of room temperature.

Size—72x84 inches.

Features:

Fabric—25% soft wool, 25% cotton, 50% lustrous rayon.

Binding—Lustrous rayon-satin, 5½ inches wide. Matches color of blanket. Has special sewing for wear and appearance.

Control—The large, easy-to-see dial indicates the blanket setting at a glance. The soft-shaded nylon pilot light enables you to set the blanket in the dark. The double or single control can be interchanged from one blanket to another.

Washable—The Sunbeam is fully washable, either by owner or a good commercial laundry. Electric wiring is completely water-proof.

Operates on 110-120 volts AC only, 180 watts.

Single Control

Each	3 or more	Color	▲Each
61-SDBB-C	X24D29★ X22D72★	Blue	\$34.95
61-SDBY-C	X24D29★ X22D72★	Yellow	34.95
61-SDBR-C	X24D29★ X22D72★	Rose	34.95
61-SDBG-C	X24D29★ X22D72★	Green	34.95

Dual Control

61-DDBB-C	X29D16★ X27D27★	Blue	41.95
61-DDBY-C	X29D16★ X27D27★	Yellow	41.95
61-DDBR-C	X29D16★ X27D27★	Rose	41.95

One in ctn. Wt. ctn. 10 lbs.

SHEETS



Thermostatic control automatically maintains same gentle, soothing warmth during all changes of room temperature.

Regular size—fits single or double beds.

Features:

Fabric—Made of a fine quality percale.

Control—Easy-to-see, easy-to-set control dial indicates sheet setting at a glance. Single or double control can be interchanged from one sheet to another.

Washable—Full washable, water-proof electric wiring.

Single Control

Operates on 110-120 volts AC only, 120 watts.

Each	3 or more	Color	▲Each
61-SDSY-C	X17D34 X15D22	Yellow	\$24.95

One in ctn. Wt. ctn. 4½ lbs.

Dual Control

Operates on 110-120 volts AC only, 140 watts.

Each	3 or more	Color	▲Each
61-DDSR-C	X22D59 X21D13	Rose	\$32.50
61-DDSY-C	X22D59 X21D13	Yellow	32.50
61-DDSW-C	X22D59 X21D13	White	32.50

One in ctn. Wt. ctn. 6 lbs.

ARVIN ELECTRIC FAN HEATERS

Listed by Underwriter's Laboratories, Inc.



Guaranteed One Year

Thermostat-control goes on and off automatically as room temperature varies. 81 cubic feet per minute air delivery. Delayed-action thermostat—no air delivered until heating elements are hot. All air delivered is warm. Fan also runs after heater goes off until all heat is out of heater.

Choice of either "Lo-Glo" (1300 watts) or "Hi-Glo" (2000 watts). Develops 4435 BTU at 1300 watts, 8870 BTU at 2000 watts.

Both radiant and fan-forced heat with airflow radiant elements that speed up air circulation and show more radiance. Pilot light glows when heater is turned on.

Safeguard Safety Switch cuts current off instantly if it is overturned. Special grille guard prevents any damage if it is set too close to furnishings.

Height 17 inches, width 17 inches. Depth 10½ inches.

Operates on 220-240 volts A.C. only.
60 cycles

Each	81-5749-C	XXXXXX X27D67	Each
11 or more	XXXXXX X27D77	XXXXXX X27D77	Each
			44.95

One in ctn. Wt. ctn. 18½ lbs.



First air flow is warm—no air is delivered until heating elements are hot. Fan also runs until all heat in elements is discharged. Push button control for either 1320 or 1650 watts. Has pilot light and cord holder in back. Safeguard switch, on-off toe switch, radiant and fan-forced heat. 81 C.F.M.

White enameled finish, gold-tone grille and body trim.

Height 17 in. Width 17 in. Depth 9 in.
Operates on 110-120 Volts A.C. only.

Each	81-5749-C	X27D17	Each
3 or more		X25D57	Each

One in ctn. Wt. ctn. 17½ lbs.



Automatic room temperature and dial setting balance.

Copper-tone enamel. Chrome grille and trim. Signal light glows when unit is "On"—two heats, 1320 or 1650 watts, 81 C.F.M.

Fan forced and radiant heat with "Air-flow" radiant element. Safeguard switch.

Height 17 inches. Width 17 inches. Depth 10½ inches.

Operates on 110-120 volts, A.C. only, 60 cycles.

Each	81-5734-C	X23D77★	Each
3 or more		X22D37★	Each

One in ctn. Wt. ctn. 17½ lbs.



Set it—and forget it. 1650 watts, 81 C.F.M. Fan-forced and radiant heat from "Air-flow" long lived elements. Safeguard switch. Green enamel finish with chrome grille and ivory plastic trim.

Height 15 inches. Width 17 inches. Depth 10½ inches.

Each	81-5734-C	XXXXXX X20D67	Each
3 or more		XXXXXX X18D87	Each

One in ctn. Wt. ctn. 17½ lbs.



1050 watts capacity in a compact, space-saving shell. Fan forced, plus brilliant reflected heat from nickel-chrome elements wound on porcelain, backed up by a bright chrome reflector. Safeguard switch. 65 C.F.M. air delivery.

Pearl finish with chrome grille and brown trim.

Height 13½ inches. Width 12¾ inches. Depth 6½ inches.

Operates on 110-120 A.C. only, 60 cycles.

Each	81-5804-C	X16D72★	Each
3 or more		X15D97★	Each

One in ctn. Wt. ctn. 11 lbs.



Fan-forced heat only. Fully automatic. 80 C.F.M., 1650 watts. Safeguard switch. Copper-tone enamel finish with chrome grille and brown trim.

Height 13½ inches. Width 12¾ inches. Depth 6½ inches.

Operates on 110-120 volts A.C. only, 60 cycles.

Each	81-5804-C	X13D37★	Each
3 or more		X12D77★	Each

One in ctn. Wt. ctn. 11 lbs.

STAR ★ DENOTES BEST SELLER

ARVIN ELECTRIC FAN HEATERS

Listed by Underwriters' Laboratories, Inc.



Fan-forced, automatic, 1320 watts, 43 C.F.M. Safeguard switch and hand hold.

Williamsburg blue enamel finish and chrome grille with white trim.

Height 12 inches. Width 11½ inches. Depth 6½ inches.

Each Each
81-5516-C X12D03★ \$17.05
6 or more X11D49★

Six in ctn. Wt. ctn. 52½ lbs.



1320 watts, 43 C.F.M. Brown finish with white trim.

Handhold in back of shell. Fully automatic.

Height 12 inches. Width 11½ inches. Depth 6½ inches.

Operates on 110-120 A.C. only, 60 cycles.

Each Each
81-5514-C X11D53★ \$16.95
6 or more X11D02★

Six in ctn. Wt. ctn. 52½ lbs.



1320 watts with 43 C.F.M. air delivery, "On-Off" switch and convenient handhold in back.

Pearl finish with chrome grille and brown trim. Two guard rails prevent rug damage if heater overturns.

Height 10½ inches. Width 10½ inches. Depth 7 inches.

Operates on 110-120 volts A.C. only, 60 cycles.

Each Each
81-5512-C X10D02★ \$14.95
6 or more X9D42★

Six in ctn. Wt. ctn. 48 lbs.



Meets every basic requirement for portable room heat, 1320 watts capacity and 42 C.F.M.

Guard rail. Brown finish with pearl grille and brown trim.

Height 10½ inches. Width 10½ inches. Depth 7 inches.

Operates on 110-120 volts A.C. only, 60 cycles.

Each Each
81-5510-C X8D81★ \$12.95
6 or more X8D42★

Six in ctn. Wt. ctn. 48 lbs.

ARVIN AUTOMATIC RADIANT HEATER



Automatic thermostat control—goes on and off as room temperature varies. Opaque "Pyrex" glass panel.

Glow red signal lights is reflected through air circulation openings at top and bottom. Gun-metal gray enamel finish with brass trim.

Height 23½ inches. Width 28 inches.

Operates on 110-120 volts A.C. 1650 watt capacity.

Each ~~54~~ 54 Each
81-5514-C X36D27 \$54.05
3 or more X35D17

One in ctn. Wt. ctn. 28 lbs.

STAR ★ DENOTES BEST SELLER

ELECTRIC HEATERS

GENERAL ELECTRIC

Approved by Underwriters' Laboratories Inc.



DeLuxe

Handsome two-tone case harmonizes with the traditional or modern. Large copper parabolic reflector enhances appearance and assures steady flow of warmth. Fan circulates penetrating heat.

Two heats—Select own heat. 1320 watts or 1650 watts. Built-in mercury switch automatically turns heat off if tipped in use. Adjustable base, elevation to 5° for perfect comfort, red signal light glows when heater is on.

Built-in thermostat, 5 position control. Turns on when room temperature drops—off when room temperature rises.

Portable—use anywhere in house.

Tuckaway handle. Complete with 9 foot cord set.

Height 16¾ inches. Width 17¾ inches. Depth 9½ inches.

110-120 volts A. C. only 1650-1320 watts.

Each
81-H2-C
3 or more

X24D46
X23D59

One in ctn. Wt. ctn. 13 lbs.



Beauty with rugged effectiveness. Safety-designed, easy to carry, with automatic thermostat and mercury tip-over switch. Warms whole room with gentle fan-forced circulating warm air. Portable rubber feet.

Complete with 9 ft. cord set.

Height 14 inches. Width 14 inches. Depth 7 inches.

110-120 Volts A.C. Only, 1320 Watts

Each
81-H3-C X17D47 \$24.95
3 or more X16D84

One in ctn. Wt. ctn. 8½ lbs.



Warms air by means of infra-red heating element. Hidden vanes reduce air turbulence and direct heated air deep into room.

Automatic, portable, with mercury tip-over switch. Beige and brown case with stainless steel grill harmonizes with any color scheme.

Complete with 6 ft. cord set.

Height 12½ in. Width 11½ in. Depth 6 in.

Operates on 110-120 volts, 60 cycle A. C. only 1320 watts

Each
81-H4-C X13D96 \$19.95
3 or more X13D47

One in ctn. Wt. ctn. 6 lbs.



Enhances the decor of any room.

Automatic built-in thermostat with positive control. Set to desired heat and forget it.

Safety style grill protects fingers. Tuck-away carrying handle tucks out of sight when not in use.

Fan has dependable quiet motor oiled for years. Complete with 9 foot cord set.

Height 10½ inches. Depth 6½ inches. Width 9½ inches.

110-120 volts A. C. only, 1320 watts.

Each
81-H1-C X12D57★ \$17.95
3 or more X12D12★

One in ctn. Wt. ctn. 5¾ lbs.

STAR ★ DENOTES BEST SELLER

GUARANTEE AND SERVICE PLAN ON MARQUETTE HOME FREEZERS AND REFRIGERATORS

MARQUETTE

Five-Year Protection Plan

One-Year Warranty

Your entire Marquette Home Freezer or Refrigerator is warranted to be free from defects in material and workmanship under normal use and service for a period of one year from date of delivery to original purchaser.

This warranty is limited to repairing or replacing any part or parts that in the manufacturer's judgment show evidence of such defect provided said defective part or parts are returned to the manufacturer, transportation prepaid, within one year of the date of delivery of cabinet.

All replacements and repairs are f. o. b. factory, St. Cloud, Minn. This warranty does not include labor, drayage or delivery charges, nor loss of refrigerant. This warranty shall not apply to any part or parts which have been subject to misuse, neglect, alteration, accident or any damage during transit or delivery.

This warranty does not provide for adjustment or other attention required by the cabinet or its mechanism other than exchange or repair at our option.

Four-Year Warranty on Compressor Unit

In addition to the one-year Warranty on the complete Freezer or Refrigerator, we agree to exchange at any time during the four years next following the expiration of the one-year Warranty, the hermetically-sealed-in mechanism, if it is proved to our satisfaction to be inoperative due to defects in factory workmanship or material.

This Warranty does not apply to the cabinet, its finish, or any part of the cabinet whatsoever. Nor does it apply to the control or any part of the unit other than the hermetically-sealed-in mechanism. This Warranty does not apply to any sealed-in mechanism which has been subjected to accident, abuse or misuse, nor does it provide for adjustments or other attention required by the Freezer or Refrigerator or its mechanism other than complete unit replacement as provided for above. All replacements are f. o. b. factory, St. Cloud, Minn., and do not include labor of installing the new unit or refrigerant cost.

Removal of the original serial number from mechanical unit or cabinet voids this Protection Plan in its entirety.

MARQUETTE APPLIANCE INC. 305 HENNEPIN AVE., MINNEAPOLIS, 14, MINN.

SERVICE PLAN

Servicing Home Freezers or Refrigerators is the dealer's responsibility. If the dealer does not have a service man he should make arrangements with some competent service man to take care of any service that may be necessary—we provide a good margin between the dealer's cost and the list price to compensate for any reasonable cost of service if it becomes necessary.

The following service labor allowances, however, will be allowed for service performed on Marquette Home Freezers or Marquette Refrigerators within warranty. These service labor allowances have not been based upon a factory expert's time but the average time required by refrigeration service men in the field.

LABOR SERVICE ALLOWANCES

As of July 1st, 1956, the following labor service allowances will be in effect for replacing compressor assemblies and refrigeration systems in Marquette Home Freezers and Refrigerators within the five (5) year warranty period.

HOME FREEZERS

Replace complete compressor assembly \$12.50
(compressor, fan motor, condenser)

During the Five (5) Year Warranty Period Marquette agrees to pay the incoming freight charges on the returned defective compressor assembly provided the unit is defective and provided the unit is shipped via cheapest freight.

REFRIGERATORS

Replace complete refrigeration system \$8.50
(compressor, condenser, evaporator)

During the Five (5) Year Warranty Period Marquette agrees to pay the incoming freight charges on the defective system provided the unit is defective and provided the unit is shipped via cheapest freight. NOTE: The refrigeration system is sealed and is not to be broken into for service of any kind. If a refrigeration system is broken into or shows abuse or misuse in any way, we will allow only salvage credit.

The Service Allowance of \$12.50 for the Home Freezer is the total allowable expense for changing the unit and for the amount of freon necessary to recharge the unit. The amount of \$8.50 for the Refrigerator is the total allowable expense for changing the system. NOTE: We must have the paid service bill for all service work covered by the above allowances.

No Labor Service Allowance is made for replacing defective component parts such as cold controls, relays and the fan motor assembly on the Freezer Compressor Assembly according to the warranty furnished with each freezer and refrigerator.

Furthermore, if a returned hermetically sealed unit is found, after factory inspection, to be in perfect operating condition, we will make a flat \$7.50 handling and inspection charge on the credit due. In such cases, no allowance will be made for labor service or incoming freight charges.

This Labor Service Allowance Policy is one of the broadest policies that has been adopted in the refrigeration industry. Marquette labor service allowance becomes effective on the original date of purchase and is operative for five (5) years, while practically every other manufacturer starts their service allowance at the end of the first year of service and it is effective only for the last four (4) years of their warranty.

ELECTRIC REFRIGERATOR FREEZER COMBINATIONS

MARQUETTE



Quiet-running "Thrifty-Power" unit.
 "Zero-Zone" freezer—insulated all six sides.
 Automatic defrosting refrigerator.
 Automatically-balanced cold and humidity.
 8-position "Dial-A-Temp" temperature control.
 Life-time all-steel cabinet.
 Efficient fibre glass blanket insulation.

Freon 12 refrigerant.
 Specialized deep door storage.
 Safety latch easily opened from inside.
 Automatic floodlight.
 Two-coat dulux white baked enamel finish.
 "Mello-Tone" enamel interior—"Sunset" gold trim.
 Five year written protection plan.

Approved by Underwriters' Laboratories, Inc.

Equipment

9BK1—With meat tray, dairy bar and egg tray.

11BK—Same as 9BJ1 plus removable adjustable shelf.

12TK—Same as 9BJ1 plus glide-out shelf, glass shelf over crisper, utility compartment and three ice cube trays.

15FRK—With crisper, dairy bar, egg trays, glide-out shelves, tall bottle shelf, utility compartment, juice can rack and three ice cube trays, quarter shelves, freezer glide-out basket and two crispers (no meat tray).

21FRK—Vegetable crisper, egg trays, butter keeper, glide-out bottle bar, tall bottle area and fruit crisper in door, juice can rack, three ice cube trays, freezer glide-out baskets (no meat tray).

Each	1-2	3 or more	Over, Cap. Cu. Ft.	Freezer Cap., lbs.	Crisper Cap., lbs.	Ht., ins.	Width, ins.	Depth, ins.	Comp. H.P.	Ship. Wt., lbs.	Each
(Freezer at Top with Inside Door)											
21-9BK1-C	N-X166D14	N-X166D30	9.0	31.5	..	55 $\frac{1}{2}$	34	25 $\frac{1}{2}$	$\frac{1}{8}$	245	\$219.00
21-11BK-C	N-X186D50	N-X183D25	10.6	44.0	21	58 $\frac{1}{4}$	30 $\frac{3}{4}$	26 $\frac{1}{4}$	$\frac{1}{8}$	295	279.95
21-12TK-C	N-X262D08	N-X257D60	12.08	80.0	21	61 $\frac{1}{2}$	30 $\frac{3}{4}$	26 $\frac{1}{4}$	$\frac{1}{8}$	330	349.95
(Freezer at Bottom with Separate Outside Door)											
21-15FRK-C	N-X328D00	N-X322D00	14.3	176.0	27	68 $\frac{5}{8}$	30 $\frac{3}{4}$	28 $\frac{3}{4}$	$\frac{1}{4}$	415	599.95
21-21FRK-C	N-X431D73	N-X424D35	20.5	385	27	68 $\frac{5}{8}$	36	32	$\frac{1}{4}$	450	799.95

One in crate

Can Assort for Quantity Price

Terms—Net 10 days, F. O. B. St. Louis, Mo. Write us for carload or pool car prices. Prices subject to change without notice.

ELECTRIC FOOD FREEZERS

MARQUETTE SUPREME



Chest Type
Features:

- "Space-Saver" Design
- "Fast-Freeze" Compartment
- Efficient "Oil-Cooled" Compressor
- No Sweating (Shell-Cooled Condenser)
- Quiet (No Fan to Service and Clean)
- Flexible Interior (Adjustable Dividers)
- Automatic Hinges Help Open and Close Lid
- "Safety" Lid Can Be Opened from Inside
- Gleaming White Two-Coat Baked Dulux Finish
- Approved by Underwriters' Laboratories, Inc.

Cap., cu. ft.	Food Cap., lbs.	Fast Freeze Cap., lbs.	Baskets and Dividers (Total)	Lgth., ins.	Ht., ins.	Width, ins. (Less Hdwe.)	Comp. H.P.
13	450	91	2	51	36	27½	¼
17	600	91	2	63	36	27½	¼
21	750	91	3	75	36	27½	¼

Freon 12 Refrigerant

Each	Capacity, cu. ft.	Shipping Wt., lbs.	Each
21-SC14K-C N-X193D99 3 or more N-X190D67	13	340	\$259.95
21-SC18K-C N-X218D79 3 or more N-X215D05	17	400	294.05
21-SC22K-C N-X255D29 3 or more N-X250D93	21	460	344.95

Crates



Upright Type
Features:

- Easy-To-Reach Fingertip Storage**—In cabinet and "Book Shelf" storage door.
- Jet-Freeze**—Five "Fast Freeze" plates freeze by direct contact and circulation.
- Noiseless-Vibrationless**—Compressor hermetically sealed for life.
- No Condensation**—Shell type condenser assures a dry cabinet. Low wattage heater wire encircles door.
- Built-In Look**—Auto-type lock in freezer door.
- "Touch-A-Matic" Door Release (Model S17UK)**—Door opens at touch of button.

Light Floodlights Interior (Model S17UK)

Approved by Underwriters' Laboratories, Inc.

Cap., cu. ft.	Food Cap., lbs.	Freeze Plates	Ht., ins.	Width, ins.	Depth, ins. (Less Hdwe.)	Comp. H.P.
15.8	370	4	58½	30½	26½	¼
18	525	5	69½	30½	26½	¼

Freon 12 Refrigerant

Each	Capacity, cu. ft.	Shipping Wt., lbs.	Each
21-S12UK-C N-X198D62 3 or more N-X195D23	15.8	288	\$264.95
21-S17UK-C N-X246D76 3 or more N-X242D54	18	345	329.95

Crated

Can Assort for Quantity Price

Terms—Net 10 days, F. O. B. St. Louis, Mo. Write us for carload or pool car prices. Prices subject to change without notice.

ELECTRIC FOOD FREEZERS**MARQUETTE MASTER****Chest Type****Features:**

- "Space-Saver" Design
- "Fast-Freeze" Compartment
- Efficient "Oil-Cooled" Compressor
- No Sweating (Shell-Cooled Condenser)
- Quiet (No Fan to Service and Clean)
- Flexible Interior (Adjustable Dividers)
- Automatic Hinges Help Open and Close Lid
- "Safety" Lid Can Be Opened from Inside
- Automatic Interior Light (Mercury Switch)
- Gleaming White Two-Coat Baked Dulux Finish
- Approved by Underwriters' Laboratories, Inc.

Cap., cu. ft.	Food Cap., lbs.	Fast Freeze Cap., lbs.	Baskets and Dividers (Total)	Lyth., ins.	Ht., ins.	Width ins. (Less Hdwe.)	Comp. H.P.
17	600	91	4	63	36	27½	¾
21	750	91	6	75	36	27½	¾

Freon 12 Refrigerant

Each	Capacity, cu. ft.	Shipping Wt., lbs.	Each
21-18CK-C N-X236D34	17	400	\$314.95
3 or more N-X232D36			
21-22CK-C N-X272D84	21	460	304.95
3 or more N-X268D18			

Crated

Can Assort for Quantity Prices

Terms—Net 10 days, F. O. B. St. Louis, Mo. Write us for carload or pool car prices. Prices subject to change without notice.

GENERAL RANGE, REFRIGERATOR AND SINK

Five Year Written Guarantee

One piece porcelain steel top, balance of exterior finished in DuPont Dulux enamel. Powered with hermetically sealed Tecumseh compressors. Horizontal freezer and inner door shelf. Convenient two-phase timer and drip tray for easy cleaning.

Four Plus Cubic Feet

Width 27½ inches. Depth 28 inches. Height 36 inches.



Combines three gas burners with adjustable valves for natural, L-P or manufactured gas, sink, refrigerator and storage drawer.

Each Δ Each
 $\div$ R520-C N-X286D50.....\$411.95

One in crate. Wt. crate 210 lbs.



Combines three T & K tilt-up 1100 watt electric burners, sink, refrigerator and storage drawer. For 220 volt installation.

Each Δ Each
 $\div$ LKE520-C X293D00.....\$421.95

One in crate. Wt. crate 210 lbs.

SINK, REFRIGERATOR AND STORAGE DRAWER



Combines two T & K tilt-up 550 watt electric burners, sink, refrigerator and storage drawer. Automatic load limiter. For 110 volt use.

Each Δ Each
 $\div$ 2E520-C N-X293D00.....\$421.95

One in crate. Wt. crate 210 lbs.



With large drainboard work area. When coupled with any standard apartment range it provides complete with-oven 48 inch kitchen.

Each Δ Each
 $\div$ LKS550-C X254D00.....\$309.95

One in crate. Wt. crate 200 lbs.

Items marked $\div$ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., St. Louis, Mo.

GENERAL CHEF REFRIGERATOR AND RANGE COMBINATION

Five Year Written Guarantee

One piece porcelain steel top, balance of exterior finished in DuPont Dulux enamel. Powered with hermetically sealed Tecumseh compressors. Horizontal freezer and inner door shelf. Convenient two phase timer and drip tray for easy cleaning.

Four Plus Cubic Feet

Width 27½ inches. Depth 28 inches. Height 36 inches.



Combines three gas burners with adjustable valves for natural, L. P. or manufactured gas, refrigerator and storage drawer.

Each **RS1004-C X220D00** \$317.95

One in crate. Wt. crate 187 lbs.



Combines three T & K tilt-up 1100 watt electric burners, refrigerator and storage drawer. For 220 volt installation.

Each **ES1004-C X227D50** \$327.95

One in crate. Wt. crate 187 lbs.

GENERAL TABLE TOP REFRIGERATORS

Five Year Written Guarantee



Combines two T & K tilt-up 550 watt electric burners, refrigerator and storage drawer. Automatic load limiter. For 110 volt use.

Each **ES1004-C X227D50** \$317.95

One in crate. Wt. crate 187 lbs.



An attractive piece of furniture for the office, den or apartment. Blending acid resistant formica table top. Powered with hermetically sealed Tecumseh compressor. Horizontal freezer and inner door shelf. Convenient two-phase timer and drip tray for easy cleaning.

Four Plus Cubic Feet

Width 27½ inches. Depth 23½ inches. Height 36 inches.

White

Each **GA1004S-C X192D50** \$276.95
4 or more **X176D95**

Mahogany

GA1004SM-C X2C9D86 \$300.95

One in crate. Wt. crate 187 lbs.

Items marked ✱ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., St. Louis, Mo.

GENERAL CHEF RANGE, REFRIGERATOR AND SINK



Complete Kitchen

Range, oven, broiler, twin sinks, refrigerator and freezer. Range top and twin sinks are one solid piece of the finest gleaming white vitreous porcelain on heavy gauge steel. Rounded corners—no cracks or crevices—easy to clean. Twin sinks are each 12x16 inches. Deck type swing spout faucet is triple chrome plated.

Gas Range

Three standard size top burners by "Lincoln" with aluminum alloy heads. Automatic pilot light. Valves easily adjustable for natural, L-P or manufactured gases without removing hood. Drip tray under burners for easy cleaning. Oven dimensions: 12 inches wide, 16 inches high, 17 $\frac{3}{8}$ inches deep. Conventional broiler below oven. Oven and broiler burner rated 14,500 B.T.U. Robertshaw automatic control. Approved by American Gas Association.

Electric Range

3 surface units (Tuttle & Kift) 1100 watts each.....	3300 Watts
Oven and broiler unit.....	2700 Watts
Refrigerator motor.....	185 Watts
Total connected load.....	6185 Watts

Wired for 115/230 volt, 60 cycle A. C. current.

Construction and oven dimensions same as Gas Range.

Electric Refrigerator

Powered with hermetically sealed Tecumseh compact compressor which carries a five year written guarantee. Trade size: 6 cubic feet. Net 5.7 cubic feet. Shelf area: 19.9 square feet. Ranco cold control provides 7 temperature settings. Cabinet completely bonderized inside and out. Cooking heat does not affect refrigerator temperatures due to triple density Owens-Corning Fibreglas insulation. Horizontal freezer has capacity for 9 ice cube trays or 12 frozen food cartons. Large plastic meat tray below freezer. Two convenient shelves in door for extra storage. UL approved.

Width 42 inches. Depth 29 $\frac{3}{16}$ inches. Height 40 $\frac{3}{16}$ inches.

With Gas Range

Each	▲ Each
†R600-C X419D00.....	\$600.95

With Electric Range

†E600-C X448D00.....	\$638.95
----------------------	----------

One in crate. Wt. crate 450 lbs.

Add X40D00 for Wood Grain Colors

Items marked † not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Chicago, Ill. or Tampa, Fla.

AUTOMATIC ELECTRIC WASHER AND DRYER

MARQUETTE



WASHER

Load it—Set it—Forget it.

Two completely automatic washing cycles in one appliance.

Normal cycle automatically gives full washing and rinsing for all heavy and medium soiled cotton and linens—Short cycle (shorter wash, rinse and spin-dry period) for silks, woollens, man-made fabrics and lightly soiled cottons and linens.

Save time, hot water and detergent.

Fills and Starts—To correct washing level regardless of water pressure or amount of clothes. New patented fool-proof "weight-Fill" system.

Washes Cleaner—Four way water action created by scientifically designed agitation and bowl shaped tub. Agitator turns full 212° (not just a usual 180°). Gets out more soil to give whiter washes.

Rinses Thoroughly—Flushes all dirt, soap and scum up and out of the tub. Does not permit soil to drain through the clothes already washed clean.

Damp Dries—Glass-smooth porcelain inner tub spinning at 625 R.P.M. extracts water safely and leaves clothes soft, wrinkle-free and damp dry.

Full Illuminated Control Panel—Unmatched in beauty and design.

Automatic Fingertip Controls—Simply push button for Hot or Warm wash water.

Partial Fill Push Button—For special washing loads this button controls water level and washing action immediately starts.

Flexible Cycle—While washing cycle is completely automatic, any part may be repeated, shortened, lengthened or skipped at will.

Safety Timer Knob—Unscrews when turned wrong way for fool-proof protection.

Non-Tangle Washing Action—Gets clothes cleaner. So easy to remove from tub.

Sediment Ejector—Sand or sediment sinks to tub bottom and automatically flushes out.

Warm or Cold Rinse Selection—Push-button control for proper water temperature.

Fiber-matic Spin Balance—Automatically adjusts to out of balance loads for smooth and silent operation.

Porcelain Inner and Outer Tubs—Assures lifetime protection against rust.

Porcelain Top—Rust-proof and stain-resisting white porcelain enamel.

Panel Cabinet Construction—Two screws removes front and side panels for servicing.

Fluid Drive—Transmits power evenly and absorbs shocks. The smoothest operating mechanism made.

Cabinet Size—27 $\frac{1}{4}$ x 25 $\frac{3}{4}$ x 36 inches.

Each

21-M15H-C X214D95.....\$329.95

One in crate, Wt. crate 275 lbs.

DRYER

A Companion to Washer No. 21-M15H-C

Push Button Control—High heat (140° to 175°) for safe drying most clothes. Low heat (115° to 150°) for delicate fabrics. Fluff dry (air without heat) to fluff blankets, curtains, furs, etc.

Automatic Timer Control—Dial your drying time with settings from damp to heavy dry. Shuts off dryer when selected time expires.

Vacuum Fluffed—Air is heated and drawn over and through clothes as they are tumbled and fluffed. Vacuum principle removes more moisture quicker and faster, leaves clothes soft and fluffier.

Fully Illuminated Control Panel—Choose the drying weather and the time — your clothes dry fluffy-soft, sunshine fresh and wrinkle-free—all automatically.

Push-Button Temperature Selection—For flexible drying temperatures—high, medium and "fluff-dry"—the last setting gently fluffs garments and pillows, etc. in clean unheated air currents.

Large 9 lb. Capacity—Drum is bonderized steel with rust-resistant baked aluminum finish.

Satin-smooth Drying Drum—Gently tumbles clothes.

Porcelain Top—Resists stains and rusts.

Interior Light—Illuminates interior.

Easy Access Lint Trap—Located in top of control panel.

Automatic Door Shuts Off—Provides extra safety.

Multi-Way Venting—To the right, left or rear.

Cabinet Size—27 $\frac{1}{4}$ x 25 $\frac{3}{4}$ x 36 inches.


Each

21-M215H-C X169D95.....\$254.95

One in ctn, Wt. ctn, 200 lbs.

AUTOMATIC ELECTRIC WASHER AND DRYER

MARQUETTE



WASHER

Fluid drive transmits power evenly and absorbs shocks. Smooth silent operation.

Illuminated Control Dial—Easy to set—easy to read—unmatched beauty and design for your new kitchen or laundry.

Fingertip Water Temperature Selector—Controls "Hot" or "Warm" water automatically.

Automatic Filling—Simply set dial for normal or low water pressure.

Automatic for Partial Loads—Permits washing $\frac{1}{2}$ or $\frac{3}{4}$ load of clothes with corresponding amount of water without wasting hot water.

Porcelain Bowl Shaped Inner Tub—For greatest possible water action. Outer drain tub is also porcelain enamel for lifetime protection against rust.

Surgamatic Water Action—Gets clothes cleaner, faster and safer.

Four Cleansing Rinses—Assures white washes. Three spin rinses plus deep overflow rinse removes suds, film and soil over top of tub.

Dimensions— $27\frac{1}{4} \times 25\frac{3}{4} \times 36$ inches.

Each	Each
21-M35G-C X194D95	\$289.95

One in ctn. Wt. ctn. 275 lbs.

DRYER

A Companion to Washer No. 21-M35G-C

This is a complete matching twin for the automatic washer—in beauty, style and proven performance.

Illuminated Dial and Automatic Timer.

Automatic Dual Temperature Selector—Assures proper heat for all fabrics.

Automatic Heat Control—Clothes dry at constant safe temperature.

Vacuum Drying System—Time proven for most efficient moisture evaporation.

Automatic Door Shut Off—Turns off heat and stops drum when door is opened.

Interior Light—Illuminates interior when door is opened.

Easy Access Lint Trap—Conveniently located at top of dryer.

Capacity—8 to 9 lbs. of dry clothes or 16 to 18 lbs. of wet clothes.

Dimensions— $27\frac{1}{4} \times 25\frac{3}{4} \times 36$ inches.

Each	Each
21-M235-C X154D95	\$219.95

One in ctn. Wt. ctn. 200 lbs.

AUTOMATIC WASHERS AND DRYERS

MARQUETTE

**TWO-SPEED WASHER**

With "Magic-Matic" Lint Filter

Illuminated Control Panel (Floodlights Interior)

Automatic Finger-tip Control—Touch of button or turn of dial for—hot, warm or cold water—fast or slow speed wash and spin—full or partial tub fill—short or regular cycle.

Flexible Cycle—Any part of cycle may be repeated, shortened, lengthened or skipped at will.

Ten Complete Rinses—9 spray rinses plus deep overflow rinse.

Safety Switch—Automatically shuts washer off if unbalanced load causes excessive vibration.

Specifications—Porcelain top and tub, 4-vane agitator. Quiet smooth transmission. Flush-to-wall installation. 10-lb. tub capacity. Maximum hot water at regular cycle, 18 gallons. Width 28 $\frac{3}{4}$, depth 27 $\frac{1}{4}$, height 36 (overall 44 $\frac{5}{8}$) inches.

Five-Year Written Guarantee

1 Year on Complete Washer, 5 Years on Transmission

115 Volts, 60 Cycle, A.C.

Each	1-2	3 or more	Ship. Wt., lbs.	Each
21-WJ9S1-C	X216D62	X213D43	200	\$359.95
One in crate				

MATCHING DRYERS

Fluorescent Work Light—Interior Light

Variable Heat Control—From "fluff" to 165°.**Germicidal Ozone Lamp**—Leaves clothes sanitary.

Specifications—Porcelain enamel top, Flush-to-wall installation. Width 28 $\frac{3}{4}$, depth 27 $\frac{1}{4}$, height 36 (overall 44 $\frac{5}{8}$) inches. 115/230 volts, 60 cycle, A.C. (3-wire 30 amp. Circuit)—5500 watts. 115 volts, 60 cycle A.C. (2-wire 15 amp. circuit)—1400 watts. 25,000 B.T.U. Gas Rating—Automatic Safety Shutoff.

Each	1-2	3 or more	Ship. Wt., lbs.	Each
Electric Model				
21-EJ9S-C	X174D58	X171D61	214	\$289.95
Gas Model				
21-GJ9S-C	X198D25	X194D82	223	\$19.95
One in crate				

**SINGLE-SPEED WASHER**

With "Magic-Matic" Lint Filter

Illuminated Control Dial

Automatic Fingertip Control—Touch of button or turn of dial for—hot, warm or cold water—full or partial tub fill—short or regular cycle.

Flexible Cycle—Any part of cycle may be repeated, shortened, lengthened or skipped at will.

Ten Complete Rinses—9 spray rinses plus deep overflow rinse.

Safety Switch—Automatically shuts washer off if unbalanced load causes excessive vibration.

Specifications—Porcelain tub, Flush-to-wall installation. 4-vane agitator. Quiet, smooth transmission. 10 lb. tub capacity. Maximum hot water at regular cycle 18 gallons. Width 28 $\frac{3}{4}$, depth 27 $\frac{1}{4}$, height 36 (overall 42 $\frac{5}{8}$) inches.

Five-Year Written Guarantee

1 Year on Complete Washer, 5 Years on Transmission

115 Volts, 60 Cycles, A.C.

Each	1-2	3 or more	Ship. Wt., lbs.	Each
21-WJ9A-C	X193D00	X189D70	230	\$329.95
One in crate				

MATCHING DRYERS

Illuminated Control Dial—Interior Light

Three-Heat Pushbutton Selection—For regular, delicate fabrics or gentle "fluff-dry".

Specifications—High-bake enamel finish. Flush-to-wall installation. Child-safe door latch. Jumbo lint container. Width 28 $\frac{3}{4}$, depth 27 $\frac{1}{4}$, height 36 (overall 42 $\frac{5}{8}$) inches. 115/230 volts, 60 cycle, A.C. (3-wire 30 amp. Circuit)—5500 watts. 115 volts, 60 cycle, A.C. (2-wire 15 amp. Circuit)—1400 watts. 25,000 B.T.U. Gas Rating—Automatic Safety Shutoff.

Each	1-2	3 or more	Ship. Wt., lbs.	Each
Electric Model				
21-EJ9A-C	X156D77	X154D10	202	\$295.95
Gas Model				
21-GJ9A-C	X180D37	X177D30	211	\$289.95
One in crate				

Can Assort for Quantity Prices

Terms—Net 10 days, F.o.b. St. Louis, Missouri. Write us for carload or pool car prices.

AUTOMATIC WASHERS AND DRYERS

MARQUETTE



SINGLE-SPEED WASHER

Distinctive Control Dial

Fingertip Water Temperature Selector—Hot or warm.

Water Level Selector—Full or partial tub fill.

Flexible Cycle—Any part of cycle may be repeated, shortened, lengthened or skipped at will.

Four Complete Rinses—3 spray rinses plus deep-overflow rinse.

Safety Switch—Automatically shuts washer off if unbalanced load causes excessive vibration.

Specifications—Porcelain tub, baked enamel top, 4-vane agitator. Quiet, smooth transmission, 10-lb. tub capacity. Maximum hot water 18 gallons. Width 28 $\frac{1}{4}$, depth 27 $\frac{1}{4}$, height 30 (overall 37 $\frac{3}{4}$) inches.

Five-Year Written Guarantee

1 year on Complete Washer, 5 years on Transmission

115 Volts, 60 Cycles, A.C.

Each	1-2	3 or more	Ship. Wt., lbs.	Each
21-WJ9B-C	X175D14	X172D13	236	\$279.95

One in crate

MATCHING DRYERS

Distinctive Control Dial

Preset Temperature Control—155° for most fabric.

Specifications—Baked enamel finish. Child-safe door latch. Jumbo lint trap. Width 28 $\frac{1}{4}$, depth 27 $\frac{1}{4}$, height 30 (overall 37 $\frac{3}{4}$) inches. 115/230 Volts, 60 Cycle, A.C. (3-wire 30 Amp Circuit)—3500 Watts. 115 Volts, 30 Cycle, A.C. (2-wire 15 Amp. Circuit)—1400 Watts. 25,000 B.T.U. Gas Rating—Automatic Safety Shutoff.

Each	1-2	3 or more	Ship. Wt., lbs.	Each
21-EJ9B-C	X139D09	Electric Model X136D71	196	\$209.95
		Gas Model X159D80		
21-GJ9B-C	X162D58	X159D80	200	239.95

One in crate

Can Assort for Quantity Prices.

Terms—Net 10 days, F.o.b. St. Louis, Missouri. Write us for carload or pool car prices.

CLOTHES DRYER VENTS

LEIGH



Fits all popular make clothes dryer—with 3 or 4 in. connection without changing dryer vents.

Can be vented through wall or window, 4 in. opening. Aluminum panes available with pre-cut hole. Extension sets available for duct runs longer than 8 feet.

Carry moisture, lint, and odors outdoor, eliminating most common problems with clothes dryer.

All-aluminum, can't rust or streak outside house paint.

Hood conceals floating valve which retards back drafts.

(475)

Each		Each
L4543F	X1D75.....	\$2.91

One in box, twelve in ctn. Wt. ctn. 10 lbs.

ALUMINUM VENT PIPE

For Clothes Dryers

24 inch Joint

.016 Gauge

Each		Diam. in.	Wt. Bdl. lbs.	Each
4-24A3-E	N-D4C2	3	10½	\$0.65
4-24A4-E	N-D4C9	4	13¼	.75

Twenty-five in bundle

Sold Only in Full Bundles

ALUMINUM ADJUSTABLE ELBOWS

For Use With Aluminum Vent Pipe

.016 Gauge

Each		Diam. in.	Wt. Ctn. lbs.	Each
4-16/3-E	N- 5528 D4C3	3	11½	\$0.45
4-16/4-E	N- 5528 D5C2	4	27½	.80

Sold Only in Full Cartons

NOTE—Aluminum Vent Pipe and Elbows may be shipped direct from factory F. O. B. St. Louis, Mo. in full bundles or cartons.

ELECTRIC WASHERS

ZENITH



Specifications:

Capacity—9 lbs.

Tub—Bowl shaped porcelain for faster washing. Surrounded by outer casing. Provides thermo-double wall construction.

Tub Cover—Rust-proofed steel with steam sealed gasket.

Agitator—Extra large hi-vane aluminum.

Control Dial—3-way beautifully colored and lighted.

Motor—½ H. P.

Cord—Waterproof rubber of extra length.

Chassis—Heavy steel throughout.

Castors—Large size balloon.

Drain—Convenient length hose drain.

Finish—All metal parts bonderized and sprayed with Dulux white enamel finish and oven baked. Trimmed in red rubber vinyl.

Pump—Fast emptying.

Warranty—Five years.

With Pump

Each		Each
21-608P-C	N-X116D00.....	\$174.00

One in ctn. Wt. ctn. 155 lbs.

Without Pump

Each		Each
21-608-C	N-X109D50★.....	\$164.00

One in ctn. Wt. ctn. 153 lbs.

STAR ★ DENOTES BEST SELLER

ELECTRIC WASHERS

ZENITH



Specifications:

Capacity—9 lbs.

Tub—Bowl shaped porcelain for faster washing. Surrounded by outer casing provides thermo-double wall construction.

Tub Cover—Rust-proofed steel with steam sealed gasket.

Agitator—Extra large hi-vane aluminum.

Control Dials—Operate agitator and pump. Centrally located for convenient use.

Gear Case—Powerful driving mechanism which is sealed in a permanent supply of lubricant. Large gears and steel cut pinions are machine cut and shaved by precision shaver.

Wringer—Has adjustable pressure control for all types of fabrics, from light silks to heavy woolen blankets. Rolls and pressure can be instantly released by lightly touching release bar.

Motor— $\frac{1}{2}$ H. P.

Cord—Waterproof rubber of extra length.

Chassis—Heavy steel throughout.

Castors—Large size balloon.

Drain—Convenient length hose drain.

Finish—All metal parts bonderized and sprayed with Dulux white enamel finish and oven baked. Trimmed in red rust vinyl.

Pump—Fast emptying.

Warranty—Five years.

With Pump

Each
21-5C8P-C N-X105D0C★.....\$158.95

One in crate, Wt. crate 150 lbs.

Without Pump

Each
21-508-C N-X98D50★.....\$147.95

One in crate, Wt. crate 148 lbs.



Specifications:

Capacity—9 lbs.

Tub—White porcelain enameled, full size.

Tub Cover—White enamel completely rust-proofed with convenient handle.

Agitator—Genuine bakelite cut in front of machine agitator. "Off and On" switch.

Gear Case—Powerful driving mechanism sealed in a permanent supply of lubricant. Large gears and steel cut pinions are shaved by precision shaver.

Wringer—Safety pressure dryer with target release. Has manual control drainboard.

Motor— $\frac{1}{2}$ H. P.

Cord—Extra length waterproof.

Chassis—Floor length skirt of heavy steel with cross frame auto construction. Equipped with hose drain.

Castors—Free-rolling hard rubber.

Finish—All metal parts bonderized and sprayed with genuine Dulux white enamel finish and oven baked. All trim in red-rust vinyl.

Warranty—Five years.

Without Pump

Each
21-308-C N-X81D25★.....\$125.00

One in ctn. Wt. ctn. 133 lbs.

ELECTRIC PORTABLE WASHERS

HANDYHOT

Approved by Underwriters' Laboratories

Designed for added convenience. Simple to use, easy to carry and may be conveniently stored in a kitchen cabinet or closet.

Ideal for small apartments, summer cottages, while traveling, or in every home as a supplement to the large washer or laundry service for day to day washings.

Uses oscillating agitator washing action, assuring large washer performance in a portable model.

ALUMINUM



Semi-Automatic

Set automatic timer for proper washing period for various fabrics. Shuts off the instant clothes are washed.

Ideal for day to day washing. Large washer performance. Built for portability and convenience in storing.

White enameled dome with contrasting black handles. Exclusive patented motor-in-the-dome construction, allows removal without disturbing agitator or clothing. When dome is removed, tub can be used on stove for sterilizing baby's clothing. Aluminum agitator oscillates 84 times per minute. Air cooled motor. Heavy rubber covered cord and plug.

Operates on A. C. 115 volts, 60 cycles, 90 watts.

Capacity 7 Gallons—3 lbs. Dry Clothes

Each		Each
81-2612-C	X28D35	\$42.50
Six or more	X26D56	

One in ctn. Wt. ctn. 22 lbs.

ALUMINUM



A present favorite in many homes. An essential workover.

Dome of pebble blue enamel with contrasting maroon handles provide attractive and colorful design. Aluminum tub. Polished, chip-proof, rust-resistant, aluminum agitator oscillates eighty-four times per minute. A heavy splash-proof gasket completely seals the washer between the dome and

the tub and eliminates spill-over. Thick rubber covered cord and plug. Air cooled induction motor.

Operates on 115 volts, alternating current only, 50-60 cycles.

Capacity 7 Gallons

Each		Each
81-2619-C	X25D31 ★	\$37.95
Six or more	X23D72 ★	

One in ctn. Wt. ctn. 22 lbs.

formance in a portable model. The "motor in the top" provides maximum portability, ease of storage and permits the use of the tub on the stove for sterilizing.

Will wash up to three pounds of dry clothes in ten to fifteen minutes. Ideal capacity loads are as follows: four men's shirts, or ten diapers, or one double bed sheet, or ten to fifteen pairs of men's socks, or seven to eight shorts and undershirts, or ten to twelve articles of silk or rayon

PORCELAIN ENAMEL



For small day to day washings, or the baby's wash. Ideal to take on vacation trips.

White enamel dome has black natural grip handles for ease in handling. Durable porcelain enamel tub. Agitator is of aluminum and oscillates eighty-four times a minute, assuring large washer performance. Splash-proof rubber gasket seals the dome and tub to eliminate spill-over of water. Heavy rubber covered cord and plug. Air-cooled motor.

Operates on 115 volts, alternating current only, 50-60 cycles.

Capacity 8 Gallons

Each		Each
81-XL18-C	X22D54 ★	\$32.50
Six or more	X21D22 ★	

One in ctn. Wt. ctn. 20 lbs.

WRINGERS

For Portable Electric Washers



Full 7½-inch Wringing Surface

Built to fit all Handyhot Electric Washers or may be used on any pail or tub having a rim thickness of less than ½ inch. White enameled steel housing. Cadmium plated steel thumb pressure screw. Soft white rubber rollers 1½ inches diameter, 8 inches long. Stationary steel non-splash drain. Removable cadmium plated steel handle 7½ inches long with natural finish stained hardwood grip, fastened with wing nuts. Cadmium plated steel revolving clamps with thumb screw and rubber pads.

Length 11½ inches. Width 2¼ inches. Height 4½ inches without clamps and pressure screw.

Each		Each
81-XL3-C	X6D54	\$9.95
Six or more	X6D22	

One in ctn. Wt. ctn. 7 lbs.

STAR ★ DENOTES BEST SELLER

ELECTRIC BROOMS

REGINA



Model 600

The revolutionary new home cleaner designed to the housewife's specifications for her daily use. Portable as a broom. Especially convenient for cleaning stairways, furniture and mattresses. For use on wood, cement, tile floors. Gentle sweeping action on carpets and rugs.

Concentrated suction power. Grooved swivel nozzle maintains the most efficient operating position. Two-tone coloring (driftwood and copper). Specially woven pleated material filter. Bakelite removable dirt cup. All purpose brush. Staticomb for opening nap to remove threads and animal hairs. Vinyl bumper. Steel tubing handle with ring on end for hanging on hook. Quick cord release. Height 4 feet 2 inches.

High grade $\frac{3}{8}$ h.p. motor for A.C. or D.C., 25 to 60 cycles, 300 watts. 1500 R.P.M.

Each Each

81-500-C X29D97..... \$49.95

3 or more X28D47

One in ctn. Wt. ctn. 6 $\frac{3}{4}$ lbs.

VACUUM CLEANERS

GENERAL ELECTRIC

Double Action—Self-cleaning twin brushes work alternately on forward and backward strokes to lift imbedded lint, threads and dirt.**Automatic Adjustment**—Cleaning unit adjusts automatically to any type of rug or carpet or to bare floor.**Disposable Filter Bag**—Easily-changed, king-size, disposable filter bag plus permanent, removable cloth filter.**Convenient Operation**—Swivel top, rollers, kink-proof hose, curved tube and low silhouette cleaning unit permits easy cleaning all around the room and under furniture with only two-inch clearance. Finger-tip suction power control. Hose connection for blower action. Powerful, reliable G-E motor never needs lubrication. Handy toe switch. Durable lightweight hose and lightweight extension wand with positive-locking latches.

120 Volts AC

Standard One-Year G.E. Warranty

**Cord Reel****Self-Winding Disappearing Cord**

Toe control makes cord wind itself up, out of sight. Attachments ride "piggy-back" in removable carrying caddy. Glade green baked enamel and chrome finish. Height 15 inches. Diameter 13 1/4 inches.

Complete with 65 inch hose, 18 inch extension wand, upholstery nozzle, drapery nozzle, crevice tool, soft bristle dusting brush and 20-foot cord.

Each	Each
81-C7-C X55D97.....	\$79.95
4 or more X53D97.....	

One in ctn. Wt. ctn. 30 lbs.

**Lowboy****With Bumper and Shoulder for Cord Storage**

Broad rollers roll easily across rugs and floor. Non-marring vinyl bumpers. Pearl gray and coral baked enamel finish. Height 15 1/4 inches. Diameter 13 inches.

Complete with 65 inch hose, 18 inch extension wand, crevice tool, soft bristle dusting brush, fabric nozzle and 18-foot cord.

Each	Each
81-C6-C X37D96.....	\$49.95
4 or more X36D96.....	

One in ctn. Wt. ctn. 24 1/2 lbs.

Terms Net 10 Days

VACUUM CLEANERS

GENERAL ELECTRIC

**Twin Power Upright**

From rugs to bare floors instantly with self-adjusting elevator power brush. Long-reach cleaning under low furniture—only 4½ inches high with handle lowered. Easily stored—hangs flat on wall or stands rigidly in closet corner.

Brisk gentle action, at 4,000 R.P.M., plucks out lint and threads, loosens embedded dirt, fluffs nap on pile carpeting—simple adjustment for wear—permanently lubricated ball bearings.

Large, easy-change disposable filter bag behind full-length zipper of washable, odorless, Saran fabric bag—rear pocket stores cord and accessories. Handle lock control and on-off switch at fingertips on contoured hand grip. Powerful, specially-designed motor—installed horizontally with permanently-lubricated ball bearings both ends. Cleaning head height 4½ inches, stroke 12 inches wide, 4½-quart dust bag. With 21-foot cord—molded plug and strain relief. Weight only 14½ lbs. Sandalwood and chrome finish.

Standard One-Year G-E Warranty
120 Volts AC—350 Watts
Without Accessories

Each	Each
81-U1-C X48D97	\$89.95
4 or more X47D22	

One in ctn. Wt. ctn. 19 lbs.

ACCESSORY KIT FOR U1

Includes adaptor, hose, two 18-inch wands, floor-wall brush, dust brush, fabric nozzle and crevice tool.

Each	Each
81-A1-C X13D97	\$10.95
4 or more X13D47	


One kit in ctn. Wt. ctn. 5 lbs.

DISPOSABLE FILTER BAGS

Per Pkg.		For Cleaner	No. in pkg.	Per Pkg.
K4304C (XV50X46)	D7C0	R1	6	\$1.00
K4308C (XV50X55)	D7C0	C4, C6	6	1.00
K4276C (XV50X60)	D7C0	U1	3	1.00
Wt. pkg. 6 oz.				

Terms Net Ten Days

SEWING MACHINE NEEDLES



Handy counter card assortment of needles for all makes of machines. Different needle types are securely fixed in the proper category and cannot become mixed. Identification is positive and quick. Card is scientifically arranged to sell out evenly and contains two different needle sizes covering cotton threads, as well as nylon, mercerized and silk thread.

42 Packages of 2 Needles Each

Per Card Per Package
R-Card-C X4D20 \$0.15
One card in envelope. Wt. envelope $\frac{3}{4}$ lb.

OPEN STOCK

Per Paper	Class	For Thread Nos.	Per Paper
R-C80100-C	D0C7½	C 80 to 100	\$0.15
R-D80100-C	D0C7½	D 80 to 100	.15
R-E6080-C	D0C7½	E 60 to 80	.15
R-E80100-C	D0C7½	E 80 to 100	.15
R-F8080-C	D0C7½	F 60 to 80	.15
R-F80100-C	D0C7½	F 80 to 100	.15
R-G3040-C	D0C7½	G 30 to 40	.15
R-G80100-C	D0C7½	G 80 to 100	.15
R-J80100-C	D0C7½	J 80 to 100	.15

Two in a paper envelope

SEWING MACHINE NEEDLE CHART

The Following List Specifies the Style Needle Suitable for the Different Makes of Sewing Machines

Needle Style Tubes	Name of Machine	Needle Style Tubes	Name of Machine	Needle Style Tubes	Name of Machine	Needle Style Tubes	Name of Machine	Needle Style Tubes	Name of Machine
C	Acme	D	Elitrol, Two Spool	C	I X L	C	New South	J	Shap, Diamond Rotary
P	Adlake	P	Electric	P	Jennie June	C	New Sterling	J	Shap, Electric Rotary
B	Advance	C	Electric City	C	Jewell	D	New Stearns	C	Shan, Treadle
B	Albough Dover	C	Elgin	C	Kaistack	C	New Style	C	Silent Princess
B	Alliance	C	Elmira	C	Kai-gien	C	New Treasures	C	Singer High Arm
B	Aloha	C	Elmo	D	Kai-gien	C	New Victor	C	Singer Low Arm
C	Always Ready	C	Elvia	C	Kanwood	C	New Vassar	C	Singer New Family
C	Alma	C	Ely	C	Keystone	A	New Victor	C	Singer Old Style
C	Amazon	C	Empress	C and D	Kear	A	New Williams	G	Singer Phila. delphia
C	American No. 8	C	Evergreen	C	King Buffalo	A and B	Noble	G	Singer Silent No. 1
C	Amer. Union	C	E-voy	C	King Special	C	Norparel	G	Singer No. 12
C	Arlington	C	Euporia	C	Kirkwood	D	Norrich	D	Singer L. F. & I. M.
C	Arrow	C	Excelsior	C	La Belle	C	Norrich	D	Singer No. 2
C	Ashtland	C	Excelsior B. H.	C	La Belle	C	Norrich	D	Singer No. 3
C	Atchinson	C	Export	C	La Belle	C	Norrich	D	Singer No. 4
C	Austin Special	C	Falcon	C	Lake Shore	D	Norrich	D	Singer No. 5
C	Banner	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 6
C	Bartlett	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 7
C	Bartlett	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 8
C	Rotary	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 9
C	Beauty	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 10
C	Belvidere	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 11
C	Betsy Ross	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 12
C	Rotary	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 13
C	Blue Ribbon	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 14
C	Bonita	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 15
C	Brunswick	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 16
C	Burdick	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 17
C	C & C	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 18
C	Century	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 19
C	Challenge	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 20
C	Champion	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 21
C	Clayton	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 22
C	Cleveland	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 23
C	Climax	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 24
C	Clover Leaf	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 25
C	Co-Lee	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 26
C	Columbia	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 27
C	Rotary	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 28
C	Columbus	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 29
C	Comus	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 30
C	Conquest	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 31
C	Conover	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 32
C	Coronet	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 33
C	Cottage	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 34
C	Courier	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 35
C	Journal	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 36
C	Crescent	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 37
C	Crown	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 38
C	Cumberland	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 39
C	Damasus	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 40
C	Grand	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 41
C	Rotary	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 42
C	Dauntless	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 43
C	Davis, P. B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 44
C	Davis Rotary	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 45
C	Dayton	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 46
C	Daytonia	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 47
C	Decorah	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 48
C	Posten	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 49
C	Defender	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 50
C	Defiance	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 51
C	Demolay	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 52
C	Demorest	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 53
C	Deioto	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 54
C	Diamond	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 55
C	Dixon	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 56
C	Domestic N.T.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 57
C	Druid	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 58
C	Duplex	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 59
C	E. & B., B. B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 60
C	Economy	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 61
C	Eclipse	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 62
C	Edgemoor	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 63
C	Eldorado	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 64
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 65
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 66
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 67
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 68
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 69
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 70
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 71
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 72
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 73
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 74
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 75
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 76
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 77
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 78
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 79
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 80
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 81
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 82
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 83
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 84
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 85
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 86
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 87
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 88
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 89
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 90
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 91
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 92
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 93
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 94
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 95
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 96
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 97
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 98
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 99
C	Elitrol, B.	C	Family Friend	C	Lake Shore	C	Norrich	D	Singer No. 100

SEWING MACHINE BELTS



Round leather, oak tanned. Length 69 inches. Diameter $\frac{1}{2}$ inch, with hook.

Each R-614-C D2C8 \$0.45
One in box. Wt. box 2 ozs.

WATER COOLERS

CORDLEY

Each		Each
@H3S-C	X132D25	\$197.00
@C58-C	X180D00	270.00
@C13-C	X192D75	289.00
@C22-C	X246D00	369.00
@C15W-C	X223D50	335.00
@C27W-C	X292D00	438.00
@M35-C	X124D00	186.00
@G25-C	X110D75	166.00
@G3-C	X168D00	252.00
@GC-C	X223D50	335.00
@HG5-C	X249D00	373.00
@F10WE-C	X256D00	384.00
@SR6-C	X175D00	262.00
@SR14-C	X217D50	326.00
@SR17W-C	X230D75	346.00
@SR24W-C	X251D50	377.00



Cordley

ELECTRIC DRINKING WATER COOLERS

Your Choice of 3 Lines
**Compact • Standard
• Remote**



Listed by Underwriters' Laboratories Inc. Comply with the requirements of Commercial Standards CS127-45.

Highest Quality Engineering and Construction

Cordley's outstanding quality is based on the experience of nearly seventy years devoted to the manufacture of equipment for cooling drinking water. This quality, in turn, has been responsible for Cordley's sterling reputation developed through the excellent record of service achieved by the sale of more than one million water coolers throughout the world.

Backed by the Best Guaranty in the Industry

Every Cordley Hermetic Cooler is guaranteed for five years. A new cooler will be supplied if a defect occurs in the hermetic factory-sealed refrigeration system or cooling tank and freight will be paid both ways within continental United States. All other electrical parts are also guaranteed for 5 years. See specimen copy of this unique guaranty for complete details.

NO OTHER COOLER IS GUARANTEED TO THIS EXTENT



Dual Flow Controls for Convenience
(CS-8, C-13, C-22, C-15W, C-27W, F-10WE)
Simple mechanical button and pedal permit feather touch operation. Not affected by power failures.



Bubbler Jets Aimed for Easy Drinking
No neck craning—the water flow from the bubbler is near and parallel to the front for easy, natural drinking.

Cordley ELECTRIC DRINKING WATER COOLERS

BASIC MODELS

COMPACT LINE



Air Cooled
Compact
Bubbler
Model H-3S
(Glass Filler avail-
able in place of
bubbler)



Air Cooled
Compact Bottle
Model G-2S
Also available with
cover (for use with-
out bottle)



Air Cooled
Compact
Pressure
Model M-35

STANDARD LINE

Air Cooled
Bubbler Models
CS-8
C-13
C-22

Water Cooled
Bubbler Models
C-15W
C-27W
Explosion Proof
Model F-10WE



Air Cooled Bubbler
Model HC-5
with refrigerator
compartment.
Also available in bottle
type Model GC



Air Cooled Bottle
Model G-3



REMOTE LINE



Water Cooled
Remote Models
SR-17W, SR-24W

Air Cooled
Remote Models
SR-6, SR-14



GF-500



GF-700



F-610
GF-300

ACCESSORIES

Glass Fillers
GF-500 and GF-700 for
external connection to all
standard bubbler models.
F-610 for all bubbler
models (except HC-5). GF-
300 for model H-35.



9-20



9-12

Wall Fountains

For external connection to Remote Coolers
or standard bubbler models. (Extra
connection provided on back of all bubbler
models except HC-5 and H-35).

COOLER SELECTION GUIDE

To determine the bubbler size needed, allow one gallon for each—

12 persons in offices and schools

7 persons in light manufacturing

5 persons in heavy manufacturing

MODEL	CS-8	C-13	C-22	C-15W	C-27W	F-10WE	J-8	HC-5	H-35	M-35	GC	G-3	G-2S	SR-6	SR-14	SR-17W	SR-24W
GENERAL DETAILS																	
Capacity (GPH 90°-80°-50°)	8.0	12.9	22.6	15.0	27.0	11.0	8.8	5.0	2.9	2.9	1.0	3.3	2.1	6.4	13.7	16.5	23.3
Horsepower	1/6	1/5	1/3	1/5	1/3	1/8	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/5	1/3	1/3	1/2
Net Weight in lbs.	99	110	139	114	143	139	93	141	76	72	141	105	70	75	125	104	113
Shipping Wt. in lbs.	118	129	158	133	162	158	110	160	88	84	160	124	82	88	146	125	134

FEATURES

General—Cabinet 19 gage electro-galvanized steel, phosphorized after forming. Infra-red baked Hammerloid neutral gray finish. Recessed rust inhibited black base. Sealed water cooling unit—vapor and vermin proof. Sealed refrigeration unit—no mechanical connections. Freon-12 refrigerant.

Standard Bubbler Models—Meet all sanitary refrigeration-plumbing code requirements. Squirt-proof bubbler. 18-8 stainless steel top—extra deep, splash-proof. Twist-proof water connections. Automatic adjustable built-in water pressure regulator.

Compact Models—Occupy small space—static air cooled. Model M-35 for city water hook-up, needs no drain connection. Model G-2S (bottle type) is portable—completely self-contained. Can be located anywhere electrical outlet is available. Model H-35 has simplified drain connection.

Compartment Models—Stainless steel compartment (approx. 1 cu. ft.) maintains refrigerator temperature. Freezes ice cubes (2 trays).

Explosion-Proof Model—UL listed for Class I, Groups C&D; Class II, Groups F&G.

REFRIGERATOR WATER BOTTLES



Clean, sanitary container for water, etc. Clear glass. Black metal cap with water-proof liner. Concave sides give perfect grip. Can be used in either ice or electric refrigerator.

Per Carton	Size, qt.	Size, in.	Wt., lbs.	No. in ctn.	Each
81-1WB-E N-X4D10	1 8½x5x2	38	24	80.50	
81-2WB-E N-X2D75	2 9½x6x3	33	12	.45	

Sold Only in Full Cartons

REFRIGERATOR DISHES



The safe and sanitary way to store left-over foods in the refrigerator, or for fruits and dry foods in the pantry or kitchen.

Save space in refrigerator—keep foods cleaner, fresher—see at a glance what foods are on hand.

Streamlined—fluted panels give a smart, sparkling appearance. Rounded corners—easy to clean. Sure-grip feature on covers makes them easy to pick up. Ridge inside lid makes it fit closely and prevents slipping off.

Height Glass 3⅞ Inches

Per Ctn.	Size, in.	No. in Ctn.	Wt. lbs.	Each
81-44-E N-X3D35	4½x4½	24	35	80.25
81-84-E N-X2D85	8½x4½	12	25	.45

Sold Only in Full Cartons, in Sets

WATER COOLER BOTTLES



Clear Glass

For 20th Century and other standard bottle water coolers. Capacity 5 gallons.

Each	Each
7-XX5-H X2D20	\$3.50

One in ctn. Wt. ctn. 10 lbs.

WATER COOLER FAUCETS



Push Button Type

Cast brass, nickel plated. Threaded shank. Complete with two rubber washers and brass check nut.

Push button automatically returns to "Closed" when released. Length 4½ inches. Threaded shank ½-inch diameter.

Each	Each
L5219H (19N¾) X1D00	\$1.50

Lots of 12 D9C5

Twelve in pkg. Wt. pkg. 7 lbs.

PAPER CUPS



Straight Edge
Capacity 5¼ ozs.

Per Carton	Per Tube
61-155C-H X14D00	\$1.10

250 in tube, 20 tubes in ctn.
Wt. ctn. 28 lbs.

Sold Only in Full Cartons

METAL DISPENSER



Specify for No. 155C Cup

Each	Each
61-C750-H X2D35	\$3.50

One in ctn. Wt. ctn. 1½ lbs.

Direct Shipment

F. O. B. Grandview, Mo.
200 lbs. or more—Full freight allowed
Less than 200 lbs. No freight allowed

PAPER CUPS

Per Carton	Tube
±155C-H X13D00	\$1.10

250 in tube, 20 tubes in ctn.
Wt. ctn. 28 lbs.

Sold Only in Full Cartons

METAL DISPENSER

Each	Each
±C750-H X2D10	\$3.50

One in ctn. Wt. ctn. 1½ lbs.

Items marked ± not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., St. Louis, Mo.

WATER CANS

ARCTIC BOY

NOTE THESE IMPORTANT
CONSTRUCTION FEATURES

Keeps Water Cool in Hottest Weather

Riveted handles and hot dipped galvanized inner containers, guaranteed not to rust or leak. Brass-nickel plated recessed faucet. Heavy non-movable inner can support, holds water container firmly through roughest handling. Two and three gallon cans with bales, five and ten gallon cans with handles.

Standard Cans and Coolers, Open Lids without Faucets

Each		Cap. Gal.	Hgt. ins.	Diam. ins.	Wt. ctn., lbs.	No. in Ctn.	Each
81-202-H	X3D25	2	14	10 $\frac{1}{4}$	7	1	\$5.40
81-303-H	X3D64★	3	17 $\frac{3}{4}$	10 $\frac{1}{4}$	8	1	6.00
81-505-H	X5D85★	5	21	13 $\frac{1}{4}$	12 $\frac{1}{2}$	1	9.60
81-1010-H	X9D49	10	23 $\frac{1}{2}$	16 $\frac{1}{4}$	19	1	15.50

One in ctn.

With Push Button Faucets

Each		Cap. Gal.	Hgt. ins.	Diam. ins.	Wt. ctn., lbs.	No. in Ctn.	Each
81-200-H	X5D20	2	14	10 $\frac{1}{4}$	7	1	\$8.40
81-300-H	X5D59★	3	17 $\frac{3}{4}$	10 $\frac{1}{4}$	8 $\frac{1}{2}$	1	9.00
81-500-H	X7D80★	5	21	13 $\frac{1}{4}$	13	1	12.60
81-1000-H	X11D44	10	23 $\frac{1}{2}$	16 $\frac{3}{8}$	21	1	18.50

One in ctn.

Heavy Duty Coolers
(Closed Lids)

Especially for Industrials, Railroads, Trucks, etc.

Styrofoam insulation. Equipped with metal lugs for paper dispenser.

Each		Cap. Gal.	Hgt. in.	Diam. in.	Wt. Ctn., lbs.	Each
81-212-H	X7D67	2	14	10 $\frac{3}{4}$	8 $\frac{1}{2}$	\$12.40
81-313-H	X8D45	3	17 $\frac{3}{4}$	10 $\frac{3}{4}$	10	13.60
81-515-H	X10D40	5	21	13 $\frac{1}{4}$	15	16.80
81-1011-H	X13D65	10	23 $\frac{1}{2}$	16 $\frac{1}{4}$	24	22.00
81-1515-H	X20D80	15	27 $\frac{3}{4}$	18 $\frac{3}{4}$	28	33.60
Utility						
81-525-H	X13D65	5	27	10 $\frac{1}{4}$	16	22.00

One in ctn.

Sold Only in Full Cartons

Stainless Steel Insulated
Arctic

Stainless steel liner. Equipped with metal lugs for paper dispenser.

Each		Cap. Gal.	Hgt. in.	Diam. in.	Wt. Ctn., lbs.	Each
81-222-H	X11D87	2	14	10 $\frac{1}{4}$	9	\$18.70
81-333-H	X12D67	3	17 $\frac{3}{4}$	10 $\frac{1}{4}$	10 $\frac{1}{2}$	19.90
81-555-H	X15D87	5	21	13 $\frac{1}{4}$	15 $\frac{1}{2}$	24.90
81-535-H	X23D33	5	27	10 $\frac{1}{4}$	15 $\frac{1}{2}$	36.90
81-1111-H	X23D33	10	23 $\frac{1}{4}$	16 $\frac{1}{4}$	24 $\frac{1}{2}$	36.90
81-1555-H	X42D67	15	27 $\frac{1}{4}$	18 $\frac{3}{4}$	28	67.00

One in ctn.

TRUCK BRACKETS

For Mounting Water Cans

Each		Can Size, Gal.	Wt. Ctn., lbs.	Each
81-23-H	X8D45	2, 3 or 5 (Utility)	7	\$12.50
81-5A-H	X11D37	5	10	17.50
81-10-H	X13D30	10	14	22.00

One in ctn.

For Direct Shipment Prices See Page D5-56

STAR ★ DENOTES BEST SELLER

SHAPLEIGH HARDWARE COMPANY Does Not Guarantee Radio Sets; we will sell them under the **Factory Warranty** as shown below and will act as the factory representative in making adjustments under the warranty so long as we sell the line.

WARRANTY

The Factory warrants each new radio product manufactured by it to be free from defective material and workmanship and agrees to remedy any such defect or to furnish a new part in exchange for any part of any unit of its manufacture which under normal installation, use and service discloses such defect, provided the unit is delivered by the owner to us or to our authorized radio dealer or wholesaler from whom purchased, intact, for our examination, with all transportation charges prepaid to our factory, **WITHIN NINETY DAYS FROM THE DATE OF SALE BY THE DISTRIBUTOR AND PROVIDED THAT SUCH EXAMINATION DISCLOSES IN OUR JUDGMENT THAT IT IS THUS DEFECTIVE.**

This warranty does not extend to any of our radio products which have been subjected to misuse, neglect, accident, incorrect wiring not our own, improper installation, or to use in violation of instructions furnished by us, nor extend to units which have been repaired or altered outside of our factory, nor to cases where the serial number thereof has been removed, defaced or changed, nor to accessories used therewith not of our own manufacture.

Any part of a unit approved for remedy or exchange hereunder will be remedied or exchanged by the authorized radio dealer or wholesaler without charge to the owner.

This warranty is in lieu of all other warranties expressed or implied and no representative or person is authorized to assume for us any other liability in connection with the sale of our radio products.

We will not take Radios back for Credit

Radios Found Defective within 90 days after date of sale by us will be repaired, No Charge. After 90 days a charge will be made for repairs. **All Transportation Charges Must be Prepaid.**

Radio Must Not be Sent Back Without First Securing our Permission and Authorization Card or They Will be Refused.

Dealers selling Radios are supposed to have mechanics that can make adjustments and ordinary repairs without the necessity of returning sets. Today's Radio sets are so simple in wiring that any radio mechanic can repair or adjust them.

GENERAL ELECTRIC AUTHORIZED RADIO SERVICE STATIONS

ALABAMA

Birmingham

Air Engineers, Inc.
3025 First Ave., S.

Fairfax Radio & Television Service, Inc.
1630 6th Ave., N.

Montgomery

Radio & TV Service Co.
635 Madison Ave.

ARKANSAS

Fort Smith

Tower Radio & TV

Texarkana

Buddy's Radio & TV Service

COLORADO

Colorado Springs

Radio Electronics, Inc.
410 S. Tejon St.

Denver

Mint Radio & TV Supply
339 13th St.

Grand Junction

Red Crawford Radio TV
441 Colorado

Pueblo

Walt's Radio & T.V.
610 S. Union

FLORIDA

Jacksonville

White's, Inc.
407 Park St.

Miami

Marple Electric Sales and Service
124 S. Miami Ave.

Pensacola

Gordon's Radio & TV Co.
715 North "S" St.

Tallahassee

Ramm's Radio Shop
213 W. College Ave.

Tampa

Patrick Electro Service
1619 W. Hillsboro

Winter Park

Roane's Radio & TV Sales and Service
100 E. Lyman Ave.

GEORGIA

Albany

Meeks Electric Co.
314 N. Jackson St.

ILLINOIS

Chicago

Montgomery Ward & Co.
618 W. Chicago Ave.

Consolidated TV Eng., Inc.
2046-48 E. 75th.

R. Cooper, Jr., Inc.
836 S. Canal St.

S & R Radio
2407 W. Montrose Ave.

ILLINOIS (Continued)

Peoria

R. Cooper, Jr., Inc.
810 S. Adams St.

Crescent Electric Supply Co.
230 S. Washington St.

Quincy

Crescent Electric Supply Co.
123 N. 3rd St.

Springfield

Capitol Radio Shop
420 N. First St.

INDIANA

Fort Wayne

Protective Electric Supply Co.
130 W. Columbia St.

Gary

TV & Appliance Center
435 S. Lake St.

Indianapolis

Shaffer & Gardner Electric Co.
4040 E. 10th St.

Marion

Doc's Radio & TV Service
114 W. 5th St.

Richmond

Fox Electronics Co.
711 S. Ninth St.

South Bend

Home Service Co.
727 Lincoln Way West

IOWA

Burlington

Crescent Electric Supply Co.
209 Front Street

Cedar Rapids

Crescent Electric Supply Co.
610 First St., S.E.

Davenport

Crescent Electric Supply Co.
511 Pershing Avenue

Des Moines

D. E. Gates Company
4109 Cambridge Avenue

Radio Trade Supply Co.
1224 Grand Avenue

Dubuque

Crescent Electric Supply Co.
765 Iowa St.

Mason City

Crescent Electric Supply Co.
617 Fourth St., S.W.

Sioux City

Crescent Electric Supply Co.
308 Iowa St.

Spencer

Crescent Electric Supply Co.
414 First Ave., E.

Waterloo

Crescent Electric Supply Co.
720 Water St.

KANSAS

Salina

Keith's Radio & TV Service
137 N. 7th St.

Wichita

Alan Appliance Co.
339 N. Main St.

KENTUCKY

Louisville

Bellamy Hdw. and Mfg. Co.
111 E. Main St.

Manry's Fluorescent & Appliance Service
912-914 South Second St.

LOUISIANA

Alexandria

Fort Radio & TV
721 Second Street

Lafayette

Jeannard's Radio & TV
202 Surrey St.

Metairie

Metairie Electronics
730 Homestead Avenue

Monroe

Grayson's Radio & TV Service
109 Ouachita Ave.

New Orleans

Dixie Television Service
941 Elysian Fields Avenue

MISSISSIPPI

Meridian

Mac's Radio & TV Service
1909 6th St.

MISSOURI

Fort Leonard Wood

R. Weber & Sons
c/o Fort Leonard Wood Exchange

Joplin

Barnett Radio Service
1712 Empire Avenue

Kansas City

Wilson-Wylie Co., Inc.
328 Richards Road, N.

St. Joseph

Churchill Radio Lab.
733 South 8th St.

St. Louis

General Electric Service Dept.
2375 Hampton Ave. (10)

Springfield

Complete Radio Co.
1213 N. Campbell

NEBRASKA

Omaha

K & K Company, Inc.
Bakins Bldg.,
16th & Leavenworth

City-wide Radio & Television
401 North 30th

OHIO

Columbus

Ace Radio & TV Service
214 E. Gay St.

Dayton

Sparks TV Service
3525 Riverside Drive

Toledo

Commercial Electric Co.
1301 Adams

EQUALIZATION POINTS ON G.E. RADIOS

Alabama—Birmingham**Arkansas**—Little Rock**Colorado**—Denver**Illinois**—Chicago, Rockford, Quincy, Peoria,
Sterling.**Indiana**—Gary, Fort Wayne, South Bend,
Evansville, Terre Haute, Indianapolis**Iowa**—Des Moines, Sioux City, Spencer, Mason
City, Waterloo, Ottumwa, Burlington, Daven-
port, Dubuque, Cedar Rapids.**Kentucky**—Louisville, Paducah, Lexington,
Harlan.**Louisiana**—New Orleans.**Missouri**—St. Louis, Kansas City, St. Joseph.**Mississippi**—Jackson.**Nebraska**—Omaha.**Oklahoma**—Oklahoma City.**Ohio**—Toledo, Columbus, Cleveland, Youngs-
town, Canton, Cincinnati, Dayton.**Tennessee**—Nashville, Memphis, Johnson City,
Chattanooga, Knoxville.**Texas**—Dallas, Houston, Corpus Christi, San
Antonio, Lubbock, El Paso.**Wisconsin**—Madison, Milwaukee.

TABLE MODEL RADIOS

GENERAL ELECTRIC

Listed by Underwriters' Laboratories, Inc.

Printed Circuit Chassis—Greater reliability and longer life.

Dynapower Speaker—With Alnico 5 permanent magnet and moisture-resistant aluminum voice coil

AM Tuning Range—540-1600 kilocycles. "Concise" Civil Defense band markings.

Built-in Antenna—Ferrite rod antenna for AM.

Push-Pull, On-Off Control—Permits volume to be retained for when set is turned on again.

Plastic Cabinet—High temperature resistant polystyrene with color molded in.

105-120 Volts, 50/60 Cycles, AC-DC

Dual Speaker AM-FM Musaphonic
Dial Light

Two 6½ inch speakers provide remarkable tone quality. Continuous variable tone control. Drift-free FM—automatically compensates for slight tuning errors—88-108 megacycles—built-in antenna. Vernier tuning. Phono-jack. Output jack for tape recorder.

8 tubes plus selenium rectifier. 13½x7½x9½ inch cabinet.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each

KK-T210-C—Mocha and Beige

1 to 5 X55D17 X55D17 \$79.95 \$79.95

6 to 11 X53D17 X53D17

12 or more X51D17 X51D17

One in ctn. Wt. ctn. 10½ lbs.



AM-FM Musaphonic

6½ inch speaker. Continuous variable tone control. Drift-free FM—automatically compensates for slight tuning errors—88-108 megacycles—built-in antenna. Vernier tuning. Sliding lever AM-FM switch. Phono-jack.

7 tubes plus selenium rectifier. 13½x7½x8¾ inch cabinet.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each

KK-T135-C—Antique White

1 to 5 X42D56 X43D98 \$39.95 \$61.95

6 to 11 X41D07 X42D44

12 or more X39D57 X40D89

One in ctn. Wt. ctn. 9½ lbs.



Dual Speaker Musaphonic

6½ and 4 inch speakers provide exceptional tone quality. Continuous variable tone control. High sensitivity and selectivity. Vernier tuning. Phono-jack.

5 tubes plus rectifier. 13½x5¾x9 inch cabinet—smart appearance front and back.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each

KK-T115-C—Mocha and Beige

KK-T116-C—Ivory and Beige

1 to 5 X28D36 X29D78 \$39.95 \$41.95

6 to 11 X27D37 X28D74

12 or more X26D37 X27D69

One in ctn. Wt. ctn. 9¼ lbs.



Dial Beam Musaphonic

5x7 inch oval speaker. Two-position tone control. Vernier tuning. Beam of light spotlights station number.

4 tubes plus rectifier. 12x8x5½ inch cabinet—smart appearance front and back.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each

KK-T130-C—Pink and White

KK-T131-C—Wedgewood Blue and White

KK-T132-C—Gray and White

1 to 5 X21D56 X23D00 \$29.95 \$31.95

6 to 11 X20D97 X22D37

12 or more X20D37 X21D73

One in ctn. Wt. ctn. 10 lbs.



Dual Speaker

Two 4 inch speakers provide balanced tone quality.

4 tubes plus rectifier. 12x6½x5½ inch cabinet.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each

KK-T140-C—Sage Green

KK-T141-C—Rose Beige

1 to 5 X18D46 X19D94 \$24.95 \$26.95

6 to 11 X17D96 X19D40

12 or more X17D47 X18D87

One in ctn. Wt. ctn. 4½ lbs.



Single Speaker

4 inch speaker. 4 tubes plus rectifier. 11x8½x4½ inch cabinet.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each

KK-T125-C—Pink

KK-T126-C—Beige

KK-T127-C—Antique White

1 to 5 X15D16 X16D68 \$19.95 \$21.95

6 to 11 X14D76 X16D24

12 or more X14D35 X15D80

One in ctn. Wt. ctn. 4 lbs.

Zone 1—Kentucky, Missouri, Kansas, Iowa, Wisconsin, Illinois, Indiana, Ohio, Michigan, Nebraska.

Zone 2—Tennessee, Alabama, Louisiana, Mississippi, Arkansas, Oklahoma, Texas, Colorado, Wyoming, Washington.

Terms—Net 10 Days

For Equalization Points See Section 16—Page 53

TABLE MODEL RADIOS

GENERAL ELECTRIC

Listed by Underwriters' Laboratories, Inc.

Printed Circuit Chassis—Greater reliability and longer life.**Dynapower Speaker**—With Alnico 5 permanent magnet and moisture-resistant aluminum voice coil.**AM Tuning Range**—540-1600 kilocycles. "Conelrad" Civil Defense band markings.**Built-in Antenna**—Ferrite rod antenna for AM.**Push-Pull, On-Off Control**—Permits volume to be retained for when set is turned on again.**Plastic Cabinet**—High temperature resistant polystyrene with color molded in.

105-120 Volts, 50/60 Cycles, AC-DC

**Dual Speaker AM-FM DeLuxe Musaphonic Dial Light—Furniture Styling**

Two 6½ inch speakers. Continuous tone control. Drift-free, high sensitivity FM—Automatically compensates for slight tuning errors—88-108 megacycles—built-in antenna. Vernier tuning. Beam of light spotlights station number. External speaker jack and phono-jack.

8 tubes plus rectifier, 17½x11½x8 inch Cabinet.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	Each	Each	Each	Each
KK-T150M-C —Genuine Mahogany Veneer				
KK-T151W-C —Walnut Veneer				
1 to 5	X68D97	X68D97	\$90.95	99.95
6 to 11	X66D47	X66D47		
12 or more	X6D97	X6D97		

One in ctn. Wt. ctn. 14 lbs.

**DeLuxe Musaphonic Dial Light**

6½ inch speaker. Two-position Voice-Mute tone control. High sensitivity and selectivity. Vertical control panel. Vernier tuning. Illuminated slide-on dial.

5 Tubes plus rectifier, 14½x7½x6½ inch cabinet.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	Each	Each	Each	Each
KK-T155-C —Cocoa and Beige				
KK-T156-C —Gray and White				
1 to 5	X28D36	X29D78	\$39.95	41.95
6 to 11	X27D37	X28D74		
12 or more	X26D37	X27D64		

One in ctn. Wt. ctn. 6½ lbs.

CLOCK RADIOS

GENERAL ELECTRIC

Listed by Underwriters' Laboratories, Inc.

Automatic Wake-Up—To music and/or buzzes alarm.**Printed Circuit Chassis**—Greater reliability and longer life.**Dynapower Speaker**—With Alnico 5 permanent magnet and moisture-resistant aluminum voice coil.**AM Tuning Range**—540-1600 kilocycles. "Conelrad" Civil Defense band markings.**Built-in Antenna**—Ferrite rod antenna.**G-E Clock**—Self-starting, self-regulating, sweep second hand.**Plastic Cabinet**—High temperature resistant polystyrene with color molded in.

105-120 Volts, 60 Cycles AC

**Dial Beam**

Muted shusher switch turns radio off quietly within a 60-minute period. Luminous clock hands. 4-inch speaker. Vernier tuning. Beam of light spotlights station number.

4 tubes plus rectifier, 13x6½x6½ inch cabinet—smart appearance front and back.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	Each	Each	Each	Each
KK-C430-C —Antique White				
KK-C431-C —Pink				
1 to 5	X25D16	X26D60	\$34.95	36.95
6 to 11	X24D47	X25D87		
12 or more	X23D77	X25D13		

One in ctn. Wt. ctn. 6½ lbs.

Zone 1—Kentucky, Missouri, Kansas, Iowa, Wisconsin, Illinois, Indiana, Ohio, Michigan, Nebraska.

Zone 2—Tennessee, Alabama, Louisiana, Mississippi, Arkansas, Oklahoma, Texas, Colorado, Wyoming, Washington.

Terms—Net 10 Days

For Equalization Points See Section 16—Page 53

CLOCK RADIOS

GENERAL ELECTRIC

Listed by Underwriters' Laboratories, Inc.

Automatic Wake-Up—To music and/or buzzer alarm.**Printed Circuit Chassis**—Greater reliability and longer life.**Dynapower Speaker**—With Alnico 5 permanent magnet and moisture-resistant aluminum voice coil.**AM Tuning Range**—540-1600 kilocycles, "Conchrad" Civil Defense band markings.**Built-In Antenna**—Ferrite rod antenna.**G-E Clock**—Self-starting, self-regulating, sweep second hand.**Plastic Cabinet**—High temperature resistant polystyrene with color molded in.

105-120 Volts, 60 Cycles, AC

**Snooz-Alarm Dial Beam Musaphonic Dual Speaker Deluxe**

Slumber switch turns radio off automatically. Snooz-alarm calls up to five times. Turns appliances on and off automatically. Luminous clock hands. Two 4-inch speakers. Exceptional tone quality. High sensitivity and selectivity. Vernier tuning. Beam of light spotlights station number. 4 tubes plus rectifier. 13 $\frac{1}{4}$ x 7 x 6 $\frac{1}{2}$ inch cabinet—smart appearance front and back.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each
KK-C460-C —Antique White, "See-Deep" Gold Trim				
1 to 5	X32D47	X33D77	\$49.95	\$51.95
6 to 11	X31D22	X32D47		
12 or more	X29D97	X31D17		
One in ctn. Wt. ctn. 9 lbs.				

**Snooz-Alarm Dial Beam Musaphonic**

Slumber switch turns radio off automatically. Snooz-alarm calls up to five times. Turns appliances on and off automatically. Luminous clock hands. 5 $\frac{1}{4}$ inch speaker. Exceptional tone quality. High sensitivity and selectivity. Vernier tuning. Beam of light spotlights station number. Phono-jack. 5 tubes plus rectifier. 14 $\frac{1}{2}$ x 8 $\frac{1}{2}$ x 7 $\frac{1}{4}$ inch cabinet—smart appearance front and back.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each
KK-C420-C —Mahogany				
KK-C421-C —Wedgewood Blue				
KK-C422-C —Rose Beige				
1 to 5	X35D46	X36D88	\$49.95	\$51.95
6 to 11	X34D22	X35D59		
12 or more	X32D97	X34D29		
One in ctn. Wt. ctn. 3 $\frac{1}{2}$ lbs.				

**Snooz-Alarm Night Light**

Slumber switch turns radio off automatically. Snooz-alarm calls up to five times. Turns appliances on and off automatically. Clock face illumination can be left on as night light. Luminous clock hands. 4 inch speaker. Vernier tuning. Beam of light spotlights station number. Phono-jack. 4 tubes plus rectifier. 13 $\frac{1}{4}$ x 6 $\frac{1}{4}$ x 6 $\frac{1}{4}$ inch cabinet—smart appearance front and back.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each
KK-C440-C —White with Blue and Silver				
KK-C441-C —White with Black and Gold				
1 to 5	X31D91	X33D33	\$44.95	\$46.95
6 to 11	X30D79	X32D16		
12 or more	X29D67	X30D99		
One in ctn. Wt. ctn. 6 $\frac{1}{4}$ lbs.				

**Snooz-Alarm Dial Beam Push Button**

One, two, three or four taps on control bar below clock face turns buzzer-off for 10, 30, 45 or 65 minute intervals. One, two, three or four taps on "Sleep" button presets radio for 10, 30, 45 or 65 minutes of play—turns itself off. Turns appliances on and off automatically. Luminous clock hands. 4-inch speaker. Vernier tuning. Beam of light spotlights station number. 4 tubes plus rectifier. 12 $\frac{3}{4}$ x 6 $\frac{1}{4}$ x 6 $\frac{1}{4}$ inch cabinet—smart appearance front and back.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each
KK-C450-C —Antique White				
KK-C451-C —Turquoise and White				
KK-C452-C —Gray and White				
1 to 5	X28D36	X29D78	\$39.95	\$41.95
6 to 11	X27D37	X28D74		
12 or more	X26D37	X27D69		
One in ctn. Wt. ctn. 6 $\frac{1}{2}$ lbs.				

**Slumber Switch**

Slumber switch turns radio off automatically. Luminous clock hands. 4 inch speaker.

4 tubes plus rectifier. 11 $\frac{1}{4}$ x 6 $\frac{1}{4}$ x 4 $\frac{3}{4}$ inch cabinet—smart appearance front and back.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each
KK-C405-C —Gray and Antique White				
KK-C407-C —Rose Beige and White				
1 to 5	X22D16	X23D64	\$29.95	\$31.95
6 to 11	X21D56	X23D60		
12 or more	X20D97	X22D37		
One in ctn. Wt. ctn. 6 lbs.				

**Wake-Up to Music**

4 inch speaker, 4 tubes plus rectifier. 11 $\frac{1}{4}$ x 5 $\frac{1}{4}$ x 5 $\frac{1}{4}$ inch cabinet.

Each	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each
KK-C435-C —Antique White				
1 to 5	X18D96	X20D48	\$34.95	\$36.95
6 to 11	X18D46	X19D94		
12 or more	X17D96	X19D40		
One in ctn. Wt. ctn. 6 lbs.				

Zone 1—Kentucky, Missouri, Kansas, Iowa, Wisconsin, Illinois, Indiana, Ohio, Michigan, Nebraska.

Zone 2—Tennessee, Alabama, Louisiana, Mississippi, Arkansas, Oklahoma, Texas, Colorado, Wyoming, Washington.

Terms—Net 10 Days

For Equalization Points See Section 16—Page 53

PORTABLE RADIOS

GENERAL ELECTRIC
(Without Batteries)


**7 Transistor—Genuine Cowhide Cabinet
Dial Light**

7 transistors plus 1 crystal diode. 4 inch speaker. Saddle-stitched, top-grain, leather case with anodized aluminum grille. Luggage-type folding handle. Pressing button lights dial—light goes off automatically when pressure is released.
8 $\frac{3}{4}$ x 6 $\frac{1}{4}$ x 3 inches.

Each	Zone 1 Each	Zone 2 Each	Zone 1 Each	Zone 2 Each
KK-P776-C	Ginger with Gold Grille			

1 to 5	X42D58	X43D98	\$59.95	\$61.95
6 to 11	X41D07	X42D44		
12 or more	X39D57	X40D89		

One in ctn. Wt. ctn. 3 $\frac{3}{4}$ lbs.



**7 Transistor—Plastic Cabinet
Dial Light**

7 transistors plus 1 crystal diode. 4 inch speaker. High impact case. Handle retracts automatically. Pressing button on top lights dial—light goes off automatically when pressure is released.
8 $\frac{3}{4}$ x 6 $\frac{1}{4}$ x 3 $\frac{1}{4}$ inches.

Each	Zone 1 Each	Zone 2 Each	Zone 1 Each	Zone 2 Each
KK-P770-C	Antique White and Mocha			
KK-P771-C	Two-Tone Green			

1 to 5	X35D96	X37D40	\$49.95	\$51.95
6 to 11	X34D97	X36D37		
12 or more	X33D97	X35D33		

One in ctn. Wt. ctn. 3 $\frac{3}{4}$ lbs.

Zone 1—Kentucky, Missouri, Kansas, Iowa, Wisconsin, Illinois, Indiana, Ohio, Michigan, Nebraska.

Zone 2—Tennessee, Alabama, Louisiana, Mississippi, Arkansas, Oklahoma, Texas, Colorado, Wyoming, Washington.

Terms—Net 10 Days

For Equalization Points See Section 16—Page 53

Printed Circuit Chassis—Uniform, long-life dependability. AVC circuit in transistor models reduces directional fade and prevents overload on strong signals.

Dynapower Speaker—4 inch with Alnico 5 permanent magnet and moisture-resistant aluminum voice coil.

AM Tuning Range—540-1600 kilocycles. "Conelrad" Civil Defense band markings.

Built-In Antenna—Ferrite rod for optimum signal-to-noise ratio.

Power Source—Transistor models operate on ordinary "D" size flashlight batteries (Eveready 930, Eveready A100, Burgess 2R or equivalent).

Tube Models operate on one "A" battery (Eveready 717A, Burgess C5 or equivalent) and one "B" battery (Eveready 479B, Burgess P60 or equivalent) or on 105-120 volts, 50/60 cycles, AC-DC.



5 Transistor—Simulated Leather Cabinet

5 transistors plus 1 crystal diode. Saddle-stitched simulated leather case with high impact plastic grille. Luggage-type fold-down handle.
8 $\frac{3}{4}$ x 6 $\frac{1}{4}$ x 2 $\frac{3}{4}$ inches.

Approximately 200 intermittent hours on one set of four batteries.

Each	Zone 1 Each	Zone 2 Each	Zone 1 Each	Zone 2 Each
KK-P795-C	Black and White			
KK-P796-C	Blue and White			
KK-P797-C	Beige and Cocoa			

1 to 5	X29D56	X31D04	\$39.95	\$41.95
6 to 11	X28D76	X30D20		
12 or more	X27D96	X29D37		

One in ctn. Wt. ctn. 3 $\frac{1}{2}$ lbs.



**4-Tube, 3-Way Battery—AC-DC
Listed by Underwriters' Laboratories**

4 tubes plus dry plate selenium rectifier. 4 inch speaker. Power cord hideaway. Disappearing handle. 9 $\frac{1}{2}$ x 8 $\frac{1}{2}$ x 3 $\frac{3}{4}$ inch plastic cabinet.

Approximately 70 intermittent hours on one set of batteries.

Each	Zone 1 Each	Zone 2 Each	Zone 1 Each	Zone 2 Each
KK-P671-C	Ebony and White			
KK-P674-C	Sage Green and White			

1 to 5	X21D86	X23D32	\$29.95	\$31.95
6 to 11	X21D26	X22D68		
12 or more	X20D67	X22D05		

One in ctn. Wt. ctn. 4 $\frac{1}{4}$ lbs.

POCKET RADIOS

GENERAL ELECTRIC
(Without Batteries)

Printed Circuit Chassis—Uniform, long-life dependability. AVC circuit reduces directional signal fade and prevents overload on strong signals.

High Output Speaker—With Alnico 5 permanent magnet.



Slide-Rule Tuning

7 transistors plus 1 crystal diode. 2 3/4 inch speaker. Plastic case with smooth edges and corners and recessed controls. 6x3 3/8 x 1 3/4 inches. Weighs 16 ounces with batteries.

Operates about 50 intermittent hours on two "AA" size pen-light cells (Eveready 915, Eveready 1015, Burgess Z or equivalent) or about 150 hours on two "AA" size mercury batteries (Eveready E9, Mallory ZM9). Draws current in direct proportion to volume.

Each	Zone 1	Zone 2	Zone 1	Zone 2
	1	2	Each	Each
KK-P785-C	Ebony and White			
KK-P786-C	Antique White			
KK-P787-C	Wedgewood Blue and White			

1 to 5	X35D96	X35D96	\$49.95	\$49.95
6 to 11	X34D97	X34D97		
12 or more	X33D97	X33D97		

One in ctn. Wt. ctn. 1 1/2 lbs.



5-Transistor

5 transistors plus 2 crystal diodes. 2 3/4 inch speaker. Trim, compact cabinet with smooth edges and corners and flat controls—size 6 3/4 x 3 3/8 x 1 1/4 inch. Weighs 19 ounces with batteries.

Operates about 50 intermittent hours on two "AA" size pen-light cells (Eveready 915, Eveready 1015, Burgess Z or equivalent) or about 150 hours on two "AA" size mercury batteries (Eveready E9, Mallory ZM9).

Each	Each
KK-P745-C	Ebony and Gold
KK-P746-C	Turquoise and White

1 to 5	X29D56	\$39.95
6 to 11	X28D76	
12 or more	X27D96	

One in ctn. Wt. ctn. 1 3/4 lbs.

Zone 1—Kentucky, Missouri, Kansas, Iowa, Wisconsin, Illinois, Indiana, Ohio, Michigan, Nebraska.
Zone 2—Tennessee, Alabama, Louisiana, Mississippi, Arkansas, Oklahoma, Texas, Colorado, Wyoming, Washington.

Terms—Net 10 Days

For Equalization Points See Section 16—Page 53

Earphone Jack—For private listening.

AM Tuning Range—540-1600 kilocycles. "Conelrad" Civil Defense band markings.

Built-In Antenna—Ferrite rod for optimum signal-to-noise ratio.

5 Transistor
With Handle

5 transistors plus 1 crystal diode. 3 1/2 inch speaker. High impact polystyrene case with luggage-type fold-down handle. 7 1/2 x 4 1/2 x 2 3/4 inches. Weighs 30 ounces with batteries.

Operates about 150 hours on one 9-volt battery (Eveready E266, Burgess M6, Mallory M1605 or equivalent).

Each	Zone 1	Zone 2	Zone 1	Zone 2
	1	2	Each	Each
KK-P805-C	Antique White			
KK-P806-C	Wedgewood Blue			

1 to 5	X22D76	X23D32	\$29.95	\$31.95
6 to 11	X22D16	X22D70		
12 or more	X21D56	X22D08		

One in ctn. Wt. ctn. 2 lbs.

POCKET RADIO
GIFT PACKAGESGENERAL ELECTRIC
(Without Batteries)

Includes transistor pocket radio, leather carrying case and earphone in handsome display box with feature and price card (corrugated sleeve for mailing included).

Each	Each
KK-P748GP-C	With P745 Radio (Ebony)
KK-P749GP-C	With P746 Radio (Turquoise)

1 to 5	X35D96	\$49.95
6 to 11	X34D96	
12 or more	X33D97	

One in ctn. Wt. ctn. 3 1/2 lbs.

POCKET RADIO
RECHARGE—TRAVEL
CASES

GENERAL ELECTRIC

Approved by Underwriters' Laboratories
(Without Radio)

Includes two rechargeable nickel-cadmium batteries which provide approximately 25 hours of play at full charge and can be recharged 400 times for a total of 10,000 hours play.

Batteries are inserted into radio and radio mounts in top grain leather case which plugs into 105-120 volts, 60 cycle AC outlet. Radio can be played while recharging.

Each	Each
KK-P15-C	
1 to 5 X14D20	\$19.95
6 to 11 X13D90	
12 or more X13D60	

Four in ctn. Wt. ctn. 4 lbs.

RADIO CARRYING CASES**GENERAL ELECTRIC****Leather**

Perforated over speaker and fitted around controls so radio can be played without removing from case. With strap, adjustable for shoulder or hand use.

For P671, P735 Series Portable Radios

Genuine leather in deep-toned russet. Saddle-stitched seams.

Each \$3.95
K500C (50-406) X2D38.....

For P725 Series Portable Radios

Genuine top grain cowhide in smart russet.

Each \$4.95
K511C (50-876) X2D97.....

For P745 Series Pocket Radios

Genuine top grain cowhide in smart russet. Leather pocket for earphone.

Each \$2.95
K508C (50-1027) X1D75.....

For P755, P805, P806 Portable Radio

Sturdy Texon built-in pocket for earphone.

Each \$1.95
K498C (50-638) X1D50.....

For P760 Series Portable Radios

Genuine leather. Radios stand-up handle exposed for convenient use.

Each \$2.95
K506C (50-1017) X2D10.....

For P770 Series Portable Radios

Genuine top-grain leather in handsome russet.

Each \$3.95
K555C (50-908) X2D67.....

For P785 Series Pocket Radios

Genuine top-grain leather in rich ginger finish.

Each \$3.25
K554C (50-898) X2D15.....
One in box. Wt. box 1 lb.

**POCKET RADIO
EARPHONES****GENERAL ELECTRIC**

Compact and lightweight. With long, flexible cord. Adjusts for use with either ear. Cuts out speaker when plugged in and takes less current.

For All G-E Portable Radios With Earphone.

Each \$4.95
K1195C (50-296) X2D97.....
Loose. Wt. 2 oz.

**RADIO BATTERIES
MERCURY CELL****For Transistor Pocket Radios**

Each \$0.75
K278C (E9) D5C1.....
Twenty in ctn. Wt. ctn. 1 1/2 lbs.

**RADIO BATTERIES
RAY-O-VAC PORTABLE "B" BATTERIES**

Shelf Life 6 Months.
Size 2 1/4 x 1 1/4 x 3 3/8 inches.

Each \$3.50
K290C (200) X2D45★.....
KK290C (200) X2D33★..... (Case lots 12)

Twelve in ctn. Wt. ctn. 9 lbs.

EVEREADY PORTABLE "B" BATTERIES

Each \$3.95
K268C (479) X2D77★.....
Twelve in box. Wt. box 9 lbs.

Size 1 3/4 x 5/8 x 5 1/2 inches

Each \$3.10
K293C (477) X2D17★.....
Six in ctn. Wt. ctn. 3 3/4 lbs.

For P700, P701, P710 and P711 Radios

Each \$4.50
K248C (437) X3D15★.....
KK248C (437) X2D95★..... (Case lots 12)

Twelve in ctn. Wt. ctn. 12 1/4 lbs.

EVEREADY PORTABLE "A" BATTERIES

Each \$1.50
K267C (717) X1D05★.....
K271C (239) D9C5★.....
Twelve in box.

For P755, P805, P806 Portable Radio

Each \$1.50
K291C (266) X1D05.....
Twelve in box. Wt. box 5 1/4 lbs.

For P785 Series Pocket Radios

Each \$0.40
K277C (964) D2C8★.....
Twelve in box. Wt. ctn. 10 lbs.
Four boxes in ctn.

**EVEREADY MINIMAX
Giant**

Built for concentrated energy. Packs more power than any other Eveready "A-B" pack.

Dimensions 15 1/4 x 4 1/4 x 6 1/2 inches.

1 1/2 Volt "A", 90 Volt "B"

Each \$9.95
K288C (759) X7D21★.....
KK288C (759) X6D85★..... (Case lots 3)
K759-C X6D35★..... (Lots of 12)

One in ctn. Wt. ctn. 17 1/4 lbs.

RADIO BATTERIES**INTERCHANGEABLE
STOCK NUMBERS**

EVEREADY	BURGESS	RCA	RAY-O-VAC	NEDA
E9				
226		US-300	1600	1600
239	XX9	US-304	1900	1900
276	D6	US-306	1603	1603
437	XX50	US-217	212	212
467	XX45	US-016	200	200
477	P45	US-218	211P	211P
479	P60	US-219	214	214
759	176D60	US-022	413	413
964	21R	US-236	20	20
717	C5	US-C65	9	9

**GENERAL ELECTRIC
RADIO BATTERY GUIDE**

Radio Model No.	Eveready Battery No.	Our No.	Quantity
P671	717A & 479B	K267C	1
P672		K268C	1
P673			
675	239	K271C	1
676			
677			
P700	964A	K277C	2
P701	437B	K248C	1
P710	E9	K278C	4
P711			
P715	E9 & 915	K278C	2
P716		G10B	2
P730	950	G13B	4
P731			
P725	950	G13B	4
P726			
P735	717A & 479B	K267C	1
P736		K268C	1
P745	915 & E9	G10B	3
P746		K278C	3
P748			
P749	950	G13B	4
P750			
P755	266	K291C	1
P760	950	G13B	4
P761			
P765	E9 & 915	K278C	2
P766		G10B	2
P770	950	G13B	4
P771			
P776	950	G13B	3
P780	950	G13B	0
P785	915 & E9	G10B	2
P786		K278C	2
P787	950	G13B	4
P795			
P796			
P797	266	K291C	1
P805			
P806	TR12 (Cap Radio)	K290C	1
P812			

*NOTE: Late Models 725, 726, 750 Use Only 3 Number 950 Batteries.

NOTE—Freight may be Equalized on Batteries with any Jobber when Sold in 100 lbs. Quantities or More—Not to exceed X1D00 per 100 lbs.

DIRECT SHIPMENT

Batteries may be shipped direct from factory. No. 759 in lots of 12 or more. Transportation prepaid to any railroad destination. Destinations not served by railroad which necessitates shipping by truck, any differential between truck and freight will be charged to dealer.

Until Further Notice Sell for Direct Shipment at Prices Ruling Date of Shipment

STAR ★ DENOTES BEST SELLER

PERSONAL RADIOS

BELL



Futura

All-Transistor—With Hi-Fi Earphone

Tiny, precision, featherweight radio with reflex circuit and volume control. Ivory plastic case with gold trim, measures only 4 inches high—fits in pocket, purse or palm of hand.

Extremely low power consumption—over 500 hours per 9-volt transistor battery. Gift display package.

With Battery

Each		Each
KK-66/26-C	X7D11	\$9.95
12 or more	X6D48	

Twelve in ctn. Wt. ctn. 6 lbs.

EXTRA BATTERIES**9-Volt Transistor Batteries for Above**

Each		Each
KK297C	D4C8	\$0.79

Twelve in ctn. Wt. ctn. 1 lb.

PHONOGRAPHS

GENERAL ELECTRIC

Listed by Underwriters' Laboratories, Inc.
105-120 Volts, 60 Cycles, AC**Four Speeds**—16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45 and 78 RPM.**Record Capacity**—Fourteen 7-inch, twelve 10-inch, ten 12-inch or 10 and 12 inch (in same speed) intermixed. Records can also be played manually.
Rubber mat reduces record skidding.**Automatic Shut-off**—Returns lightweight tone arm to rest position after last record is played.**Stereo-Musaphonic Automatic**

For Stereophonic or Conventional Records
Diamond and sapphire-tipped styli compatible cartridge.
Precision-built printed circuit.
Amplifier—40 to 20,000 CPS frequency response.
Twin 8 inch Alnico 5 magnet dynapower speakers.
Volume control automatically adjusts highs and lows.
Separate bass and treble tone controls.

True fidelity sound. 10 watt, three-tube plus rectifier amplifier. Tuner input jack for attaching AM or FM tuner. External terminals for additional speakers. Pilot light in front grille glows when amplifier is on. With 45 RPM spindle. Monaural-stereophonic switch. Matched grain, genuine veneer, hand-rubbed cabinet. Leather-like control panel. Color-styled grille cloth. Tapered hardwood legs with brass ferrules—easily attached or detached. 19x18 $\frac{3}{4}$ x10 $\frac{1}{2}$ inch cabinet.

Each	Zone 1	Zone 2	Zone 1 Each	Zone 2 Each
KK-RT1230-C—Mahogany				
X102D75	X106D14		\$149.95	154.95
6 or more	X98D97	X102D27		

Each	Zone 1	Zone 2	Zone 1 Each	Zone 2 Each
KK-RT1231-C—Blond Oak				
X109D57	X112D99		159.95	164.95
6 or more	X105D57	X108D87		
One in ctn. Wt. ctn. 40 $\frac{1}{4}$ lbs.				

**Stereophonic Automatic Portable**

For Stereophonic or Conventional Records
Sapphire-tipped dual styli compatible cartridge.
Precision-built printed circuit.
Amplifier—45 to 20,000 CPS frequency response.
Twin 5 $\frac{1}{4}$ inch Alnico 5 magnet dynapower speakers.
Volume control automatically adjusts high and low.
Continuous bass or treble tone control.
Quality reproduction with minimum distortion. Monaural-stereophonic switch. Amplifier-speaker jack for second sound source. With 45 RPM spindle. Sturdy wood case covered with cocoa and beige pyroxylin-coated fabrics. Color-style grille cloth. Polystyrene handle. Plastic feet on bottom. Brass latches, hinges and side feet.
Size 16 $\frac{1}{2}$ x18 $\frac{3}{4}$ x9 $\frac{1}{2}$ inches. Weight 22 $\frac{1}{4}$ lbs.

Each	Zone 1	Zone 2	Each	Each
KK-RP1120-C				
X49D86	X53D21		\$69.95	74.95
6 or more	X48D27	X51D72		
One in ctn. Wt. ctn. 26 lbs.				

**Amplifier-Speaker
For Stereophonic Portable Phonograph
Model RP1120**

Second sound source with matched components for full fidelity in stereophonic sound. Twin 5 $\frac{1}{4}$ inch Alnico 5 magnet dynapower speakers. Separate volume and continuous tone controls. Pilot light in front grille glows when amplifier is on. Sturdy wood frame with brown and beige pyroxylin-coated fabrics. Polystyrene carrying handle. Ten foot connecting cord with polarized jacks. Size 16 $\frac{1}{2}$ x9 $\frac{1}{2}$ x9 $\frac{1}{2}$ inches.

Each	Zone 1	Zone 2	Each	Each
KK-AS2-C	X27D77	X29D16	\$39.95	41.95
6 or more	X27D17	X28D53		
One in ctn. Wt. ctn. 12 $\frac{1}{2}$ lbs.				

Terms—Net 10 Days**Automatic Portable**

Full Fidelity—For Conventional Records
Sapphire-tipped dual styli ceramic cartridge.
Precision-built printed circuit.
Amplifier.
5 $\frac{1}{4}$ inch Alnico 5 magnet dynapower speaker.
Separate volume and continuous tone controls.
Quality reproduction with minimum distortion. Sturdy wood case covered with two-tone blue pyroxylin-coated fabrics. Front grille and handle of molded polystyrene. Plastic feet on bottom, brass feet on side. Size 15 $\frac{1}{2}$ x17 $\frac{1}{2}$ x8 $\frac{1}{2}$ inches. Weight 19 $\frac{1}{4}$ lbs.

Each	Zone 1	Zone 2	Zone 1 Each	Zone 2 Each
KK-RP1110-C				
X42D26	X45D79		\$59.95	64.95
6 or more	X41D37	X44D82		
One in ctn. Wt. ctn. 23 lbs.				

**45RPM Record
Spindles For RP1110 Phonograph**

Each	Each
K1019C	X1D92
	\$3.25

**Amplifier-Speaker
For Stereo-Musaphonic Phonographs
Models RT1230, RT1231**

For stereophonic sound at its very best. Two 8-inch, Alnico 5 magnet speakers. On-off loudness control, separate bass and treble controls. Pilot light indicates when amplifier is on. Three tubes plus rectifier, 10-watt 40 to 20,000 CPS frequency response. Furniture finished genuine wood veneer cabinet with matching grille cloth. Twelve-foot phonograph connecting cord. Size 19x9 $\frac{1}{2}$ x13 inches.

Each	Zone 1	Zone 2	Zone 1 Each	Zone 2 Each
KK-AS15-C—Mahogany				
X41D07	X42D44		\$59.95	61.95
6 or more	X39D57	X40D89		
KK-AS16-C—Blond Oak				
X44D49	X45D86		64.95	66.95
6 or more	X42D87	X44D19		
One in ctn. Wt. ctn. 17 $\frac{1}{2}$ lbs.				

RADIO-PHONOGRAPHS GENERAL ELECTRIC



**Stereophonic, Automatic Portable
For Stereophonic or Conventional Records
4-Tube AM Radio—Twin Speakers**

Phonograph Features—Plays 16 $\frac{3}{4}$, 33 $\frac{1}{2}$, 45 and 78 R.P.M. records—from fourteen 7-inch to ten 12-inch automatically—also manually, 45 R.P.M. spindle included. Rubber mat turntable. Automatic shut-off returns lightweight tone arm to rest. Sapphire-tipped dual styli cartridge.

Radio Features—Four tubes and rectifier. Illuminated slide-rule scale tuning dial. Tuning range 540-1600 kilocycles.

General Features—Precision-built printed circuit. Twin 6 $\frac{1}{2}$ -inch Dynapower speakers. 5.5 watt, 35 to 20,000 CPS frequency range amplifier. Pilot light in front grille. Stereophonic, monaural, radio switch. Continuous tone control. Pull-push, on-off loudness control—sound level retained when set is turned on again. Amplifier-speaker jack. Pyroxylin fabric coated wood cabinet with plastic and metal feet and polystyrene handle. 20x18 $\frac{1}{2}$ x9 $\frac{1}{2}$ inches.

Listed by Underwriters' Laboratories, Inc.
110 Volts, 60 Cycles, AC

	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each
KK-RP1160-C —Two-Tone Gray				
1 to 5	X89D00	X92D44	\$129.95	134.95
6 or more	X85D77	X89D07		

One in ctn. Wt. ctn. 32 $\frac{1}{2}$ lbs.



**Amplifier—Speaker
For Stereophonic Portable
Radio-Phonograph Model RP1160**

Designed to complement the stereophonic radio-phonograph. Twin 6 $\frac{1}{2}$ -inch Dynapower speakers. 5.5 watt amplifier. Pilot light in front grille. Push-pull, on-off loudness control. Continuous tone control. 12-foot connecting cord with polarized jacks. 18 $\frac{1}{2}$ x9 $\frac{1}{2}$ x9 $\frac{1}{2}$ inches.

Listed by Underwriters' Laboratories, Inc.
110 Volts, 60 Cycles, AC

	Zone 1	Zone 2	Zone 1	Zone 2
Each	1	2	Each	Each
KK-AS4-C —Two-Tone Gray				
1 to 5	X34D22	X35D59	\$49.95	\$51.95
6 or more	X32D97	X34D29		

One in ctn. Wt. ctn. 14 $\frac{1}{2}$ lbs.

TELEVISION AND F-M LEAD-IN WIRE



Copper—20 gauge, two conductor, 300 ohms.

Polyethylene—Pure Polyethylene brown color web, O. D. .055 x .350 inches.

		Feet on a Spool	Weight Spool lbs.	Per Foot
Per Spool				
4-TV500-M	X5D75	500	8	\$0.02
4-TV1000-M	X11D00	1000	14	.02

One spool in ctn.

Sold Only in Full Spools

RADIO AERIAL WIRE

ANCHOR



Stranded bare copper aerial wire. 7x24 size. Full gauge and weight.

50 Feet in Coil

Per Coil			Per Coil
K1191M	(8002)	D6C3	\$0.95
KK1191M	(8002)	D5C8	—(Case lots 50 coils)

Fifty coils in pkg. Wt. pkg. 45 lbs.

Zone 1—Kentucky, Missouri, Kansas, Iowa, Wisconsin, Illinois, Indiana, Ohio, Michigan, Nebraska.

Zone 2—Tennessee, Alabama, Louisiana, Mississippi, Arkansas, Oklahoma, Texas, Colorado, Wyoming, Washington.

Terms—Net 10 Days

For Equalization Points See Section 16—Page 53