

SECTION 29

QUICK INDEX

	Page
STORE DISPLAY FIXTURES	1
STORE ACCESSORIES	27
SHOPPING CARTS	32
WASTE PAPER BALERS	33
SAFES	42
COUNTER SCALES	43
STORE LADDERS	44



**SINCE
1864**

SHAPLEIGH'S
ESTABLISHED 1843
ST. LOUIS, U.S.A.
TRADE MARK REG. U. S. PAT. OFFICE


STORE FIXTURE DIVISION



**SINCE
1870**

Estimated Costs are Furnished in Detail
No Charge... No Obligation to Buy

STORE PLANNING SERVICE



We are anxious to help you plan for future business. Let us prepare a floor plan for you. Take advantage of our many years of experience in planning successful and profitable fixture installations.

Our designers will prepare a detailed floor plan drawn to scale, together with an elevation view of the sections best suited for your store.

***Estimated Costs are Furnished in Detail
No Charge No Obligation to Buy***



STORE MODERNIZATION DEPARTMENT

*Is Maintained for the Purpose of Helping Our Customers
Do a Better Selling Job*

KEEPING PACE WITH PROGRESS

New ideas and designs are being worked out continuously by our store engineers so that our customers can have the benefit of expert guidance in their store arrangement problems.

NO CHARGE... NO OBLIGATION TO BUY

Start with a Shapleigh's modernization plan and follow through with Shapleigh's low cost up to date store equipment. A plan to fit your individual store needs. Fixtures, mass produced for lower cost, will fit your store like custom built equipment.

DESIGNED FOR POINT OF SALE MERCHANDISING

Display units shown on the following pages are designed to help you sell more merchandise. Your customers are invited to inspect and compare items without your constant attention. The store is departmentized to further increase the sale of associated lines of goods. Every item in its place and displayed in an attractive setting.

RUGGED CONSTRUCTION FOR HARD WEAR

Our display units are constructed of the best materials available. Made to withstand many times the weight called for in normal usage. To facilitate shipping the wall units are shipped partially knocked down but are completely painted and finished.

METHOD OF PRICING UNITS

We price our wall units on a per foot basis. You pay for the length of fixtures you actually get. All units with the exception of the No. S-60 paint units are built on 48-inch centers. The paint units are on 32-inch centers. Panel door and paint units should be figured on standard centers to get best results.

A COMPLETE REMODELING SERVICE

Available to our customers who need merchandising service and expert supervision in installing new equipment. We can furnish a store engineer or factory representative on a per day basis. Rates on application.

REMODEL THE EASIEST WAY— THE BEST FOR THE LEAST

Many of our customers tell us it is "false economy" to try to build their own fixtures in view of the low cost and excellent quality of Shapleigh merchandising units. Financing available at low interest rates if desired.


HOW TO GET STARTED

Ask your Shapleigh salesman about our Store Modernization Department, or send your inquiry direct to this department. We will cooperate with you in every way possible to see that you have the type of store necessary for successful operation in your community.

SHAPLEIGH'S
MAJOR APPLIANCE SECTION
MODERN DISPLAY FIXTURES

 MAJOR APPLIANCE SECTION
 UNIT No. S-10—OPEN WALL


A Combination Arrangement For Bulky Appliances



Here Stoves, Washing Machines, Refrigerators and other large appliances are well displayed while related items are shown above on the Adjustable Glass Shelves. Unit No. S-10 fits perfectly with all Wall Fixtures. Glass Shelving and accessories sold separately.

In the illustration above, Unit No. S-22 is joined in a continuous installation with the major Appliance Section.

FINISHES AVAILABLE

Light Mahogany with Oak Trim

Dark Mahogany with Maple Trim

All Oak with Natural or Lined Oak Finish

Choice of any harmonizing background color

Partially Assembled and Shipped Knocked Down

PRICES ON APPLICATION

MAJOR APPLIANCE SECTION

UNIT S10-OPEN WALL

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
8	ft.	4-S10PB-F	Open Wall Unit.....	\$9.25	\$74.00

Units made in multiples of 4 ft. in any length desired.

*Not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or all Oak, Natural, or Lined Finish, add 5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a pleasing brown, complete with track \$.40 each.

For flush mounted letters on the top trim board a 4 inch cutout plywood letter enameled flat white is used, \$.30 each.

ACCESSORIES TO COMPLETE ABOVE UNIT

2	only	81-8054-M	30 Watt Fluorescent Fixtures.....	\$4.25	ea.	\$8.50
			(Wire, switches and connectors not included)			
2	only	R-F30T8/W	30 Watt Fluorescent Tubes.....	1.25	ea.	2.50
4	only	L5468F	Adjustable Shelf Standards.....	69½	ea.	2.78
4	only	L5430F	Adjustable Shelf Brackets.....	32½	ea.	1.30
4	only	L5431F	Adjustable Shelf Brackets.....	34	ea.	1.36
4	only	L5432F	Adjustable Shelf Brackets.....	36½	ea.	1.46
2	sets	L-45-F	Glass Shelves.....	7.55	set	15.10
					Total.....	\$33.00

ALL PRICES NET.....NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING COST. FOR EXACT QUOTATION SUBMIT SPECIFICATIONS OF FIXTURES REQUIRED

ABOVE PRICES ARE FOR ESTIMATING COST. FOR EXACT QUOTATION SUBMIT SPECIFICATIONS OF FIXTURES REQUIRED

HOUSEWARES SECTION

UNIT S20A—ONE STEP

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
8	ft.	4-S20PB-F	One Step Unit, Open Base, No Door..... (Not Illustrated)	\$14.05	\$112.40
8	ft.	4-S20A-F	One Step Unit, Closed Base, With Doors..... (Illustrated Section 29—Page 5)	18.10	144.80

Units made in multiples of 4 ft. in any length desired.

*Not carried in stock. Can only be furnished by shipping direct from factory F. O. B.,
Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or all Oak, Natural, or Limed Finish, add
5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a
pleasing brown, complete with track, \$40 each.

For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled
flat white are used, \$30 each.

ACCESSORIES TO COMPLETE ABOVE UNIT

2	only	81-8054-M	30 Watt Fluorescent Fixture..... (Wire, switches and connectors not included)	\$4.25 ea.	\$ 8.50
2	only	R-F30TS/W	30 Watt Fluorescent Tubes.....	1.25 ea.	2.50
4	only	L5468F	Adjustable Shelf Standards.....	69½ ea.	2.78
4	only	L5430F	Adjustable Shelf Brackets.....	32½ ea.	1.30
4	only	L5431F	Adjustable Shelf Brackets.....	34 ea.	1.36
4	only	L5432F	Adjustable Shelf Brackets.....	36½ ea.	1.46
4	only	L5433F	Adjustable Shelf Brackets.....	41 ea.	1.64
4	only	L5449F	Adjustable Shelf Brackets.....	44 ea.	1.76
2	sets	O-45-F	Glass Shelves.....	7.55 set	15.10
2	only	14x45-F	Glass Shelves.....	3.30 ea.	6.60
2	only	18x45-F	Glass Shelves.....	4.05 ea.	8.10

Total.....\$51.10

ALL PRICES NET.....NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED

SHAPLEIGH'S MODERN DISPLAY FIXTURES

HOUSEWARES SECTION

UNIT No. S-20A—ONE STEP



Complete Housewares Display Means Greater Profits

With a large Single Step over the Storage Base, it is possible to display Bulky Merchandise that will increase your housewares profits. Adjustable glass shelving permits flexibility of displays and sets off the beauty of gleaming Enameled Ware and Polished Steel or Aluminum Surfaces.

All accessories priced separate of unit.

FINISHES AVAILABLE


Light Mahogany with Oak Trim

Dark Mahogany with Maple Trim

All Oak with Natural or Limed Oak Finish

Choice of any harmonizing background color

Partially Assembled and Shipped Knocked Down




PRICES ON APPLICATION

SHAPLEIGH'S
Hardware Company

MODERN DISPLAY FIXTURES

HOUSEWARES SECTION

UNIT No. S-22A — TWO STEPS



The lower steps of this unit have been designed to accommodate Large Housewares Items such as Roasters, Preserving Kettles, and Dish Pans.

This arrangement is particularly suitable when combined with related housewares displayed on adjustable Glass Shelves above the base of the fixture. Either open base or sliding doors are available with this unit.

FINISHES AVAILABLE

Light Mahogany with Oak Trim

Dark Mahogany with Maple Trim

All Oak with Natural or Limed Oak Finish

Choice of any harmonizing background color

Partially Assembled and Shipped Knocked Down

PRICES ON APPLICATION

HOUSEWARES SECTION

UNIT No. S22A—TWO STEPS

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
8	ft.	4-S22PB-F	Two Step Unit, Open Base, No Doors. (Not Illustrated)	\$16.75	\$134.00
8	ft.	4-S22A-F	Two Step Unit, Closed Base, With Doors. (Illustrated Section 29—Page 6)	20.15	161.20

Units made in multiples of 4 ft. in any length desired.

*Not carried in stock. Can only be furnished by shipping direct from factory F. O. B., Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Notes: Above prices are for the Light Mahogany and Oak Trim finish.
For the Dark Mahogany with Maple Trim, or all Oak, Natural, or Limed Finish, add 5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a pleasing brown, complete with track, \$.40 each.
For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled flat white are used, \$.30 each.

ACCESSORIES TO COMPLETE ABOVE UNIT

2	only	81-3054-M	30 Watt Fluorescent Fixtures.....	\$4.25	ea.	\$8.50
			(Wire, switches and connectors not included)			
2	only	R-30T8/W	30 Watt Fluorescent Tubes.....	1.25	ea.	2.50
4	only	L5467F	Adjustable Shelf Standards.....	.61	ea.	2.44
4	only	L5430F	Adjustable Shelf Brackets.....	32½	ea.	1.30
4	only	L5431F	Adjustable Shelf Brackets.....	.34	ea.	1.36
4	only	L5432F	Adjustable Shelf Brackets.....	36½	ea.	1.46
4	only	L5433F	Adjustable Shelf Brackets.....	.41	ea.	1.64
2	sets	O-45-F	Glass Shelves.....	7.55	set	15.10
2	only	14x45-F	Glass Shelves.....	3.30	ea.	6.60
Total.....						\$40.90

ALL PRICES NET.....NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED

HOUSEWARES AND GIFT SECTION

UNIT No. S30A—THREE STEPS

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
8	ft.	†S30PB-F	Three Step Unit, Open Base, No Doors..... (Not Illustrated)	\$18.30	\$146.40
8	ft.	†S30A-F	Three Step Unit, Open Base, With Doors... (Illustrated Section 29—Page 7)	22.30	178.40

Units made in multiples of 4 ft. in any length desired.

†Not carried in stock. Can only be furnished by shipping direct from factory F. O. B.,
Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices.

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or all Oak, Natural, or Limed Finish, add
5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a
pleasing brown, complete with track, \$.40 each.

For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled
flat white are used, \$.30 each.

ACCESSORIES TO COMPLETE ABOVE UNIT

2	only	81-F8054-M	30 Watt Fluorescent Fixtures..... (Wire, switches and connectors not included)	14.25 ea.	\$8.50
2	only	R-F30TS/W	30 Watt Fluorescent Tubes.....	1.25 ea.	2.50
4	only	L5472F	Adjustable Shelf Standards.....	.53 ea.	2.12
4	only	L5430F	Adjustable Shelf Brackets.....	32½ ea.	1.30
4	only	L5431F	Adjustable Shelf Brackets.....	34 ea.	1.36
4	only	L5432F	Adjustable Shelf Brackets.....	36½ ea.	1.46
2	sets	O-45-F	Glass Shelves.....	7.55 set	15.10
Total.....					\$32.34

ALL PRICES NET.....NO CASH DISCOUNT


ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED



MODERN DISPLAY FIXTURES

HOUSEWARES AND GIFT SECTION

UNIT No. S-30A - THREE STEPS



Here is Your Housewares Department at its Best

A handsome Three Step Wall Unit presenting an open, continuous arrangement of nearly every item used in the kitchen. Produces the maximum in display. Three or more adjustable glass shelves eight inches or wider can be placed above the step. Every item is visible and within easy reach of the customer. Efficiency and speedy service unsurpassed. Shelving and accessories are priced independent of the fixture.

FINISHES AVAILABLE

Light Mahogany with Oak Trim


Dark Mahogany with Maple Trim

All Oak with Natural or Limed Oak Finish

Choice of any harmonizing background color

Partially Assembled and Shipped Knocked Down

PRICES ON APPLICATION




SHAPLEIGH'S
ESTABLISHED 1888
MADE IN U.S.A.

MODERN DISPLAY FIXTURES

HOUSEWARES AND KITCHEN NEEDS SECTION

UNIT No. S-30A — THREE STEPS



Combine Housewares With Kitchen Gadgets



This handsome Three Step Wall Case Unit has many practical applications in the modern store. An arrangement of Glass Bins and Adjustable Shelves makes a selling combination for nearly every item used in the kitchen.

Duplicate stock can be stored behind the sliding doors in the base. Glass Bins and Accessories sold separately.

FINISHES AVAILABLE

Light Mahogany with Oak Trim

Dark Mahogany with Maple Trim

All Oak with Natural or Limed Oak Finish

Choice of any harmonizing background color

Partially Assembled and Shipped Knocked Down

PRICES ON APPLICATION

HOUSEWARES AND KITCHEN NEEDS SECTION

UNIT No. S30A—THREE STEPS

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
8	ft.	♣S30PB-F	Three Step Unit, Open Base, No Doors (Not Illustrated)	\$18.30	\$146.40
8	ft.	♣S30A-F	Three Step Unit, Closed Base, with Doors (Illustrated Section 20—Page 8)	22.30	178.40

Units made in multiples of 4 ft. in any length desired.

♣Not carried in stock. Can only be furnished by shipping direct from factory (E. O. B., Wright City, Missouri).

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or All Oak, Natural, or Limed Finish, add 5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a pleasing brown, complete with track, \$.40 each.

For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled flat white are used, \$.30 each.

ACCESSORIES TO COMPLETE ABOVE UNIT

2	only	81-8054-M	30 Watt fluorescent fixtures.....	\$4.25 ea.	\$8.50
			(Wires, switches and connectors not included)		
2	only	R-F30T8/W	30 Watt fluorescent tubes.....	1.25 ea.	2.50
4	only	F542F	Adjustable shelf standards.....	.53 ea.	2.12
4	only	F5430F	Adjustable shelf brackets.....	.32½ ea.	1.30
4	only	F5431F	Adjustable shelf brackets.....	.34 ea.	1.36
4	only	F5432F	Adjustable shelf brackets.....	.36½ ea.	1.46
2	sets	L-45-F	Glass Shelves.....	7.55 set	15.10
1	lot		Glass Display bins.....	15.00 lot	15.00
Total.....					\$47.34

ALL PRICES NET..... NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING COST. FOR EXACT QUOTATION SUBMIT SPECIFICATIONS OF FIXTURES REQUIRED

CLEANING SUPPLIES SECTION

UNIT No. S22A—TWO STEPS

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
4	ft.	+S22PB-F	Two Step Unit, Open Base, No Doors..... (Not Illustrated)	\$16.75	\$134.00
4	ft.	+S22A-F	Two Step Unit, Closed Base, with Doors.... (Illustrated on Section 29—Page 9)	20.15	80.60

Units made in multiples of 4 ft. in any length desired.

+Not carried in stock. Can only be furnished by shipping direct from factory F. O. B.,
Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or All Oak, Natural, or Lined Finish, add
5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a
pleasing brown, complete with track, \$.40 each.

For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled flat
white are used, \$.30 each.

If desired, this fixture may be had with 1/4" Peg Board back at the same price. Add the
letters "PB" to the number. For example: S22PB-F

ACCESSORIES TO COMPLETE ABOVE UNIT

1	only	81-8054-M	30 Watt fluorescent fixtures..... (Wire, switches and connectors not included)	\$4.25 ea.	\$8.50
1	only	R-F30T8/W	30 Watt fluorescent tubes.....	1.25 ea.	2.50
1	lot		Display Brackets.....	15.00 lot	15.00
1	lot		Glass Display Bins.....	10.00 lot	10.00
				Total.....	\$36.00

ALL PRICES NET.....NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED

SHAPLEIGH'S**MODERN DISPLAY FIXTURES**

CLEANING SUPPLIES SECTION

UNIT No. S-22A -- TWO STEPS

***A Display For Cleaning Supplies and Wash Day Needs***

Cleaning Supplies and Wash Day Needs are naturals for Step Up Display of related merchandise. Give them all a display advantage of their own and repeat sales will pay for the equipment. Brooms, Mops, and other Handle Items are attractively displayed on single or double hooks. The sliding doors that conceal duplicate stock are used to complete the base of this unit.

This unit is equally effective for Sporting Goods Displays. Glass Bins and Merchandise Hooks are sold separately.

FINISHES AVAILABLE

Light Mahogany with Oak Trim

Dark Mahogany with Maple Trim

All Oak with Natural or Lined Oak Finish

Choice of any harmonizing background color


Partially Assembled and Shipped Knocked Down



PRICES ON APPLICATION

SHAPLEIGH'S
Hardware Company
MODERN DISPLAY FIXTURES
PAINT SECTION

UNIT No. S-30



Display Your Full Paint Line and Encourage Buying



Simplicity and neatness in displaying paints give this department merchandising potential of the best sort. The quality constructed, adjustable shelving permits displaying any size of paint cans, from the smallest up to gallons.

Unit No. S-30A is recommended for use as a Paint Brush Display Section in connection with the Paint Display. This completes a very desirable and profitable Paint Department.

FINISHES AVAILABLE

Light Mahogany with Oak Trim

Dark Mahogany with Maple Trim

All Oak with Natural or Lined Oak Finish

Choice of any harmonizing background color

Sub-Assembled and Shipped Knocked Down

PRICES ON APPLICATION

PAINT AND PAINTING NEEDS SECTION

UNITS S60 AND S30

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
8	ft.	†S60-F	Paint Unit.....	\$21.50	\$172.00
4	ft.	†S30A-F	Three Step Unit.....	22.30	89.20

(Illustrated Section 29—Page 10)

S60 Paint Unit made up in multiples of 2'8" lengths.

S30A 3 Step Unit made up in multiples of 4'0" lengths.

†Not carried in stock. Can only be furnished by shipping direct from factory F. O. B., Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or All Oak, Natural, or Lined Finish, add 5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a pleasing brown, complete with track \$.40 each.

For flush mounted letters on the top trim board a 4 inch cutout plywood letter enameled flat white is used, \$.30 each.

ACCESSORIES TO COMPLETE UNIT S60

3	only	81-8051-M	15 Watt fluorescent fixtures.....	\$2.25 ea.	\$6.75
			(Wire, switches and connectors not included)		
3	only	R-F15T8/W	15 Watt fluorescent tubes.....	1.05 ea.	3.15
			Total.....		\$9.90

ACCESSORIES TO COMPLETE S30 UNIT

1	only	81-8054-M	30 Watt fluorescent fixture.....	\$4.25 ea.	4.25
			(Wire, switches and connectors not included)		
1	only	R-F30T8-F	30 Watt fluorescent tubes.....	1.25 ea.	1.25
2	only	L5472F	Adjustable shelf standards.....	.53 ea.	1.06
4	only	L5548F	Adjustable slanting shelf brackets.....	.60 ea.	2.40
2	only	L5549F	Adjustable slanting shelf brackets.....	.60 ea.	1.20
1	lot		Glass & clips for bins on glass shelves.....	15.00 lot	15.00
1	lot		Glass & clips for bins on steps.....	14.00 lot	14.00
1	set	O-H1445-F	Glass shelves.....	9.80 set	9.80
			Total.....		\$48.96

ALL PRICES NET.....NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED

NARROW BASE WALL SECTION

UNIT S40A—ONE STEP

(With Glass Shelving)

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
With Plywood Back for use with Glass Shelves					
4	ft.	±S40-F	One Step Narrow Base Unit, Open Base, No Doors	\$14.05	\$56.20
4	ft.	±S40A-F	One Step Narrow Base Unit, Closed Base, with Doors (Illustrated on Section 29—Page 11)	16.45	65.80
With Peg Board Back for use with Display Hooks					
4	ft.	±S40PB-F	One Step Narrow Base Unit, Open Base, No Doors (Not Illustrated)	14.05	56.20
4	ft.	±S40APB-F	One Step Narrow Base Unit, Closed Base, with Doors (Illustrated on Section 29—Page 11)	16.45	65.80

Units made in multiples of 4 ft. in any length desired.

±Not carried in stock. Can only be furnished by shipping direct from factory F. O. B.,
Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or All Oak, Natural or Limed Finish, add
5% to the above fixture prices.The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a
pleasing brown, complete with track, \$.40 each.
For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled
flat white are used, \$.30 each.

ACCESSORIES TO COMPLETE NOS. ±S40-F OR ±S40A-F UNITS

1	only	81-8054-M	30 Watt fluorescent fixture	\$4.25 ea.	\$4.25
(Wire, switches and connectors not included)					
1	only	R-F30T8-M	30 Watt fluorescent tubes	1.25 ea.	1.25
2	only	L5408F	Adjustable shelf standards	69½ ea.	1.39
2	only	L5430F	Adjustable shelf brackets	32½ ea.	.65
2	only	L5431F	Adjustable shelf brackets	34 ea.	.68
2	only	L5432F	Adjustable shelf brackets	36½ ea.	.73
4	only	L5433F	Adjustable shelf brackets	41 ea.	.82
1	set	O-45-F	Glass Shelves	7.55 set	7.55
2	only	14x45	Glass Shelves	3.30 ea.	6.60
Total					\$23.92

ACCESSORIES TO COMPLETE NOS. ±S40PB-F OR ±S40APB-F UNITS

1	only	81-8054-M	30 Watt fluorescent fixture	\$4.25 ea.	\$4.25
(Wire, switches and connectors not included)					
1	only	R-F30T8/W	30 Watt fluorescent tubes	1.25 ea.	1.25
1	lot		Display hooks for peg board	25 ea.	5.00
1	lot		Glass display bins	5.00 lot	5.00
Total					\$15.50

ALL PRICES NET.....NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED

SHAPLEIGH'S
HARDWARE COMPANY

MODERN DISPLAY FIXTURES

ONE STEP WALL DISPLAY SECTION

UNIT No. S-40A — NARROW BASE



A Solution to the Space Saving Problem

These Wall Display Sections are only sixteen inches deep. The space gained widens aisle room and enables many stores to arrange center floor Shopping Islands to better sales advantage.

This Wall Display Unit is identical with Unit No. S-20A, except for the Special Twenty-Two inch Overall Depth.

FINISHES AVAILABLE

Light Mahogany with Oak Trim

Dark Mahogany with Maple Trim

All Oak with Natural or Limed Oak Finish

Choice of any harmonizing background color

Partially Assembled and Shipped Knocked Down




PRICES ON APPLICATION

SHAPLEIGH'S
Hardware Company


MODERN DISPLAY FIXTURES

SPORTING GOODS AND GUN CASE SECTION

UNIT Nos. S-30A AND S-22A



An Important Part of Your Selling Machine



A real eye catcher that will attract more sportsmen. It is a flexible and adjustable unit that can be easily changed as the particular sporting season requires.

The Gun Case, Unit No. S-22A, has sufficient room to display guns of all sizes at an angle. Flexibility adapts this unit to the display of Base Ball Goods, Fishing Rods and related items. All Glass Shelving and Insert priced separately.

FINISHES AVAILABLE

Light Mahogany with Oak Trim

Dark Mahogany with Maple Trim

All Oak with Natural or Limed Oak Finish

Choice of any harmonizing background color

Sub-Assembled and Shipped Knocked Down

PRICES ON APPLICATION

SPORTING GOODS AND GUN CASE SECTION

UNIT S22 AND S30

Makes an 8 ft. Unit

Quan.	Unit	No.	ITEM	Net Wholesale Prices	Total
4	ft.	†S22PB-F	Two Step Unit, Open Base, No Doors. (Not Illustrated)	\$16.75 ft.	\$67.00
4	ft.	†S30PB-F	Three Step, Open Base, No Doors. (Not Illustrated)	18.30 ft.	73.20
1	only	†GB-F	Gun Bracket.	13.00 ea.	13.00
1	only	†S-F	Divider Panel.	7.45 ea.	7.45
Total.					\$160.65
4	ft.	†S22A-F	Two Step Unit, Closed Base, With Doors. (Illustrated Section 29—Page 12)	20.15 ft.	80.60
4	ft.	†S30A-F	Three Step Units, Closed Base, With Doors. (Illustrated Section 29—Page 12)	22.30 ft.	89.20
1	only	†GB-F	Gun Bracket.	13.00 ea.	13.00
1	only	†S-F	Divider Panel.	7.45 ea.	7.45
Total.					\$190.25

Units made in multiples of 4 ft. in any length desired.

†Not carried in stock. Can only be furnished by shipping direct from factory F. O. B.,
Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or All Oak, Natural, or Lined Finish, add 5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a pleasing brown, complete with track, \$.40 each.

For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled flat white are used, \$.30 each.

ACCESSORIES TO COMPLETE ABOVE UNIT

2	only	81-8054-M	30 Watt Fluorescent Fixture. (Wire, switches and connectors not included)	\$4.25 ea.	\$8.50
2	only	R-F30T8/W-M	30 Watt Fluorescent tubes.	1.25 ea.	2.50
2	only	L5472F	Adjustable Shelf Standards.	.53 ea.	1.06
2	only	L5430F	Adjustable Shelf Brackets.	.32½ ea.	.65
2	only	L5431F	Adjustable Shelf Brackets.	.34 ea.	.68
2	only	L5432F	Adjustable Shelf Brackets.	.36½ ea.	.73
1	set	O-45-F	Glass Shelves.	7.55 set	7.55
Total.					\$21.87

ALL PRICES NET.....NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED

TOOL SECTION

UNIT No. S30—THREE STEPS

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
8	ft.	+S30-F	Three Step Unit, Open Base, No Doors, With Plywood Back Panel..... (Not Illustrated)	\$18.30	\$146.40
8	ft.	+S30PB-F	Three Step Unit, Open Base, No Doors, With Peg Board Back Panel..... (Not Illustrated)	18.30	146.40
8	ft.	+S30A-F	Three Step Unit, Closed Base, With Doors, With Plywood Back Panel..... (Illustrated Section 29—Page 13)	22.30	178.40
8	ft.	+S30APB-F	Three Step Unit, Closed Base, With Doors, With Peg Board Back Panel..... (Not Illustrated)	22.30	178.40

Units made in multiples of 4 ft. in any length desired.

*Not carried in stock. Can only be furnished by shipping direct from factory F. O. B., Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or All Oak, Natural, or Limed Finish, add 5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a pleasing brown, complete with track, \$.40 each.

For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled flat white are used, \$.30 each.

ACCESSORIES TO COMPLETE ABOVE UNITS

For S30, or S30A Units

2	only	81-8054-M	30 Watt Fluorescent Fixtures..... (Wire, switches and connectors not included)	\$4.25 ea.	\$8.50
2	only	R-F30T8/W	30 Watt Fluorescent Tubes.....	1.25 ea.	2.50
1	lot		RHC Spacemaster Display Hooks and Brackets.....	40.00 lot	40.00
1	lot		Glass Display Bins.....	15.00 lot	15.00
			Total.....		\$66.00

For S30PB, or S30APB Units

2	only	81-8054-M	30 Watt Fluorescent Fixtures..... (Wire, switches and connectors not included)	4.25 ea.	8.50
2	only	R-F30T8/W	30 Watt Fluorescent Tubes.....	1.25 ea.	2.50
1	lot		Peg Board Display Hooks and Brackets.....	15.00 lot	15.00
1	lot		Glass Display Bins.....	15.00 lot	15.00
			Total.....		\$41.00

ALL PRICES NET—NO CASH DISCOUNT


ABOVE PRICES ARE FOR ESTIMATING COST. FOR EXACT QUOTATION SUBMIT SPECIFICATIONS OF FIXTURES REQUIRED



MODERN DISPLAY FIXTURES

TOOLS SECTION

UNIT No. S-30A - THREE STEPS



A Silent Tool Salesman Selling Every Minute of the Day

Who can resist an open display of quality tools? It's custom made for the line and will show more than double the tools of an ordinary shelf case or panel and drawer type of equipment. Accessories not included in price of fixture.

Lower Base Section is available with either Drawer Inserts or Sliding Doors. Drawer Inserts are made up in four foot units fitted at the factory. Insert "B" contains four drawers and insert "C" contains six drawers.

FINISHES AVAILABLE

- Light Mahogany with Oak Trim
- Dark Mahogany with Maple Trim
- All Oak with Natural or Lined Oak Finish
- Choice of any harmonizing background color
- Sub-Assembled and Shipped Knocked Down



PRICES ON APPLICATION

BUILDERS HARDWARE SECTION

UNIT No. S50

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
8	ft.	4-S50-F	Panel Door Unit, Open Base, no Doors (Not Illustrated)	\$26.10	\$208.80
8	ft.	4-S50A-F	Panel Door Unit, Closed Base, with Doors (Illustrated Section 29—Page 14)	31.40	251.20

Units made in multiples of 4 ft. in any length desired.

†Not carried in stock. Can only be furnished by shipping direct from factory F. O. B., Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.
For the Dark Mahogany with Maple Trim, or All Oak, Natural, or Limed Finish, add 5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a pleasing brown, complete with track, \$.40 each.

For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled flat white are used, \$.30 each.

ACCESSORIES TO COMPLETE ABOVE UNIT

2	only	81-8054-M	30 Watt fluorescent fixtures (Wire, switches and connectors not included)	\$4.25 ea.	\$8.50
2	only	R-F30T8/W-M	30 Watt fluorescent tubes	1.25 ea.	2.50
1	lot		Glass & clips for bins on 3 steps	30.00 lot	30.00
Total					\$41.00

Note: A No. D18 Drawer insert can be used in a 4 ft. unit of S50 Panel Door Unit. It contains 18 drawers, and each drawer can be sub-divided into small compartments for screws, bolts, washers, etc. Price—\$81.10

ALL PRICES NET.....NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED

STEEL GOODS SECTION

UNIT No. S10

Quan.	Unit	No.	ITEM	Net Wholesale Prices Per Foot	Total
12	ft.	4-S10-F	Open Unit, with Plywood Back Panel Rail...	\$9.25	\$111.00
12	ft.	4-GPB-F	Rail.....	1.65 ft.	19.80
Total.....					\$130.80
(Illustrated Section 29—Page 15)					
12	ft.	4-S10PB-F	Open Unit, With Peg Board Back Panel.....	9.25 ft.	111.00
12	ft.	4-GPB-F	Rail.....	1.65 ft.	19.80
Total.....					\$130.80

(Not Illustrated)

Units made in multiples of 4 ft. in any length desired.

4-Not carried in stock. Can only be furnished by shipping direct from factory F. O. B., Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or All Oak, Natural, or Limed Finish, add 5% to the above fixture prices.

The letters shown on the top of the fixture are 5 inch cutout plywood letters enameled a pleasing brown, complete with track, \$40 each.

For flush mounted letters on the top trim board, 4 inch cutout plywood letters enameled flat white are used, \$30 each.

ACCESSORIES TO COMPLETE ABOVE UNIT

For S10 Unit

3	only	81-8054-M	30 Watt fluorescent fixture.....	\$4.25 ea.	\$12.75
(Wire, switches and connectors not included)					
3	only	R-F30T8/W	30 Watt fluorescent tubes.....	1.25 ea.	3.75
24	ft.	O-85/8-F	Tool Bracket Track.....	.30 ft.	7.20
2	only	F503F	Hoe Brackets.....	.85 ea.	1.70
4	only	F505F	Shovel Brackets.....	.90 ea.	3.60
5	only	F502F	Fork Brackets.....	.85 ea.	4.25
2	only	F504F	Rake Brackets.....	1.20 ea.	2.40
15	only	L6828F	Double Peg Board Hooks.....	.16 ea.	2.40
1	only	O-547-F	Handle Rack.....	8.75 ea.	8.75
Total.....					\$46.80

For S10PB Unit

3	only	81-8054-M	30 Watt fluorescent fixtures.....	\$4.25 ea.	\$12.75
(Wire, switches and connectors not included)					
3	only	R-F30T8/W	30 Watt fluorescent tubes.....	1.25 ea.	3.75
3	only	F455F	Rake Brackets.....	2.52 ea.	7.56
2	only	F456F	Hoe Brackets.....	1.98 ea.	3.96
6	only	F457F	Fork Brackets.....	2.25 ea.	13.50
15	only	L6828F	Double Peg Board Hooks.....	.16 ea.	2.40
1	only	O-547-F	Handle Rack.....	8.75 ea.	8.75
Total.....					\$52.67

ALL PRICES NET..... NO CASH DISCOUNT

ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED




**SINCE
1870**

SHAPLEIGH'S
ESTABLISHED 1843
ST. LOUIS, U.S.A.
TRADE MARK REG. U.S. PAT. & OFFICE

STORE FIXTURE DIVISION



**SINCE
1870**



The Hardware Sales Promoter

Just as a display is a display for making your customer do their own shopping. Step 1 is to provide a display that will catch the customer's eye. A really good display will draw the customer's eye to the store and the store's style that counts. You also have the added advantage of sections where space selling is done. This island unit will display all lines of hardware merchandise with sales appeal. The expanding of the shelves provides a potential new display or testing feature and more.

Both of the two steps are removable for greater flexibility in displaying merchandise.

The standard finish is light Mahogany with Oak trim.

Other finishes available are — Dark Mahogany with Maple trim and Oak trim, or a limited finish in 22 additional colors.


Choice of any painting background color. Paints are light and spaced worked down.



ORDER ON APPLICATION

SHAPLEIGH'S MODERN DISPLAY FIXTURES

MULTIPLE STEP UP SHOPPING ISLAND




The Hardware Sales Promoter

Unsurpassed as a display for inviting your customers to do their own shopping. Step Up Islands provide approximately fifty per cent more display space. Actually a Step Up Shopping Island will display more merchandise than six old style flat counters. You also have the added advantage of spacious storage space behind sliding doors.

This Island Unit will display all lines of hardware merchandise with sales appeal. The pyramiding of the shelves provides a beautiful mass display of lasting freshness and newness.

Both of the two Step Ups are removeable for greater flexibility in displaying merchandise.



The standard finish is Light Mahogany with Oak Trim.

Other finishes available are—Dark Mahogany with Maple Trim, and All Oak, Natural, or Lined finish at 5% additional.

Choice of any harmonizing background color.

Partially assembled and shipped knocked down.

SHOPPING ISLAND UNITS

Illustrated on Pages 16 and 17

No.	ITEM	Net Wholesale Price, Each
✦S504DS-F-5' x 4'	Shopping Island.....	\$112.00
✦S505DS-F-5' x 5'	Shopping Island.....	123.55
✦S507DS-F-5' x 7'	Shopping Island.....	143.25
✦S508DS-F-5' x 8'	Shopping Island.....	162.00
✦S510DS-F-5' x 10'	Shopping Island.....	200.90

Note: Above prices are for the Light Mahogany and Oak Trim finish.
For the Dark Mahogany with Maple Trim, or All Oak, Natural, or Lined Finish, add
5% to the above fixture prices.


✦Not carried in stock. Can only be furnished by shipping direct from factory F. O. B.,
Wright City, Missouri.

For less than truck load lots, add 5% crating charge to above prices.

All Prices Net No Cash Discount

SHAPLEIGH'S MODERN DISPLAY FIXTURES

MASS DISPLAY ISLAND




There are Unlimited Possibilities in Shopping Island Displays

A Multiple Step Up Shopping Island has unusual flexibility in displaying every sort of merchandise. Here we show a 5 x 10 ft. island equipped with glass bins for the mass display of Electric Goods. This is a compact display which is unsurpassed in inviting customers to do their own shopping for Light Bulbs, Clocks, Fixtures, Appliances and related items. Both of the two Step Ups are removable for greater flexibility in displaying merchandise.

The standard finish is Light Mahogany with Oak Trim.

Other finishes available are—Dark Mahogany with Maple Trim, and All Oak, Natural, or Limed finish at 5% additional.


Choice of any harmonizing background color.
Partially assembled and shipped knocked down.



PRICES ON APPLICATION

SHAPLEIGH'S MODERN DISPLAY FIXTURES

ONE STEP SHOPPING ISLAND




Designed for Great Versatility of Use

Properly designed to show and merchandise hard to display items such as Pails, Tubs, Sprays, Lanterns, Oilers, Chains, and Kegs. It is ideal for the display of Bulky Garden Items. At this twenty-two inch height, your have a perfect unit for presenting hard to show merchandise in a remindful, sales producing manner.

The standard finish is Light Mahogany with Oak Trim.

Other finishes available are—Dark Mahogany with Maple Trim, and All Oak, Natural, or Limed finish at 5% additional.

Choice of any harmonizing background color.
Partially assembled and shipped knocked down.



PRICES ON APPLICATION

SHOPPING ISLAND BASE UNIT ONLY

(No Step-ups)

Illustrated on Page 18

No.	Size	ITEM	Net Wholesale Price, Each
✦S404D-F	4' x 4'	Shopping Island Base.....	\$71.15
✦S405D-F	4' x 5'	Shopping Island Base.....	80.60
✦S407D-F	4' x 7'	Shopping Island Base.....	96.55
✦S408D-F	4' x 8'	Shopping Island Base.....	106.85
✦S410D-F	4' x 10'	Shopping Island Base.....	135.45
✦S504D-F	5' x 4'	Shopping Island Base.....	84.65
✦S505D-F	5' x 5'	Shopping Island Base.....	97.35
✦S507D-F	5' x 7'	Shopping Island Base.....	113.05
✦S508D-F	5' x 8'	Shopping Island Base.....	124.95
✦S510D-F	5' x 10'	Shopping Island Base.....	157.90

Note: Above prices are for the Light Mahogany and Oak Trim finish. For Dark Mahogany with Maple Trim, or all Oak, Natural, or Lined finish, add 5% to the above fixture prices.

✦ **Not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Wright City, Missouri.**

For less than truck load lots, add 5% crating charge to the above prices.

ALL PRICES NET NO CASH DISCOUNT

SHIPPING ISLAND UNITS

Illustrated on Page 18

No.	ITEM	Net Wholesale Price, Each
†S404DS-F-4' x 4'	Shopping Island.....	\$96.00
†S405DS-F-4' x 5'	Shopping Island.....	107.90
†S407DS-F-4' x 7'	Shopping Island.....	127.40
†S408DS-F-4' x 8'	Shopping Island.....	141.45
†S410DS-F-4' x 10'	Shopping Island.....	175.20

Note: Above prices are for the Light Mahogany and Oak Trim finish.

For the Dark Mahogany with Maple Trim, or All Oak, Natural, or Lined Finish, add 5% to the above fixture prices.

†Not carried in stock. Can only be furnished by shipping direct from factory F. O. B. Wright City, Missouri.

For less than truck load lots, add 5% crating charge to the above prices.

All Prices Net No Cash Discount

SHAPLEIGH'S MODERN DISPLAY FIXTURES

MULTIPLE STEP-UP SHOPPING ISLAND

***SHOW MORE — SELL MORE
WITH THIS IMPROVED STEP-UP ISLAND***




Illustration above shows a 4-ft. x 8-ft. size Island. Merchandise has been omitted from the illustration to show step-up construction.

Illustration at the right is a 4-ft. x 5-ft. Island. Note the amount of merchandise and the large size pieces which can be displayed on it.


Finished in light mahogany with oak trim. Step-ups may be finished in your choice of seven attractive colors.

Islands are four feet wide and are available in 5 ft., 7 ft., 8 ft. and 10 ft. lengths. Over all height is 42 inches.

There is no lost space on this Display Island. New construction provides full use of each step, and there is ample storage space behind the smooth sliding doors.

Each step is removable so that either 1, 2, or 3 steps can be used in arranging the displays.

Glass display bins may be added if the island is to be used for the display of small items, such as kitchen gadgets, electrical and plumbing supplies, painting needs, builders hardware, and similar items.



SHAPLEIGH'S MODERN DISPLAY FIXTURES**MULTIPLE STEP-UP SHOPPING ISLAND****OPEN BASE-MORE SPACE
WITH THIS NEW ISLAND****HERE'S AN ISLAND DESIGNED FOR MAXIMUM DISPLAY**

NO LOST SPACE, EACH STEP COMPLETELY USABLE. DISPLAYS MAY BE CHANGED BY REMOVING EITHER, OR BOTH OF THE TOP STEPS. LARGE ITEMS MAY BE DISPLAYED AROUND THE BASE.



Illustration shows a 4-ft. x 8-ft. size island. Other sizes available are, 4-ft. x 4-ft., 4-ft. x 5-ft., 4-ft. x 7-ft. and 4-ft. x 10-ft. and in 5 ft. widths.

Of plywood and hardwood construction, finished in a choice of seven attractive colors. Light Blue, Light Green, Dark Green, Light Gray, Dusty Rose, Peach and Yellow.

Glass display bins may be used when small items are to be displayed on this island.

SHOPPING ISLAND UNITS

Illustrated on Page 18-D

No.	ITEM	Net • Wholesale Price, Each
✚S404HS-F-4' x 4'	Shopping Island.....	\$85.70
✚S405HS-F-4' x 5'	Shopping Island.....	93.85
✚S407HS-F-4' x 7'	Shopping Island.....	101.95
✚S408HS-F-4' x 8'	Shopping Island.....	113.05
✚S410HS-F-4' x 10'	Shopping Island.....	140.10
✚S504HS-F-5' x 4'	Shopping Island.....	103.60
✚S505HS-F-5' x 5'	Shopping Island.....	111.40
✚S507HS-F-5' x 7'	Shopping Island.....	122.80
✚S508HS-F-5' x 8'	Shopping Island.....	134.70
✚S510HS-F-5' x 10'	Shopping Island.....	167.90

SHOPPING ISLAND BASE UNIT ONLY

(No Step-Ups)

Not illustrated

No.	ITEM	Net Wholesale Price, Each
✚S404H-F-4' x 4'	Island Base.....	\$60.85
✚S405H-F-4' x 5'	Island Base.....	66.55
✚S407H-F-4' x 7'	Island Base.....	74.15
✚S408H-F-4' x 8'	Island Base.....	78.15
✚S410H-F-4' x 10'	Island Base.....	100.35
✚S504H-F-5' x 4'	Shopping Island Base.....	76.30
✚S505H-F-5' x 5'	Shopping Island Base.....	83.05
✚S507H-F-5' x 7'	Shopping Island Base.....	92.75
✚S508H-F-5' x 8'	Shopping Island Base.....	97.60
✚S510H-F-5' x 10'	Shopping Island Base.....	125.45

Note: Above prices are for the Light Oak finish. For the Limed Oak, or Maple finish, add 5% to the above prices.

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Wright City, Missouri.

For less than Truck Load Lots, add 5% crating charge to above prices.

All Prices Net—No Cash Discount

SPACE SAVER BOLT SECTION

(Illustrated on Section 29—Page 19)

No.	ITEM	Net Wholesale Price, Each
†S70-F	Bolt Case Section (128 Drawers).....	\$335.30

NAIL AND WRAPPING COUNTER UNITS

No.	ITEM	Without Bins	With Bins
†S315-F	5' (15 Bin) Nail Counter.....	107.65	181.90
†S324-F	7' (24 Bin) Nail Counter.....	125.75	244.55
†S327-F	8' (27 Bin) Nail Counter.....	134.40	268.40
†S330-F	9' (30 Bin) Nail Counter.....	151.40	302.90
†S336-F	10' x 6" (36 Bin) Nail Counter.....	205.00	383.20

No.	ITEM	Net Wholesale Price, Each
†S320/4-F	4 Drawer Brad and Tack Insert (Replaces 2 Nail Bins).....	\$19.25
†S320/8-F	8 Drawer Brad and Tack Insert (Replaces 3 Nail Bins).....	32.20
3-NBM-F	Nail Bins For Above Counters.....	N-4.95
†S245-F	5' x 2' 6" Masonite Top Wrapping Counter.....	75.29
†S247-F	7' x 2' 6" Masonite Top Wrapping Counter.....	83.55
†S248-F	8' x 2' 6" Masonite Top Wrapping Counter.....	102.25
†S250-F	10' x 2' 6" Masonite Top Wrapping Counter.....	129.55

†Not carried in stock. Can only be furnished by shipping direct from factory F. O. B.,
Wright City, Missouri.

Note: Above prices are for the Light Mahogany and Oak Trim finish. For Dark Mahogany
with Maple Trim, or all Oak, Natural, or Limed finish, add 5% to the above fixture
prices.

When selling above fixtures separately and not a part of a complete Store Modernization
Job, add 5% crating charge to the above prices.

Write orders for Nail Counters on a DS order blank, and write the order for the Nail Bins
on a regular order blank to be shipped from the House.

ABOVE PRICES ARE FOR ESTIMATING
COST. FOR EXACT QUOTATION SUBMIT
SPECIFICATIONS OF FIXTURES REQUIRED

SHOPPING ISLAND UNITS

Illustrated on Page 18-D

No.	ITEM	Net Wholesale Price, Each
✦S404HS-F-4' x 4'	Shopping Island.....	\$85.70
✦S405HS-F-4' x 5'	Shopping Island.....	93.85
✦S407HS-F-4' x 7'	Shopping Island.....	101.95
✦S408HS-F-4' x 8'	Shopping Island.....	113.05
✦S410HS-F-4' x 10'	Shopping Island.....	140.10
✦S504HS-F-5' x 4'	Shopping Island.....	103.60
✦S505HS-F-5' x 5'	Shopping Island.....	111.40
✦S507HS-F-5' x 7'	Shopping Island.....	122.80
✦S508HS-F-5' x 8'	Shopping Island.....	134.70
✦S510HS-F-5' x 10'	Shopping Island.....	167.90

SHOPPING ISLAND BASE UNIT ONLY

(No Step-Ups)

Not Illustrated

No.	ITEM	Net Wholesale Price, Each
✦S404H-F-4' x 4'	Island Base.....	\$60.85
✦S405H-F-4' x 5'	Island Base.....	66.55
✦S407H-F-4' x 7'	Island Base.....	74.15
✦S408H-F-4' x 8'	Island Base.....	78.15
✦S410H-F-4' x 10'	Island Base.....	100.35
✦S504H-F-5' x 4'	Shopping Island Base.....	76.30
✦S505H-F-5' x 5'	Shopping Island Base.....	83.05
✦S507H-F-5' x 7'	Shopping Island Base.....	92.75
✦S508H-F-5' x 8'	Shopping Island Base.....	97.60
✦S510H-F-5' x 10'	Shopping Island Base.....	125.45

Note: Above prices are for the Light Oak finish. For the Lined Oak, or Maple finish, add 5% to the above prices.

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Wright City, Missouri.

For less than Truck Load Lots, add 5% crating charge to above prices.


All Prices Net—No Cash Discount

SHAPLEIGH'S MODERN DISPLAY CASES

Both the full display case and the half display case are being widely used by retail sporting goods stores, hardware stores and gift shops. Here are two cases that have the quality and appearance to be found only in the more expensive type fixtures, yet they are economically priced because of the mass production methods used by the manufacturer. Sturdily constructed of three quarter inch sliced oak or birch veneered panels.

Each		Width, inches	Length, inches	Shipping, Wt., lbs.
†S701-F	X98D40	20	70	240
†S703-F	X91D10	20	60	200
†S705-F	X86D40	20	48	160
†S801-F	X104D00	24	70	252
†S803-F	X100D00	24	60	210
†S805-F	X96D00	24	48	168

Prices include eight-inch and ten-inch glass shelves with necessary hardware



Full Display Case

Dimensions:
Over all height 38 inches
Glass front height 24 inches

LIGHTING

Each
Slimline Fluorescent Showcase Light Installed
at Factory ... X26D40


FINISHES AVAILABLE

Lined or Natural Oak
Natural Birch

DOORS AVAILABLE

Either solid slab type doors or mirrored door available.
Slab type shipped unless otherwise specified

BE SURE TO SPECIFY FINISH WANTED



Half Display Case

Dimensions:
Over all height 38 inches
Glass front height 14 inches

Each		Width, inches	Length, inches	Shipping Wt., lbs
†S702-F	X102D40	20	70	240
†S704-F	X98D40	20	60	200
†S706-F	X94D40	20	48	160
†S802-F	X112D00	24	70	252
†S804-F	X108D00	24	60	210
†S806-F	X104D00	24	48	168

Prices include ten-inch glass shelf with necessary hardware

LIGHTING

Each
Slimline Fluorescent Showcase Light Installed
at Factory ... X26D40

Items marked † not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., St. Louis 1, Mo.

SHAPLEIGH'S MODERN DISPLAY CASES

These two special design display cases should fill a long felt need for special departments in retail stores. They are of the same high quality as all our cases and priced within reach of everyone. They will compare throughout with cases selling for much more. Available in three lengths and several finishes. Sturdily constructed of three-quarter-inch sliced oak or birch veneered panels.



Single Shelf Case

Dimensions:

Over all height 38 inches
Glass front height 10 inches

Each		Width, inches	Length, inches	Shipping Wt., lbs.
✚S902-F	X107D75	20	70	240
✚S904-F	X103D10	20	60	200
✚S906-F	X98D45	20	48	160

LIGHTING

Each
Slimline Fluorescent Showcase
Light Installed at Factory... X26D40

FINISHES AVAILABLE

Lined or Natural Oak
Natural Birch

DOORS AVAILABLE

Either solid slab type doors or mirrored doors available
Slab type shipped unless otherwise specified


BE SURE TO SPECIFY FINISH WANTED

Each		Width, inches	Length, inches	Shipping, Wt., lbs.
✚S1101-F	X130D00	24	70	240
✚S1103-F	X126D00	24	60	200
✚S1105-F	X121D35	24	48	160

Prices include three glass shelves in eight, ten and twelve-inch widths

LIGHTING

Each
Slimline Fluorescent Showcase
Light Installed at Factory... X26D40



Slant Front Case


Dimensions:

Over all height 44 inches
Glass front height 23 inches

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., St. Louis, Mo.

FULL DISPLAY CASES

SHAPLEIGH



Two 8x34 inch shelves and two 10x34 inch shelves. Crystal $\frac{3}{16}$ inch thick glass throughout. Knife type standard and brackets.

Frameless, factrolite $\frac{3}{16}$ inch doors. Finger pulls in each door, doors slide on special rods with positive entry into side extrusions. Foam rubber cushions are used in side channels.

Lighting can be installed at factory or accommodations are made for light in front rail by means of two holes and screws.

Finishes: Lined Oak, Natural Oak, and Natural Birch.

Aluminum frame with aluminum or bronze baked on finish.

Dimensions:

Height over all 38 inches. Height glass front 28 inches. Recessed kickplate 4 inches. Finished plywood 6 inches.

Each

		Width, ins.	Length, ins.	Weight ctn. lbs.
†S111-F	X128D40	20	70	240
†S113-F	X124D40	20	60	200
†S115-F	X120D40	20	48	160
†S331-F	X137D35	24	70	252
†S333-F	X133D35	24	60	210
†S335-F	X129D35	24	48	168

HALF DISPLAY CASE

SHAPLEIGH

Two 10x34 inch shelves. Made of heavy sheet $\frac{3}{16}$ inch. Case is made with $\frac{3}{16}$ inch crystal glass throughout. Knife standards and brackets.

Frameless type $\frac{3}{16}$ inch Factrolite glass doors. Ground finger pull in each door—doors slide on special rods with positive entry into side extrusions. Foam rubber cushions are used in side channels.


Lighting can be installed at factory or accommodations are made in front rail by means of two holes and screws.

Finishes: Lined Oak, Natural Oak and Natural Birch.

Aluminum Frame—Bronze or aluminum baked-on finish.

Dimensions:

Height over all 38 inches. Glass front height 18 inches. Finished plywood 22 inches. Recessed kick plate 4 inches.



Each


		Width, ins.	Length, ins.	Weight ctn. lbs.
†S210-F	X135D75	20	70	240
†S212-F	X133D35	20	60	200
†S214-F	X129D35	20	48	160
†S440-F	X144D00	24	70	252
†S442-F	X140D11	24	60	210
†S444-F	X136D00	24	48	168

Items marked † not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., St. Louis, Mo.

All prices are for aluminum finish. Add NME for Bronze finish.

LEG TYPE CASE

SHAPLEIGH



Two 8x34 inch and two 10x34 inch shelves. Crystal $\frac{1}{8}$ inch thick glass used throughout. Knife type brackets and hardware. Heavy aluminum extrusions throughout case.

Frameless, factrolite $\frac{1}{8}$ inch doors. Finger pulls in each door slide on special slides with positive entry into side extrusions. Foam rubber cushions are used in side channels.

Lighting can be installed at factory or accommodations are made in front rail by means of two holes and screws.

Finishes: Wood Ivory floor. Aluminum frame; Aluminum or bronze.

Dimensions:

Overall height 38 inches. Glass front height 25 inches. Legs 12 inches.

		Width, ins.	Length, ins.	Weight ctn. lbs.
Each		20	70	240
+S606-F	X128D40	20	60	200
+S605-F	X124D40	20	48	160
+S604-F	X120D40			

ECONOMY TABLE

SHAPLEIGH



Solid oak rails and legs with fir bottom on tray. Bottom shelf of fir with oak nosing. No end sway.

Lined or Natural finishes.

Dimensions:

Length 60 inches. Width 30 inches. Height 33 inches.


Each
+2301-F X39D40

Items marked + not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., St. Louis, Mo.

All prices are for aluminum finish. Add X3D75 for Bronze finish.

COUNTER DISPLAY CASES

WADDELL



Curvette counter case to display and sell a great variety of merchandise.

Solid wood frame in natural finish with clear plastic channel used as a framing for the glass. $\frac{3}{8}$ inch glass front, ends and bottom. Double strength frameless sliding doors. Two bulb edge glass shelves.

Length 24 $\frac{1}{2}$ inches. Height 18 $\frac{3}{4}$ inches. Depth 10 $\frac{1}{4}$ inches.

Each

†2001-F D-S X20D20

One in ctn. Wt. ctn. 44 lbs.

SHOW CASE LOCKS

YALE & TOWNE



Provides security for sliding glass panels on showcases.

Keying alike feature gives added convenience.

Highly polished, chromium plated case. Length of bar 4 $\frac{1}{2}$ inches.

(L108)

Each

L1579F

X2D33

Each

\$1.50


One in box. Wt. box $\frac{1}{2}$ lb.

Items Marked † Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory—

Display Units No. B5 F. O. B., Kansas City, Missouri and Counter Case No. 2001 F. O. B., Greenfield, Ohio

PLATEAU SETS

GARRISON WAGNER



White Washable Material

Sturdy display set of heavy reinforced $\frac{1}{4}$ inch tubing covered in white washable material.

Qty.

Set Contains:

- | | |
|---|--|
| 1 | Pedestal 24 inches high x 8 inch diameter. |
| 1 | Pedestal 18 inches high x 8 inch diameter. |
| 1 | Pedestal 12 inches high x 8 inch diameter. |
| 1 | Plateau base 6 inches high x 22 inch diameter. |

Per Set


†PD-S-C X9D50

One set in ctn. Wt. ctn. 12 $\frac{1}{2}$ lbs.

Items marked † not carried in stock. Can only be furnished by shipping direct from factory, St. Louis, Mo.

MODERN DISPLAY FIXTURES

M & D

**Gondola—Open Back**

A complete and flexible island. Suitable for the display of all type of merchandise in drug, hardware, grocery, stationery, notions and variety stores.

Mottled gray plywood base mounted to steel frame. Shelves are of perforated steel, baked enamel finish. Second and third shelves are adjusted vertically. Price tag moulding 1½ inches wide mounted along front edge. Complete with glass dividers and divider clips. Easy to assemble.

Shelves available in Yellow, Green or Ivory.
Specify Color Wanted.

Specifications:

	300	400
Floor space, feet	3x5	3x8
Height from floor to top of shelf, inches	50	50
Top shelf, inches	14x70	14x94
Second shelf, inches	10x70	14x94
Third shelf, inches	14x70	14x94
Bottom shelf, inches	16x70	16x94
Approximate display area, square feet	47	63
Total Floor Area, square feet	18	24

Each	Size, Unit Ft.	Wt. Each lbs.
③300-F X160D00	8	292
③400-F X190D00	8	375

Packed in ctns.—Knocked down.

**Electrical Gondola**

The ideal way to display a large quantity of electrical goods in a small amount of floor space with self-selection selling.

All metal construction with mottled gray plywood covered base. Perforated metal shelves durable baked on enamel finish. Complete with glass dividers and divider clips. Easy to assemble.

Height 61 inches. Width 36 inches. Length 72 inches. Bottom shelf 16x70 inches. Second shelf 14x70 inches. Top shelf 10x70 inches. Shelves available in Yellow, Green or Ivory.


Specify Color Wanted.

Each

③821-F

X170D00

Packed in ctns. Wt. ctns. 310 lbs.

**Plumbing Gondola**

Designed to display a complete line of plumbing merchandise in a most effective sales producing unit in a minimum of floor space.

All metal construction with mottled gray fir plywood covered base. Perforated metal shelves and top panel baked on enamel finish. Complete with glass dividers, divider clips and hangers. Easy to assemble.

Height 54 inches. Width 36 inches. Length 72 inches. Bottom shelf 10x70 inches. Second shelf 14x70 inches. Top shelf 10x70 inches. Top panel 10x70 inches.

Shelves available in Yellow, Green or Ivory.

Specify Color Wanted.

Each

③817-F

X200D00

Packed in ctns. Wt. ctns. 340 lbs.

Items marked ½ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Cambridge City, Ind.

MODERN DISPLAY FIXTURES

M & D



Paint Accessory Gondola

Displays bulky, hard to manage merchandise. A proven sales builder to increase your profits.

All metal construction with mottled gray plywood base. Perforated metal shelves durable baked on enamel finish. Complete with glass dividers and holders.

Height 54 inches. Width 36 inches. Length 72 inches. Bottom shelf 16x70 inches. Second shelf 14x70 inches. Top shelf 10x70 inches.

Shelves available in Yellow, Green or Ivory.

Specify Color Wanted.

Each
#818-F X152D50

Packed in ctns. Wt. ctnr. 300 lbs.



Light Bulb Gondola

All metal construction with mottled gray plywood base. Perforated metal. Shelves durable baked on enamel finish.

Height 60 inches. Width 36 inches. Length 37 in. Bottom Shelves 16x36 inches and top shelf 14x36 in. Small baskets—4x13x34 in. Large baskets 12x10x34 inches.

Shipped knocked down—easy to assemble.

Shelves available in Yellow, Green or Ivory.

Specify Color Wanted.

Each
#803-F X93D50

Wt. each 120 lbs.



Half Gondola

Ideal for building striking wall displays. Natural brown finish plywood base mounted to steel frame. Perforated steel finished shelves baked enamel. Second and third shelves adjust vertically. Price tag moulding 1 1/4 inches wide mounted along front edge of each shelf. Comes complete with glass divider and divider clips.

Shelves available in Yellow, Green or Ivory.

Specify Color Wanted.

Specifications:

	700	800
Floor Space, in.....	19x72	19x90
Height from Floor to top of Shelf.....	50	50
Top Shelf Size, in.....	8x70	8x94
Second Shelf Size, in.....	10x70	10x94
Third Shelf Size, in.....	14x70	14x94
Bottom Shelf Size, in.....	16x70	16x94
Approximate Display Area, Sq. Ft.....	24	33
Total Floor Area, Sq. Ft.....	10	13 1/2

Each	Size, Unit Ft.	Wt. Each lbs.
#700-F X90D00	6	210
#800-F X105D00	8	240

SHAPLEIGH'S**MODERN DISPLAY FIXTURES****ADJUSTABLE SHELF GONDOLA**

GONDOLA WITH WOOD ENDS

**THE VERSATILE ISLAND
FOR MAXIMUM DISPLAY**

Here is a four level display island that affords full view of the merchandise displayed on it. Each shelf is supported by strong metal brackets attached to a metal frame. The shelves may be changed quickly to accommodate merchandise of varying heights. Each shelf is in two halves so that different levels may be obtained on each side of the Gondola. Each is edged with Oak Price Ticket Moulding.

The Gondola is 30 inches wide, 60 inches long, 52 inches high.

The shelf sizes are:

- 2 Shelves 10 $\frac{3}{4}$ inches wide, 59 $\frac{3}{4}$ inches long
- 2 Shelves 12 $\frac{3}{4}$ inches wide, 59 $\frac{3}{4}$ inches long
- 2 Shelves 14 $\frac{3}{4}$ inches wide, 59 $\frac{3}{4}$ inches long
- Base shelf 30 inches wide, 59 $\frac{3}{4}$ inches long

The Gondola is finished in Light Mahogany with Oak trim. The shelves are plywood, natural finish. Black base.



Illustration above shows Gondola without merchandise. Note heavy frame and adjustable feature of the strong shelf brackets.

Illustrations to the right and left shows merchandise attractively displayed, and in full view.

Glass display bins may be used on the shelves to display small items, such as electrical supplies, plumbing supplies, kitchen gadgets, fishing tackle and many other small items.



Net Wholesale Price, Each

4-S6030WE-F—Gondola With Wood Ends.....

\$110.75

Weight Each 180 lbs.

For Dark Mahogany with Maple Trim, or All Oak, Natural, or Limed Finish, Add 5% to Above Price.

Items Marked - Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory, F. O. B., Wright City, Mo.

SHAPLEIGH'S MODERN DISPLAY FIXTURES

GONDOLAS WITH FEATURE ENDS



The Peg Board feature end panels on this Gondola provide additional display space that can be merchandised quickly by using adjustable display hooks and brackets. The end panels are 20 inches wide across the top, 30 inches wide across the bottom, and 46 inches high. They are made of $\frac{1}{4}$ inch peg board finished in Ivory Lacquer, and framed in natural finished Oak.

(See Catalog Page 29-22-C for description of the Gondola).

†S6030PB-F—Gondola with Peg Board Feature End

Net Wholesale Price, Each

\$119.85

GONDOLA WITH END PLATFORMS

For added display space this Gondola has End Platforms which are used for large bulky displays such as Paint, Garden Hose, Waste Baskets, Galvanized Pails, Minnow Buckets, Tackle Boxes, etc.

The Platforms are 4 inches high, 30 inches wide and 18 inches deep. Natural finish with Black base. Price includes Gondola with Peg Board Ends and Platforms.



†S6030PBS-F—Gondola with Peg Board Ends and Platforms

Net Wholesale Price, Each

\$142.95

Items Marked † Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory, F. O. B., Wright City, Mo.

SHAPLEIGH'S MODERN DISPLAY FIXTURES

CHECK-OUT COUNTER

For Quick-Service, or Self-Service Stores



With the latest display fixtures, plus good merchandise arrangement the hardware dealer can handle more store traffic, increase dollar volume and decrease operating costs.

Tests prove that customers not only like to shop, but generally buy more items when waiting on themselves. This check-out counter adds to the general attractiveness and modern look of the store and helps increase volume.

Expertly made and beautifully finished in light mahogany with oak trim. The top is made of tempered masonite for long wear.

The counter is 4 ft. wide, 7 ft. long, 32 in. high. There are five bag bins, a drawer with lock and key below the cash register area and one shelf across the end. There is ample space below for roll paper, will call items and packages.

Cash register and roll paper holders not included.



This view shows the Spring-hinged gate, the five Bag Bins and the spacious working area of the top.

Net Wholesale Price, Each


*S8448RH-F	Right Hand Check-out Counter (Illustrated above).....	\$187.40
*S8448LH-F	Left Hand Check-out Counter (Same as above except wrapping area is to the left of cashier).....	187.40
*S5400-F	Right Hand Check-out Counter (Without Fence and Gate).....	147.65
*S5410-F	Left Hand Check-out Counter (Without Fence and Gate).....	147.65

When Selling above Fixture Separately and not a part of a Complete Store Modernization Job, Add 5% Crating Charge to the above Prices.

For Dark Mahogany with Maple trim, or All Oak, Natural, or Limed finish, add 5% to above prices.

Items marked * not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Wright City, Missouri

SHAPLEIGH'S NAIL COUNTERS



NAIL COUNTER

These counters are indispensable to any hardware store as they save valuable floor space and make it possible to handle nails and staples quicker and easier.

Selected oak frame, ends, base strip, and back trim, front panel $\frac{1}{4}$ -inch oak finish plywood. Top masonite covered with oak banding rail. Interior well constructed of heavy material with sufficient strength to sustain full bins without sagging.

Smooth varnished natural oak finish. Counter $31\frac{1}{2}$ inches wide, $33\frac{1}{4}$ inches high.

Each		With Metal Nail Bins
+	0345-F	X272D30
+	0346-F	X294D95
+	0347-F	X212D00

Length, feet	Weight each, lbs.
7	550
8	700
$5\frac{1}{4}$	580

NAIL BINS

For use in nail counters. Holds approximately 125 lbs. of nails.

Heavy galvanized steel body with returned edge and reinforced with three flat steel braces at top and bottom.

Size $33\frac{1}{4}$ inches long, $9\frac{1}{4}$ inches wide, $7\frac{1}{4}$ inches deep.

Each
3-NBM-F N-X4D95
Loose. Wt. each 13 lbs.



NAIL CLAWS



Wrought steel, painted blue. Four-tine claw with loop handle. Length 14 inches, length of claws 3 inches. Width of head $3\frac{1}{2}$ inches. Diameter shank $\frac{3}{8}$ -inch.

Each	Each
F4434G (2) X1D95	\$2.95
Loose. Wt. each 1 lb.	

NAIL COUNTER AND BINS

These units solve the nail storage problem as well as providing a counter for scale, register, wrapping and display.

Counter—Angle steel frame securely bolted, with laminated wood top covered with government standard green linoleum. Height 36 inches.

Nail Bins—Heavy steel sections, each with four compartments, each compartment holding 125 pounds of nails or other similar items. Sections mounted on heavy steel tube upright set into heavy cast metal base, will not get out of line, each one rotates freely on ball bearing assembly. Olive green baked enamel finish. Diameter 41 inches.



base, will not get out of line, each one rotates freely on ball bearing assembly. Olive green baked enamel finish. Diameter 41 inches.

Each	Counter Feet	Number of Sections	Total No. Compartments	Weight Each, lbs
+NBC120-F X133D60	3½x3	3	12	233
+NBC240-F X227D15	7x3	6	24	416

Items marked + not carried in stock. Can only be furnished by shipping direct from factory.
Nos. 0345, 0346, 0347—F. O. B., Montpelier, Ohio and Nos. NBC120 and NBC240—F. O. B., Wellston, Ohio.

ROTATING NAIL BINS**ROTABIN—All Steel Construction**

Steel sections are mounted vertically one above the other on heavy steel tube set rigidly into a heavy cast metal base. Sections do not sag or get out of line, and each shelf section rotates freely in either direction on ball bearing assembly when fully loaded.

Finish—Olive green baked enamel unless otherwise specified.



No. 30B

For Bolts, Nails, Rivets, Screws,
Fittings, and other small items.

Scale assembly not included


Capacity each compartment 125
pounds.

Diameter 44 Inches

Each		Sections	Number Compartment- ments	Height Over All, inches	Weight Each, lbs.
+15B-F	X100D00	3	15	34	181
+20B-F	X123D60	4	20	45	227
+25B-F	X146D85	5	25	56	273
+30B-F	X170D10	6	30	67	319

Diameter 41 Inches

Each		Sections	Number Compartment- ments	Height Over All, inches	Weight Each, lbs.
+12J R-F	X88D60	3	12	34	148
+16J R-F	X110D70	4	16	45	183
+20J R-F	X132D85	5	20	56	218



No. 500A

HEAVY DUTY TYPE

For Bolts, Nails, Rivets, Screws,
Fittings, and other small items

Capacity each compartment 140
pounds.

Diameter 58 Inches

Each		Sections	Number Compartment- ments	Height Over All, inches	Weight Each, lbs.
+300A-F	X166D05	3	30	40	460
+400A-F	X210D95	4	40	53	570
+500A-F	X250D80	5	50	66	645

SPRING BALANCE SCALES

(Illustrated with No. 15B Series Above)

Can be attached to any of the Rotating Nail Bins listed above.
Spring balance hanging, 20 pounds capacity, with galvanized iron
coop, chain and scale arm.


Each		For Nail Bins, Nos.	Weight Each, lbs.
+S4-F	X26D50	15B to 20JR	15
+S5-F	X27D25	300A to 500A	15

Items Marked ✚ Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory, F. O. B., Wellston, Ohio

SCREW, BOLT AND PARTS CASES**ROTABIN—All Steel Construction**

Steel sections are mounted vertically one above the other on heavy steel tube set rigidly into a heavy cast metal base. Sections do not sag or get out of line, and each shelf section rotates freely in either direction on ball bearing assembly when fully loaded.

Finish—Olive green baked enamel unless otherwise specified.



Has 10 revolving sections, each section has 12 compartments 7 inches wide at face, 12 inches long, tapering to center, and 6 inches high. Six compartment dividers are permanent, the other six are removable and adjustable, making it possible to increase or decrease size of compartments. Compartment sizes can be made 3½, 7, 10½ and 14 inches wide at face. For extra Dividers see below.

No. 80C has eight revolving sections, each section has four permanent compartments, each 13 inches wide at face, 7½ inches long, tapering to center and 3 inches high. Additional compartments can be made 3¼, 4½ and 6 inches wide at face. For extra Dividers see below.

10 Sections, 120 Compartments.
Diameter 28 inches. Height 5½ feet.

Each
✚RS77-F X121D70

Weight each 238 lbs.

8 Sections, 32 Compartments. Diameter 17 inches. Height 36 inches.

Each
✚80C-F X35D60

Weight each 45 lbs.

COMPARTMENT DIVIDERS

For No. RS77 Cases

Size 4½x12 inches

Each
✚284-F D2C9

For No. 80C Cases

Size 3x7 inches

✚173-F D1C7

SHAPLEIGH'S
HARDWARE COMPANY

MERCHANDISER ACCESSORIES

SHELF STANDARD AND SUPPORTS



For Show Cases, etc.

Saves time and labor. Strength tested to 70 lbs. Supports fit tight and secure. Easily installed without grooving wood. Shelves adjustable by $\frac{1}{2}$ inch.

Wrought steel, nickel plated standard $\frac{1}{16}$ inch. Supports $1 \times 1\frac{1}{4}$ inches.

Standards

Each	Length, inches	Weight, lbs.	Each
L5465F D1C8	(233/3) 36	$\frac{3}{4}$	\$0.30
L5464F D2C4	(233/4) 48	$\frac{3}{4}$	.40
L5463F D3C5	(233/6) 72	$1\frac{1}{4}$	.55

Supports (237)

Each	Weight, lbs.	Each
L5435F D0C2	Wt. each $\frac{1}{2}$ oz.	\$0.05

GLASS SHELVES



Flat crystal glass $\frac{1}{8}$ -inch thick, with smooth finish edges.

Per Box	Size, ins.	Pieces in box	Wt. box, lbs.
4-845-F N-X9D70	8x45	6	48
4-1045-F N-X15D80	10x45	6	60
4-1245-F N-X8D65	12x45	3	44
4-1445-F N-X9D80	14x45	3	46
4-1645-F N-X12D10	16x45	3	48

In Sets of Three

Set consists of one each 8x45, 10x45 and 12x45-inch shelves.

Per Set
4-45G-F N-X7D55

One set in box. Wt. box 40 lbs.

ADJUSTABLE SHELF STANDARDS



Sturdy keyhole standard permits $1\frac{1}{2}$ -inch adjustments of brackets. Brackets insert in keyholes and fasten securely with thumb screws. Nickel plated.

Each	Length, ins.	Weight, lbs.	Each
L5466F D4C3 $\frac{1}{2}$	(51/2 $\frac{1}{2}$) 30	20	\$0.65
L5472F D5C3	(51/3) 30	20	.80
L5467F D6C1	(51/3 $\frac{1}{2}$) 42	25	.90
L5468F D6C9 $\frac{1}{2}$	(51/4) 48	25	1.00

Ten in pkg.


ADJUSTABLE SHELF BRACKETS



For use with adjustable shelf standards No. 51. $\frac{1}{2}$ inch wide, nickel plated. Loose locking nut and bolt provide easy adjustment on above standards.

Each	Length, inches	Weight, lbs.	Each
L5430F D3C2 $\frac{1}{2}$	(52/8) 8	$5\frac{1}{4}$	\$0.50
L5431F D3C4	(52/10) 10	$7\frac{1}{2}$	.52
L5432F D3C6 $\frac{1}{2}$	(52/12) 12	$9\frac{1}{4}$	.55
L5433F D4C1	(52/14) 14	13	.65
L5449F D4C4	(52/16) 16	16	.70

Twenty-five in box



For use with adjustable shelf standards No. 51. All steel construction, bright nickel finish. Knurled locking nut and bolt provide easy adjustment and installing.

Each	Length, inches	Angle	Weight, lbs.	Each
L5548F D6C0	(26428) 14	30°	15	\$1.00
L5549F D6C0	(26429) 14	45°	15	1.00

Twenty in box

SHOWCASE STANDARDS

PEERLESS

Distinctive and modern in design. Cold rolled steel, satin nickel finish. Open top and slotted for adjustments.

1-inch Adjustments



Each	Length, inches	Width, inches	Weight, lbs.	Each
L5469F D5C2	(80/3) 36	$\frac{3}{4}$	$7\frac{1}{4}$	\$0.85
L5470F D6C2	(80/3 $\frac{1}{2}$) 42	$\frac{3}{4}$	$8\frac{1}{4}$	1.00
L5471F D7C2	(80/4) 48	$\frac{3}{4}$	10	1.15

Ten in pkg.

BRACKETS PEERLESS




Fastens to standard with unique patented friction grip, which insures a firm and square hold with perfect alignment of shelves.

Cold rolled steel, satin nickel finish. Boltless For No. 80 Standards

Each	Length, inches	Weight, lbs.	Each
L5436F D3C3	(180/8) 8	$2\frac{1}{2}$	\$0.50
L5437F D3C7 $\frac{1}{2}$	(180/10) 10	3	.60
L5438F D4C2	(180/12) 12	$7\frac{1}{2}$	.65
L5439F D4C7	(180/14) 14	10	.75

Ten in box

INCLINED GLASS SHELF BRACKETS



30° Incline—Rigid

Fastens to Spacemaster shelf standard firmly. Also fits No. 80 standards. English silver finish.

Each	Length, ins.	Wt. lbs.	Pkg.	Each
L5538F D6C0	(E998) 10	$1\frac{3}{4}$		\$0.75
L5533F D6C5	(E998) 12	2		.81
L5531F D7C5	(E998) 14	$2\frac{1}{4}$		.93

Six in pkg.

SHELF STANDARDS

CAPITOL

**Heavy Duty—Double Slotted**


For use with double knife brackets. Satin Zinc finish.

Each			Lgth.,	Wt.	Each
			ins.	lbs.	
L4761F	(916)	X1D20	48	2	\$1.92
L4762F	(916)	X1D75	72	3	2.88

Loose

SHELF BRACKETS

CAPITOL

**End—Heavy Duty**

Designed to carry heavy merchandise. Screw holes in angle for wood shelf mounting. Can be used with all slotted standards. Can also be used with display stands. Zinc-plated steel. Use with No. 916 standards.

Each		Size, ins.	In Ctn.	Wt. Ctn., lbs.	Each
Right Hand (C979)					
L4751F	D7C5	8	18	8	\$1.24
L4753F	D8C5	10	18	10	1.40
L4755F	D9C5	12	12	10	1.52
L4757F	X1D00	14	12	12	1.64
L4759F	X1D10	16	12	14	1.76
Left Hand (D979)					
L4752F	D7C5	8	18	8	1.24
L4754F	D8C5	10	18	10	1.40
L4756F	D9C5	12	12	10	1.52
L4758F	X1D00	14	12	12	1.64
L4760F	X1D10	16	12	14	1.76

PEG BOARD HOOK CONVERSION TABLE

For 1/8 Inch Peg Board

Shapleigh	Handy Hook	Turn Buckle Inc.	Butler	
L 6870 F	D1L2	TE2	F4	Hooks
L 6871 F	D1L3	TE3	F3	Hooks
L 6804 F	D1L6	TE6	F36	Hooks
L 6808 F	D1L35	TE35		Hooks
L 6833 F	D2L3	TH3		Hooks
L 6835 F	D2L5	TH5		Hooks
L 6805 F	D2L8	TH8		Hooks
L 6806 F	D4L11	TM11	F25	Hooks
L 5002 F	D1L1	TE1	F32S	Hooks
L 5003 F	D1L4	TE4	F27	Hooks
L 5004 F	D1L9	TE9	F35	Hooks
L 5005 F	D1L34	TE34	F29S	Hooks
L 5006 F	D6L2	TP2	F13	Hooks
L 6807 F	D10R1	TO1	F23	Hooks
L 6809 F	HL1	TU3	F45	Hooks
L 6810 F	KC1	TU4	F46	Hooks
L 6793 F	SC2	TB2	F5R	Hooks
L 6804 F	SC3	TB3	F5S	Hooks
L 6808 F	SC6	TB6		Hooks
L 6795 F	SC14	TB14	F55	Hooks
L 6792 F	SL1	TA1	F2	Hooks
L 6794 F	SL3	TA3	F1A	Hooks
L 6802 F	SL10	TA10		Hooks
L 6807 F	SL16	TA16	F2C	Hooks
L 6803 F	SL26	TA26	F1B	Hooks
L 6801 F	SR5	TC5		Hooks
L 6800 F	SR9	TC9		Hooks
L 6796 F	SX5	TD5		Hooks
L 6811 F	SP3/4	TU5	F50	Spacers

For 1/4 Inch Peg Board

L 6812 F	HD1L3	TW3	H102S	Hooks
L 6814 F	HD1L2	TW2	H101S	Hooks
L 6815 F	HD1L1	TW1	H100S	Hooks
L 6816 F	HD1L4		H100D	Hooks
L 6817 F	HD1L5		H101D	Hooks
L 6819 F	HD1L6		H102D	Hooks
L 6821 F	HD2L7		H202D	Hooks
L 6828 F	HD2L8		H201D	Hooks
L 6834 F	HD2L9		H200D	Hooks
L 6879 F	HSC1	TX1	H251	Hooks
L 6880 F	HSL3	TV3	H250	Hooks
L 6881 F	HSL1	TV1	H123	Hooks
L 6882 F	HSL2	TV2	H124	Hooks

PERFORATED BOARD FIXTURE NUMBER COMPARATIVE CHART

FOR 1/8 INCH PERFORATED BOARD

Shapleigh	Turnbuckles	Handy-Hook	Butler
L5187F	TA1	SL1	F2
L5188F	TA2	SL20	F88
L5189F	TA3	SL3	F88
L5190F	TA4	SL4	F92
L5191F	TA5	SL5	
L5192F	TA7	SL7	
L5193F	TA10	SL10	
L5194F	TA11	SL11	
L5195F	TA16	SL16	F2C
L5196F	TA17	SL17	F28
L5197F	TA18	SL18	
L5198F	TA27	SL27	
L5199F	TA34	SL34	F1D
L5200F	TA37	SL37	F28
L5201F	TA38	SL38	
L5202F	TB2	SC2	F5K
L5203F	TB3	SC3	F5S
L5204F	TB6	SC6	
L5251F	TB14	SC14	F55
L5252F	TC2	SR2	
L5266F	TC4	SR4	F28B
L5269F	TC9	SR9	
L5272F	TD6	SX5	
L5278F	TE1	D1L1	F32S
L5280F	TE2	D1L2	F4
L5282F	TE3	D1L3	F3
L5283F	TE6	D1L6	F36
L5284F	TE7	D1L7	F37
L5325F	TE13	D1L43	F74
L5326F	TE14	D1L44	F76
L5334F	TE15	D1L45	F78
L5340F	TE34	D1L34	F29S
L5341F	TE35	D1L35	F9A
L5355F	TH3	D2L3	F72D
L5356F	TH5	D2L5	
L5357F	TH8	D2L8	F74D
L5358F	TQ1	D10R1	F23
L4934F	TU1	D1T1	F24
L4935F	TU2	D1T2	F24
L5379F	TU3	HL3	F45
L5385F	TU5	3/4 in. Spacers	F50
L5387F	TU6	1 in-8 Screws	F51
L4936F	TU7	SPB	F44
L5406F	TZ1	Tr. Legs	PL2

FOR 1/4 INCH PERFORATED BOARD




Shapleigh	Turnbuckles	Handy-Hook	Butler
L4934F	TU1	D1T1	F24
L4935F	TU2	D1T3	F24
L4936F	TU7	SPB	F44
L4937F	TV1	HSL1	H123
L4938F	TV2	HSL2	H124
L4939F	TV3	HSL3	H250
L4940F	TV4		
L4941F	TV7	HSL7	H125
L4942F	TV8		H178
L4943F	TV9		
L5083F	TV10		
L5084F	TW1	HD1L1	H100S
L5085F	TW2	HD1L2	H101S
L5086F	TW3	HD1L3	H102S
L4886F	TW4	HD1L4	H100D
L5174F	TW5	HD1L5	H101D
L5175F	TW6	HD1L6	H102D
L5176F	TW7	HD2L9	H200D
L5177F	TW8	HD2L8	H201D
L5178F	TW9	HD2L7	H202D
L5179F	TW10		
L5180F	TX1	HSC1	H251
L5181F	TX2		H257
L5182F	TX3		H255
L5183F	TY2	HL4	H145
L5184F	TY3	HD1L7	H1D
L5185F	TY4	HD1L8	H2D
L5186F	TY5	HD1L9	H3D

PERFORATED BOARD FIXTURES


TURNBUCKLES, INC.

Heavy Duty for 1/4 inch Perforated Board

No. 4 Gauge Wire—Bright Zinc Plated

TV-1
TV-2


TV-7



TV-8

TV-9

TV-10

TW-1
TW-2
TW-3TW-4
TW-5
TW-6

TU-7




TX-1



TX-2-3




TY-2




TV-3

Double & Match Back



TV-3

Single & Match Back



TV-4

Double & Match Back

Per Box	Size, in.	Width	Height	No. in Pkg.	Wt. lbs.	Pkg. Per Box
L4934F (TU1)	X1D08	3	3/8	30	1	\$1.80
L4935F (TU2)	D9C0	1 1/2	3/8	30	1	1.50
L4936F (TU7)	X2D10			100	1	3.50

Each	Size, in.	Lgth.	Width	Ht.	No. in Pkg.	Wt. lbs.	Pkg. Each
L4937F (TV1)	D1C9	7 3/4		3 3/4	10	2 1/2	.33
L4938F (TV2)	D2C4	11 3/4		4 1/4	10	3 1/2	.40
L4939F (TV3)	D0C2	1 1/2		1 3/8	50	2 1/2	.035
L4940F (TV4)	D0C3	2 1/2		1 3/8	20	1 1/4	.05
L4941F (TV7)	D3C6	15		6 3/4	10	5	.60
L4942F (TV8)	D1C4	8	1	1 3/4	20	3 1/2	.23
L4943F (TV9)	D1C1 1/2	6	1	1 3/4	20	3	.19
L5083F (TV10)	D1C0	4	1	1 3/4	20	2 1/2	.16
L5084F (TW1)	D1C4 1/2	8 3/4	1	1 3/8	10	1 3/4	.24
L5085F (TW2)	D1C2	5 3/8	1	1 3/8	20	3	.20
L5086F (TW3)	D1C0	3 3/4	1	1 3/8	20	2 1/2	.16
L4986F (TW4)	D1C9	8 3/4	1	1 3/8	10	2 1/2	.32
L5174F (TW5)	D1C6	6 3/4	1	1 1/2	10	2	.26
L5175F (TW6)	D1C3	3 3/4	1	1 1/2	10	1 3/2	.22
L5176F (TW7)	D2C0	8 3/4	2	1 1/2	10	2 3/4	.33
L5177F (TW8)	D1C6	5 3/8	2	1 1/2	10	2	.27
L5178F (TW9)	D1C4	3 3/4	2	1 1/2	10	1 1/2	.23
L5179F (TW10)	D1C3	2 1/2	2	1 1/2	10	1 1/4	.22
L5180F (TX1)	D0C2	3/8		1 1/4	50	2	.035
L5181F (TX2)	D0C4	1 3/8		2	20	1 1/4	.06
L5182F (TX3)	D0C4	2 1/2		2	20	1 3/2	.06 1/2
L5183F (TY2)	D0C1	1			250	3/4	.015
L5184F (TY3)	X2D04	18	1	5 3/4	1	2	3.40
L5185F (TY4)	X1D80	12	1	5 3/4	1	1 1/2	3.00
L5186F (TY5)	X1D68	18	1	5 3/4	1	1	2.80

SHAPLEIGH'S

MERCHANDISER ACCESSORIES

DISPLAY BOARDS

HANDY-HOOK



Peg Board—Brown masonite. For easy and quick arrangement of hooks for every need. Keep everything in its place and easy to find. Easily installed.

For $\frac{1}{8}$ inch Board with $\frac{7}{16}$ inch Holes, One inch Center.

Each		Size, ins.	No. in Ctn.	Wt. lbs.	Each
4-2424 $\frac{1}{8}$ -F	D6C5	24x24	6	22	\$1.00
4-2436 $\frac{1}{8}$ -F	X1D00	24x36	6	33	1.50
4-2448 $\frac{1}{8}$ -F	X1D32	24x48	6	44	2.00
4-2472 $\frac{1}{8}$ -F	X2D05	24x72	6	65	3.10
4-2496 $\frac{1}{8}$ -F	X2D70	24x96	6	87	4.10
4-3648 $\frac{1}{8}$ -F	X1D98	36x48	6	65	3.00
4-4848 $\frac{1}{8}$ -F	X2D84	48x48	6	87	4.30
4-4872 $\frac{1}{8}$ -F	X3D95	48x72	6	130	6.00
4-4896 $\frac{1}{8}$ -F	X5D25	48x96	6	173	7.95
4-48144 $\frac{1}{8}$ -F	X7D90	48x144	6	259	11.95

Note—For Less than Full Cartons Add—X2D50 per Lot for Packing.

For $\frac{1}{4}$ inch Board with $\frac{1}{4}$ inch Holes, One inch Center.

Each		Size, ins.	No. in Ctn.	Wt. lbs.	Each
4-2424 $\frac{1}{4}$ -F	X1D12	24x24	7	42	\$1.65
4-2436 $\frac{1}{4}$ -F	X1D65	24x36	7	63	2.50
4-2448 $\frac{1}{4}$ -F	X2D15	24x48	7	84	3.25
4-2472 $\frac{1}{4}$ -F	X3D35	24x72	7	126	5.10
4-2496 $\frac{1}{4}$ -F	X4D14	24x96	7	168	6.25
4-3648 $\frac{1}{4}$ -F	X3D35	36x48	7	126	5.10
4-4848 $\frac{1}{4}$ -F	X4D14	48x48	7	168	6.25
4-4872 $\frac{1}{4}$ -F	X6D65	48x72	4	144	10.00
4-4896 $\frac{1}{4}$ -F	X8D85	48x96	4	192	13.50
4-48144 $\frac{1}{4}$ -F	X13D30	48x144	7	504	19.05

Note—For Less than Full Cartons Add—X2D50 per Lot for Packing.

Sold Only in Full Cartons

DISPLAY BOARD ASSORTMENTS

MIDWEST

$\frac{3}{8}$ inch thick

Consists of the following boards:

Quantity	Size	Retail Each
6	24x28	\$2.25
5	24x36	1.65
13	12x24	.60
16	6x24	.30

40 Boards


Per Assort. 4-HB-F X20D65.....\$34.35

One assortment in ctn. Wt. ctn 90 lbs.

HOOK SETS

HANDY-HOOK

Tool Board Kit



Quantity	No.	Quantity	No.
1	D10R1	1	DL28
10	SC2	1	SL10
12	SL1	6	SP $\frac{3}{8}$ Spacers
4	SC14	6	Screws
4	SX5	25	HL1

(K129)

Per Set L6787F X1D20.....\$1.85
One set in box. 20 sets in ctn. Wt. ctn. 30 lbs.

Kitchen and Broom Closet Kit

Quantity	No.	Quantity	No.
4	SL2	12	Screws
8	SL1	12	SP $\frac{3}{8}$ Spacers
6	SC2	12	HL1
2	D2L5	25	HL1

(K126)

Per Set L6786F D9C5.....\$1.50
One set in box. 20 sets in ctn. Wt. ctn. 20 lbs.

HANDY HOOK COUNTER MERCHANDISERS



Self-Service Displays

Space Savers for Modern Living

Keep all household items visible and within fingertip reach.

Attractive rugged sheet steel display box, hammer-toned in lively green. Attractive three color display card in cover tells the whole handy-hook story. Diagram pictures each hook and describes its uses. Entire display takes only 16x20 inch counter space.

Holds assortment of 20 different hook styles of the fastest sellers.

Each Complete Display 4-HM-F X35D00

One in ctn. Wt. ctn. 30 lbs.

DISPLAY BOARD AND HOOK SETS

HANDY-HOOK



Smooth brown masonite display board 6x24 inches. For easy and quick arrangement of hooks for every need. Easily installed.

Complete with bright steel cadmium plated hooks, spacers and screws as follows:

5 only L6793F (SC2) Hooks.

5 only L6793F (SL1) Hooks.

10 only L6809F (HL1) Hooks.

2 only L6810F (KC1) Hooks.

4 only L6811F (SP3/8) Spacers.

4 only screws.

Complete Sets

Per Set Per Set
4-100-F D6C5.....\$1.00



Twelve sets in ctn. Wt. ctn. 15 lbs.

Sold Only in Full Cartons

Items marked + not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., St. Louis, Mo.

GARDEN TOOL BRACKETS

RHC



For 1/4 Inch Peg Boards

Heavy steel construction. Bright cadmium plate finish.

Each				Length, ins.	Wt. pkg., lbs.	Each
F455F	X2D52	(E4K531)	For 8 Rakes	17 1/2	3	\$3.80
F456F	X1D98	(E4K532)	8 Hoes	17 1/2	2 1/2	2.98
F457F	X2D25	(E4K534)	6 Forks	12	3	3.39

Two in pkg.

TOOL HOOKS

RHC



Use singly or in pairs.

For 3/4 inch masonite peg board panels. Plated 5/16 inch rod with hook to fit in panel.


(E4K456/9)

Each	Length inches	Wt. pkg., lbs.	Each
L5564F	D2C6	9	5 \$0.39

Twenty-five in pkg.

SAW BRACKETS

RHC



For 3/4 inch masonite peg board panels. Slotted top section accommodates 8 saws and protects the saw edges. Handles rest on plated metal rod below. Width 15 inches.

(E4K853/15)

Each		Each
L5566F	X3D75	\$5.65

One set in pkg. Wt. pkg. 1 1/4 lbs.

PEG BOARD AND HOOK MERCHANDISER

TURNBUCKLES, INC.



Sturdy, compact, complete merchandiser for perforated board and fixture. Truly a self service merchandiser. Contains eight popular sizes of fixtures, four convenient sizes of perforated board and four kits for complete installation in garage, kitchen, closet and workshop. 24 inches wide x 16 inches deep x 44 inches high.

Contents:

No. Pieces	No.	Item
200	L6792F-SL1	Angle Utility Hooks
200	L6793F-SC2	Round Utility Hooks
40	L6794F-SL3	Shelf Brackets
10	L6807F-D10R1	Tool Holders
10	TE30	Shoe Holder
100	L6795F-SC14	Wide Round Utility Hook
40	L6806F-D2L8	Tool or Broom Holder
40	TE2	Double Utility Hook
50	L6796F-SX5	Square Utility Holder
500	L6800F-H1A	Hook Stabilizer
100	TU5	Rubber Spacers
100		Wood Screws (For use with 2 ft. x 2 ft. or equal of perforated boards.)
5 Sets	K18	Garage & Kitchen
5 Sets	K20	Workshop
5 Sets	K30	Closet
5 Sets	K50	Utility
6	2x2 ft.	Perforated Board
3	2x3 ft.	Perforated Board
4	1x4 ft.	Perforated Board
4	2x4 ft.	Perforated Board

Each	
K1-F	X76D68

Wt. 170 lbs.

Items marked $\frac{1}{2}$ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Michigan City, Ind.


PERFORATED BOARD FIXTURES

SPACEMASTER SPACE-KLIPS (Merchandise Holders)

For 1/4 inch Perforated Board

English Silver Finish


DISH RACK



Holds 4 dishes, saucers, salad plates or displays stove mats, lids, etc.

(E4K30)
Each L890F D6C5 \$0.81
Twelve in pkg. Wt. pkg. 3 1/2 lbs.

PURSE BRACKET



Holds purses or boxed goods.

(E4K17)
Each L891F D2C5 \$0.30
Ten in pkg. Wt. pkg. 1 1/2 lbs.

DOLL DISPLAYERS




Holds dolls in upright position.

Each	Dia. ins.	Wt. lbs.	Pkg.	Each
L945F D3C6 (E4K1347)	5 1/2	3	1 1/2	\$0.45
L946F D3C9 (E4K1348)	7	4	1 1/2	.49
L947F D4C0 (E4K1349)	10 1/2	5	2	.50
L948F D4C3 (E4K1350)	13 1/2	5 1/2	2 1/2	.55

Twelve in pkg.

MAGAZINE HOLDERS



Used in pairs to display any size magazines, books, albums, etc.

(E4K25)
Per Pair L921F X1D13 \$1.41
Five in pkg. Wt. pkg. 3 1/2 lbs.


EXPANDABLE CLIP POCKETS



Positioned to suit merchandise. May be used in pairs (right and left) to accommodate folders, booklets, etc. English silver finish.

(NK2811)
Per Pair L922F D9C6 \$1.20
Fifty pair in pkg. Wt. pkg. 3 1/2 lbs.

TOOL HOOKS




E4K2812-4
E4K2812-6
E4K2812-9

Displays tools, gadgets, small pots, pans, etc. 3/8 inch diameter rod.

Each	Lgth. ins.	Wt. lbs.	Pkg.	Each
L929F D1C6 (E4K2812-4)	4	1 1/2	1	\$0.20
L930F D1C7 (E4K2812-6)	6	2 1/4	1	.22
L931F D2C3 (E4K2812-9)	9	2 3/4	1	.27

25 in pkg.

CLIP WITH SHEAR FORM



Ideal for lamps, pictures, etc. Double support keeps it rigid.

(E4K1)
Each L932F D9C6 \$0.10
100 in pkg. Wt. pkg. 3 lbs.


SPRING CLIP



Upper loop slips into one hole and lower prong snaps into perforation above to secure swatches or wallpaper samples or large signs.

(E4K27)
Each L924F D0C1 1/2 \$0.02
100 in pkg. Wt. pkg. 1 1/2 lbs.

DOUBLE PRONG HOOK



For tennis rackets, brooms, mops, garden tools, etc. 2 1/2 inches between prongs; 3/8 inch diameter rod, Length 12 inches.

(E4K554)
Each L933F X1D10 \$1.38
One in pkg. Wt. pkg. 11 1/4 lbs.


PERFORATED BOARD FIXTURES

SPACEMASTER SPACE-KLIPS (Merchandise Holders)

For 1/4 inch Perforated Board

English Silver Finish

PLIER HOLDER




Holds five pair—from smallest long-nose to large heavy-duty type pliers. Center rod holds pliers straight without tilt. Extends 5 1/2 inches. Ticket holder takes 3/8 x 2 3/8 inch cards.

(E4K2101)

Each L934F X1D15 Each \$1.44
Two in pkg. Wt. pkg. 1 lb.

SHELF BRACKETS




Holds glass shelving 4 inches wide.

(E4K20)

Per Pair L951F D4C8 Per Pair \$0.60
Five pair in pkg. Wt. pkg. 1/2 lb.

METAL SHELF TRAYS



6 1/4 inches wide by 3 inches deep.

(E4K51-7)

Each L1012F D3C6 Each \$0.45
Ten in pkg. Wt. pkg. 2 1/2 lbs.

SHELF BRACKETS



Used in pairs or threes to accommodate almost any length. With two rubber bumpers. Projects 9 1/2 inches.

(E4K48-10)

Each L1014F D3C5 Each \$0.44
Twelve in pkg. Wt. pkg. 3 lbs.

FAUCET DISPLAY FIXTURES



Horizontal

Width 2 inches. Extends 2 1/4 inches. 1 inch diameter hole.

(442)

Each L5519F X1D00 Each \$1.50
Loose. Wt. each 1/4 lb.




Vertical

2x2 inch front plate with 1 inch diameter hole. Extends 1 1/4 inches.

(441)

Each L5520F X1D00 Each \$1.50
Loose. Wt. each 1/4 lb.

SHELF BLADE BRACKETS




Horizontal

For wood, glass, metal shelves or pre-packed goods. Gussets on 10 and 12 inch.

Each	Lgth. in.	Ctn. lbs.	Each	Wt.	
L783F	D5C1	(E4K129-8)	8	2	\$0.56
L784F	D6C0	(E4K129-10)	10	3	.65
L785F	D6C6	(E4K129-12)	12	4	.71

Ten in ctn.



30° Incline

3/4 inch lip holds glass shelves secure. Gussets on 10 or 12 inch.

Each	Lgth. in.	Ctn. lbs.	Each	Wt.	
L786F	D5C4	(E4K998-8)	8	2	\$0.58
L787F	D5C3	(E4K998-10)	10	3	.68
L788F	D6C9	(E4K998-12)	12	4	.75

Ten in ctn.

PIN-UP HOOKS



3/4 inch long hook holds large items—lamps, clocks, tools, kitchen gadgets, etc.

Each L789F D3C3 (E4K56) Each \$0.40
Twelve in ctn. Wt. ctn. 2 lbs.

PRICE MARKING MACHINE

KIMBALL CO.



Midget

Hand operated. Light weight for greater portability.

Supplied complete with 3 line 10 point type and ink. Speed 100 to 125 tickets per minute.

Store Benefits

Build customer confidence—customer is accustomed to trusting machine marked price tickets.

Protection—Clerks will read it correctly. Correct ticket cannot be easily detached.

Factual Information—Stock number, cost and selling price.

Each

✦HAND MIDGET-F X79D50

One in ctn. Wt. ctn. 17 lbs.

LABELS AND TICKETS

For Kimball Midget Marking Machine

KUM-KLEEN LABELS



For marking smooth, glossy surfaces, such as plastics, cellophane bags, mirrors, toiletry items, where gummed labels may be difficult to remove.

Per Box (1000)

✦KKX3-F D7C2

1000 in box. Wt. box 4 ozs.

STRING TAGS



Marking where label will not lend itself for application—as, lamp shades, pocket books, etc.

Per Box (2000)

✦MT3-F X2D30

2000 in box. Wt. box 1 lb.

PRICE MARKING KIT

GARVEY

For all types of merchandise.

Sturdy all metal construction. Spring set in handle and rests on solid rod of metal—no broken springs.

Heavy-duty steel yoke, locked at four points to prevent handle from turning.

Type case—hardened roller bearings and large readable no smudge type.

Solid welded bottom with replaceable rubber strips.

Hole in handle for easy hanging.

Kit also includes half-pint bottle of odorless violet super-market ink and a four-ounce bottle of ink solvent.



Per Kit

L 5454 F-1 XTD95

One kit in box. Wt. box 2 1/2 lbs.

Per Kit


\$9.95

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., New York, N. Y.



MERCHANDISER ACCESSORIES

TENNIS RACKET HOOKS



For use in sporting goods wall cases to hold tennis, squash or badminton rackets. Heavy one piece steel rod, with upturned ends and four holes for fastening to wall. Arms 3 inches apart, 12 inches long. Silvertone finish.

Plain
(E1694)

Each L5534F D9C5 \$1.50

Rubber Covered
(E1694R)

L5533F X1D40 2.10
One in box. Wt. box 1½ lbs.

UTILITY HOOKS



For displaying tools and other goods in open wall cases. Wrought steel plate. Steel rod. Nickel plated.

(1132)

Each		Length, inches	Weight Box, lbs.	Each
L5440F	D1C8	3	1¼	\$0.30
L5441F	D2C0	4	2	.30
L5442F	D2C2	6	2¾	.35
L5443F	D2C6	10	7¾	.45

Twelve in a box

DISPLAY HOOKS FOR SHAMS

M & D



Single

Steel construction. Smoothly finished and cadmium plated.

(85D)

Each		Length, inches	Weight Each, ozs.	Each
L5360F	D1C9	8	16	\$0.20

Loose

PRICING TACKS



For pricing items on display boards, in display cases and many other ways. One piece steel head and point. Covered with white celluloid. Diameter of head ¾ inch. Length of point ½ inch.

(M5½)

Each L5572F D0C3 \$0.05

Loose, Wt. hundred ¼ lb.

SHAPLEIGH'S
 HARDWARE
 COMPANY

MERCHANDISER ACCESSORIES

GLASS DISPLAY BIN HARDWARE

DIVIDER HOLDERS



Self-adjusting for various thicknesses of glass. For glass up to 3 inches high. Width 1½ inches. Height ¾ inch.

Each	(7A)	Each
L5422F	D0C3	\$0.05
Loose. Wt. each ⅜ oz.		

4-WAY DIVIDER HOLDERS



Cross divider holder for uniform size bins. For glass up to 3 inches high. Width 2½ inches. Height 1½ inches.

Each	(6FW)	Each
L5421F	D1C0	\$0.15
Loose. Wt. each ¾ oz.		



"L" CLIPS



Top curved for easy insertion of glass. Flat bottom permits glass to fit close to counter top. Fits glass up to 4 inches high.

Each	Fits Glass Thickness, in.	Width, in.	Wt. each, oz.	Each
	(1331)			
L5444F	D0C2 ¾ to 1½	¾	¾	\$0.03
	(1332)			
L5445F	D0C1 ½ ¾ to 1½	¾	¾	.03
Loose				

CLIPS



Jr. Single Jr. Double

Designed to support glass partitions securely and make small bins for small hardware. Ideal for hardware, auto accessory and variety stores.

Made from stainless steel. Will fit glass up to 2 inches. Easily adjusted to make any size bin. Can be used on top or bottom of glass. Height 1 inch.

Each	Type	Width, inches	Wt. box, lbs.	Each
	(8/2)			
L5423F	D0C3 ½ Jr. Single	¾	1	\$0.00
	(9/2)			
L5424F	D0C4 Jr. Double	1	1 ¾	.00
100 in box.				

CHANNEL SPLICERS



Nickel plated. Used to join two pieces of glass in a straight line.

Each	Height, inches	Weight each, ozs.	Each
L5451F	D1C1 1 ¾	1 ¾	\$0.15
L5528F	D1C2 2 ¾	1 ¾	.15
L5452F	D1C3 3 ¾	1 ¾	.20
Loose			

CORNER SPLICERS



Nickel plated. Used to join two pieces of glass at right angles.

Each	Height, inches	Weight each, ozs.	Each
L5455F	D1C1 1 ¾	1 ¾	\$0.15
L5527F	D1C2 2 ¾	1 ¾	.15
L5456F	D1C3 3 ¾	1 ¾	.20
Loose			



Corner



Channel

Each	Kind	Height, inches	Weight Pkg., lbs.	Each
	(N95C2)			
L5540F	D2C8 Corner	1 ¾	1	\$0.40
	(N952)			
L5539F	D2C8 Channel	1 ¾	1	.40
Twenty-five in pkg.				

FLAT CRYSTAL GLASS



For display tables and wall cases.

Ideal for elevating merchandise on display tables and for partitions to display small merchandise. Also for larger bins, spaces and shelves to "feature" or "special" items.

Thickness ⅜ inch. All edges ground smooth.

In Bulk

Enables dealer to cut glass to length desired.

Size 2x48 Inches

Per Box	Lineal Feet in Box	Wt. Box, lbs.	Per Box
4-248/1-F	N-X11D20	100	52 \$18.50
4-248/2-F	N-X30D00	300	144 50.00

Size 3x48 Inches

Per Box	Lineal Feet in Box	Wt. Box, lbs.	Per Box
4-348-F	N-X27D00	200	125 \$40.00

Size 4x48 Inches


Per Box	Lineal Feet in Box	Wt. Box, lbs.	Per Box
4-448/1-F	N-X13D12	76	73 \$22.95
4-448/2-F	N-X22D65	152	138 38.50

SHAPLEIGH'S
HARDWARE CO.
ST. LOUIS, MO.

MERCHANDISER ACCESSORIES

GARDEN TOOL BRACKETS

HELLER



Displays shovels, forks, rakes, and hoes. Used with one or more pieces of Track No. 85 shown below. Placed one above the other, with rake bracket on top track and hoe and fork brackets on lower track. Bracket easily removed or shifted. Made of cast aluminum with natural finish.

Without Track

(56)

Each	For	Lgth., Each	Wt. Each
F505F	D9C0	6 Shovels 12	9 1/2 lbs.
		Loose	

TOOL BRACKET TRACKS

SILVER KING



Used to support garden tool brackets shown above and all other hangers requiring track of this kind.

Wrought steel 1 1/4 x 3/8 inches, with malleable iron braces. Spaced on 16 inch centers.

Per Foot	Length, feet	Wt. Each, lbs.	Per Foot
0-85/6-F	D3C0 ★	6	\$0.45
0-85/8-F	D3C0 ★	8	.45
0-85/10-F	D3C0 ★	10	.45

Loose

HANDLE RACKS

HANG-STRATE



Will stock and display over a gross of assorted handles and keep them from warping. A common nail tapped in the end of the handle holds it in place.

Constructed of heavy 20 gauge steel, finished in cream baked enamel.

Size 43 1/2 x 12 inches.

Each	Each
O-547-F	X8D75

\$13.25

One in shipping ctn. Wt. ctn. 10 lbs.

TOOL HOLDERS



Spring steel clip, nickel plated. Special gimlet point riveted screw. Installed without tools. Normal opening 3 1/2 inches. Extends 2 1/4 inches.

Per Ctn.	(3/in/1)	Each
L5416F	X2D60	\$0.10

Thirty six in display ctn.

Wt. ctn. 2 3/4 lbs.

RUBBER COVERED EASELS



Effectively displays china, etc. English silver finish. White rubber covering prevents scratching or slipping. For counter shelf or table.

(1525)

Each	Each
L5518F	D2C5

\$0.32

Twelve in pkg. Wt. pkg. 1 1/4 lbs.

DOLL STANDS



Adjustable

Displays doll in natural standing position. Adjustable for all size dolls. English silver finish.


Each	Ht. Adj. ins.	Wt. Pkg. lbs.	Each
L962F	D5C2 (E1347)	7-11	4 3/4 \$0.64
L963F	D6C2 (E1348)	9-14	6 .77
L964F	D7C2 (E1349)	12-20	10 1/2 .89
L965F	D7C7 (E1350)	16-28	15 .96

Twelve in pkg.

Sold Only in Full Cartons
STAR ★ DENOTES BEST SELLER

SHAPLEIGH'S MERCHANDISER ACCESSORIES

SAMPLE HOLDERS



These Sample Holders are simple, practical and made expressly to secure samples of various items of hardware goods to sample boards, wood front drawers, fixtures, and panels.

Holds sample firmly in place and permits its removal or exchange instantly. Samples can be removed and a new, fresh, sample put in its place immediately. This results in a great saving of many times their cost in a short time. Made of English Spring Steel.

Per Gross		Width inches	Length inches	Projection inches	Wt. Gross, lbs.
✦ 0-F	X10D45	3/16	2 3/8	5/8	2
✦ 1-F	X8D30	3/16	1 1/4	3/4	2
✦ 2-F	X8D30	5/16	2 1/2	5/8	2
✦ 3-F	X8D30	5/16	2 1/4	5/8	2
✦ 4-F	X8D30	5/16	1 7/8	5/8	2
✦ 5-F	X8D30	5/16	1 7/8	5/8	2
✦ 6-F	X8D30	5/16	1 3/4	1 1/4	2
✦ 7-F	X8D30	5/16	1 3/4	1 1/4	2
✦ 8-F	X8D30	5/16	1 3/4	1 1/4	2
✦ 10-F	X20D95	3/4	3	2 3/8	4


Seventy-two in box, with screws

Per Gross

✦ AH-F X8D30—Assortment of One-Half Gross, Assorted Sizes 1 to 8 inclusive.

One asst. in box, with screws. Wt. box 1 lb.

CARD AND LABEL HOLDERS



With Pull

Wrought brass, buffed and lacquered finish. Size of card space 2 3/8 x 1 1/4 inches. Over all 3 1/2 x 1 1/2 inches.

Takes 3/8 x No. 4 screws.

(X747)

Each		Each
L1918F	D1C1	\$0.20



Wrought Brass,
Buffed and
Lacquered
Without Pull


Each	Size, inches (X741)	Card Space, inches (X748)	Wt. Box, lbs. Each
L1917F	D0C6 1/2 ★	1 3/8 x 2 3/8	1x2 3/4 \$0.10
L1919F	D0C9 1/2 ★	1 3/8 x 3 1/4	1 3/8 x 2 3/8 1 3/4 .10
L1920F	D1C0 ★	1 3/8 x 3 1/2	1 3/4 x 2 7/8 2 .15

Seventy-two in box with pins

Steel, Brass Plated

Each		Each
L1911F	D0C7	3 1/8 x 1 1/4 2 3/8 x 1 1/4 2 .10

Seventy-two in box with pins



Wrought Brass
Dipped and
Lacquered

Each	Card Weight Size, Space, Box, inches inches lbs.	Each
L1906F	D0C4 1/2 ★	1 1/2 x 2 3/8 1 1/2 \$0.10
L1906F	D0C5 ★	1 1/2 x 3 1/4 1 1/8 x 3 1/4 3/4 .10
L1907F	D0C5 1/2 ★	3 1/4 x 3 1/2 1 1/8 x 3 1/4 1 .10

Nos. 010 and 020 only with pins
Half gross in a box



Air-flow design. Patented
levelers. Fits all counter glass
up to 3/4-inch thick. Silver
finish.

For 2 7/8 x 7/8 inch Price Card

Each		Each
L5446F	D0C4	\$0.07

100 in box. Wt. box 4 lbs.



For wood shelves. Fits
shelving 3/4 to 1-inch thick.

For 2 7/8 x 7/8-inch Price Card

Each		Each
L5447F	D0C5	\$0.08

100 in box. Wt. box 4 1/2 lbs.

Items Marked ✦ Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory, F. O. B., Montpelier, Ohio
STAR ★ DENOTES BEST SELLER



MERCHANDISER ACCESSORIES

MERCHANDISE BIN TAGS

ITEM	
SHAP. NO.	
CODE	
PKG.	LOW

Standard bin tag size, designed for inventory control and ordering. Perforated in the center to enable replacement of right side for new price while left side containing inventory and ordering information can be retained.

Per Bundle

L5420C D1C5

240 in bundle

Sold Only in Full Bundles

BIN PRICE TICKETS

KEEN KUTTER HI-LO

FRONT

ITEM	95c
SH.	
NO.	
PK.	

BACK

ITEM	
SH.	
NO.	
PK.	

Available to any Dealer

Standard 2 3/4 x 7/8 inch size

Attractive, uniform aid to proper merchandising and price identification. Hi-Lo feature helps maintain a basic stock. Imprinted in red on front and back as illustrated.

Priced from 1 cent to \$5.00 plus yds., ft., lbs., etc. 40 tickets of one price per pad. Set of 176 pads (most popular prices in sturdy labeled box in numerical order.)

Per Set

L5448CX X17D95

One set in box. Wt. box 5 lbs.

OPEN STOCK

Refill Pads For Bin Price Ticket Set L5448CX

(Specify price amount wanted on each pad.)

Per Pad

L2510F D1C2

Loose.

PRICE TICKET ASSORTMENTS



Well selected assortment of prices. Any price can be easily made up from assortment. 3840 tickets, 64 tabs, 60 tickets to tab. Comes in convenient book binder, heavy cover. Size 2 3/4 x 3/4 inches.


(64)

Per Book

L5434F X5D15

Wt. book 5 1/4 lbs.

PRE PACKAGING BAGS



Made of clear polyethylene. For preparing merchandise so that it is suitable for self service selling.

Per Package (500)	Size ins.	Wt. Pkg., lbs.
K6154H X2D35	2x6	1
K6167H X2D55	3x3	1
K6171H X3D20	4x4	1 1/4
K6174H X3D33	4x6	1 1/2
K6180H X3D50	4 1/2 x 7 1/2	2 1/2

Five hundred in pkg.

Sold Only in Full Packages

BAG CAPPERS

For closing pre-packaging bags. Heavy paper strip, printed on two sides in green ink. Has space to insert quantity, size, and price.

Per Pkg. (500)	Width, ins.	Wt. Pkg., lbs.
K6313C X1D80	3	3/4
K6314C X1D80	3	1 1/4
K6315C X1D80	4	1 1/2
K6316C X1D80	4 1/2	3

Five hundred in pkg.

Sold Only in Full Packages

COIN ENVELOPES



Brown Kraft. Gummed flap. Size 2 1/2 x 5 1/4 ins.

(5)

Per Box (500)
K6259H X1D90

500 in box. Wt. box 2 1/4 lbs.
Sold Only in Full Boxes

CARD HOLDERS

REFLECTOR



Syndicate Style

Horizontal Design

Top opening for quick sign changes—clean round corners. Inconspicuous fittings which blends with design of holder. Flat spring steel stem with patented levelers to keep cards straight. Cross-bars cannot pinch together.

Flat base can be fastened to counter.

English Silver Finish

Each	Size Holder in.	Lgth. Stem in.	Wt. Ctn. lbs.	Each
	(E1580B/6)			
L5574F D7C5	3 1/2 x 5 1/2	0	6 1/2	\$1.15
	(E1581B/6)			
L5575F D8C5	5 1/2 x 7	0	9	1.30
	Twelve in ctn.			
	(E1582B/6)			
L5576F X1D15	7 x 11	0	9	1.75
	Six in ctn.			

QUICK-SERVICE STORE SIGNS



Three attractive self service signs to be placed in strategic locations throughout the store. Silk screened on both sides in dark green on heavy white card stock. Size 14x22 inches. Worded as follows:

CHECK OUT COUNTER.
PLEASE PAY HERE. FOR
YOUR SHOPPING CON-
VENIENCE THIS STORE IS
SELF SERVICE.


IF YOU DO NOT FIND
WHAT YOU WANT,
ASK US.

(SS3)

Per Set (3)
L5586C X1D25

One set in pkg. Wt. pkg. 2 1/2 lbs.
Sold Only in Full Sets

NEST KARTS

**Model PR1950**

Plated tubular handle. Close mesh wire basket to keep small articles safely contained in basket. Shopping capacity—4500 cubic inches.

Extra heavy rod construction retains plated finish.

Built-in auxiliary shopping basket holds 2½ size can and larger items.

Non-marring gray rubber bumpers. Nesting feature saves valuable floor space.

Height over all 38½ inches. Width 18 inches. Length 27 inches.

Oilless bearing self-lubricant axle wheels with two 4 inch swivel casters and 2 stationary 4 inch rear casters.

Each

✚PR1956/2C-H X24D00

With two sealed ballbearing 4 inch front swivel casters and two 4 inch rear stationary casters.

Each

✚PR1956/2SB-H X25D33

Five in ctn. Wt. ctn. 214 lbs.

Sold Only in Full Cartons

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Oklahoma City, Okla. No freight allowed.

**Low Boy Model**

Sanitary, easy-grip plastic handle.

Close-mesh basket—strong solid rod frame. Capacity top basket 2500 cubic inches.

Rubber covered bumper to protect fixtures.

Heavy duty chrome finish.

Size: Single, 22 inches long, 14½ inches wide, 33 inches high. Each added unit 4½ inch meshed.

Oilless ball bearing front swivel casters 3 inch front wheels—4 inch rear wheels (all with thread-guard plates).

Each

✚V533-OW-H X16D60

Six in ctn. Wt. ctn. 112 lbs.

Sold Only in Full Cartons

NAIL PULLERS



Giant

Forged steel jaws. Box joint keeps jaws in perfect alignment. Aluminum finish rammer, blue body and handhold. Polished jaws.

Length of rammer 12 inches. Over all length 18 inches.

(1)
Each F4443G X3D23..... \$4.85
Loose. Wt. each 6½ lbs.

REX



Jaws and shank forged from fine quality steel, hardened and tempered. Shank with hand guard, cannot turn in handle. Black finish. Rammer black enameled. Length 18 inches. Stroke 5¼ inches. Size of shank ¾ inch.

(64)
Each F4444G X2D35★..... \$3.50
Loose. Wt. each 4 lbs.

BOX OR CRATE OPENERS

NOX-TOX



Heavy forged steel, one-piece head and handle. Natural finish, polished claw. Tempered claw and faces, one checked and one smooth face. Length 9 inches. Size of head 3½½ inch.

(70)
Each F4441G D7C5★..... \$1.10
Six in box. Wt. box 5¼ lbs.

ROLL PAPER HOLDERS AND CUTTERS



Varnished hardwood top. All metal parts are made of steel, absolutely unbreakable. Japanese finish. Fastens to counter with screws.

Each	Width, inches	Weight Each lbs.	Each
±T12-H X2D80	12	6	\$4.20
3-T18-H X3D40★	18	7	5.10
3-T24-H X4D10★	24	7½	6.10
±T30-H X4D10	30	8½	6.10
±T36-H X4D10	36	10½	6.10

One in box

WASTE PAPER BALERS



Bales waste paper and reduces fire hazard. Large tonnage per bundle of wire with fewer operations per bale.

Heavy hardwood frame with removable front. Completely encircled by heavy steel rods. Heavy cross beam drops back for extra wide opening. Heavy gauge steel U clamp bearing plate bolted to beam. Oversize steel truss rods. Heavy bar steel truss rod anchor. Alloy steel long screw with oversize deep threads to top. Long full size end bearings. Extra heavy reinforced tee handle socket.

Complete with tamper, hook and 24 bale ties.

Maximum bale size: height 28 inches, width 24 inches, depth 20 inches. Weight of bales 100 to 200 lbs., depending on material and operator.

Size of baler: height 48 inches, width 34 inches, depth 24 inches.

Each ±30-F X35D00..... \$50.50
One in crate. Wt. crate 150 lbs.

PAPER BAG HOLDERS

STAR



Counter Type

Stands on counter. Bags can be taken out of front or back. 450 bags in one square foot of counter space.

Made of plated wire, 20 inches high, 10 inches wide at bottom, tapering to 3 inches at top. Nine compartments, each holding 50 bags, sizes ¼ lb. to 25 lbs. Complete with take up twine holder on top.

Each ±SCBH-H X3D45..... \$4.50

One in ctn. ready for shipment

Shipping wt. ctn. 5 lbs.

Items marked ± not carried in stock. Can only be furnished by shipping direct from factory, Roll paper holders and cutters, F. O. B., St. Louis, Mo. Paper Bag Holders F. O. B. Lamar, Mo. Waste Paper F. O. B., Galesburg, Ill.

STAR ★ DENOTES BEST SELLER


SHAPLEIGH'S**ATTRACTIVE DISPLAY DOORS**

WITH CLEAN, FRESH MERCHANDISE
WILL INCREASE SALES AND PROFITS

Arranging merchandise on panels to create an effective display requires highly skilled workmen and many hours of work. Our sampling department is well equipped to do this work.

UPPER PANELS


Panel No. U1



Panel No. U2




Panel No. U3



Panel No. U4

LOWER PANELS


Panel No. L1



Panel No. L2



Panel No. L3



Panel No. L4

The merchandise pictured and listed on the following pages is a suggestion for the kind of merchandise to be sampled and the amount of merchandise needed to fill a panel. ORDERS must call for a predominance of Keen Kutter merchandise. By predominance we mean that the dollar value of the Keen Kutter merchandise on the order must amount to more than that of all other merchandise on the order. We will not mount such items as nails, screws, bolts, pipe fittings and other such small staple and low value items.

To do a first class job, it will be necessary in practically all cases to have new panels. Of course, if a customer wants to refinish his old panels and send them in, it is agreeable with us but do not send us old panels to be refinished because we are not in position to do this work here. We can, when desired, purchase new panels for our customers. The price of $\frac{1}{4}$ inch plywood panels is $\$2$ per square foot, for $\frac{3}{4}$ inch plywood panels, $\$4$ per square foot. Price includes painting one side only, ivory, peach or green color. (Specify size and color on order.) Minimum price per panel is $\$1.25$ each. Price does not include door frames.

(Continued on next page)



ATTRACTIVE DISPLAY DOORS


WILL BUILD BUSINESS IN TOOL AND
BUILDERS' HARDWARE DEPARTMENTS

People like to look and "shop". They like to see merchandise attractively displayed and plainly priced. They like that ease of "shopping" without the obligation to buy.


UPPER PANELS



PANEL No. U5



PANEL No. U6



PANEL No. U7




PANEL No. U8

LOWER PANELS




PANEL No. L5



PANEL No. L6



PANEL No. L7



PANEL No. L8

The above illustrations are merely to show how mounted Builder's Hardware Panels look. The list of merchandise on the following pages, does not conform exactly but can be used as a guide in writing up panel door sampling orders. These illustrations represent the number of panels and the items of merchandise used in an average size store. The upper panels measure 10½ inches wide, 30 inches high, the lower panels, 10½ inches wide, 23 inches high. If the sampling order calls for the mounting of a different number of panels, or panels of a different size, more or less merchandise should be ordered accordingly. It is possible to combine lines of merchandise on some of the doors if shorter lines are carried in stock. For example: Screw Drivers and Pliers may be combined on one panel or T Hinges and Strap Hinges on one panel.

PROCEDURE FOR WRITING PANEL DOOR ORDERS

Use the following list as a guide when writing up orders. Make substitutions where necessary, but all orders must contain a predominance **KEEN KUTTER** merchandise.

Head the order with one of the following statements:

Mount one each of the following items on panels sent in by the customer.

or, Mount one each of the following items on new panels as ordered below.

or, Mount one each of the following items on panels furnished with new fixtures.

If the customer sends in his own panels have him mark the panels plainly with the order in which they are arranged in the fixtures, such as, upper panel No. 1, 2, 3, etc., lower panel No. 1, 2, 3, etc. This is important as panels will very often vary in size and must be put back into the frame, or fixture, they came out of. Have the customer mark

the package of panels he sends in: To Shapleigh Hardware Company

900 Spruce St.

St. Louis, Mo.

Attn: Sampling Department

When ordering new panels list them at the beginning of your order. Be sure and state quantity, thickness, width, height, color and whether they are for upper or lower door frames. For example:

12 = 1/4 inch x 20 inches wide x 24 inches high—Ivory upper panels.

Be sure to head each group of merchandise with the panel number similar to the suggested list below. Changes will be made only where necessary to make a good display.

There is no charge for the mounting. Be sure to order full packages of merchandise. WE WILL MOUNT ONE OUT OF EACH PACKAGE AND SEND THE CUSTOMER THE BALANCE.

SUGGESTED LIST OF MERCHANDISE FOR KEEN KUTTER PANELS

UPPER PANELS

PANEL No. U1

F4289G (S20/8) Try Square
F4288G (S1/6) Try and Miter Square
F3412G (S4) Combination Square
F4241G (25/6) Sliding T Bevel
F3794G (K99) Plumb and Level
F3311G (N9) Plumb and Level
F3810G (S100) Line Level
F3778G (556) Pocket Level
F4345G (K8) Plumb Bobs
F4346G (ZD28) Plumb Bobs
F4099G (460) Folding Rule
F4100G (460F) Folding Rule
F4133G (X46) Folding Rule
F4114G (998) Folding Rule
F4086G (106) Folding Rule
F4083G (61) Boxwood Rule
F4085G (68) Boxwood Rule
F6963G (543) Steel Tape Line
F5006G (508W) Tape Rule
F4405G (61) Marking Gauge
F4413G (824) Butt Gauge
F4353G (1/4) Divider
F4389G (1796/6) Spring Caliper
F4385G (1736/6) Spring Caliper
F8863G (G5) Glass Cutter
F4302G (K107) Carpenter Pencil
F6939G (50K) Cotton Tape Line

PANEL No. U2

F1660GK (KPB3/4) Wood Chisel
F1661GK (KPB3/4) Wood Chisel
F1662GK (KPB3/4) Wood Chisel
F1663GK (KPB1) Wood Chisel
F1635GK (K3/4) Wood Chisel
F1636GK (K1/4) Wood Chisel
F1637GK (K3/4) Wood Chisel
F1652GK (KPB3/4) Wood Chisel
F1653GK (KPB1) Wood Chisel
F1654GK (KPB3/4) Wood Chisel
F1655GK (KPB1) Wood Chisel
F1702G (SBP3/4) Wood Chisel
F1703G (SBP3/4) Wood Chisel
F1705G (SBP1) Wood Chisel
F4190G (8) Floor and Cabinet Scrapers
E4189G (0) Floor and Cabinet Scrapers
F4192G (40) Floor and Cabinet Scrapers
F4189G (2BH) Floor and Cabinet Scrapers
F5578G (110) Sharpening Stones
F5580G (112) Sharpening Stones
F5582G (121) Sharpening Stones
F5577G (109) Sharpening Stones
F5619G (JB6) Sharpening Stones

PANEL No. U3

F3729G (MF100) Automatic Boring Tool
F3725G (41) Automatic Boring Tool
F3508GK (K50/4) Screw Drivers
F3510GK (K50/6) Screw Drivers
F3511GK (K50/8) Screw Drivers
F3517GK (K80/4) Screw Drivers
F3518GK (K80/5) Screw Drivers
F3519GK (K80/6) Screw Drivers
F3531GK (KP4) Screw Drivers
F3532GK (KP5) Screw Drivers
F3533GK (KP6) Screw Drivers
F3534GK (KP8) Screw Drivers
F3539GK (KPC4) Screw Drivers
F3540GK (KPC5) Screw Drivers
F3541GK (KPC6) Screw Drivers
F3546GK (KPP11) Screw Drivers
F3547GK (KPP12) Screw Drivers
F3548GK (KPP13) Screw Drivers
F3549GK (KPS4) Screw Drivers
F3550GK (KPS5) Screw Drivers
F3551GK (KPS6) Screw Drivers
F3624G (30A) Automatic Screw Driver
F3635G (133HM) Automatic Screw Driver
F3609G (10/5) Automatic Screw Driver

PANEL No. U4

F7198GK (180) Combination Plier
F7206GK (K1100) Combination Plier
F7184GK (K51/6) Combination Plier
F7185GK (K51/8) Combination Plier
F7194GK (K106) Thin Nose Plier
F7197GK (K165) Bent Nose Plier
F7204GK (K360) Side Cutting Plier
F7178GK (K23/7) Angle Nose Plier
F7177GK (K7) Pistol Grip Plier
F7182GK (K45/6) Diagonal Cutting Plier
F7189GK (K76/6) Round Nose Plier
F7190GK (K85/6) Electrician's Plier
F7191GK (K85/8) Electrician's Plier
F7210GK (KB8) Electrician's Plier
F7110G (201/7) Klein Plier
F7111G (201/8) Klein Plier
F7106G (102/61/4) Bernard Plier
F7179GK (K26/6) End Cutting Nipper
F7013GK (K706) Carpenter Pincers
F7014GK (K708) Carpenter Pincers

PANEL No. U5

F6112GK (KS4/16) Auger Bits
F6112GK (KS3/16) Auger Bits
F6112GK (KS2/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6112GK (KS1/16) Auger Bits
F6296GK (KE15) Bit Extensions
F6029GK (KCS) Expansive Bit
F6028GK (KCL) Expansive Bit
F8788GK (K109/3/32) Bit Stock Drill
F8788GK (K109/5/32) Bit Stock Drill
F8788GK (K109/7/32) Bit Stock Drill
F8788GK (K109/9/32) Bit Stock Drill
F8788GK (K109/11/32) Bit Stock Drill
F8788GK (K109/13/32) Bit Stock Drill
F8788GK (K109/15/32) Bit Stock Drill
F8788GK (K109/17/32) Bit Stock Drill
F8901GK (K105/3/32) Carbon Steel Drills
F8901GK (K105/5/32) Carbon Steel Drills
F8901GK (K105/7/32) Carbon Steel Drills
F8901GK (K105/9/32) Carbon Steel Drills
F8901GK (K105/11/32) Carbon Steel Drills
F8901GK (K105/13/32) Carbon Steel Drills
F8901GK (K105/15/32) Carbon Steel Drills
F8901GK (K105/17/32) Carbon Steel Drills
F8901GK (K105/19/32) Carbon Steel Drills
F8901GK (K105/21/32) Carbon Steel Drills
F8901GK (K105/23/32) Carbon Steel Drills
F8901GK (K105/25/32) Carbon Steel Drills
F8901GK (K105/27/32) Carbon Steel Drills
F8901GK (K105/29/32) Carbon Steel Drills
F8901GK (K105/31/32) Carbon Steel Drills
F8901GK (K105/33/32) Carbon Steel Drills
F8901GK (K105/35/32) Carbon Steel Drills
F8901GK (K105/37/32) Carbon Steel Drills
F8901GK (K105/39/32) Carbon Steel Drills
F8901GK (K105/41/32) Carbon Steel Drills
F8901GK (K105/43/32) Carbon Steel Drills
F8901GK (K105/45/32) Carbon Steel Drills
F8901GK (K105/47/32) Carbon Steel Drills
F8901GK (K105/49/32) Carbon Steel Drills
F8901GK (K105/51/32) Carbon Steel Drills
F8901GK (K105/53/32) Carbon Steel Drills
F8901GK (K105/55/32) Carbon Steel Drills
F8901GK (K105/57/32) Carbon Steel Drills
F8901GK (K105/59/32) Carbon Steel Drills
F8901GK (K105/61/32) Carbon Steel Drills
F8901GK (K105/63/32) Carbon Steel Drills
F8901GK (K105/65/32) Carbon Steel Drills
F8901GK (K105/67/32) Carbon Steel Drills
F8901GK (K105/69/32) Carbon Steel Drills
F8901GK (K105/71/32) Carbon Steel Drills
F8901GK (K105/73/32) Carbon Steel Drills
F8901GK (K105/75/32) Carbon Steel Drills
F8901GK (K105/77/32) Carbon Steel Drills
F8901GK (K105/79/32) Carbon Steel Drills
F8901GK (K105/81/32) Carbon Steel Drills
F8901GK (K105/83/32) Carbon Steel Drills
F8901GK (K105/85/32) Carbon Steel Drills
F8901GK (K105/87/32) Carbon Steel Drills
F8901GK (K105/89/32) Carbon Steel Drills
F8901GK (K105/91/32) Carbon Steel Drills
F8901GK (K105/93/32) Carbon Steel Drills
F8901GK (K105/95/32) Carbon Steel Drills
F8901GK (K105/97/32) Carbon Steel Drills
F8901GK (K105/99/32) Carbon Steel Drills
F8901GK (K105/101/32) Carbon Steel Drills
F8901GK (K105/103/32) Carbon Steel Drills
F8901GK (K105/105/32) Carbon Steel Drills
F8901GK (K105/107/32) Carbon Steel Drills
F8901GK (K105/109/32) Carbon Steel Drills
F8901GK (K105/111/32) Carbon Steel Drills
F8901GK (K105/113/32) Carbon Steel Drills
F8901GK (K105/115/32) Carbon Steel Drills
F8901GK (K105/117/32) Carbon Steel Drills
F8901GK (K105/119/32) Carbon Steel Drills
F8901GK (K105/121/32) Carbon Steel Drills
F8901GK (K105/123/32) Carbon Steel Drills
F8901GK (K105/125/32) Carbon Steel Drills
F8901GK (K105/127/32) Carbon Steel Drills
F8901GK (K105/129/32) Carbon Steel Drills
F8901GK (K105/131/32) Carbon Steel Drills
F8901GK (K105/133/32) Carbon Steel Drills
F8901GK (K105/135/32) Carbon Steel Drills
F8901GK (K105/137/32) Carbon Steel Drills
F8901GK (K105/139/32) Carbon Steel Drills
F8901GK (K105/141/32) Carbon Steel Drills
F8901GK (K105/143/32) Carbon Steel Drills
F8901GK (K105/145/32) Carbon Steel Drills
F8901GK (K105/147/32) Carbon Steel Drills
F8901GK (K105/149/32) Carbon Steel Drills
F8901GK (K105/151/32) Carbon Steel Drills
F8901GK (K105/153/32) Carbon Steel Drills
F8901GK (K105/155/32) Carbon Steel Drills
F8901GK (K105/157/32) Carbon Steel Drills
F8901GK (K105/159/32) Carbon Steel Drills
F8901GK (K105/161/32) Carbon Steel Drills
F8901GK (K105/163/32) Carbon Steel Drills
F8901GK (K105/165/32) Carbon Steel Drills
F8901GK (K105/167/32) Carbon Steel Drills
F8901GK (K105/169/32) Carbon Steel Drills
F8901GK (K105/171/32) Carbon Steel Drills
F8901GK (K105/173/32) Carbon Steel Drills
F8901GK (K105/175/32) Carbon Steel Drills
F8901GK (K105/177/32) Carbon Steel Drills
F8901GK (K105/179/32) Carbon Steel Drills
F8901GK (K105/181/32) Carbon Steel Drills
F8901GK (K105/183/32) Carbon Steel Drills
F8901GK (K105/185/32) Carbon Steel Drills
F8901GK (K105/187/32) Carbon Steel Drills
F8901GK (K105/189/32) Carbon Steel Drills
F8901GK (K105/191/32) Carbon Steel Drills
F8901GK (K105/193/32) Carbon Steel Drills
F8901GK (K105/195/32) Carbon Steel Drills
F8901GK (K105/197/32) Carbon Steel Drills
F8901GK (K105/199/32) Carbon Steel Drills
F8901GK (K105/201/32) Carbon Steel Drills
F8901GK (K105/203/32) Carbon Steel Drills
F8901GK (K105/205/32) Carbon Steel Drills
F8901GK (K105/207/32) Carbon Steel Drills
F8901GK (K105/209/32) Carbon Steel Drills
F8901GK (K105/211/32) Carbon Steel Drills
F8901GK (K105/213/32) Carbon Steel Drills
F8901GK (K105/215/32) Carbon Steel Drills
F8901GK (K105/217/32) Carbon Steel Drills
F8901GK (K105/219/32) Carbon Steel Drills
F8901GK (K105/221/32) Carbon Steel Drills
F8901GK (K105/223/32) Carbon Steel Drills
F8901GK (K105/225/32) Carbon Steel Drills
F8901GK (K105/227/32) Carbon Steel Drills
F8901GK (K105/229/32) Carbon Steel Drills
F8901GK (K105/231/32) Carbon Steel Drills
F8901GK (K105/233/32) Carbon Steel Drills
F8901GK (K105/235/32) Carbon Steel Drills
F8901GK (K105/237/32) Carbon Steel Drills
F8901GK (K105/239/32) Carbon Steel Drills
F8901GK (K105/241/32) Carbon Steel Drills
F8901GK (K105/243/32) Carbon Steel Drills
F8901GK (K105/245/32) Carbon Steel Drills
F8901GK (K105/247/32) Carbon Steel Drills
F8901GK (K105/249/32) Carbon Steel Drills
F8901GK (K105/251/32) Carbon Steel Drills
F8901GK (K105/253/32) Carbon Steel Drills
F8901GK (K105/255/32) Carbon Steel Drills
F8901GK (K105/257/32) Carbon Steel Drills
F8901GK (K105/259/32) Carbon Steel Drills
F8901GK (K105/261/32) Carbon Steel Drills
F8901GK (K105/263/32) Carbon Steel Drills
F8901GK (K105/265/32) Carbon Steel Drills
F8901GK (K105/267/32) Carbon Steel Drills
F8901GK (K105/269/32) Carbon Steel Drills
F8901GK (K105/271/32) Carbon Steel Drills
F8901GK (K105/273/32) Carbon Steel Drills
F8901GK (K105/275/32) Carbon Steel Drills
F8901GK (K105/277/32) Carbon Steel Drills
F8901GK (K105/279/32) Carbon Steel Drills
F8901GK (K105/281/32) Carbon Steel Drills
F8901GK (K105/283/32) Carbon Steel Drills
F8901GK (K105/285/32) Carbon Steel Drills
F8901GK (K105/287/32) Carbon Steel Drills
F8901GK (K105/289/32) Carbon Steel Drills
F8901GK (K105/291/32) Carbon Steel Drills
F8901GK (K105/293/32) Carbon Steel Drills
F8901GK (K105/295/32) Carbon Steel Drills
F8901GK (K105/297/32) Carbon Steel Drills
F8901GK (K105/299/32) Carbon Steel Drills
F8901GK (K105/301/32) Carbon Steel Drills
F8901GK (K105/303/32) Carbon Steel Drills
F8901GK (K105/305/32) Carbon Steel Drills
F8901GK (K105/307/32) Carbon Steel Drills
F8901GK (K105/309/32) Carbon Steel Drills
F8901GK (K105/311/32) Carbon Steel Drills
F8901GK (K105/313/32) Carbon Steel Drills
F8901GK (K105/315/32) Carbon Steel Drills
F8901GK (K105/317/32) Carbon Steel Drills
F8901GK (K105/319/32) Carbon Steel Drills
F8901GK (K105/321/32) Carbon Steel Drills
F8901GK (K105/323/32) Carbon Steel Drills
F8901GK (K105/325/32) Carbon Steel Drills
F8901GK (K105/327/32) Carbon Steel Drills
F8901GK (K105/329/32) Carbon Steel Drills
F8901GK (K105/331/32) Carbon Steel Drills
F8901GK (K105/333/32) Carbon Steel Drills
F8901GK (K105/335/32) Carbon Steel Drills
F8901GK (K105/337/32) Carbon Steel Drills
F8901GK (K105/339/32) Carbon Steel Drills
F8901GK (K105/341/32) Carbon Steel Drills
F8901GK (K105/343/32) Carbon Steel Drills
F8901GK (K105/345/32) Carbon Steel Drills
F8901GK (K105/347/32) Carbon Steel Drills
F8901GK (K105/349/32) Carbon Steel Drills
F8901GK (K105/351/32) Carbon Steel Drills
F8901GK (K105/353/32) Carbon Steel Drills
F8901GK (K105/355/32) Carbon Steel Drills
F8901GK (K105/357/32) Carbon Steel Drills
F8901GK (K105/359/32) Carbon Steel Drills
F8901GK (K105/361/32) Carbon Steel Drills
F8901GK (K105/363/32) Carbon Steel Drills
F8901GK (K105/365/32) Carbon Steel Drills
F8901GK (K105/367/32) Carbon Steel Drills
F8901GK (K105/369/32) Carbon Steel Drills
F8901GK (K105/371/32) Carbon Steel Drills
F8901GK (K105/373/32) Carbon Steel Drills
F8901GK (K105/375/32) Carbon Steel Drills
F8901GK (K105/377/32) Carbon Steel Drills
F8901GK (K105/379/32) Carbon Steel Drills
F8901GK (K105/381/32) Carbon Steel Drills
F8901GK (K105/383/32) Carbon Steel Drills
F8901GK (K105/385/32) Carbon Steel Drills
F8901GK (K105/387/32) Carbon Steel Drills
F8901GK (K105/389/32) Carbon Steel Drills
F8901GK (K105/391/32) Carbon Steel Drills
F8901GK (K105/393/32) Carbon Steel Drills
F8901GK (K105/395/32) Carbon Steel Drills
F8901GK (K105/397/32) Carbon Steel Drills
F8901GK (K105/399/32) Carbon Steel Drills
F8901GK (K105/401/32) Carbon Steel Drills
F8901GK (K105/403/32) Carbon Steel Drills
F8901GK (K105/405/32) Carbon Steel Drills
F8901GK (K105/407/32) Carbon Steel Drills
F8901GK (K105/409/32) Carbon Steel Drills
F8901GK (K105/411/32) Carbon Steel Drills
F8901GK (K105/413/32) Carbon Steel Drills
F8901GK (K105/415/32) Carbon Steel Drills
F8901GK (K105/417/32) Carbon Steel Drills
F8901GK (K105/419/32) Carbon Steel Drills
F8901GK (K105/421/32) Carbon Steel Drills
F8901GK (K105/423/32) Carbon Steel Drills
F8901GK (K105/425/32) Carbon Steel Drills
F8901GK (K105/427/32) Carbon Steel Drills
F8901GK (K105/429/32) Carbon Steel Drills
F8901GK (K105/431/32) Carbon Steel Drills
F8901GK (K105/433/32) Carbon Steel Drills
F8901GK (K105/435/32) Carbon Steel Drills
F8901GK (K105/437/32) Carbon Steel Drills
F8901GK (K105/439/32) Carbon Steel Drills
F8901GK (K105/441/32) Carbon Steel Drills
F8901GK (K105/443/32) Carbon Steel Drills
F8901GK (K105/445/32) Carbon Steel Drills
F8901GK (K105/447/32) Carbon Steel Drills
F8901GK (K105/449/32) Carbon Steel Drills
F8901GK (K105/451/32) Carbon Steel Drills
F8901GK (K105/453/32) Carbon Steel Drills
F8901GK (K105/455/32) Carbon Steel Drills
F8901GK (K105/457/32) Carbon Steel Drills
F8901GK (K105/459/32) Carbon Steel Drills
F8901GK (K105/461/32) Carbon Steel Drills
F8901GK (K105/463/32) Carbon Steel Drills
F8901GK (K105/465/32) Carbon Steel Drills
F8901GK (K105/467/32) Carbon Steel Drills
F8901GK (K105/469/32) Carbon Steel Drills
F8901GK (K105/471/32) Carbon Steel Drills
F8901GK (K105/473/32) Carbon Steel Drills
F8901GK (K105/475/32) Carbon Steel Drills
F8901GK (K105/477/32) Carbon Steel Drills
F8901GK (K105/479/32) Carbon Steel Drills
F8901GK (K105/481/32) Carbon Steel Drills
F8901GK (K105/483/32) Carbon Steel Drills
F8901GK (K105/485/32) Carbon Steel Drills
F8901GK (K105/487/32) Carbon Steel Drills
F8901GK (K105/489/32) Carbon Steel Drills
F8901GK (K105/491/32) Carbon Steel Drills
F8901GK (K105/493/32) Carbon Steel Drills
F8901GK (K105/495/32) Carbon Steel Drills
F8901GK (K105/497/32) Carbon Steel Drills
F8901GK (K105/499/32) Carbon Steel Drills
F8901GK (K105/501/32) Carbon Steel Drills
F8901GK (K105/503/32) Carbon Steel Drills
F8901GK (K105/505/32) Carbon Steel Drills
F8901GK (K105/507/32) Carbon Steel Drills
F8901GK (K105/509/32) Carbon Steel Drills
F8901GK (K105/511/32) Carbon Steel Drills
F8901GK (K105/513/32) Carbon Steel Drills
F8901GK (K105/515/32) Carbon Steel Drills
F8901GK (K105/517/32) Carbon Steel Drills
F8901GK (K105/519/32) Carbon Steel Drills
F8901GK (K105/521/32) Carbon Steel Drills
F8901GK (K105/523/32) Carbon Steel Drills
F8901GK (K105/525/32) Carbon Steel Drills
F8901GK (K105/527/32) Carbon Steel Drills
F8901GK (K105/529/32) Carbon Steel Drills
F8901GK (K105/531/32) Carbon Steel Drills
F8901GK (K105/533/32) Carbon Steel Drills
F8901GK (K105/535/32) Carbon Steel Drills
F8901GK (K105/537/32) Carbon Steel Drills
F8901GK (K105/539/32) Carbon Steel Drills
F8901GK (K105/541/32) Carbon Steel Drills
F8901GK (K105/543/32) Carbon Steel Drills
F8901GK (K105/545/32) Carbon Steel Drills
F8901GK (K105/547/32) Carbon Steel Drills
F8901GK (K105/549/32) Carbon Steel Drills
F8901GK (K105/551/32) Carbon Steel Drills
F8901GK (K105/553/32) Carbon Steel Drills
F8901GK (K105/555/32) Carbon Steel Drills
F8901GK (K105/557/32) Carbon Steel Drills
F8901GK (K105/559/32) Carbon Steel Drills
F8901GK (K105/561/32) Carbon Steel Drills
F8901GK (K105/563/32) Carbon Steel Drills
F8901GK (K105/565/32) Carbon Steel Drills
F8901GK (K105/567/32) Carbon Steel Drills
F8901GK (K105/569/32) Carbon Steel Drills
F8901GK (K105/571/32) Carbon Steel Drills
F8901GK (K105/573/32) Carbon Steel Drills
F8901GK (K105/575/32) Carbon Steel Drills
F8901GK (K105/577/32) Carbon Steel Drills
F8901GK (K105/579/32) Carbon Steel Drills
F8901GK (K105/581/32) Carbon Steel Drills
F8901GK (K105/583/32) Carbon Steel Drills
F8901GK (K105/585/32) Carbon Steel Drills
F8901GK (K105/587/32) Carbon Steel Drills
F8901GK (K105/589/32) Carbon Steel Drills
F8901GK (K105/591/32) Carbon Steel Drills
F8901GK (K105/593/32) Carbon Steel Drills
F8901GK (K105/595/32) Carbon Steel Drills
F8901GK (K105/597/32) Carbon Steel Drills
F8901GK (K105/599/32) Carbon Steel Drills
F8901GK (K105/601/32) Carbon Steel Drills
F8901GK (K105/603/32) Carbon Steel Drills
F8901GK (K105/605/32) Carbon Steel Drills
F8901GK (K105/607/32) Carbon Steel Drills
F8901GK (K105/609/32) Carbon Steel Drills
F8901GK (K105/611/32) Carbon Steel Drills
F8901GK (K105/613/32) Carbon Steel Drills
F8901GK (K105/615/32) Carbon Steel Drills
F8901GK (K105/617/32) Carbon Steel Drills
F8901GK (K105/619/32) Carbon Steel Drills
F8901GK (K105/621/32) Carbon Steel Drills
F8901GK (K105/623/32) Carbon Steel Drills
F8901GK (K105/625/32) Carbon Steel Drills
F8901GK (K105/627/32) Carbon Steel Drills
F8901GK (K105/629/32) Carbon Steel Drills
F8901GK (K105/631/32) Carbon Steel Drills
F8901GK (K105/633/32) Carbon Steel Drills
F8901GK (K105/635/32) Carbon Steel Drills
F8901GK (K105/637/32) Carbon Steel Drills
F8901GK (K105/639/32) Carbon Steel Drills
F8901GK (K105/641/32) Carbon Steel Drills
F8901GK (K105/643/32) Carbon Steel Drills
F8901GK (K105/645/32) Carbon Steel Drills
F8901GK (K105/647/32) Carbon Steel Drills
F8901GK (K105/649/32) Carbon Steel Drills
F8901GK (K105/651/32) Carbon Steel Drills
F8901GK (K105/653/32) Carbon Steel Drills
F8901GK (K105/655/32) Carbon Steel Drills
F8901GK (K105/657/32) Carbon Steel Drills
F8901GK (K105/659/32) Carbon Steel Drills
F8901GK (K105/661/32) Carbon Steel Drills
F8901GK (K105/663/32) Carbon Steel Drills
F8901GK (K105/665/32) Carbon Steel Drills
F8901GK (K105/667/32) Carbon Steel Drills
F8901GK (K105/669/32) Carbon Steel Drills
F8901GK (K105/671/32) Carbon Steel Drills
F8901GK (K105/673/32) Carbon Steel Drills
F8901GK (K105/675/32) Carbon Steel Drills
F8901GK (K105/677/32) Carbon Steel Drills
F8901GK (K105/679/32) Carbon Steel Drills

SUGGESTED LIST OF MERCHANDISE FOR KEEN KUTTER PANELS

(Continued from Previous Page)

UPPER PANELS

PANEL No. U6

F6576GK (KRW10)	Wood File
F6578GK (KRW10)	Wood Rasp
F6608GK (KRSR8)	Wood Rasp
F6565GK (KRB8)	File
F6616GK (KSB8)	File
F6561GK (KGA8)	File
F6586GK (KM6)	File
F6588GK (KM8)	File
F6589GK (KM10)	File
F6590GK (KM12)	File
F6550GK (KFB9)	File
F6551GK (KFB10)	File
F6530GK (KCS8)	File
F6601GK (KRB6)	File
F6602GK (KRB8)	File
F6583GK (KKB6)	File
F6535GK (KCS5)	File
F6534GK (KCS5)	File
F6543GK (KEST5)	File
F6545GK (KEST6)	File
F6546GK (KEST7)	File
F6621GK (KST5)	File
F6622GK (KST6)	File
F6623GK (KST7)	File
F6505G (17)	Auger Bit File
F4945GK (K704)	Long Taper Punch
F4946GK (K705)	Long Taper Punch
F4932GK (K74)	Pin Punch
F4934GK (K76)	Pin Punch
F4938GK (K81)	Center Punch
F4936GK (K78)	Prick Punch

PANEL No. U6 (Continued)

F1274GK (KA $\frac{1}{8}$)	Cold Chisel
F1275GK (KA $\frac{1}{4}$)	Cold Chisel
F1276GK (KA $\frac{3}{8}$)	Cold Chisel
F1277GK (KA $\frac{1}{2}$)	Cold Chisel
F1232G (C $\frac{3}{8}$)	Machinist Chisel
F1264G (DP $\frac{3}{8}$)	Machinist Chisel
F1284G (RP $\frac{3}{8}$)	Machinist Chisel

PANEL No. U7

L3286F (1241DB/3 $\frac{1}{2}$ x3 $\frac{1}{2}$)	Butts
L3097F (1150DB/BT/3 $\frac{1}{2}$)	Butts
L3192F (WS1804/3 $\frac{1}{2}$ x3 $\frac{1}{2}$)	Butts
L4026F (103)	Chain Door Guard
L4028F (105)	Chain Door Guard
L2907F (EA90)	Mortise Door Bolt
L3971F (EA59)	Sash Lock
L4466F (EA406)	Sash Lift
L4485F (EA3294)	Sash Lift
L2181F (EA13028)	Cupboard Turn
L1849F (84DB)	Base Knob
L2015F (E540)	Drawer Knob
L3657F (E7638)	Drawer Knob Hinge
L1632F (1902)	Drawer Knob Hinge
L1633F (1903)	Drawer Knob Hinge
L1638F (1914)	Drawer Knob Hinge
L1761F (E311)	Drawer Pull
L1862F (95)	Spring and Chain Door Stop
L2951F (SC1078/2 $\frac{1}{4}$)	Barrel Bolt
L2953F (SC1078/4)	Barrel Bolt

PANEL No. U7 (Continued)

L2910F (EA321/2 $\frac{1}{4}$)	Barrel Bolt
L2912F (EA321/4)	Barrel Bolt
L725F (EA420)	Hand Rail Bracket
L5378F (EA1033)	Coat and Hat Hook
L3570F (1024N)	Hinge
L3562F (1000DB)	Hinge
L1735F (56)	Door Pull

PANEL No.

L613F (4257)	Night Latch
L579F (550)	Night Latch
L580F (765)	Night Latch
L582F (21)	Night Latch
L583F (36)	Night Latch
L56F (EA39100)	Lock Set
L292F (B2215AS)	Lock Set
L8F (EA201)	Lock Set
L1068F (1)	Padlocks
L1073F (3)	Padlocks
L1087F (22)	Padlocks
L1093F (55)	Padlocks
L1136F (602)	Padlocks
L1111F (105)	Padlocks
L1116F (222)	Padlocks
L1117F (249)	Padlocks
L1129F (510)	Padlocks
L1132F (518)	Padlocks
L1188F (1500)	Padlocks
L568F (22)	Tubular Padlocks
L1586F (02065)	Drawer Locks

LOWER PANELS

PANEL No. L1

F5279G (OMD)	Saw Handle
F5246G (10)	Saw Handle
F5247G (11)	Saw Handle
F5289G (5)	Saw Handle
F4441G (70)	Box Opener
F4436G (K5)	Tack Claw
F5177G (SHN141)	Hammer Handle
F5185G (SHN141)	Hammer Handle
F5159G (SHM141)	Hammer Handle
F5220G (SHR141)	Hatchet Handle
F4902G (386)	Spring Punch

PANEL No. L2

F5245G (8H)	Saw Handle
F5251G (23H)	Saw Handle
F4974G (SMP2)	Steel Metal Punch
F4476G (42)	Saw Set
F4469G (7)	Saw Set
F4468G (5)	Saw Tool

PANEL No. L3

F7891GK (K6)	Adjustable Wrench
F7892GK (K8)	Adjustable Wrench
F7893GK (K10)	Adjustable Wrench
F7894GK (K12)	Adjustable Wrench
F7928GK (KX5)	Pipe Wrench
F7929GK (KX6)	Pipe Wrench
F7930GK (KX10)	Pipe Wrench
F7931GK (KX14)	Pipe Wrench
F7932GK (KX18)	Pipe Wrench

PANEL No. L4

L7447GK (K10)	Tinner's Snips
F7446GK (K9)	Tinner's Snips
F7449GK (K83)	Tinner's Snips
F7448GK (K81)	Tinner's Snips
F7450G (S7)	Tinner's Snips
F7343G (3/4LB)	Soldering Copper
F7344G (1LB)	Soldering Copper
F5765G (HA15F)	Grinding Wheel
F5766G (HA15M)	Grinding Wheel
F5851G (23201 $\frac{1}{2}$)	Wire Wheel Brush

PANEL No. L5

L854F (506)	Screen Door Closer
L729F (42CP)	Screen Door Braces
L3773F (P4)	Screen Door Spring
L3782F (S/6)	Screen Door Spring
L3492F (12DB)	Screen Door Hinge
L3497F (12 $\frac{1}{2}$ Z)	Screen Door Hinge
L628F (23PB)	Screen Door Latch
L845F (1011)	Screen Door Latch
L3948F (2750J)	Screen Door Sets
L3941F (11J)	Screen Door Sets
L3800F (G)	Screen Hanger
L3826F (356J)	Screen Hanger
L3791F (WS3J)	Screen Corner Brace

PANEL No. L6

L3713F (1912/3)	3-inch Hinge Hasp
L3713F (1912/4 $\frac{1}{2}$)	4 $\frac{1}{2}$ -inch Hinge Hasp
L3713F (1912/6)	6-inch Hinge Hasp
L3721F (1911/2 $\frac{1}{2}$)	2 $\frac{1}{2}$ -inch Hinge Hasp
L3721F (1911/3 $\frac{1}{2}$)	3 $\frac{1}{2}$ -inch Hinge Hasp

PANEL No. U6 (Continued)

L3721F (1911/4 $\frac{1}{2}$)	4 $\frac{1}{2}$ -inch Hinge Hasp
L3721F (1911/6)	6-inch Hinge Hasp
L3702F (1941)	Hinge Hasp
L3697F (704)	Hinge Hasp
L4929F (1998/3)	Corner Iron
L3753F (3000/6)	6-inch Hasps & Staples
L3749F (2021/6)	6-inch Hooks, Hasps & Staples
L3747F (200/4)	4-inch Gate Hooks & Staples
L3747F (200/6)	6-inch Gate Hooks & Staples
L4910F (1997/3)	Corner Iron

PANEL No. L7

O-1973-F	8-inch Screw Hook & Strap Hinge
O-1925-F	6-inch Bolt and Strap Hinge
L3389F (WS1900/2)	2-inch Strap Hinge
L3389F (WS1900/4)	4-inch Strap Hinge
L3389F (WS1900/6)	6-inch Strap Hinge
L3398F (WS1902/4)	4-inch Strap Hinge
L3398F (WS1902/6)	6-inch Strap Hinge
L3398F (WS1902/8)	8-inch Strap Hinge
L3398F (WS1902/10)	10-inch Strap Hinge

PANEL No. L8

L3403F (WS1904/2)	2-inch T Hinge
L3403F (WS1904/3)	3-inch T Hinge
L3403F (WS1904/4)	4-inch T Hinge
L3403F (WS1904/6)	6-inch T Hinge
L3410F (WS1906/4)	4-inch T Hinge
L3410F (WS1906/6)	6-inch T Hinge
L3410F (WS1906/8)	8-inch T Hinge
L3467F (WS1908/4)	4-inch T Hinge
L3467F (WS1908/6)	6-inch T Hinge
L3467F (WS1908/8)	8-inch T Hinge
L3467F (WS1908/10)	10-inch T Hinge

DRILL CABINETS

HELLER

This cabinet eliminates loss of stock, keeps it in an orderly condition, free from dust and dirt.



Solid oak top, sides and back.
Rich antique oak varnish finish.

Size: 21 $\frac{1}{4}$ inches long, 15 $\frac{3}{4}$ inches high, 15 $\frac{3}{4}$ inches deep.

Contains five all wood drawers 20x2x15 $\frac{1}{4}$ inches, with oak front and metal pulls. Inside of drawer slotted. All divisions in drawers are set up forming 100 compartments as illustrated—however, compartments of other sizes can be formed if desired.

Each
4-32-F—Weight each 55 lbs. \$71.50
NEME

Arrangement of Drawers in Drill Cabinet No. 32



Nos. 1 2 3 Nos. 4 5

No. 1—Sixty Compartments—For straight shank drills (wire gauge) will hold one dozen or more of each size from No. 1 to No. 60 inclusive. Size of compartments—12—1 $\frac{3}{8}$ x1 $\frac{1}{2}$ x2 $\frac{3}{4}$ inches. 12—1 $\frac{3}{8}$ x1 $\frac{1}{2}$ x3 inches. 12—1 $\frac{3}{8}$ x1 $\frac{1}{2}$ x3 $\frac{1}{4}$ inches. 12—1 $\frac{3}{8}$ x1 $\frac{1}{2}$ x4 $\frac{1}{4}$ inches. 12—1 $\frac{3}{8}$ x1 $\frac{1}{2}$ x4 $\frac{3}{4}$ inches.

No. 2—Twenty-One Compartments — For straight shank drills (short sets). Size of compartments—7—1 $\frac{3}{8}$ x1 $\frac{1}{2}$ x4 $\frac{1}{4}$ inches. 7—1 $\frac{3}{8}$ x1 $\frac{1}{2}$ x6 inches. 7—1 $\frac{3}{8}$ x1 $\frac{1}{2}$ x8 $\frac{1}{4}$ inches.

No. 3—Ten Compartments —For bit stock drills, compartments 1 $\frac{3}{8}$ x2 $\frac{3}{4}$ x9 $\frac{1}{4}$ inches.

No. 4—Twelve Compartments—For wood brace bits, reamers or high speed drills. Size of compartments—2—1 $\frac{3}{8}$ x3 $\frac{3}{4}$ x9 $\frac{1}{4}$ inches. 10—1 $\frac{3}{8}$ x2 $\frac{3}{4}$ x9 $\frac{1}{4}$ inches.

No. 5—Three Compartments — For small drill sets, screw drivers, reamers, surplus stock and catalogs. Inside dimensions 1 $\frac{3}{8}$ x14 $\frac{3}{4}$ x10 $\frac{1}{4}$ inches. Complete with four partitions—Two lengthwise and two crosswise.




TOOLS AND CUTLERY



TOOL AND PARTS CABINETS

HELLER



Solid oak exposure. Antique lacquer finish. Steel back. Drawers with combination pull and label holders.

Drawers—Six 3x2x12 inches. Four 4 1/2x2x12 inches. Three 6x2x12 inches.

Size over all 19 1/2 inches wide, 8 1/2 inches high and 13 inches deep.


Each
+4013-F X18D98

Wt. each 30 lbs.

BOLT CABINETS

HELLER

BOLTS



Constructed of oak facing with solid uprights. Extended headboard 22 1/2 inches deep. Solid oak base ledge with top cabinet 16 1/2 inches deep. Combination pulls and card frames on drawers. Natural finish.

Base—33 inches high and 28 inches deep with 48 drawers 5 1/2x8x23 inches long.

Top Cabinet—

48 drawers, 3 1/2x2 1/2x15 inches long.

64 drawers, 5 1/2x2 1/2x15 inches long.

64 drawers, 5 1/2x6x15 inches long.

Each Length 93 1/4 inches. Height 85 1/2 inches.

+X77B-F X628D35

Wt. each 1500 lbs.

Base—33 inches high and 28 inches deep with 24 drawers 5 1/2x8x23 inches long.

Top Cabinet—

24 drawers, 3 1/2x2 1/2x15 inches long.

32 drawers, 5 1/2x2 1/2x15 inches long.

32 drawers, 5 1/2x6x15 inches long.

Each Length 47 inches. Height 85 1/2 inches.


+X77 1/2 B-F X328D17

Wt. each 800 lbs.

BOLT CABINETS

HELLER

BOLTS



Constructed of solid wood uprights and solid oak faced shelves. Extended headboard 22 1/2 inches deep. Solid oak base ledge with top cabinet 16 1/2 inches deep. Removable oak facing strips. Natural finish. Card frames.

Base—33 inches high, 28 inches deep with 24 bins 7 3/4x8 1/4x24 inches deep.

Top Cabinet—

48 bins, 5 1/2x6x15 inches deep.

16 bins, 5 1/2x5 3/4x15 inches deep.

64 bins, 5 1/2x3 3/4x15 inches deep.

Each Length 93 1/4 inches. Height 85 1/2 inches.

+50-F X330D10

Wt. each 940 lbs.

Base—33 inches high, 28 inches deep with 12 bins 7 3/4x8 1/4x24 inches deep.

Top Cabinet—

24 bins, 5 1/2x6x15 inches deep.

8 bins, 5 1/2x5 3/4x15 inches deep.

32 bins, 5 1/2x3 3/4x15 inches deep.

Each Length 47 inches. Height 85 1/2 inches.

+50 1/2-F X179D05

Wt. each 630 lbs.

GLASS RACKS

HELLER



Correctly designed to hold a large stock of glass. Will handle glass up to 30x20 inches.

Constructed of hardwood. 23 openings for glass and three for kindred items. Removable drawer. Solid oak base ledge. Natural finish.

Base cabinet 36 1/2 inches deep, 52 inches long, 35 1/2 inches high. Top cabinet 16 1/2 inches deep. Height over all 85 1/2 inches.

Shipped in two parts completely assembled.

Each
+455-F X197D45

Weight 440 lbs.

Bolt Cabinets and Glass Racks with unfinished ends. Add X6D00 for each end and specify which end is to be finished.

Items marked + not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Montpelier, Ohio.

BIN UNITS

LYONS

Widespread application for storage and display parts or small bulk or packaged items.

Dividers are adjustable horizontally every inch using Lyon "Snap-ins"—no nuts, bolts or tools required. Shelves are adjustable up and down every 1½ inches where dividers are not used.

Double beaded uprights add an attractive finished touch.

Steel with green baked-on enamel.



Especially designed for small quantities of small parts, nuts, bolts, washers, etc.

Width 3 feet. Depth 1 foot. Height 6½ feet.

1 Bin—Width 36 inches. Depth 12 inches. Height 7½ inches.

90 Shelf Boxes—Width 5¼ inches. Depth 11¼ inches. Height 3⅝ inches with adjustable dividers.

Each

✚3830-F X132D69

Packed set up, one in ctn. Wt. ctn. 388 lbs.

12 Bins—Width 6 inches. Depth 12 inches. Height 4½ inches.

30 Bins—Width 6 inches. Depth 12 inches. Height 6 inches.

48 Shelf Boxes—Width 5¼ inches. Depth 11¼ inches. Height 3⅝ inches with 3 adjustable dividers.

Each

✚3825-F X101D41

Packed set up, one in ctn. Wt. ctn. 363 lbs.

For storing large variety of small parts in small quantities.

126 Bins—Width 4 inches. Depth 12 inches. Height 4½ inches.

18 Bins—Width 4 inches. Depth 12 inches. Height 6 inches.

Each

✚3820-F X81D46

Packed set up, one in ctn. Wt. ctn. 239 lbs.

STEEL SHELVING

LYON



3 Feet Wide, 7 Feet High.

Each

Depth, ft.

Wt. Ctn., lbs.

✚4093-F X32D51

1

141

✚4094-F X35D83

1½

160

✚4095-F X41D35

2

186

Packed knocked down, one in ctn.

STEEL SHELVING ENDS

For Nos. ✚4093-F, ✚4094-F and ✚4095-F Steel Shelving



Each

Depth, ft.

Weight
Pkg., lbs.

✚4500-F X7D21

1

1½

✚4506-F X8D13

1½

1½

✚4511-F X9D45

2

2½

One in pkg.

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Aurora, Ill.

BIN UNITS

LYONS

Widespread application for storage and display parts or small bulk or packaged items.

Dividers are adjustable horizontally every inch using Lyon "Snap-ins"—no nuts, bolts or tools required. Shelves are adjustable up and down every 1½ inches where dividers are not used.

Double beaded uprights add an attractive finished touch.

Width 3 feet. Depth 1 foot. Height 6½ feet. Steel with green baked-on enamel.



Ideal for nearly all parts and merchandise displays.

5 Bins—Width 36 inches. Depth 12 inches. Height 12 inches.

1 Bin—Width 36 inches. Depth 12 inches. Height 15 inches.

Each

+3800-F X28D56

Packed set up, one in ctn. Wt. ctn. 108 lbs.



For larger items, not in cartons, which must be kept separate.

28 Bins—Width 9 inches. Depth 12 inches. Height 9 inches.

4 Bins—Width 9 inches. Depth 12 inches. Height 12 inches.

Each

+3810-F X41D69

Packed set up, one in ctn. Wt. ctn. 143 lbs.

Items marked * not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Aurora, Ill.

DRAWER CASE UNITS

LYONS



Long parts, merchandise and small flat items.

11 Bins—Width 36 inches. Depth 12 inches. Height 6 inches.

1 Bin—Width 36 inches. Depth 12 inches. Height 9 inches.

Each

+3805-F X38D10

Packed set up, one in ctn. Wt. ctn. 108 lbs.



Especially adaptable for storage of small nuts, bolts and pins.

66 Bins—Width 6 inches. Depth 12 inches. Height 6 inches.

6 Bins—Width 6 inches. Depth 12 inches. Height 9 inches.

Each

+3815-F X57D35

Packed set up, one in ctn. Wt. ctn. 187 lbs.

DRAWER CASE UNITS

LYONS



Convenient method of storing small parts. Two adjustable dividers permit quick rearrangement to accommodate reduced or increased quantities.

Stops keep drawers from being pulled out of unit. Each drawer operates in its own individual compartment—cannot catch on each other.

Combination handle-label holder. Dividers adjustable every inch.

Steel finished with green baked-on enamel.

18 Drawer Unit

Width 34 $\frac{1}{4}$ inches. Depth 11 inches. Height 10 $\frac{1}{2}$ inches. Drawer size: Width 5 $\frac{1}{2}$ inches, depth 10 $\frac{1}{2}$ inches, height 2 $\frac{1}{4}$ inches.

Each

+2362-F X23D31

Packed set up, one in ctn. Wt. ctn. 58 lbs.

Width 34 $\frac{1}{4}$ inches. Depth 17 inches. Height 10 $\frac{1}{2}$ inches. Drawer size: Width 5 $\frac{1}{2}$ inches, depth 16 $\frac{1}{2}$ inches, height 2 $\frac{1}{4}$ inches.

Each

+2363-F X2TD65

Packed set up, one in ctn. Wt. ctn. 80 lbs.

EXTRA DIVIDERS

For No. 2362 and 2363
Drawer Case Units

Each

+2364-F D1C0

50 in ctn. Wt. ctn. 3 $\frac{1}{2}$ lbs.

Sold Only In Full Cartons

24 Drawer Units

Width 34 $\frac{1}{4}$ inches. Depth 11 inches. Height 10 $\frac{1}{2}$ inches. Drawer size: Width 5 $\frac{1}{2}$ inches, depth 10 $\frac{1}{2}$ inches, height 2 inches.

Each

+2365-F X2TD12

Packed set up, one in ctn. Wt. ctn. 62 lbs.

Width 34 $\frac{1}{4}$ inches. Depth 17 inches. Height 10 $\frac{1}{2}$ inches. Drawer size: Width 5 $\frac{1}{2}$ inches, depth 16 $\frac{1}{2}$ inches, height 2 inches.

Each

+2366-F X32D63

Packed set up, one in ctn. Wt. ctn. 86 lbs.

For Nos. 2365 and 2366
Drawer Units

Each

+2367-F D0C9

50 in ctn. Wt. ctn. 3 $\frac{1}{2}$ lbs.

Sold Only In Full Cartons

Items marked + not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Aurora, Ill.

GUN TACKER

ARROW



For insulation, electric wiring, ceiling tile, wire fencing and many other uses.

Heavy duty—loads 85 staples.

All steel construction with chrome finish, grooved blade positions wire for proper envelopment of staples. Takes $\frac{1}{4}$ inch, $\frac{3}{8}$, $\frac{1}{2}$ and $\frac{5}{8}$ inch staples.

(T/50)

Each L5541F X8D30 \$12.50

One in box. Wt. box 2 lbs.

STAPLES

ARROW

(T/50) Gun Tacker

Wedge point, made of .050 Carbon.

Per Box (5000)	Length in.	Wt. Grn. lbs.	Per Box (5000)
L5542F (T/50/1/4/5M) X1D65	$\frac{1}{4}$	30	\$2.45
L5543F (T/50/3/8/5M) X1D80	$\frac{3}{8}$	35	2.75

5000 in box. 20 boxes in ctn.

Special point for use, on ceiling tile.

Per Box (5,000)	Length in.	Wt. Grn. lbs.	Per Box (5,000)
L5545F (T50/CT) X2D35	$\frac{3}{8}$	92	3.50

1000 in pkg. 5,000 in box. 20 boxes in ctn.

SWINGLINE

For (101) Stapler

Per Box (1M)	Leg Lgth., in.	Per Box
L5529F (101-4 $\frac{1}{16}$) D3C5 $\frac{1}{2}$	$\frac{1}{16}$	\$0.59
L5530F (101-5 $\frac{3}{16}$) D3C5 $\frac{1}{2}$	$\frac{3}{16}$	.59

1000 in box. Wt. box $\frac{1}{4}$ lb.

COMPRESSION TACKERS

SPEEDMATIC



Built-in power automatically drives heavy gauge staples into wood, plaster, masonite and plastics.

For upholstery, cornices, window shades, screens, roofing, insulation, window trimming, mounting displays, labeling shipping cases and barrels, lining freight cars and tagging.

Indestructible steel construction, case hardened. Comfortable rubber finger grip. Perfect balance. Gets within $\frac{1}{8}$ inch of corners. Stabilizer bracket at rear. Reload signal. Jam-proof open channel for easy loading Rust-proof

finish. Painted parts bonderized. For $\frac{3}{16}$, $\frac{1}{4}$ or $\frac{5}{16}$ inch staples

Length 7 inches. Height $5\frac{1}{4}$ inches.

One Hand Staple Gun

(200)

Each	Dealers	Industrial	Each	Each
L5568F	X6D65	X7D10	\$10.00	\$10.65


One in box. Wt. box 2 lbs.

STAPLES FOR COMPRESSION TACKERS No. 200 SPEEDMATIC

Interchangeable with Hanson and Klingtite. High carbon steel flat wire with $\frac{1}{2}$ inch crown.

Per Box	Dealers	Industrial	Lgth., inch.	Box, ozs.	Dealers, Per Box	Industrial, Per Box
L5569F	X1D60	X2D00	(316D) Divergent Point $\frac{3}{16}$	12	\$2.40	\$3.00
L5570F	X1D60	X2D00	(416D) Chisel Point $\frac{1}{4}$	13	2.40	3.00
L5571F	X1D60	X2D00	(516D) $\frac{5}{16}$	15	2.40	3.00

Five thousand in a box

GLASS CUTTERS
RED DEVIL

Fully automatic. Shearing arm, vertical board and positive action clamp. Get a clean break just by a touch on shearing arm. No glass wasting.

Sturdy, all metal construction. Can't shrink, warp or crack. Raised, easy to read, numerals indicate horizontal and vertical scale.

Range—Cuts from $\frac{5}{16}$ to 36 inches
Standard Capacity—36x36 inches

Each	
✚GB2A-F	X87D00

One in ctn. Wt. ctn. 57 lbs.

Range—Cuts from $\frac{5}{16}$ to 48 inches
Standard Capacity—48x48 inches

Each	
✚GB3A-F	X94D00


One in ctn. Wt. ctn. 72 lbs.

GLASS HOLDERS

Saves Time,
Space and Waste

Accurate,
Economical

Prevents
Breakage




Can Be Mounted on Ledge or Wall

Glass stands on edge, is automatically measured and squared. Glass is held tight between the cushioned straight edges while even the smallest portion of an inch may be cut off easily and straight without breaking the main pane of glass. The safety breaking device is then pushed back against the part cut, causing it to break off squarely and fall into the refuse bin below. It is not necessary to touch the salvage with your hands

Each		For Glass Height, inches	Length Base, inches	Weight Each, lbs.	Each
✚36-F	X44D60	36	36	30	\$66.75
✚48-F	X44D60	42	48	36	66.75
✚54-F	X52D60	54	60	42	78.90

GLASS CUTTING BOARDS



LUFKIN

Perfection

For cutting glass accurately and uniformly to size, in inches and fraction of inches.

Board constructed of narrow strips of well-seasoned lumber, dovetail cleated—ruled in inches both ways—well finished. Has sunken steel rule on front edge, in inches and eighths for setting straight edge. The other three edges of board are numbered on edges.

Simple and positive improved straight edge adjusted by knob at front.

Each		Size Board, inches	Wt. Each, lbs.	Each
✚P2436-G	X49D02	24x36	36	\$ 73.50
✚P3048-G	X61D63	30x48	58	92.40
✚P3654-G	X73D37	36x54	72	110.00
✚P4260-G	X94D38	42x60	100	141.50
✚P4872-G	X115D39	48x72	148	173.00

Wrapped in paper, one in a crate

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory. Glass cutters F. O. B., Irvington, N. J. or Chicago, Ill. Glass holders F. O. B., Minneapolis, Minn. Glass cutting boards F. O. B., Saginaw, Mich.



SAFES

HALL

Heavy welded construction—exterior and interior shells of heavy-gauge steel, reinforced. Casters concealed within base.

Reinforced monolithic fire-resistant insulation. Proven material that retains indefinitely its power to resist heat and adds greatly to strength of safe.

Door hinges mounted on ball bearings, with dust-proof racers, so that doors swing a full 270 degrees with great ease.

Combination lock—three tumblers, key changing bank-type lock, permitting an unlimited number of combination changes. Mounted on drill resistant steel plate.

Heavy nickel-plated bolts secure door. Number and position of bolts determined by size of safe.

OFFICE SAFES

Finished in hammered French gray inside and out. Underwriters one-hour fire-resistant (C) label. Underwriters T-20 (tamper-resistant) label. Underwriters locking device label, S. M. N. A. one-hour fire-resistant ("C") label. U. S. Government specifications AA-S-81a label.



Dimensions:

Inside—Height 55 $\frac{1}{4}$ inches. Width 33 $\frac{3}{8}$ inches.
Depth 19 $\frac{1}{4}$ inches.
Outside—Height 65 $\frac{3}{4}$ inches. Width 38 $\frac{3}{4}$ inches.
Depth 27 inches.

Each
✦3355C-F X570D80 \$792.75

Crated. Wt. each 1400 lbs.



Dimensions:

Inside—Height 48 $\frac{5}{8}$ inches. Width 20 $\frac{1}{4}$ inches.
Depth 19 $\frac{1}{4}$ inches.
Outside—Height 55 $\frac{3}{4}$ inches. Width 25 $\frac{5}{8}$ inches.
Depth 25 inches.

Each
✦2048C-F X389D00 \$540.25

Crated. Wt. each 800 lbs.



Removable Lower Shelf

Dimensions:

Inside—Height 34 $\frac{1}{2}$ inches. Width 16 $\frac{1}{2}$ inches.
Depth 15 $\frac{1}{4}$ inches.

Outside—Height 40 $\frac{3}{4}$ inches. Width 20 $\frac{3}{8}$ inches.
Depth 21 $\frac{1}{2}$ inches.

Each
✦1534C-F X206D50 \$286.75

Crated. Wt. each 459 lbs.



Dimensions:

Inside—Height 22 $\frac{1}{2}$ inches. Width 16 $\frac{1}{2}$ inches.
Depth 15 $\frac{1}{4}$ inches.

Outside—Height 28 $\frac{3}{4}$ inches. Width 20 $\frac{3}{8}$ inches.
Depth 21 $\frac{1}{2}$ inches.

Each
✦1521C-F X155D80 \$216.50

Crated. Wt. each 350 lbs.



Dimensions:

Inside—Height 16 $\frac{1}{4}$ inches. Width 12 $\frac{1}{2}$ inches.
Depth 10 $\frac{1}{4}$ inches.

Outside—Height 22 $\frac{3}{4}$ inches. Width 16 $\frac{3}{8}$ inches.
Depth 16 $\frac{1}{4}$ inches.

Each
✦1115C-F X106D90 \$148.50

Crated. Wt. each 210 lbs.

SAFES

HALL

Heavy welded construction—exterior and interior shells of heavy-gauge steel, reinforced.

Casters concealed within base.

Reinforced monolithic fire-resistive insulation. Proven material that retains indefinitely its power to resist heat and adds greatly to strength of safe.

Door hinges mounted on ball bearings, with dust-proof racers, so that doors swing a full 270 degrees with great ease.

Combination lock—three tumbler, key changing bank-type lock, permitting an unlimited number of combination changes. Mounted on drill resistive steel plate.

Heavy nickel-plated bolts secure door. Number and position of bolts determined by size of safe.

PERSONAL



Hinge holds door in open position without chain or other obstruction inside safe.

Dimensions:

Inside—Height 5½ inches. Width 11 inches.
Depth 10¼ inches.

Outside—Height 9¼ inches. Width 13¼ inches.
Depth 12¾ inches.

45-F X34D00 \$40.75

One in crate. Wt. crate 60 lbs.

HOME



Elegant lined oak interior. Drawers have center guides, dovetail construction and finished interiors. Cabinets have moisture and alcohol-resistant hand rubbed lacquer finish.

Paneled door hides safe and has a secret method of opening. Keyhole has no connection with lock.

Door finished in metallic green lacquer, inside and out. Interior finished in green plush-like material. Removable shelf.

S. S. M. A. one hour fire-insulated container label.

Dimensions:

Interior—Height 15 inches. Width 13¼ inches.
Depth 6½ inches.

450-F X118D40 \$104.50

One in crate. Wt. crate 106 lbs.

WALL

For Home or Office

Dimensions:

Inside—Height 11 inches. Width 10¼ inches. Depth 5½ inches.

Outside—Height 13¼ inches. Width 12¾ inches. Depth 9¼ inches.

Each

424R1-F X33D00 \$45.25

One in crate. Wt. crate 60 lbs.

COUNTER SCALES

PENN

Single Beam



Substantial iron frame and large iron platform. Arrow tip design brass beam with smooth top, fitted with a sliding poise. Convenient size and shape tin scoop with split hoop stand, snugly fitted in a broad fork. Complete with nickel plated counterpoise and loose weights to make up full capacity. Durable finished in gray crackle enamel.

Beam Graduations—Upper: 5 lbs. x ½ oz.
Lower: 50 lbs. x ¼ lb.

Size of Platform—10½ x 14½ inches. Height 16¾ inches.

Capacity 300 lbs.

Each

7-510-H X39D25

One in crate. Wt. crate 50 lbs.

ROLLING STORE LADDERS

MILBRADT

Made in Various Styles to Fit all Kinds of Shelving, Shipped Complete, Ready to Install

Made of hardwood lumber, highly finished. Steps dadoed into sides and screwed. Brackets and fixtures malleable iron, nicely finished. Ladders take up little space and run without noise or friction. An extra wide shelf at the top of each ladder.



BENT LADDERS

For track fastened to shelving near the top. Short, fork shaped irons, with rubber rollers run against the edge of wide base shelf. Runs on round steel track.

Width 17 1/4 inches. 3 inch side pieces. 3 1/2 inch steps. 9 inch top shelf. Complete with fixtures. Each

±1-F X40D00

One in crate. Wt. crate 50 lbs.



BENT LADDERS

For shelving which is not substantial. Weight of ladder and operator rests on the floor. No track is used on floor. Top adjustment allows for uneven or sloping floor. Floor rollers are cushion tired. Runs on special hardwood track to guide ladder.

Width 17 1/4 inches. 3 inch side pieces. 3 1/2 inch steps. 9 inch top shelf. Each

±2-F X40D00

One in crate. Wt. crate 50 lbs.



TROLLEY OR CEILING LADDERS

For steel track fastened to the ceiling. Fiber filled wheels run on steel tracks. Cushion tired wheels at bottom run on floor. Round tubing track. Malleable iron brackets.

Width 14 inches. 4 inch side pieces. 5 inch steps. Complete with fixtures. Each

±15-F X40D00

One in crate. Wt. crate 60 lbs.



Each
±9-F X2D00

TRACK BRACKETS

Used in connection with brackets on shelving where uprights to which brackets can be fastened are too far apart to make track strong enough. Malleable iron.

Loose. Wt. each 1 1/2 lb.
To Order Above Ladders

Give height from floor to top of base shelf, width or projection of base shelf from front edge of uprights and height from top of base shelf to top of shelf to which track is to be fastened. The track should be fastened to a shelf between two to three feet from top of shelving. When ordering Ladder No. 2, where floor slopes, state how much it slopes and state at which end of shelving measurements were taken. If ladders are ordered for odd or irregular shelving, it will greatly assist if a rough sketch or end view of shelving is sent us.

Items Marked ± Not Carried in Stock. Made to Order Only and Shipped F. O. B., St. Louis, Mo.

Steel Trolley Track for No. 15 ladder complete with brackets and lag screws.

Per ft.

±15ST-F D6C0

Wt. ft. 1 1/2 lbs.

Ceiling Board, 7 inches wide. For use on plastered ceilings, with No. 15 ladder.

Per ft.

±15CB-F D6C0

Wt. ft. 1 1/2 lbs.

To Order Above Ladder—Give exact height from floor to ceiling and state exact length of each run of steel track wanted.