

# SECTION 5

## QUICK INDEX

|                         | Page |
|-------------------------|------|
| SHOVELS .....           | 1    |
| SHOVEL HANDLES .....    | 15   |
| POST HOLE DIGGERS ..... | 21   |
| GARDEN TOOLS .....      | 29   |
| FORKS .....             | 33   |
| GARDEN TRACTORS .....   | 60   |
| PICKS .....             | 64   |
| MINER'S EQUIPMENT ..... | 65   |
| CONCRETE MIXERS .....   | 69   |
| WHEELBARROWS .....      | 71   |
| TRUCKS .....            | 73   |



**SINCE  
1870**

**SHAPLEIGH'S**  
ESTABLISHED 1843  
ST. LOUIS, U.S.A.  
TRADE MARK REG. U. S. PAT. OFFICE

# TOOL DIVISION

## SECTION 5—AGRICULTURAL TOOLS

SHOVELS, SPADES, ETC.  
STEEL GOODS, HANDLES  
MATTOCKS, PICKS

MINERS' LAMPS  
WHEELBARROWS  
TRUCKS



**SINCE  
1870**

Freight Areas Established by Shovel, Spade and Scoop Manufacturers.

Location of Dealers' Store Determines Shovel, Spade and Scoop Price to be Charged.

NOTE THAT THERE ARE FOUR EXCEPTIONS—METROPOLITAN ST. LOUIS, ST. LOUIS COUNTY AND ST. CHARLES COUNTY ARE IN AREA 1, EL PASO, TEXAS IS IN AREA 4



# IMPORTANT!

When quoting prices on Shovels, Spades and Scoops add the following freight area extra—

| Zone   | Each |
|--------|------|
| Zone 1 | E    |
| Zone 2 | A    |
| Zone 3 | OZ   |
| Zone 4 | OA   |

## SOLID SHANK SHOVELS AND SPADES

KEEN  KUTTER

Light Weight for All General Purpose Work—Standard Weight for Extra Heavy Work

Forged from a bar of high content manganese steel insuring proper distribution of metal at points of greatest strain and wear. Blades are full heat treated. Northern white ash handles—sanded and waxed. Ferrules and grips green finish.

## DIRT SHOVELS



**Long Handle—Round Point**  
**Tab End Spring Tension Socket**  
Knob end handle 47 inches Long.

**Light Weight**

Blade  $8\frac{7}{8} \times 11\frac{1}{2}$  inches.  
Repair handle KT44 $\frac{1}{2}$

**Black Blade**

| Each                         |                      | Each   |
|------------------------------|----------------------|--------|
| 3-KBLR-KK                    | X3D77★               | \$5.85 |
|                              | <b>Polished Face</b> |        |
| 3-KBLRP-KK                   | X4D37                | 6.75   |
|                              | <b>Full Polished</b> |        |
| 3-KBLRFP-KK                  | X4D77                | 7.25   |
| Six in Bdl. Wt. Bdl. 25 lbs. |                      |        |



**Long Handle—Square Point**  
**Tab End Spring Tension Socket**  
Knob end handle 47 inches long.

**Light Weight**

Blade  $9\frac{3}{4} \times 12$  inches.  
Repair handle KT44 $\frac{1}{2}$

**Black Blade**

| Each                         |                      | Each   |
|------------------------------|----------------------|--------|
| 3-KBLS-KK                    | X3D77★               | \$5.85 |
|                              | <b>Polished Face</b> |        |
| 3-KBLSP-KK                   | X4D37                | 6.75   |
| Six in Bdl. Wt. Bdl. 25 lbs. |                      |        |



**D Handle—Square Point**  
**Tab End Spring Tension Socket**

Steel D handle with wood grip, 27 inches long.

**Light Weight**

Blade  $9\frac{3}{4} \times 12$  inches.  
Repair handle KTE24

**Black Blade**

| Each                         |                      | Each   |
|------------------------------|----------------------|--------|
| 3-KBS-KK                     | X3D89★               | \$5.90 |
|                              | <b>Polished Face</b> |        |
| 3-KBSP-KK                    | X4D49                | 6.75   |
| Six in Bdl. Wt. Bdl. 25 lbs. |                      |        |



**D Handle—Round Point**  
**Tab End Spring Tension Socket**

Steel D handle with wood grip, 27 inches long.

**Light Weight**

Blade  $8\frac{3}{4} \times 11\frac{1}{2}$  inches. Repair handle KTE24.

**Black Blade**

| Each                         |                      | Each   |
|------------------------------|----------------------|--------|
| 3-KBR-KK                     | X3D89★               | \$5.90 |
|                              | <b>Polished Face</b> |        |
| 3-KBRP-KK                    | X4D49                | 6.75   |
| Six in Bdl. Wt. Bdl. 25 lbs. |                      |        |

## DRAIN SPADES



**D Handle—Round Point**  
**Tab End Spring Tension Socket**

Steel D handle with wood grip, 27 inches long.  
Tapering blade, riveted step.

**Standard Weight**

Repair handle KTE24

**Black Blade**

| Each       |        | Size<br>Blade,<br>inches                     | Wt.<br>Bdl.<br>lbs. | Each   |
|------------|--------|----------------------------------------------|---------------------|--------|
| 3-KDS14-KK | X4D37  | $4\frac{3}{8} \times 5\frac{1}{2} \times 14$ | 26                  | \$6.60 |
| 3-KDS16-KK | X4D61★ | $4\frac{1}{4} \times 5\frac{1}{2} \times 16$ | 32                  | 6.95   |

**Polished Face**

|             |       |                                              |    |      |
|-------------|-------|----------------------------------------------|----|------|
| 3-KDS14P-KK | X4D97 | $4\frac{3}{8} \times 5\frac{1}{2} \times 14$ | 26 | 7.60 |
| 3-KDS16P-KK | X5D22 | $4\frac{1}{4} \times 5\frac{1}{2} \times 16$ | 32 | 7.95 |
| Six in Bdl. |       |                                              |    |      |

## MOULDERS' SHOVELS



Square point. Blade  $9\frac{3}{4} \times 11\frac{3}{4}$  inches. D handle 27 inches long with wood grip.

**Polished Front, Velvet Finish Back**

| Each                         |       | Each   |
|------------------------------|-------|--------|
| 3-KMFP-KK                    | X4D21 | \$6.30 |
| Six in bdl. Wt. bdl. 32 lbs. |       |        |

NOTE: ADD to All Above Prices the Correct Freight Area Addition. See Page 2 for Full Instructions.

STAR ★ DENOTES BEST SELLER

## SOLID SHANK SHOVELS AND SPADES

KEEN  KUTTER

Light Weight For All General Purpose Work—Standard Weight For Extra Heavy Work

Forged from a bar of high content Manganese steel insuring proper distribution of metal at points of greatest strain and wear. Blades are all heat treated. Northern white ash handles—sanded and waxed. Ferrules and grips green finish.

## POST OR DITCHING SPADES



## D Handle—Round Point

## Tab End Spring Tension Socket

Steel D handle with wood grip, 27 inches long.  
Tapering blade, riveted step.

## Standard Weight

Repair handle KTE24

## Black Blade

| Each       |        | Size<br>Blade,<br>inches             | Each   |
|------------|--------|--------------------------------------|--------|
| 3-KDP14-KK | X4D37  | 6 $\frac{1}{8}$ x5 $\frac{1}{2}$ x14 | \$6.60 |
|            |        | Wt. bdl. 30 $\frac{1}{2}$ lbs.       |        |
| 3-KDP16-KK | X4D61★ | 6 $\frac{1}{4}$ x5 $\frac{1}{2}$ x16 | 6.95   |
|            |        | Wt. bdl. 35 lbs.                     |        |
| 3-KDP18-KK | X4D81  | 6 $\frac{3}{8}$ x5 $\frac{1}{2}$ x18 | 7.25   |
|            |        | Wt. bdl. 36 $\frac{1}{2}$ lbs.       |        |

## Polished Face

|             |       |                                      |      |
|-------------|-------|--------------------------------------|------|
| 3-KDP14P-KK | X4D97 | 6 $\frac{1}{8}$ x5 $\frac{1}{2}$ x14 | 7.50 |
|             |       | Wt. bdl. 30 $\frac{1}{2}$ lbs.       |      |
| 3-KDP16P-KK | X5D21 | 6 $\frac{1}{4}$ x5 $\frac{1}{2}$ x16 | 7.95 |
|             |       | Wt. bdl. 35 lbs.                     |      |
| 3-KDP18P-KK | X5D41 | 6 $\frac{3}{8}$ x5 $\frac{1}{2}$ x18 | 8.15 |
|             |       | Wt. bdl. 36 $\frac{1}{2}$ lbs.       |      |

## Full Polished Blade

|              |       |                                      |      |
|--------------|-------|--------------------------------------|------|
| 3-KDP14FP-KK | X5D37 | 6 $\frac{1}{8}$ x5 $\frac{1}{2}$ x14 | 8.15 |
|              |       | Wt. bdl. 30 $\frac{1}{2}$ lbs.       |      |
| 3-KDP16FP-KK | X5D61 | 6 $\frac{1}{4}$ x5 $\frac{1}{2}$ x16 | 8.50 |
|              |       | Wt. bdl. 31 lbs.                     |      |
| 3-KDP18FP-KK | X5D81 | 6 $\frac{3}{8}$ x5 $\frac{1}{2}$ x18 | 8.75 |
|              |       | Wt. bdl. 32 lbs.                     |      |
|              |       | Six in a Bdl.                        |      |

## GARDEN SPADES



## D Handle—Square Point

## Tab End Spring Tension Socket

Steel D handle with wood grip, 27 inches long.  
Turned step.

## Black Blade

## Standard Weight

|                                                        |        |
|--------------------------------------------------------|--------|
| Blade 7 $\frac{1}{4}$ x12 inches. Repair handle KTE24. | Each   |
| 3-KSB-KK X4D13★                                        | \$6.25 |
| Six in a bundle Wt. Bdl. 25 lbs.                       |        |



## D Handle—Round Point Iowa

## Tab End Spring Tension Socket

Steel D handle with wood grip 30 inches long.

## Light Weight

Blade 6x5 $\frac{3}{4}$ x12 $\frac{1}{2}$  inches

Repair handle KTE27

## Full Polished

|                                  |       |        |
|----------------------------------|-------|--------|
| Each                             |       | Each   |
| 3-KISBFP-KK                      | X5D25 | \$7.25 |
| Six in a bundle Wt. Bdl. 25 lbs. |       |        |

## IRRIGATING SHOVELS



## Long Handle—Round Point

## Tab End Spring Tension Socket

## Light Weight

Knob end handle 47 inches long. Regular dish blade.  
Repair handle KT44 $\frac{1}{2}$

## Black Blade

| Each      |       | Size<br>Blade,<br>ins.            | Blade<br>Lift,<br>ins. | Each   |
|-----------|-------|-----------------------------------|------------------------|--------|
| 3-KIB1-KK | X3D77 | 8x11                              | 3 $\frac{3}{4}$        | \$5.85 |
|           |       | Wt. Bdl., 23 $\frac{1}{2}$ lbs.   |                        |        |
| 3-KIB2-KK | X3D77 | 8 $\frac{3}{4}$ x11 $\frac{1}{2}$ | 4 $\frac{1}{2}$        | 5.85   |
|           |       | Wt. Bdl., 25 lbs.                 |                        |        |

## Polished Face

|            |       |                                   |                 |      |
|------------|-------|-----------------------------------|-----------------|------|
| 3-KIB1P-KK | X4D37 | 8x11                              | 3 $\frac{3}{4}$ | 6.75 |
|            |       | Wt. Bdl., 23 $\frac{1}{2}$ lbs.   |                 |      |
| 3-KIB2P-KK | X4D37 | 8 $\frac{3}{4}$ x11 $\frac{1}{2}$ | 4 $\frac{1}{2}$ | 6.75 |
|            |       | Wt. Bdl., 25 lbs.                 |                 |      |
|            |       | Six in bundle.                    |                 |      |

## GARDEN SHOVELS



Blade and socket forged from solid steel and heat treated. Hard, smooth forged finish. Extended tab end spring tension socket. Northern white ash handle 40 inches long. Size of blade 7x9 $\frac{1}{2}$  inches. Lift 3 $\frac{3}{4}$  inches.

Repair handle KT44 $\frac{1}{2}$

| Each       |       | Round Point | Each   |
|------------|-------|-------------|--------|
| 3-KLBOO-KK | X3D65 |             | \$5.50 |

NOTE: ADD to All Above Prices the Correct Freight Area Addition. See Page 2 for Full Instructions.

STAR ★ DENOTES BEST SELLER

## FORGED SOCKET SHOVELS

KEEN  KUTTER

Light Weight—For All General Purpose Work

Forward turned steps on all round pointed shovels saves wear and tear on shoes. Smooth forged finish blade scours easily. Light weight, perfectly balanced, tum'led blade and straight chucked white ash handle. Ferrules and grips green finish.

## DIRT SHOVELS

Long Handle

Round Point



Knob end handle  
47 inches long.

Blade  $8\frac{7}{8} \times 11\frac{1}{2}$  inches. Repair handle KT44 $\frac{1}{2}$ .

## Turned Steps

Each 3-KDLR-KK X3D13★ ..... \$4.75  
Six in bdl. Wt. bdl. 25 lbs.

D Handle

Round Point



Steel D handle  
with wood grip  
28 inches long.

Blade  $8\frac{7}{8} \times 11\frac{1}{2}$  inches. Repair handle KTE24.

## Turned Steps

Each 3-KDR-KK X3D25★ ..... \$4.95  
Six in bdl. Wt. bdl. 25 lbs.

## IRRIGATING SHOVELS

Long Handle

Round Point



Knob end handle  
47 inches long.  
Regular dish blade.

Repair handle KT44 $\frac{1}{2}$ . Blade  $8 \times 11$  inches.  
Blade lift  $3\frac{3}{4}$  inches.

Each 3-KID1-KK X3D13..... \$4.75  
Six in bdl. Wt. bdl. 22 $\frac{1}{2}$  lbs.

Blade  $8\frac{3}{4} \times 11\frac{1}{2}$  inches. Blade lift  $4\frac{1}{2}$  inches.

## Turned Steps

Each 3-KID2-KK X3D13..... \$4.75  
Six in bdl. Wt. bdl. 25 lbs.

Long Handle

Square Point



Knob end handle  
47 inches long.

Blade  $9\frac{3}{4} \times 12$  inches. Repair handle KT44 $\frac{1}{2}$ .

## Without Turned Steps

Each 3-KDLS-KK X3D13★ ..... \$4.75  
Six in bdl. Wt. bdl. 25 lbs.

D Handle

Square Point



Steel D handle  
with wood grip  
28 inches long.

Blade  $9\frac{3}{4} \times 12$  inches. Repair handle KTE24.

## Without Turned Steps

Each 3-KDS-KK X3D25★ ..... \$4.95  
Six in bdl. Wt. bdl. 25 lbs.

## RICE SHOVELS

Long Knob  
End Handle  
47 inches  
Long



Perforated blade  
with clipped point.

Blade  $8\frac{3}{4} \times 11$  inches. Blade lift  $3\frac{3}{4}$  inches.  
Repair handle KT44 $\frac{1}{2}$ .

Each 3-KRD-KK X3D33..... \$5.00  
Six in bdl. Wt. bdl. 23 lbs.

NOTE: ADD to All Above Prices the Correct Freight Area Addition,  
See Page 2 for Full Instructions.

STAR ★ DENOTES BEST SELLER

RIVETLESS SOCKET SHOVELS AND SPADES

AMES RAM—STANDARD WEIGHT

Full tempered blade, socket and shank forged from one piece of high carbon steel. High bend insures perfect balance. Rivetless socket results in smooth socket and stronger handle. Rolled shoulder strengthens blade and serves as step. Clear smoothly finished ash handle. "RAM" brand die embossed on each handle in red and silver.

DIRT SHOVELS



Steel Armor D with Improved Wood Grip  
Square Point

Blade 9¾ x 11¾ inches. Handle 27 inches long.

(Repair handle BEHK)

Tumbled Finish Blade

|                              |       |        |
|------------------------------|-------|--------|
| Each                         |       | Each   |
| 3-900-K                      | X2D97 | \$4.60 |
| Six in bdl. Wt. bdl. 29 lbs. |       |        |



Long Handle with Knob End  
Square Point

Blade 9¾ x 11¾ inches. Handle 47 inches long.

(Repair handle B48HK)

Tumbled Finish Blade

|                              |       |        |
|------------------------------|-------|--------|
| Each                         |       | Each   |
| 3-901-K                      | X2D85 | \$4.35 |
| Six in bdl. Wt. bdl. 27 lbs. |       |        |



Steel Armor D with Improved Wood Grip  
Round Point

Blade 8¾ x 12 inches. Handles 27 inches long.

(Repair handle BEHK)

Tumbled Finish Blade

|                              |       |        |
|------------------------------|-------|--------|
| Each                         |       | Each   |
| 3-902-K                      | X2D97 | \$4.60 |
| Six in bdl. Wt. bdl. 28 lbs. |       |        |

DIRT SHOVELS



Long Handle with Knob End  
Round Point

Blade 8¾ x 12 inches. Handle 47 inches long.

(Repair handle B48HK)

Tumbled Finish Blade

|                               |       |        |
|-------------------------------|-------|--------|
| Each                          |       | Each   |
| 3-903-K                       | X2D85 | \$4.35 |
| Six in bdl. Wt. bdl. 26½ lbs. |       |        |

GARDEN SPADES



Steel Armor D with Improved Wood Grip  
Square Point

Blade 7 x 12 inches. Handle 27 inches long.

(Repair handle BEHK)

Tumbled Finish Blade

|                               |       |        |
|-------------------------------|-------|--------|
| Each                          |       | Each   |
| 3-924-K                       | X2D77 | \$4.60 |
| Six in bdl. Wt. bdl. 26½ lbs. |       |        |

DIRT SPADES



Long Handle with Knob End  
Square Point

Blade 7¼ x 12 inches. Handle 48 inches long.

(Repair handle B48HK)

Tumbled Finish Blade

|                               |       |        |
|-------------------------------|-------|--------|
| Each                          |       | Each   |
| 3-925-K                       | X2D85 | \$4.35 |
| Six in bdl. Wt. bdl. 24½ lbs. |       |        |

DIRT SHOVELS

COMET BRAND

Lightweight, general purpose, No. 2 regular heat treated, carbon steel blade. Hollow back construction with rolled shoulders. Metallic green finish blade and socket with silver stamp. Northern ash handle in clear finish with green and black imprint.



IDL D top handle, square point, hollow back, socket shank.  
9¾x11½ in. blade.

|                              |       |        |
|------------------------------|-------|--------|
| Each                         |       | Each   |
| 3-C2S-K                      | X2D20 | \$3.40 |
| Six in bdl. Wt. bdl. 26 lbs. |       |        |



IDL D top handle, round point, hollow back, socket shank.  
9¾x12 in. blade.

|                               |       |        |
|-------------------------------|-------|--------|
| Each                          |       | Each   |
| 3-C2R-K                       | X2D20 | \$3.40 |
| Six in bdl. Wt. bdl. 23½ lbs. |       |        |

NOTE: ADD to Above Prices the Correct Freight Area Addition.

See Page 2 for Full Instructions.

**DIRT SHOVELS****COMET BRAND**

No. 2 regular 15 gauge, heat treated steel, with rolled shoulders. Blade finish—Blade and socket metallic green. Ash handle, lacquered and conforming to standard shape and size, Comet brand imprint on handle.



Long handle, square point, open back, socket shank.

Each  
3-C2LS-K X2D15.....\$3.30



Long handle, round point, open back, socket shank.

Each  
3-C2LR-K X2D15★.....\$3.30  
Six in bundle. Wt. bundle 25 lbs.

**HOLLOW BACK GARDEN SPADES****KLICHER**

Blade, Shank and Socket, forged from one piece of carbon steel heat treated. Rolled shoulder serves as a step and strengthens blade. Crystalite blue finish, polished socket. Fire hardened handles.

Armor D Handle  
With Wood Grip

Square Point



Medium grade ash handle 27 inches long.

Repair Handle BEHK

Blade 7¼x12 inches

Each  
3-SHK-K X2D97.....\$4.50  
Six in bdl. Wt. bdl. 29 lbs.

**HOLLOW BACK SOCKET SHANK SHOVELS****KLICHER**

Blade, Shank and Socket, forged from one piece of carbon steel heat treated. Rolled shoulder serves as a step and strengthens blade. Crystalite blue blade, polished socket. Selected fire hardened handles.

**DIRT SHOVELS**

Split D Handle with  
Wood Grip and Metal  
End Clips.

Square Point.



Handle 27 inches long.  
Blade 9½x11¾ inches.  
Repair handle BEHK.

Light Weight

Each  
3-HESK-K X2D97★.....\$4.60  
Six in bdl. Wt. bdl. 26 lbs.

Split D Handle with  
Wood Grip and Metal  
End Clips.

Handle 27 inches long.  
Blade 9x11¾ inches.  
Repair handle BEHK.

Round Point.



Light Weight

Each  
3-HERK-K X2D97.....\$4.60  
Six in bdl. Wt. bdl. 25 lbs.

Long Handle with  
Knob End.

Square Point



Handle 48 inches long.  
Blade 9½x11¾ inches.  
Repair handle B48HK.

Feather Weight

Each  
3-HELK-K X2D85.....\$4.35  
Six in bdl. Wt. bdl. 26 lbs.

Long Handle with  
Knob End.

Handle 48 inches long.  
Blade 9x11¾ inches.  
Repair handle B48HK.

Round Point



Feather Weight

Each  
3-HELK-K X2D85★.....\$4.35  
Six in bdl. Wt. bdl. 25 lbs.

**NOTE: ADD to All Above Prices the Correct Freight Area Addition**

**See Page 2 for Full Instructions.**

**STAR ★ DENOTES BEST SELLER**

**GARDEN OR IRRIGATING SHOVELS****TRUE TEMPER—BANTAM**  
Solid Shank

Blade and socket taper forged from solid steel. Heat treated for strength. Hard, smooth forged finish. Extended tab end spring tension socket. Northern fire hardened handle 40 inches long. Size of blade 7x9½ inches. Lift 3¾ inches.

**Round Point**

Each \*  
3-LB00-K X3D65..... Each \$5.50  
Six in bdl. Wt. bdl. 21 lbs.

**COAL SHOVELS****KLICHER****C Grade****Hollow Back—Cleveland Pattern**

One piece carbon steel blade and extended socket. The two prongs in blade add strength and make it more rigid. Selected grade seasoned ash handle. Fire hardened handles.

**Steel Armor D with Improved Grip**

Handle 27 inches long. Handle lift 21 inches.

17 gauge steel.

Repair handle BEHK

**Two-Prong Reinforced Blade****Black Blade**

| Each            | Size Blade, ins. | Wt. lbs. | Bdl. lbs. | Each |
|-----------------|------------------|----------|-----------|------|
| 3-CB2K-K X3D57★ | 13¾x14½          | 31½      | \$5.45    |      |
| 3-CB4K-K X3D77  | 14½x15½          | 38       | 5.85      |      |

Six in bdl.

**COAL SHOVELS****KLICHER****Hollow Back Pattern**

One piece high grade carbon steel blade and socket. Heat treated. The two prongs in blade add strength and make it more rigid. Thrifty growth fire hardened handle with red lacquered dee.

**B Grade****Steel Armor D with Improved Wood Grip Square Point**

Handle 27 inches long. Handle lift 21 inches 17 gauge steel.

Repair handle BEHK.

**Black Blade**

Size 13¾x14½ inches

Each  
3-CF2K-K X3D93..... Each \$6.00  
Six in bdl. Wt. Bdl. 32½ lbs.

**COAL OR ASH SHOVELS****CLAYBANK****Long Handle****Square Point****Black Blade**  
13½x14¾ inches

Repair handle B54HCK.

High carbon 17 gauge steel blade. Corrugations lengthwise to make it strong and more rigid. Fire hardened handles.

Each  
3-CF2LK-K X3D45..... Each \$5.25  
Six in bdl. Wt. bdl. 32 lbs.

**FURNACE SCOOPS****Standard**

One piece rolled steel blade and socket. Good grade wood handle.

**Handle has Steel D with Wood Grip****Low Lift—Square Point****Black Blade**

Size 8¾x14 inches.

Handle 32 inches long.

Each  
3-60-K X2D10..... Each \$3.15  
Six in bdl. Wt. bdl. 25 lbs.

**COAL YARD SCOOPS****KEEN KUTTER****Heavy Steel D with Large Wood Grip****Flat Point. Black Blade**

Handle 27½ inches long.



Extra select northern ash handle.

Repair handle KTEH.

| Each              | Size Blade, ins. | Wt. lbs. | blade, lift, bdl., ins. ins. lbs. | Each   |
|-------------------|------------------|----------|-----------------------------------|--------|
| 3-KCYF8-KK X4D21  | 14½x17           | 8        | 37½                               | \$6.35 |
| 3-KCYF10-KK X4D41 | 15x18            | 10       | 41½                               | 6.75   |

Six in bdl

**NOTE: ADD to All Above Prices the Correct Freight Area Addition.**

**See Page 2 for Full Instructions.**

**STAR ★ DENOTES BEST SELLER**

## GENERAL PURPOSE SCOOPS

KLICKER

C Grade



**Long Handle—Square Point**

Handle 51 inches long. 16 gauge steel.

Repair handle B48HK

One piece rolled steel blade and socket, Fire hardened handle.

**Black Blade**

Size No. 4. Size of blade  $11\frac{1}{4} \times 15\frac{3}{4}$  inches. Blade lift, 7 inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-LL4-K X3D49.....           | \$5.35 |
| Six in bdl. Wt. bdl. 40 lbs. |        |

## DRAIN CLEANERS

KEEN  KUTTER



**Forged Steel Concave Blade, Front and Back Edges Beveled for Pushing or Pulling.**

For cleaning drains and ditches and especially useful for finishing tile ditches.

Adjustable malleable iron frame and socket. Blade riveted to frame. Socket equipped with ratchet on both sides to permit adjusting blade to any angle.

Fine grade ash handle 6 feet long

|                |            |                |        |
|----------------|------------|----------------|--------|
| Each           | Size, ins. | Wt. Bdl., lbs. | Each   |
| 3-KA5-KK X3D63 | 5x15       | 33             | \$5.45 |
| 3-KA6-KK X3D63 | 6x15       | 34             | 5.45   |
| Six in bdl.    |            |                |        |

## ROCK, SAND AND GRAVEL SCOOPS

Hollow Back Pattern  
KLICKER



**Plain Blade. Turned Back Step. Rounded Bottom.**

One piece medium grade steel blade and socket. Fire hardened handle, with heavy steel D and large wood grip.

Handle 27 inches long 16 gauge steel.

Repair handle BEHK

**Black Finish Blade,  $11\frac{1}{2} \times 15$  inches.**

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-SB2K-K X3D49★.....         | \$5.35 |
| Six in bdl. Wt. bdl. 33 lbs. |        |

## BREAK-DOWN OR COALING SCOOPS

KEEN  KUTTER



**Hollow Back Pattern. Diamond Point. D Handle**

For handling gravel, sand and crushed stone—the sharp diamond point penetrates much easier than ordinary square or round point scoops.

Special shaped blade will not buckle under hard service.

Turned step on shoulder. Handle 27 inches long.

One piece 16 gauge carbon steel blade and socket, heat treated. Extra select grade northern ash handle with heavy steel D and large wood grip, green finish.

Repair handle KTEH

Size 5. **Black Blade,  $11\frac{1}{2} \times 16\frac{1}{2}$  inches.**

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-KBDFS-KK X4D09.....        | \$6.25 |
| Six in bdl. Wt. bdl. 38 lbs. |        |

## SNOW CLEANERS SHOVELS



High carbon steel black blade with corrugations and sunk back. Polished socket. Sanded and waxed hardwood handle 38 inches long with steel D.

Size of blade  $14\frac{1}{2} \times 15\frac{1}{2}$  inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-104SH-K X2D95.....         | \$4.45 |
| Six in bdl. Wt. bdl. 33 lbs. |        |

**NOTE: ADD to All Above Prices the Correct Freight Area Addition.**

**See Page 2 for Full Instructions.**

STAR ★ DENOTES BEST SELLER

EASTERN PATTERN SCOOPS

KLICHER

Hollow Back Pattern—Narrow Mouth

B Grade  
D Handle



16 gauge steel.  
Blade lift 7 inches.

Repair handle  
BEHK

One piece high carbon steel blade and socket, heat treated. Reinforced shoulder and back. Fire hardened handle 26 inches long, with Split D wood grip and metal end clips. Green finish.

Black Blade

11 1/4 x 15 inches (Size 2)

|          |                      |        |
|----------|----------------------|--------|
| Each     |                      | Each   |
| 3-EF2K-K | X3D77                | \$5.85 |
|          | Wt. bdl. 32 1/2 lbs. |        |

Hollow Back Pattern

C Grade

Split D Handle  
with Wood Grip  
and Metal End  
Clips.



Handle 27 inches  
long. 16 gauge steel.

Repair handle  
BEHK

One piece carbon steel blade and socket. Fire hardened handle, green trim.

Black Blade

| Each     |       | Size, No. | Size Blade, ins.     | Blade Lift, ins. | Each   |
|----------|-------|-----------|----------------------|------------------|--------|
| 3-EB2K-K | X3D41 | 2         | 11 1/4 x 15          | 7                | \$5.20 |
|          |       |           | Wt. bdl. 31 lbs.     |                  |        |
| 3-EB4K-K | X3D61 | 4         | 11 3/4 x 15 3/4      | 7 1/4            | 5.50   |
|          |       |           | Wt. bdl. 34 1/2 lbs. |                  |        |
| 3-EB6K-K | X3D81 | 6         | 12 x 17              | 8                | 5.75   |
|          |       |           | Wt. bdl. 74 lbs.     |                  |        |
|          |       |           | Six in bdl.          |                  |        |



C Grade  
Long Handle  
Light Weight

One piece medium grade steel. Black blade and small tapered socket. Fire hardened handle.

Repair handle B54HCK

Black Blade

| Each      |       | Size, No. | Size Blade, ins.      | Each   |
|-----------|-------|-----------|-----------------------|--------|
| 3-EB2LK-K | X3D29 | 2         | 10 7/8 x 14 3/4       | \$5.00 |
|           |       |           | Wt. Bdl., 32 1/2 lbs. |        |
|           |       |           | Six in bdl.           |        |

GRAIN SCOOPS

KLICHER

Hollow Back Pattern

C Grade

Light Weight

One piece 17 gauge carbon steel blade and socket. Fire hardened handle 26 inches long, with Split D wood grip and metal end clips, Green trim.

Western Pattern—Wide Mouth

Corrugated Blade



The two corrugations strengthen the blade and make it more rigid.

Black Blade

Repair handle BEHK

| Each      |        | Size, No. | Size Blade, ins.      | Blade Lift, ins. | Each   |
|-----------|--------|-----------|-----------------------|------------------|--------|
| 3-GB8K-K  | X3D85  | 8         | 13 1/4 x 17           | 7 1/4            | \$5.85 |
|           |        |           | Wt. Bdl., 33 lbs.     |                  |        |
| 3-GB10K-K | X4D09★ | 10        | 13 3/4 x 18           | 8 1/4            | 6.25   |
|           |        |           | Wt. Bdl., 34 1/2 lbs. |                  |        |
| 3-GB12K-K | X4D29★ | 12        | 14 1/4 x 19           | 9                | 6.50   |
|           |        |           | Wt., Bdl. 36 lbs.     |                  |        |
| 3-GB14K-K | X4D49★ | 14        | 14 3/4 x 20           | 9 1/2            | 6.85   |
|           |        |           | Wt. Bdl., 38 lbs.     |                  |        |
|           |        |           | Six in bdl.           |                  |        |

NOTE: ADD to All Above Prices the Correct Freight Area Addition.

See Page 2 for Full Instructions.

STAR ★ DENOTES BEST SELLER

## GRAIN SCOOPS

KEEN  KUTTER

## Aluminum


10 gauge aluminum alloy heat treated blade and socket. Satin finish. High grade ash handle 26 inches long with Split D wood grip and metal end clips. Green trim.

## Open Back

Repair handle KTEH

| Each       |        | Size, Blade, No.        | Size, Lift, ins. | Blade, ins. | Each    |
|------------|--------|-------------------------|------------------|-------------|---------|
| 3-KAG10-KK | X6D69  | 10                      | 13 1/4           | x18 9 3/4   | \$10.15 |
|            |        | Wt. Bdl., 26 lbs.       |                  |             |         |
| 3-KAG12-KK | X6D97★ | 12                      | 14 1/2           | x19 10 1/4  | 10.50   |
|            |        | Wt. Bdl., 27 1/2 lbs.   |                  |             |         |
| 3-KAG14-KK | X7D25★ | 14                      | 14 3/4           | x20 11      | 10.95   |
|            |        | Wt. Bdl., 29 lbs.       |                  |             |         |
|            |        | One in bag, six in bdl. |                  |             |         |

## TRUE TEMPER



## Aluminum

10 gauge aluminum alloy heat treated blade and socket. Satin finish. Fire hardened handle 26 inches long with red Split D wood grip and metal end clips.

## Open Back

Repair handle BEHK

| Each     |       | Size, No.               | Size, Blade, ins. | Blade, Lift, ins. | Each    |
|----------|-------|-------------------------|-------------------|-------------------|---------|
| 3-AG12-K | X6D97 | 12                      | 14 1/2            | x19 10 3/4        | \$10.50 |
|          |       | Wt. Bdl., 27 1/2 lbs.   |                   |                   |         |
| 3-AG14-K | X7D25 | 14                      | 14 3/4            | x20 11            | 10.95   |
|          |       | Wt. Bdl., 29 lbs.       |                   |                   |         |
|          |       | One in bag, six in bdl. |                   |                   |         |

## BARN AND DAIRY SCOOPS

KLICKER



## Deep Bowl C Grade

One piece carbon steel blade and socket, black finish. Long hardwood handle 48 inches long.

Blade 10x15 1/4 inches, 2 1/8 inches deep at point, 4 1/8 inches deep at shoulder. Lift 7 1/4 inches. Handle lift 35 1/2 inches.

|                              |       |        |
|------------------------------|-------|--------|
| Each                         |       | Each   |
| 3-BTBLK-K                    | X3D35 | \$5.10 |
| Six in bdl. Wt. bdl. 30 lbs. |       |        |

## DAIRY, BARN AND SNOW SHOVELS



## RABBIT

## Hollow Back Pattern—Long Handle Square Point

A general purpose shovel suitable for snow, dirt, ashes, sawdust and barnyard manure.

Blade especially shaped to permit use in troughs.

One piece sheet steel blade and socket. Good grade ash handle, sanded smooth.

Handle 46 1/2 inches long.

## Black Blade

11 1/2 x 13 1/2 inches

|                              |       |        |
|------------------------------|-------|--------|
| Each                         |       | Each   |
| 3-51-K                       | X1D80 | \$2.75 |
| Six in bdl. Wt. bdl. 27 lbs. |       |        |

## SNOW SHOVELS

## TRUE TEMPER

Ideal for children and may also be used by adults.



## Little Giant

## Junior Size

Smaller size aluminum alloy blade with fire hardened ash handle. Handle socket firmly riveted on back. Ribbed for added strength.

Aluminum socket riveted to back of blade.

Size of blade 12x12 inches. Length over all 34 1/2 inches.

|                             |       |        |
|-----------------------------|-------|--------|
| Each                        |       | Each   |
| 3-12A-K                     | X1D20 | \$1.80 |
| Six in bdl. Wt. bdl. 6 lbs. |       |        |

**NOTE: ADD to All Above Prices the Correct Freight Area Additions  
See Page 2 for Full Instructions.**

STAR ★ DENOTES BEST SELLER

## SNOW SHOVELS




High carbon 18 gauge spring steel blade specially curved, with top of blade turned up. Best quality ash handle, with heavy wrought steel riveted D and wood grip. Handle is secured to blade by rivets extending through socket, handle and blade. Length overall 49 inches.

**Ribbed Spring Steel Blade 18x15 inches;**

|                              |                           |        |
|------------------------------|---------------------------|--------|
| Each                         | <b>Dark Green Lacquer</b> | Each   |
| <b>3-C18-K</b>               | <b>X1D58★</b>             | \$2.40 |
| Six in bdl. Wt. bdl. 39 lbs. |                           |        |

## TRUE TEMPER



One piece aluminum alloy blade, ribbed for extra strength. Reinforced corners and edges. Steel wear strip riveted on back of blade edge, painted red.

Strong aluminum alloy socket firmly riveted to blade. Fire hardened ash handle with red painted D.

Size of blade 18x15 inches. Length over all 49 inches.

| Each                            |               | Size Blade, Overall, | Length | Each   |
|---------------------------------|---------------|----------------------|--------|--------|
|                                 |               | ins.                 | ins.   |        |
| <b>3-118A-K</b>                 | <b>X2D80</b>  | 18x15                | 49     | \$4.25 |
| Three in bdl. Wt. bdl. 10½ lbs. |               |                      |        |        |
| <b>3-C18AK</b>                  | <b>X2D10★</b> | 17½x13½              | 47     | 3.15   |
| Six in bdl. Wt. bdl. 20 lbs.    |               |                      |        |        |

Sell For Shipment After Sept. 15, 1958

## SNOW PUSHERS

## TRUE TEMPER



One piece aluminum alloy blade, standard curve. Strong steel socket firmly riveted to blade. Steel wear strip.

Fire hardened long ash handle.

Size of blade 18x12 inches. Handle length 48 inches.

|                                |              |        |
|--------------------------------|--------------|--------|
| Each                           |              | Each   |
| <b>3-18A-K</b>                 | <b>X2D75</b> | \$4.15 |
| Three in bdl. Wt. bdl. 11 lbs. |              |        |



Handy for quick, clean removal of snow and ice from walks, paths, platforms and all hard, flat surfaces. Excellent also for cleaning dirt, mud and refuse from sidewalks.

High carbon 17 gauge spring steel blade, securely riveted to malleable iron socket. Hardwood handle 48 inches long fastened to socket with screws.

## Black Finish Blade

| Each             |               | Size Blade, ins. | Weight Bdl. lbs | Each   |
|------------------|---------------|------------------|-----------------|--------|
| <b>3-TTC18-K</b> | <b>X1D95★</b> | 12x18            | 21              | \$2.95 |
| <b>3-TTC24-K</b> | <b>X2D25</b>  | 12x24            | 22¼             | 3.50   |
| Three in bdl.    |               |                  |                 |        |

## Direct Shipment

No. 20C snow shovels and No. 9S scrapers can also be shipped direct from factory. In lots of 100 lbs. or more—will not break bundles. F.O.B. Monticello, Iowa. No freight allowed.

STAR ★ DENOTES BEST SELLER

## SIDEWALK SCRAPERS




High carbon 14 gauge steel blade and socket, black finish. Hardwood handle firmly fastened with steel pin.

Width of blade 7 inches. Length of handle 48 inches.

|                              |               |        |
|------------------------------|---------------|--------|
| Each                         |               | Each   |
| <b>3-9S-K</b>                | <b>X1D15★</b> | \$1.79 |
| Six in bdl. Wt. bdl. 17 lbs. |               |        |

**HANDLES**KEEN  KUTTER

For Hollow Back Shovels, Scoops and Garden Spades

**CHISHOLM PATTERN**

Chucked, without shoulder—seasoned, selected ash. Length 54 inches.

|                               |        |
|-------------------------------|--------|
| Each                          | Each   |
| 3-KT54HC-KK X1D45.....        | \$2.15 |
| Six in bdl. Wt. bdl. 10½ lbs. |        |

**CLICKER**

Fire hardened handles.

|                               |        |
|-------------------------------|--------|
| Each                          | Each   |
| 3-B54HCK-K X1D20★.....        | \$1.80 |
| Six in bdl. Wt. bdl. 10½ lbs. |        |

**CLICKER**

Chucked, with shoulder.

Fire hardened handles. For lightweight shovels. Length 48 inches.

|                             |        |
|-----------------------------|--------|
| Each                        | Each   |
| 3-B48HK-K X1D10★.....       | \$1.65 |
| Six in bdl. Wt. bdl. 9 lbs. |        |

**CLICKER**

For Solid Shank Socket Shovels and Spades



Chucked, without shoulder—knob end.

Light weight. Fire hardened handles. Length 44½ inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-B44½K-K D8C5★.....         | \$1.30 |
| Six in bdl. Wt. bdl. 8½ lbs. |        |

**CLICKER**

For Irrigating Shovels

Seasoned maple. Length 44½ inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-B44½MK-K D8C5.....         | \$1.30 |
| Six in bdl. Wt. bdl. 8½ lbs. |        |

Heavy weight. Seasoned, selected ash. Length 46½ inches.

KEEN  KUTTER

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-KT46½-KK X1D10.....        | \$1.65 |
| Six in bdl. Wt. bdl. 10 lbs. |        |

**CLICKER**

Fire hardened handles. Length 46½ inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-B46½K-K D9C0.....          | \$1.35 |
| Six in bdl. Wt. bdl. 10 lbs. |        |

**CLICKER**

For Maynard Pattern



Chucked, with shoulder. Knob end.

Fire hardened handles. Length 46½ inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-BC46½K-K D9C0.....         | \$1.35 |
| Six in bdl. Wt. bdl. 10 lbs. |        |

**HANDLES**

For Solid Shank Socket Shovels and Spades

KEEN  KUTTER

Chucked, without shoulder. Knob end.

Light weight. Seasoned, good quality ash. Length 44½ inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-KT44½-KK X1D10.....        | \$1.65 |
| Six in bdl. Wt. bdl. 8½ lbs. |        |

KEEN  KUTTER**Regular Weight**

Carefully selected X grade Northern ash. Length 46 ins.

|                      |        |
|----------------------|--------|
| Each                 | Each   |
| 3-KX2L-KK X1D05..... | \$1.60 |

Six in bdl. Wt. bdl. 9 lbs.

KEEN  KUTTER**Featherweight**

Carefully selected X grade Northern ash. Length 44 ins.

|                       |        |
|-----------------------|--------|
| Each                  | Each   |
| 3-KX2LF-KK X1D00..... | \$1.50 |

Six in bdl. Wt. bdl. 8½ lbs.

**TRUE TEMPER**

For Dynamic and Flint Edge Forged Socket Shovels



Chucked, without shoulder. Knob end.

Seasoned, selected ash. Fire hardened finish. Length 44½ inches.

|                             |        |
|-----------------------------|--------|
| Each                        | Each   |
| 3-T44½F-K X1D10.....        | \$1.65 |
| Six in bdl. Wt. bdl. 8 lbs. |        |

For Lock Socket Shovels, Scoops and Garden Spades

KEEN  KUTTER**Standard Weight**

Seasoned selected ash. Length 54 inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-KX1L-KK X1D30.....         | \$1.95 |
| Six in bdl. Wt. bdl. 10 lbs. |        |

**CLICKER****Standard Weight**

Seasoned good quality ash. Length 54 inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-1LK-K X1D20.....           | \$1.80 |
| Six in bdl. Wt. bdl. 10 lbs. |        |

## HANDLES

For Lock Socket Shovels, Scoops and Garden Spades

KEEN  KUTTER



Light Weight

Seasoned selected ash. Length 51 inches.

Each Each  
3-KX1LF-KK X1D30..... \$1.95

Six in bdl. Wt. bdl. 9 lbs.

### KLICKER

Light Weight

Seasoned good quality ash. Length 51 inches.

Each Each  
3-1LFK-K X1D20..... \$1.80

Six in bdl. Wt. bdl. 9 lbs.

## D HANDLES

For Solid Shank Shock Band Shovels and Spades—Pony Brand

KLICKER



Featherweight

Fire hardened handles. Armor D. Length 24 inches.

Each Each  
3-BEA24LK-K X1D05..... \$1.60

Six in bdl. Wt. bdl. 9 lbs.

For Solid Shank Shock Band Shovels and Spades

KEEN  KUTTER



Regular Weight

Carefully selected X grade Northern ash. Armor D. Length 24 ins.

Each Each  
3-KX2A-KK X1D15..... \$1.75

Six in bdl. Wt. bdl. 18 lbs.

For Solid Shank Shock Band Iowa Pattern Spades

KEEN  KUTTER



Carefully selected X grade Northern ash. Armor D. Length 28 ins.

Each Each  
3-KX2AI-KK X1D40..... \$2.10

Six in bdl. Wt. bdl. 10 lbs.

## D HANDLES

For Grain Scoops

KEEN  KUTTER



Carefully selected X grade Northern ash. Armor D. Length 30 ins.

Each Each  
3-KTEH-KK X1D40★..... \$2.10

Six in bdl. Wt. bdl. 9 lbs.

### KLICKER

Carefully selected No. 1 grade fire hardened handles. Armor D. Length 30 inches.

Each Each  
3-BEHK-K X1D30..... \$1.95

Six in bdl. Wt. bdl. 9 lbs.

For Lock Socket Shovels

KEEN  KUTTER



Standard Weight

Seasoned selected ash. Armor D. Length 30 inches.

Each Each  
3-KX1A-KK X1D40..... \$2.10

Six in bdl. Wt. bdl. 10 lbs.

### KLICKER

Standard Weight

Standard good quality ash. Length 30 inches.

Each Each  
3-1AK-K X1D40..... \$2.10

Six in bdl. Wt. bdl. 10 lbs.

KEEN  KUTTER



Regular Weight

Seasoned selected ash. Armor D. Length 30 inches.

Each Each  
3-KX1AS-KK X1D40..... \$2.10

Six in bdl. Wt. bdl. 10 lbs.

### KLICKER

Regular Weight

Seasoned good quality ash. Length 30 inches.

Each Each  
3-1ASK-K X1D30..... \$1.95

Six in bdl. Wt. bdl. 10 lbs.

**D HANDLES**

For Scoops

KEEN  KUTTER**CHISHOLM PATTERN**

Chucked, without shoulder. With SturdE steel D top.

Seasoned, selected ash. Metal parts green enameled. Length 30 inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-KTEHC-KK X1D45.....        | \$2.15 |
| Six in bdl. Wt. bdl. 9½ lbs. |        |

**KLICKEK**

Fire hardened handles. Metal parts green enameled. Length 30 inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-BEHCK-K X1D30★.....        | \$1.95 |
| Six in bdl. Wt. bdl. 9½ lbs. |        |

KEEN  KUTTER

Chucked, with shoulder. With SturdE steel D top.

Seasoned, selected ash. Metal parts green enameled. Length 30 inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-KTEH-KK X1D50.....         | \$2.25 |
| Six in bdl. Wt. bdl. 9½ lbs. |        |

**KLICKEK**

Fire hardened handles. Metal parts green enameled. Length 30 inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-BEHK-K X1D30★.....         | \$1.95 |
| Six in bdl. Wt. bdl. 9½ lbs. |        |

**D HANDLES**

For KK. Solid Shank Bantam, and Forged Socket Shovels

KEEN  KUTTER

Chucked, without shoulder. With SturdE steel D top.

Seasoned, good quality ash.

Length 27 inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-KTE27-KK X1D40.....        | \$2.10 |
| Six in bdl. Wt. bdl. 9½ lbs. |        |

Length 24 inches.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-KTE24-KK X1D25★.....       | \$1.90 |
| Six in bdl. Wt. bdl. 18 lbs. |        |

**KLICKEK**

Length 24 inches.

Fire hardened handles.

|                              |        |
|------------------------------|--------|
| Each                         | Each   |
| 3-BE24K-K X1D10.....         | \$1.65 |
| Six in bdl. Wt. bdl. 7½ lbs. |        |

**Heavy Weight**

Length 24 inches.

|                             |        |
|-----------------------------|--------|
| Each                        | Each   |
| 3-HDK-K X1D10.....          | \$1.65 |
| Six in bdl. Wt. bdl. 9 lbs. |        |

KEEN  KUTTER**For Forged Socket Shovels**

Chucked, without shoulder. Seasoned selected ash. Natural finish. With steel D top with wood handle. Length 25½ inches.

|                             |        |
|-----------------------------|--------|
| Each                        | Each   |
| 3-KLD-KK X1D25.....         | \$1.90 |
| Six in bdl. Wt. bdl. 9 lbs. |        |

**TRUE TEMPER**

Dynalite



Chucked, without shoulder. With True Temper steel D. Heavy wood grip.

Seasoned, selected ash. Fire hardened finish. Length 25½ inches.

|                             |        |
|-----------------------------|--------|
| Each                        | Each   |
| 3-TT25½F-K X1D25.....       | \$1.90 |
| Six in bdl. Wt. bdl. 9 lbs. |        |

**KLICKEK**

For Maynard Pattern



Chucked, with shoulder. With SturdE steel D top.

Seasoned, good quality ash. Metal parts green enameled. Length 24 inches.

|                             |        |
|-----------------------------|--------|
| Each                        | Each   |
| 3-CDK-K X1D10.....          | \$1.65 |
| Six in bdl. Wt. bdl. 8 lbs. |        |

**D HANDLES****MANURE AND BARLEY FORK**KEEN  KUTTER

Selected, seasoned ash, with 8 inch green enameled steel tubular ferrule with cap. IDL steel D top, with wood grip.

**Length 32 inches**

| Each      |                               | Each   |
|-----------|-------------------------------|--------|
| 3-KTIM-KK | X1D35.....                    | \$2.10 |
|           | Six in bdl. Wt. bdl. 12½ lbs. |        |

**SPADING FORK**KEEN  KUTTER

Seasoned selected ash. 8 inch green enameled steel tubular ferrule with cap. Sturdy steel D top with wood grip.

**Length 30 inches**

| Each       |                              | Each   |
|------------|------------------------------|--------|
| 3-KTGSE-KK | X1D30.....                   | \$1.95 |
|            | Six in bdl. Wt. bdl. 14 lbs. |        |

**KLICHER**

Fire hardened handles. 8 inch blue enameled plain round end steel tubular ferrule. IDL steel D top with wood grip.

**Length 30 inches**

| Each       |                              | Each   |
|------------|------------------------------|--------|
| 3-BGSIK-KK | D1D00★.....                  | \$1.50 |
|            | Six in bdl. Wt. bdl. 14 lbs. |        |

**HEAVY FORK**KEEN  KUTTER

Ensilage, barn, coke, coal, stone, ballast, mill, vegetable and cotton seed.

Seasoned selected ash. 10 inch green enameled steel tubular ferrule with cap. IDL steel D top, with wood grip.

**Length 30 inches**

| Each      |                               | Each   |
|-----------|-------------------------------|--------|
| 3-KTIC-KK | X1D35★.....                   | \$2.10 |
|           | Six in bdl. Wt. bdl. 14½ lbs. |        |

**HOE HANDLES**

For field and garden, southern meadow or blackland, light cotton hoes. Also light potato hooks, garden scuffle hoes and speedy cultivators

KEEN  KUTTER**Socket Pattern, Chucked Only**

Seasoned, selected ash. Without ferrule.

| Each        |       | Length, feet | Weight Bdl., lbs. | Each   |
|-------------|-------|--------------|-------------------|--------|
| 3-KTRS4⅓-KK | D9C0  | 4⅓           | 7                 | \$1.35 |
| 3-KTRS4½-KK | D9C5  | 4½           | 7½                | 1.40   |
| 3-KTRS5-KK  | X1D00 | 5            | 8                 | 1.50   |

**KLICHER**

Fire hardened handles. Without ferrule.

| Each        |       | Length, feet | Weight Bdl., lbs. | Each   |
|-------------|-------|--------------|-------------------|--------|
| 3-BRS4½K-KK | D6C5  | 4½           | 7½                | \$1.00 |
| 3-BRS5K-KK  | D7C5★ | 5            | 8                 | 1.20   |

Six in bdl.

**HOE AND RAKE HANDLES**

For field and garden, southern meadow or blackland, light cotton hoes. Also light potato hooks, garden scuffle hoes and speedy cultivators. Also for bow, level head and garden rakes.

KEEN  KUTTER**Shank Pattern, Bored and Chucked**

Seasoned, selected ash. Without ferrule.

| Each        |       | Length, feet | Weight Bdl., lbs. | Each   |
|-------------|-------|--------------|-------------------|--------|
| 3-KTRO4⅓-KK | D8C5  | 4⅓           | 7                 | \$1.30 |
| 3-KTRO4½-KK | D9C0  | 4½           | 7½                | 1.35   |
| 3-KTRO5-KK  | X1D00 | 5            | 8                 | 1.50   |
| 3-KTRO5½-KK | X1D15 | 5½           | 9                 | 1.75   |

**KLICHER**

Fire hardened handles. Without ferrule

| Each       |       | Length, feet | Weight Bdl., lbs. | Each   |
|------------|-------|--------------|-------------------|--------|
| 3-BRO4⅓K-K | D6C0  | 4⅓           | 7                 | \$0.90 |
| 3-BRO4½K-K | D6C5  | 4½           | 7½                | 1.00   |
| 3-BRO5K-K  | D7C5★ | 5            | 8                 | 1.20   |

Six in bdl.

**RAKE HANDLES**KEEN  KUTTER**Chucked Without Ferrule**

Seasoned, selected ash.

**For KSA22 Rakes**

| Each        |      | Length, ft. | Wt. Bdl. lbs. | Each   |
|-------------|------|-------------|---------------|--------|
| 3-KTBR3½-KK | D6C0 | 3½          | 5             | \$0.90 |

Six in bdl.

## HOE HANDLES

KEEN  KUTTER

For Regular Cotton and Cotton Chopper



Seasoned, selected ash. With green enameled plain round end ferrules.

| Each       |       | Length,<br>feet | Weight<br>Bdl., lbs. | Each   |
|------------|-------|-----------------|----------------------|--------|
| 3-KTC4½-KK | D9C5  | 4½              | 10½                  | \$1.45 |
| 3-KTC5-KK  | X1D05 | 5               | 12                   | 1.60   |

## KLICKER

Fire hardened handles. With blue enameled plain round end ferrules.

| Each        |      | Length,<br>feet | Weight<br>Bdl., lbs. | Each   |
|-------------|------|-----------------|----------------------|--------|
| 3-BC4½K-K   | D7C0 | 4½              | 10½                  | \$1.10 |
| 3-BC5K-K    | D8C0 | 5               | 12                   | 1.25   |
| Six in bdl. |      |                 |                      |        |

KEEN  KUTTER

For Planter, Mortar and Street Hoes and Sidewalk Scrapers



## SHANK PATTERN

Seasoned, selected ash. With green enameled plain round end ferrules.

| Each       |       | Length,<br>feet | Weight<br>Bdl., lbs. | Each   |
|------------|-------|-----------------|----------------------|--------|
| 3-KTP5-KK  | X1D05 | 5               | 12½                  | \$1.60 |
| 3-KTP5½-KK | X1D15 | 5½              | 13½                  | 1.75   |

## KLICKER

Fire hardened handles. With blue enameled plain round end ferrules.

| Each        |      | Length,<br>feet | Weight<br>Bdl., lbs. | Each   |
|-------------|------|-----------------|----------------------|--------|
| 3-BP5K-K    | D8C0 | 5               | 12½                  | \$1.20 |
| 3-BP5½K-K   | D9C0 | 5½              | 13½                  | 1.35   |
| Six in bdl. |      |                 |                      |        |

## KLICKER



For Planters Eye and Sprouting Hoes

## Round Eye

Fire hardened handles. 1¾-inch butt diameter Length 5 feet.

| Each                         |       |  | Each   |
|------------------------------|-------|--|--------|
| 3-BPA5K-K                    | X1D00 |  | \$1.50 |
| Six in bdl. Wt. bdl. 11½ lbs |       |  |        |

## GARDEN MATTOCK HANDLES

KEEN  KUTTER

Seasoned, selected ash. Length 4½ feet. Butt diameter 1½ inches.

| Each                        |       | Each   |
|-----------------------------|-------|--------|
| 3-KTMHR4½-KK                | X1D05 | \$1.65 |
| Six in bdl. Wt. bdl. 9 lbs. |       |        |

## DRAIN CLEANER HANDLES

KEEN  KUTTER

Seasoned selected ash. Chucked. Length 6 feet.

| Each                        |       | Each   |
|-----------------------------|-------|--------|
| 3-KTH06-KK                  | X1D55 | \$2.35 |
| Six in bdl. Wt bdl. 14 lbs. |       |        |

## LONG FORK HANDLES

KEEN  KUTTER

## BENT HAY AND ALFALFA FORK

Seasoned selected ash. Green enameled steel tubular ferrule with cap.

8 inch ferrule

| Each        |       | Length,<br>feet | Weight<br>Bundle, lbs. | Each   |
|-------------|-------|-----------------|------------------------|--------|
| 3-KTHB4-KK  | X1D30 | 4               | 11                     | \$2.00 |
| 3-KTHB4½-KK | X1D40 | 4½              | 12                     | 2.10   |
| 3-KTHB5-KK  | X1D50 | 5               | 13½                    | 2.25   |

## KLICKER

Five hardened handles. Blue enameled. Plain round end steel tubular ferrule.

8 inch ferrule

| Each       |        | Length,<br>feet | Weight<br>Bundle, lbs. | Each   |
|------------|--------|-----------------|------------------------|--------|
| 3-BHB4K-K  | X1D00  | 4               | 11                     | \$1.50 |
| 3-BHB4½K-K | X1D10★ | 4½              | 12                     | 1.60   |
| 3-BHB5K-K  | X1D20  | 5               | 13½                    | 1.80   |
| 3-BHB5½K-K | X1D30  | 5½              | 14½                    | 1.95   |

Six in bundle

KEEN  KUTTER

## MANURE, BARLEY, CHAFF AND HEADER

Seasoned selected ash. Green enameled steel tubular ferrule with cap.

8 inch ferrule

| Each       |       | Length,<br>feet | Weight<br>Bundle, lbs. | Each   |
|------------|-------|-----------------|------------------------|--------|
| 3-KTM4-KK  | X1D30 | 4               | 12                     | \$2.00 |
| 3-KTM4½-KK | X1D40 | 4½              | 13                     | 2.10   |
| 3-KTM5-KK  | X1D50 | 5               | 14                     | 2.25   |

## KLICKER

Five hardened handles. Blue enameled. Plain round end. Steel tubular ferrule.

8 inch ferrule

| Each      |        | Length,<br>feet | Weight<br>Bundles, lbs | Each   |
|-----------|--------|-----------------|------------------------|--------|
| 3-BM4K-K  | X1D00  | 4               | 12                     | \$1.50 |
| 3-BM4½K-K | X1D10★ | 4½              | 13                     | 1.65   |
| 3-BM5K-K  | X1D25  | 5               | 14                     | 1.90   |

Six in bundle

## D HEADS

For Repairing Fork, Shovel and Spade Handles

I. D. L.

Steel with Wood Grip

Stamped from heavy steel. Split socket 2 inches long, 1⅝-inch inside diameter. 4½-inch wood grip. For forks and shovels.

|         |      |        |
|---------|------|--------|
| Each    |      | Each   |
| R-IDL-K | D4C0 | \$0.60 |

Loose. Wt. each ⅝ lb.



## STURD-E

Steel with Wood Grip

Pressed steel. Tubular form. Stem socket is tapered for a drive fit. Ends of wood grip are shouldered to fit in their respective sockets. 4-inch clearance for hand for shovels, spades and scoops.

|          |      |        |
|----------|------|--------|
| Each     |      | Each   |
| R-TESD-K | D6C0 | \$0.90 |

Loose. Wt. each ¾ lb.



## FORK, HOE AND RAKE FERRULES

Round End, No Cap Necessary

For garden rakes and garden hoes. Diameter large end 1 inch. Diameter small end 1⅛ inch. Length over-all 4½ inches.



|          |      |        |
|----------|------|--------|
| Each     |      | Each   |
| R-LGHF-K | D2C0 | \$0.30 |

Loose. Wt. each ⅛ lb.

Round End, No Cap Necessary



For Planter Hoe

| Each          | Wt.<br>Each,<br>lbs. | Large<br>End,<br>ins. | Small<br>End,<br>ins. | Lgth.<br>Over-all,<br>ins. | Each   |
|---------------|----------------------|-----------------------|-----------------------|----------------------------|--------|
| R-LPHF-K D2C0 | 1/4                  | 1 3/16                | 5/8                   | 5                          | \$0.30 |

For Cotton Hoe

| R-LCHF-K | D2C0 | ⅜ | 1⅞ | ⅝ | 5 | .30 |
|----------|------|---|----|---|---|-----|
|----------|------|---|----|---|---|-----|

## POST HOLE DIGGERS

KEEN  KUTTER

## HERCULES PATTERN

## Designed for Hard Soils

Tough, high carbon blades securely riveted to strong well designed malleable frames. Hinge and steel bolt give rigid, strong construction. Select grade natural finish ash handles with square shoulders, double bolted for greatest strength.

Length of blade 9½ inches. Width 6 inches. Handle 48 inches long.

## Red Enameled Finish

Each  
3-K33-KK X4D40.....\$6.75  
Two in bdl. Wt. bdl 19¼ lbs.

KEEN  KUTTER

## PERFECTION PATTERN

## Designed for All Sandy, Loamy or Light Soil

Blades are shaped to hold full loads without pilling.

Two identical one piece high carbon steel blades, accurately hinged by a strong steel bolt. Natural finish ash handles with square shoulders are bolted for greatest strength.

Length of blade 10½ inches. Width 6 inches. Handles 48 inches long.

## Red Enameled Finish

Each  
3-K34-KK X3D95.....\$6.00  
Two in bdl. Wt. bdl 19 lbs.

KEEN  KUTTER

## ATLAS PATTERN

## Designed for all types of heavy or gravel soils.

Tough high carbon heat treated blades securely riveted to malleable frame with strong malleable stop preventing blades from closing too tight. Double hinge and steel bolt for rigid, strong, easy to operate construction. Select grade natural finish round handles, accurately fitted and bolted to frame.

Blade 9½ inches long, 5½ inches wide. Length of handles 48 inches. Over all length 57 inches. Will dig hole 6 inches in diameter.

## Red Enameled Finish

Each  
3-K35-KK X3D95★.....\$6.00  
Two in bdl. Wt. bdl 19½ lbs.

## EXTRA HANDLES

Length 48 inches.

| Per Pair   |       | For<br>Diggers,<br>Nos. | Wt.<br>Pr., lbs. | Per<br>Pair |
|------------|-------|-------------------------|------------------|-------------|
|            |       |                         |                  |             |
| 3-K33EH-KK | X1D70 | K33                     | 3½               | \$2.60      |
| 3-K34EH-KK | X1D70 | K34                     | 3½               | 2.60        |
| 3-K35EH-KK | X1D70 | K35                     | 3½               | 2.60        |

Loose

## EXTRA BLADES

| Each       |       | For<br>Diggers,<br>Nos. | Wt.<br>ea., lbs. | Each   |
|------------|-------|-------------------------|------------------|--------|
|            |       |                         |                  |        |
| R-K33EB-KK | X1D00 | K33                     | 1½               | \$1.50 |
| R-K35EB-KK | D9C5  | K35                     | 1¼               | 1.45   |

Loose

SEYMOUR



## EUREKA PATTERN

Tempered steel blades 9 inches long, 5 inches wide, riveted to malleable iron frame.

Lacquered finish split hardwood handles 2x½ inches square at bottom, 1½ inches round at top, bolted to frame. Length handle 4 feet. Length over all 61 inches.

Frame and top of blades painted red. Lower half polished.

Will dig hole 6 inches in diameter.

Each  
3-14-K X5D00.....\$7.50  
Two in bdl. Wt. bdl 17 lbs.

## EXTRA HANDLES

Length 48 inches

| Per Pair |       | For<br>Post Hole<br>Digger No. | Per Pair |
|----------|-------|--------------------------------|----------|
|          |       |                                |          |
| 3-14H-K  | X2D20 | 14                             | \$3.35   |
| 3-10H-K  | X1D75 | 11                             | 2.65     |

Twelve pr. in bdl. Wt. bdl. 36 lbs.


## EXTRA BLADES

With rivets

| Each    |       | For<br>Post Hole<br>Digger No. | Each   |
|---------|-------|--------------------------------|--------|
|         |       |                                |        |
| R-10B-K | D9C5  | 14                             | \$1.40 |
| R-11B-K | X1D00 | 11                             | 1.50   |

Loose. Wt. ea. 2½ lbs.

SEYMOUR



## LONE STAR

Tempered steel blades 9 inches long, 4¾ inches wide, with malleable iron frames and sockets, ¾ inch iron pipe handles 48 inches long, riveted to sockets.

Blades and frame painted blue, handles painted red. Length over all 58½ inches.

Will dig hole 6 inches in diameter.

Each  
3-15-K X5D60.....\$8.50  
Two in bdl. Wt. bdl. 16¼ lb.

EXTRA HANDLES  
For No. 10 Post Hole Digger

| Per Pair |            | For<br>Post Hole<br>Digger No. | Per Pair |
|----------|------------|--------------------------------|----------|
|          |            |                                |          |
| 3-10H-K  | X1D75..... |                                | \$2.65   |

Length 4 feet  
Twelve pairs in bdl. Wt. bdl. 23 lbs.

## EXTRA BLADES

With Rivets


| Each    |       | For<br>Post Hole<br>Digger No. | Each   |
|---------|-------|--------------------------------|--------|
|         |       |                                |        |
| R-15B-K | X1D00 | 15                             | \$1.50 |
| R-10B-K | D9C5  | 10                             | 1.40   |

Loose. Wt. ea. 2½ lbs.

STAR ★ DENOTES BEST SELLER

## POST HOLE AUGERS

SEYMOUR



VAUGHAN PATTERN

All japanned, two forged steel specially bent horizontal blades riveted to malleable iron shoulder. Malleable iron point  $3\frac{3}{4}$  inches long. Wrought steel tubular handle  $\frac{7}{8}$ -inch in diameter with socket for  $1\frac{1}{2}$ -inch cross bar. Handle screws into threaded socket of the malleable iron shoulder. Length over all 49 inches. Diameter 6 inches.

| Each   |            | Each   |
|--------|------------|--------|
| 3-V6-K | X3D95..... | \$5.95 |

Two in bdl. Wt. bdl. 11 lbs.

## POST HOLE AUGERS

SHAPLEIGH'S




Adjustable

Two sharp crucible steel blades. Firmly joined with improved malleable hinge clamp. Hardwood cross piece, 20 inches long. 1-inch iron pipe handle screws into malleable fittings at each end. Length of handle 36 inches. Length over all 48 inches.

| Each        |       | Will Bore<br>Holes, ins. | Weight<br>Bdl., lbs. | Each   |
|-------------|-------|--------------------------|----------------------|--------|
| 3-A2-K      | X5D35 | 6, 7, 8                  | 18                   | \$8.15 |
| Two in bdl. |       |                          |                      |        |

SHAPLEIGH'S



IWAN PATTERN

Blades are heavy gauge alloy steel, held together at center point by riveted strap. Wood cross handle is selected northern ash. Iron pipe standard joints, malleable iron tee and yoke. Length of handle 36 inches. Length over all 48 inches.

| Each        |        | Size,<br>ins. | Weight<br>Bdl., lbs. | Each   |
|-------------|--------|---------------|----------------------|--------|
| 3-SY2-K     | X4D35  | 2             | 11½                  | \$6.00 |
| 3-SY4-K     | X4D60  | 4             | 12½                  | 6.90   |
| 3-SY6-K     | X4D95★ | 6             | 17                   | 7.50   |
| 3-SY8-K     | X5D30  | 8             | 19¼                  | 7.95   |
| Two in bdl. |        |               |                      |        |

**SHAPLEIGH'S POINTERS**  
ESTABLISHED 1842

No Matter How Tough  
the Job  
A **DIAMOND EDGE** or  
**KEEN KUTTER** Tool  
Always  
Keeps Its Temper.

## STEEL GOODS

Farming tools are made of the best materials obtainable. The handles are choice straight grained white ash. They are finished with a highly polished glass hard weather and vermin proof finish.

In driving the handles, extra care is taken to see that the strain in use will bear properly against the grain.

High grade tool steel is used throughout the **KEEN KUTTER** line. The tools are forged, tempered and finished to give the greatest service for their intended use.



**KEEN KUTTER** steel goods are packed with unusual care—open up bright, clean and attractive—are easy to sell.



**KEEN KUTTER** hay, manure, spading and bailing press forks have the sort of shank which insures that the high gloss finish handle will hang straight and stick tight until entirely worn out. They are equipped with tubular ferrules for increased strength and service. They are forged from a special analysis steel which is exceptionally resistant to wear.



**KLICKER**

Trade mark distinguishes a group of very staple farm and garden tools. Although sold at low prices. They are serviceable tools and are extensively sold. Not guaranteed.

# SHAPLEIGH HARDWARE COMPANY

Freight Areas Established by Steel Goods Manufacturers.  
 Location of Dealers' Store Determines Price to be Charged on Light Steel Goods.  
 NOTE THAT THERE IS ONE EXCEPTION—EL PASO, TEXAS IS IN AREA 2





*Complete*

IDEAL  
FOR LARGE OR  
SMALL GARDEN  
DEPARTMENTS

NO DUDS...  
EVERY TOOL  
IS A KNOWN  
VALUE



INSERT IN CATALOG OPPOSITE 5-30B

6/5/58

# MERCHANDISE MANAGER'S SPECIAL PROMOTION

## KEEN KUTTER GARDEN TOOL MERCHANDISER

3-KK74-K

Regular Price

\$132.00

Special Price

\$115.00

# KEEN KUTTER GARDEN CENTER GARDEN TOOL MERCHANDISER

## Contents of Assortment and Open Stock

| Item                  | Quantity in Assortment | KEEN KUTTER No.          | Each      |
|-----------------------|------------------------|--------------------------|-----------|
| Broom Rake            | 2                      | 3-KBR22-KK               | \$2.15    |
| Broom Rakes           | 2                      | 3-KDL22-KK               | 2.65      |
| Bow Rakes             | 2                      | 3-KB12-KK                | 3.35      |
| Floral Rake           | 2                      | 3-KR8-KK                 | 2.25      |
| Cultivators           | 2                      | 3-KSC4-KK                | 3.35      |
| Garden Shovels        | 2                      | 3-KDGS-KK                | 4.30      |
| Garden Shovels        | 2                      | 3-KLB00-KK               | 5.35      |
| Floral Shovel         | 1                      | 3-K7LH-KK                | 3.50      |
| Floral Shovel         | 1                      | 3-K7-KK                  | 3.50      |
| Garden Spades         | 2                      | 3-KSD-KK                 | 4.85      |
| Spading Fork          | 1                      | 3-KKLS-KK                | 4.00      |
| Floral Fork           | 1                      | 3-KB4D-KK                | 3.75      |
| Socket Hoes           | 2                      | 3-KTO6 $\frac{1}{4}$ -KK | 3.30      |
| Shank Hoe             | 1                      | 3-KT6 $\frac{1}{4}$ -KK  | 3.15      |
| Triangle Hoe          | 1                      | 3-KWW1-KK                | 2.80      |
| Warren Hoe            | 1                      | 3-KW7-KK                 | 3.35      |
| Floral Hoes           | 2                      | 3-KL5-KK                 | 2.80      |
| Floral Cultivator     | 2                      | 3-KFW3-KK                | 3.05      |
| Weeding Hoe           | 2                      | 3-K2PF-KK                | 3.20      |
| Scuffle Hoes          | 2                      | 3-KGS7-KK                | 2.90      |
| Turf Edger            | 1                      | 3-K040F-KK               | 3.45      |
| Dandelion Diggers     | 3                      | 3-KDW-KK                 | 1.25      |
| Stainless Trowels     | 2                      | F2460KK                  | 1.60      |
| Stainless Trowels     | 2                      | FX2460KK (Case lots 6)   |           |
|                       |                        | F2461KK                  | 1.60      |
| Stainless Cultivators | 2                      | FX2461KK (Case lots 6)   |           |
|                       |                        | F2462KK                  | 1.60      |
|                       |                        | FX2462KK (Case lots 6)   |           |
| Steel Trowels         | 2                      | F2463KK                  | .79       |
|                       |                        | FX2463KK (Case lots 6)   |           |
| Steel Trowels         | 2                      | F2464KK                  | .79       |
|                       |                        | FX2464KK (Case lots 6)   |           |
| Steel Cultivators     | 2                      | F2465KK                  | .79       |
|                       |                        | FX2465KK (Case lots 6)   |           |
| Hand Forks            | 2                      | F2466KK                  | .79       |
|                       |                        | FX2466KK (Case lots 6)   |           |
| Hand Hoes             | 2                      | F2467KK                  | .79       |
|                       |                        | FX2467KK (Case lots 6)   |           |
| Hand Hoes             | 2                      | F2468KK                  | .79       |
|                       |                        | FX2468KK (Case lots 6)   |           |
| Hand Rakes            | 2                      | F2469KK                  | .79       |
|                       |                        | FX2469KK (Case lots 6)   |           |
| Dandelion Diggers     | 2                      | F2490KK                  | .79       |
|                       |                        | FX2490KK (Case lots 6)   |           |
| Pruning Shears        | 2                      | F2444KK                  | 2.25      |
|                       |                        | FX2444KK (Case lots 6)   |           |
| Pruning Shears        | 2                      | F2445KK                  | 3.25      |
|                       |                        | FX2445KK (Case lots 6)   |           |
| Grass Shears          | 2                      | F2352KK                  | 2.85      |
|                       |                        | FX2352KK (Case lots 6)   |           |
| Grass Shears          | 2                      | F2347KK                  | 2.95      |
|                       |                        | FX2347KK (Case lots 6)   |           |
| Grass Shears          | 2                      | F2354KK                  | 2.50      |
| Hedge Shears          | 1                      | F2391KK                  | 8.50      |
|                       |                        | FX2391KK (Case lots 4)   |           |
| Hedge Shears          | 1                      | F2376KK                  | 4.75      |
|                       |                        | FX2376KK (Case lots 6)   |           |
| Hedge Shears          | 1                      | F2387KK                  | 3.25      |
|                       |                        | FX2387KK (Case lots 6)   |           |
| Hedge Shears          | 1                      | F2381K                   | 2.75      |
|                       |                        | FX2381K (Case lots 6)    |           |
| Hedge Shears          | 2                      | F2378K                   | 3.95      |
|                       |                        | FX2378K (Case lots 6)    |           |
| Hedge Shears          | 1                      | F2398KK                  | 7.95      |
|                       |                        | FX2398KK (Case lots 4)   |           |
| Display Stand         | 1                      | \$15.00 Value            | No Charge |

TOTAL RETAIL VALUE.....\$196.79

Per Assortment

3-KK74-K-KEEN KUTTER X122D00

Assortment packed in 3 ctns. and 2 bdls. Shipping wt. 120 lbs.

## KEEN KUTTER GARDEN TOOL MERCHANDISERS

## Long Handle Tool Assortment

## Contents

| No.       | Description      | Qty. | Retail, Each |        |
|-----------|------------------|------|--------------|--------|
|           |                  |      | Zone 1       | Zone 2 |
| KSL22-KK  | Lawn Rake        | 6    | \$3.69       | \$3.80 |
| KFBR22-KK | Lawn Rake        | 6    | 2.25         | 2.30   |
| KB15-KK   | Bow Rake         | 6    | 3.85         | 3.98   |
| PB14-KK   | Bow Rake         | 4    | 3.30         | 3.45   |
| PL14-KK   | Level Head Rake  | 2    | 2.85         | 2.95   |
| KDW-KK    | Dandelion Digger | 6    | 1.30         | 1.35   |
| KSC4-KK   | Cultivator       | 4    | 3.45         | 3.50   |
| POLD-KK   | Spading Fork     | 2    | 4.00         | 4.15   |
| KDLR-KK   | Dirt Shovel      | 6    | 4.75         | 4.80   |
| KHGL-KK   | Garden Shovel    | 4    | 3.55         | 3.70   |
| KSD-KK    | Garden Spade     | 2    | 4.95         | 5.15   |
| KRE2-KK   | Rotary Edger     | 2    | 6.50         | 6.50   |
| K040F-KK  | Edger            | 2    | 3.35         | 3.50   |
| KG06¼-KK  | Garden Hoe       | 6    | 3.35         | 3.45   |
| PG6¼-KK   | Garden Hoe       | 4    | 2.90         | 2.98   |
| KLY5-KK   | Floral Hoe       | 2    | 2.85         | 2.90   |
| KW7H-KK   | Warren Hoe       | 2    | 3.45         | 3.50   |

|           |         |         |
|-----------|---------|---------|
| Per Asst. | Zone 1  | Zone 2  |
| ⓂGM-66-KK | X164D40 | X169D02 |

## Garden Shear Assortment

## Contents

| No.     | Description    | Qty. | Retail, Each |
|---------|----------------|------|--------------|
| F2376KK | Hedge Shears   | 6    | \$4.95       |
| F2347KK | Grass Shears   | 6    | 2.95         |
| F2445KK | Pruning Shears | 6    | 3.25         |

Per Asst. Per Asst.

3-S18-KK X44D64 . . . . . \$66.90

One asst. in ctn. Wt. ctn. 16 lbs.

## Hand Tool Assortment

## Contents

| No.     | Description          | Qty. | Retail, Each |
|---------|----------------------|------|--------------|
| F2487KK | Garden Trowel        | 6    | \$0.98       |
| F2488KK | Transplanting Trowel | 4    | .98          |
| F2489KK | Hand Cultivator      | 4    | .98          |
| F2491KK | Digging Fork         | 4    | .98          |
| F2492KK | Weeding Hoe          | 2    | .98          |
| F2493KK | Pointed Hoe          | 2    | .98          |
| F2494KK | Hand Rake            | 2    | .98          |

Per Asst. Per Asst.

3-TGCA-KK X15D84 . . . . . \$23.52

One asst. in ctn. Wt. ctn. 16 lbs.

## Hand Tool Assortment

## Contents

| No.     | Description          | Qty. | Retail, Each |
|---------|----------------------|------|--------------|
| F2463KK | Garden Trowel        | 6    | \$0.79       |
| F2464KK | Transplanting Trowel | 4    | .79          |
| F2465KK | Hand Cultivator      | 4    | .79          |
| F2466KK | Digging Fork         | 4    | .79          |
| F2467KK | Weeding Hoe          | 2    | .79          |
| F2468KK | Pointed Hoe          | 2    | .79          |
| F2469KK | Hand Rake            | 2    | .79          |

Per Asst. Per Asst.

3-GCA-KK X12D72 . . . . . \$18.96

One asst. in ctn. Wt. ctn. 16 lbs.

**NEW GARDEN TOOL CENTER IN 9 SQ. FT.****66 BASIC TOOLS**

17 best-selling long handle garden tools and the right quantity of each for fastest turnover. All tools can be easily displayed on stand, just like a modern wall fixture, with room for up to 100. Offer includes these 66 tools:

| No.     | Quan. | Description       |
|---------|-------|-------------------|
| SL22    | 6     | Lawn Rakes        |
| FBR22   | 6     | Lawn Rakes        |
| B15     | 6     | Bow Rakes         |
| PB14    | 4     | Bow Rakes         |
| PL14    | 2     | Level Head Rakes  |
| DW      | 6     | Dandelion Diggers |
| SC4     | 4     | Cultivators       |
| POLD    | 2     | Spading Forks     |
| DLR     | 6     | Dirt Shovels      |
| HGL     | 4     | Garden Shovels    |
| SD      | 2     | Garden Spades     |
| RE2     | 2     | Rotary Edgers     |
| 040F    | 2     | Edgers            |
| G06 1/4 | 6     | Garden Hoes       |
| PG6 1/4 | 4     | Garden Hoes       |
| LY5     | 2     | Floral Hoes       |
| W7H     | 2     | Warren Hoes       |

**'ADD-ON' UNITS** — New Keen Kutter Garden Shears and Small Hand Tools Merchandisers (described on other side) can be hung on ends of stand as pictured at left to provide a complete garden tool department.

**MOBILE STAND**

An expertly-designed stocking unit made from steel tubing. Large swivel casters let it roll to any traffic area. Shows off tools, permits easy access. End panels give complete data for self-service.


**Special Discount Saves Money for Dealer**

|                               | ZONE 1   | ZONE 2   |
|-------------------------------|----------|----------|
| REGULAR COST OF 66 TOOLS      | \$149.40 | \$154.02 |
| REGULAR COST OF DISPLAY STAND | 35.00    | 35.00    |
| TOTAL VALUE OF TOOLS & STAND  | 184.40   | 189.02   |
| LESS SPECIAL \$20 DISCOUNT    | 20.00    | 20.00    |
| YOU PAY ONLY                  | \$164.40 | \$169.02 |

**No. GM66** — Basic 66 long handle garden tools plus display stand. Shipped direct, freight prepaid, with full price information and set-up instructions.

# NEW **KEEN KUTTER** MERCHANDISERS INCLUDE COMPACT DISPLAY STANDS **FREE**

Made from heavy gauge steel wire, each of these two pre-assembled stands is a permanent stocking display of popular tools that hangs or sets anywhere.



## 18 Basic Garden Shears and Free Stand

**INCLUDES ONLY FAST-SELLING SHEARS**

|                                                   |                  |
|---------------------------------------------------|------------------|
| No. S18—6 ea. No. TD Hedge Shears                 | \$4.95 sug. ret. |
| 6 ea. No. 22 Grass Shears                         | 2.95 sug. ret.   |
| 6 ea. No. 250 Pruners                             | 3.25 sug. ret.   |
| All packed in one carton. Stand is pre-assembled. |                  |

|                                                          |         |
|----------------------------------------------------------|---------|
| Retail value of Tools                                    | \$66.90 |
| Reg. Dealer cost of Tools<br>(No cost for display stand) | 44.64   |
| Dealer profit at standard markup                         | \$22.26 |



## 24 Basic Hand Tools and Free Stand

**TOOLS ARE BEAUTIFULLY CHROME-PLATED**

|                                                                                                                            |                   |
|----------------------------------------------------------------------------------------------------------------------------|-------------------|
| No. TGCA—6 ea. reg. Trowels; 4 ea. Trans. Trowels,<br>Cultivators, Forks; 2 ea. Weeding Hoes,<br>Pointed Hoes, Hand Rakes. | Sug. ret. 98c ea. |
| All packed in one carton. Stand is pre-assembled.                                                                          |                   |

|                                                          |         |
|----------------------------------------------------------|---------|
| Retail value of Tools                                    | \$23.52 |
| Reg. Dealer cost of Tools<br>(No cost for display stand) | 15.84   |
| Dealer profit at standard markup                         | \$7.68  |

## 24 Basic Hand Tools and Free Stand

No. GCA—6 ea. reg. Trowels; 4 ea. trans. Trowels,  
Cultivators, Forks; 2 ea. Weeding Hoes,  
Pointed Hoes, Hand Rakes.

Sug. ret. 79c ea.

Tools packed in one carton with stand.

|                                                          |         |
|----------------------------------------------------------|---------|
| Retail value of Tools                                    | \$18.96 |
| Reg. Dealer cost of Tools<br>(No cost for display stand) | 12.72   |
| Dealer profit at standard markup                         | \$6.24  |

# KEEN KUTTER®

SHAPLEIGH HARDWARE CO.

ST. LOUIS, MISSOURI



Red and gold metal display stand—a model of simplicity—permits inspection from any angle.

## GARDEN SHOVELS

KEEN  KUTTER

Ideal for light spading, edging and cultivating. Taper forged blade and socket. Heat treated, forge finish. Tab end, spring tension socket. Knob end handle. Blade  $6\frac{1}{8} \times 9\frac{1}{2}$  in. Length of handle 41 in. Length over all  $49\frac{1}{2}$  in.

## Flat Edge Pattern

| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------------|--------|--------|--------|--------|
|                              | Each   | Each   | Each   | Each   |
| 3-KDGS-KK                    | X2D93★ | X2D96★ | \$4.40 | 4.45   |
| Six in bdl. Wt. bdl. 17 lbs. |        |        |        |        |

For the Lady Gardener or Light Digging  
Long Handle—Round Point

Hollow back. Heat-treated tumbled polished blade— $6 \times 8\frac{1}{2}$  inch. Polished socket. 42-inch clear lacquered handle.

| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------------|--------|--------|--------|--------|
|                              | Each   | Each   | Each   | Each   |
| 3-KHGL-KK                    | X2D37  | X2D45  | \$3.55 | 3.70   |
| Six in bdl. Wt. bdl. 15 lbs. |        |        |        |        |

Turned Steps  
Repair Handle KTE27L

Taper forged blade and socket distributes metal where strain is greatest. Heat treated spring tension socket. Square points. Clear ash handle, 47 inches long. Size 2 blade  $7\frac{1}{4} \times 12$  inches.

| Each                                      | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|-------------------------------------------|--------|--------|--------|--------|
|                                           | Each   | Each   | Each   | Each   |
| 3-KSD-KK                                  | X3D30  | X3D33  | \$4.95 | 5.15   |
| Six in bdl. Wt. bdl. $23\frac{1}{2}$ lbs. |        |        |        |        |

## FLORAL SHOVELS

KEEN  KUTTER

Comfortable wood grip for greater ease in handling. Polished round point blade. Width  $5\frac{1}{8}$  inches. Length 8 inches. Handle has steel D with wood grip. Length over all 30 inches.

| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------------|--------|--------|--------|--------|
|                              | Each   | Each   | Each   | Each   |
| 3-KFSD-KK                    | X2D37★ | X2D45★ | \$3.55 | 3.70   |
| Six in bdl. Wt. bdl. 15 lbs. |        |        |        |        |



For planting shrubbery, transplanting, digging bulbs, etc. Blade and shank forged from one-piece solid steel. Curved blade  $5\frac{1}{8}$  inches wide and 8 inches long, with polished point and bronze top. Long steel socket and ferrule. Natural finish ash handle, 42 inches long. Black socket and ferrule.

| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------------|--------|--------|--------|--------|
|                              | Each   | Each   | Each   | Each   |
| 3-KFS3 $\frac{1}{2}$ -KK     | X2D37★ | X2D45★ | \$3.55 | 3.70   |
| Six in bdl. Wt. bdl. 15 lbs. |        |        |        |        |

## FLORAL SHOVELS

AMES  
Socket Shank Pattern

Half polished rounded blade. Gold trim. Polished steel ferrule.  $5\frac{3}{4}$  inches wide, 8 inches deep.



## 30 inch Handle With Gold Finished Steel D Grip

| Each                              | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|-----------------------------------|--------|--------|--------|--------|
|                                   | Each   | Each   | Each   | Each   |
| 3-AFSD-K                          | X2D37  | X2D45  | \$3.55 | 3.70   |
| Six in bundle. Wt. bundle 17 lbs. |        |        |        |        |



## 42 inch Long Handle

| Each                              | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|-----------------------------------|--------|--------|--------|--------|
|                                   | Each   | Each   | Each   | Each   |
| 3-AFS3 $\frac{1}{2}$ -K           | X2D37  | X2D45  | \$3.55 | 3.70   |
| Six in bundle. Wt. bundle 17 lbs. |        |        |        |        |

## GARDEN SPADES

KEEN  KUTTER

For digging and transplanting in all types of soil. One piece high carbon steel, heat treated blade and socket. Turned step. Tapered blade has sharpened edge, tumbled finish with green trim. 11-inch polished socket. Clear lacquered ash handle.

## Sturd-E D Top Handle

| Each        | Zone 1 | Zone 2 | Size Blade, ins.         | Wt. bdl. lbs. | Zone 1 | Zone 2 |
|-------------|--------|--------|--------------------------|---------------|--------|--------|
|             |        |        |                          |               | Each   | Each   |
| 3-KGS12-KK  | X3D14  | X3D24  | $5\frac{1}{2} \times 12$ | 49            | \$4.70 | \$4.85 |
| 3-KGS14-KK  | X3D35  | X3D47  | $5\frac{1}{2} \times 14$ | 53            | 5.05   | 5.25   |
| Six in bdl. |        |        |                          |               |        |        |

## FLORAL HOES

KEEN  KUTTER

## Shank Pattern

Polished blade, width of cut 5 inches, depth of blade  $3\frac{3}{4}$  inches. Plain ferrules. 4-foot handles.

| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------------|--------|--------|--------|--------|
|                              | Each   | Each   | Each   | Each   |
| 3-KLY5-KK                    | X1D90★ | X1D94★ | \$2.85 | 2.90   |
| Six in bdl. Wt. bdl. 11 lbs. |        |        |        |        |

## FLORAL RAKES

KEEN  KUTTER

For working in flower beds and among small plants. Head 8 inches wide. Eight curved teeth. Length of handle 4 feet.

| Each                        | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|-----------------------------|--------|--------|--------|--------|
|                             | Each   | Each   | Each   | Each   |
| 3-KTR8-KK                   | X1D54★ | X1D58★ | \$2.35 | 2.40   |
| Six in bdl. Wt. bdl. 9 lbs. |        |        |        |        |

## GARDEN TOOL SETS

KEEN  KUTTER

## Three Piece Sets

Consists of:—One each No. KFSD shovel, KLY5 hoe and KTR8 rake.

| Per Set                             | Zone 1 | Zone 2 | Per Set | Zone 2 |
|-------------------------------------|--------|--------|---------|--------|
|                                     |        |        |         |        |
| 3-K3PFD-KK                          | X5D86  | X6D01  | \$8.79  | 9.00   |
| Three sets in bdl. Wt. bdl. 18 lbs. |        |        |         |        |

Less than Full Bundles, D0C5 Each Extra.

STAR ★ DENOTES BEST SELLER

## FLORAL FORKS

AMES



Four Tines

8½ inch angular back tines half polished. Gold trim with green ferrules and cap.

30 inch bent handles with gold finished D grip.

| Each    | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|---------|--------|--------|--------|--------|
|         |        |        | Each   | Each   |
| 3-A4D-K | X2D52★ | X2D58★ | \$3.80 | 3.85   |

Six in bundle. Wt. bundle 12 lbs.

Less than Full Bundles D0C3 Each Extra

## GARDEN TOOL SET

LITTLE GIANT



Three Piece Junior

Basic tools for youngsters. Ideal for toy promotion, also fits in garden department. Used by grown-ups for light work or where access is limited.

Heads built from high grade steel finished in rich copper bronze. Fire-hardened ash handles shaped and balanced.

Set Includes:

**Shovel**—Steel blade 6x8¼ inches with turned steps. Length of handle 36 inches.

**Rake**—Head forged in one piece with 8 tines. Width 7½ inches. Spring neck handle 36 inches long.

**Hoe**—4½x3 inches. Steel blade. Welded shank pattern. Spring neck handle 39 inches long.

| Per Set | Zone 1 | Zone 2 | Zone 1  | Zone 2  |
|---------|--------|--------|---------|---------|
|         |        |        | Per Set | Per Set |
| 3-3JT-K | X2D65  | X2D65  | \$3.98  | 3.98    |

Four sets in ctn. Wt. ctn. 14 lbs.

Sold Only in Full Carton

## TOOL TREE SET

TRUE TEMPER



Five tool heads plus two handles making complete set of basic tools. Taper-forged steel, heat treated and tempered. Polished and trimmed in rust-resistant aluminum lacquer.

The Heads are:

**Trowel**—6x3¼ in. blade.

**3-Prong Cultivator**—4 in. tines.

**Digger-Weeder**—V shape blue.

**Digging Fork**—3 flat tines.

**Triangle Hoe**—Keen edge 3x3 in. blade.

Step-down golf shaft long handle, chrome plated, 38 in. long with molded red rubber golf grip.

Short handle 9½ in. long, black molded rubber grip.

Tool heads attach to either handle.

Tool keeper tree holds heads and handles securely. Hangs compactly. Holder finished in rich antique black.

Packed in display carton.

| Per Set  | Zone 1 | Zone 2 | Zone 1  | Zone 2  |
|----------|--------|--------|---------|---------|
|          |        |        |         |         |
| 3-TT10-K | X9D96  | X9D96  | \$14.95 | \$14.95 |

One in ctn. Wt. ctn. 5 lbs.

## SPADING FORKS

KEEN  KUTTER

Four-Tine

8-inch Green Tubular Ferrule with Gold Bronzed Cap  
Stamped Steel D Head, Wood Grip

Polished diamond point tapered tines. 30-inch handle.

Repair handle No. KTGSE

| Each        | Zone 1 | Zone 2  | Kind   | Tine Length, ins. | Spread, ins. | Wt. Bdl., lbs. | Zone 1 Each | Zone 2 Each |
|-------------|--------|---------|--------|-------------------|--------------|----------------|-------------|-------------|
| 3-KMSD-KK   | X2D91  | ★ X3D04 | Medium | 12                | 7 1/4        | 28 1/2         | \$4.35      | 4.55        |
| 3-KHSD-KK   | X3D15  | X3D28   | Heavy  | 11                | 7 1/2        | 30             | 4.70        | 4.95        |
| Six in bdl. |        |         |        |                   |              |                |             |             |



Heavy—Four-Tine

8-inch Green Tubular Ferrule with Gold Bronzed Cap  
4-foot Long Bent Handle

11-inch polished diamond point tapered tines. 7 1/2-inch spread.

| Each                         | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|------------------------------|--------|--------|-------------|-------------|
| 3-KHSL-KK                    | X3D15  | X3D28  | \$4.70      | 4.95        |
| Six in bdl. Wt. bdl. 30 lbs. |        |        |             |             |

Four-Tine  
Light Pattern

10 1/4 in. diamond back tines have polished faces. Crystalite green lacquer on ferrules and D-top. Long tubular ferrules.

Length of handle 30 in. Width 7 1/4 in.

| Each                         | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|------------------------------|--------|--------|-------------|-------------|
| 3-KKLS-KK                    | X2D70  | X2D80  | \$4.00      | 4.20        |
| Six in bdl. Wt. bdl. 23 lbs. |        |        |             |             |

KLICKER



Four diamond back tines 10 1/4 inches long. Width at point 7 1/4 inches. 8-inch crystalite blue tubular steel ferrule and cap. Smooth, fire hardened handle 30 inches long. Crystalite blue Steel D with wood grip.

Repair handle No. BGS1K

| Each                             | Zone 1 | Zone 2  | Zone 1 Each | Zone 2 Each |
|----------------------------------|--------|---------|-------------|-------------|
| 3-POLDK-K                        | X2D66  | ★ X2D76 | \$4.00      | 4.15        |
| Six in bdl. Wt. bdl. 24 1/2 lbs. |        |         |             |             |

## SPADING FORKS

AMES



Four Tines

10 3/4 inch tines—Half polished with blue head.

30 in. bent handle. Chrome ferrule and cap. Chrome trim D grip.

| Each      | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|-----------|--------|--------|-------------|-------------|
| 3-ATLDA-K | X2D91  | X3D04  | \$4.35      | 4.55        |

Six in bundle. Wt. bundle 28 1/2 lbs.

COMET



Four Tines

Forged steel head with 10 1/4 inch diamond back tines. Tines tapered and pointed. One-piece steel D top with shaped wood grip. Long tubular ferrule, capped. Head, ferrule and D top finished in gold bronze. 30 inch Ash handle.

|         |             |        |
|---------|-------------|--------|
| Each    |             | Each   |
| 3-CSF-K | X2D45★..... | \$3.70 |

Six in bundle. Wt. bundle 24 1/2 lbs.

## DIGGING FORKS

KEEN  KUTTER

English—Shank Pattern

For use in heavy clay soils.

Square tines, tapered and chisel pointed to penetrate hard ground. Long tubular ferrule. Finest white ash handle 30 inches long with IDL D top. Length of tines 12 inches. Width of head 8 inches.

Repair Handle No. KTGSE

| Each                         | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|------------------------------|--------|--------|-------------|-------------|
| 3-KEDS4D-KK                  | X3D30  | X3D45  | \$4.95      | 5.20        |
| Six in bdl. Wt. bdl. 30 lbs. |        |        |             |             |

## FLORAL FORKS

KEEN  KUTTER

Four-Tine

8 1/2 in. diamond back tines have polished faces. Ideal for use in light soil.

Crystalite green lacquer on ferrules and JR steel D-top. Length of handle 30 in.

| Each      | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|-----------|--------|--------|-------------|-------------|
| 3-KB4D-KK | X2D53  | X2D61  | \$3.80      | 3.90        |

Six in bdl. Wt. bdl. 15 lbs.

Less Than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

## MANURE FORKS

KEEN  KUTTER


## Long Handled—Four-Tine

8-inch Green Tubular Ferrule with Gold Bronzed Cap  
Bent Handle

13-inch tines. 10-inch spread. 3-inch spacing.

Repair handle No. KTM4 Series

| Each          | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|---------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-K044-KK     | X3D34  | X3D44  | 4                        | 14                   | \$5.00         | 5.15           |
| 3-K044½-KK    | X3D42★ | X3D52★ | 4½                       | 14½                  | 5.15           | 5.30           |
| Three in bdl. |        |        |                          |                      |                |                |



## Long Handled—Five-Tine


8-inch Green Tubular Ferrule with Gold Bronzed Cap  
Bent Handle

13-inch tines. 10-inch spread. 3-inch spacing.

Repair handle No. KTM4 series

| Each          | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|---------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-K054-KK     | X3D54★ | X3D64★ | 4                        | 14                   | \$5.30         | 5.45           |
| 3-K054½-KK    | X3D62  | X3D72  | 4½                       | 14½                  | 5.45           | 5.60           |
| Three in bdl. |        |        |                          |                      |                |                |

## MANURE FORKS

KEEN  KUTTER

## Long Handled—Six-Tine

8-inch Green Tubular Ferrule with Gold Bronzed Cap  
Bent Handle

13-inch tines. 9¾-inch spread. 1½ inches between points.

Repair handle No. KTM4 series

| Each          | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|---------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-K064-KK     | X3D74  | X3D84  | 4                        | 15                   | \$5.60         | 5.75           |
| 3-K064½-KK    | X3D82★ | X3D92★ | 4½                       | 16                   | 5.75           | 5.90           |
| Three in bdl. |        |        |                          |                      |                |                |



## Four-Tine

8-inch Green Tubular Ferrule with Gold Bronzed Cap  
IDL Steel D Head with Wood Grip

13-inch tines. 10-inch spread. 3-inch spacing. 32-inch handle.

Repair handle No. KTIM

| Each                           | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|--------------------------------|--------|--------|----------------|----------------|
| 3-K04D-KK                      | X3D42  | X3D52  | \$5.15         | 5.30           |
| Three in bdl. Wt. bdl. 14 lbs. |        |        |                |                |



## Five-Tine

8-inch Green Tubular Ferrule with Gold Bronzed Cap  
IDL Steel D Head with Wood Grip


13-inch tines. 10-inch spread. 2¼-inch spacing. 32-inch handle.

Repair handle No. KTIM

| Each                           | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|--------------------------------|--------|--------|----------------|----------------|
| 3-K05D-KK                      | X3D62  | X3D72  | \$5.45         | 5.60           |
| Three in bdl. Wt. bdl. 14 lbs. |        |        |                |                |

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

**MANURE FORKS****KLICHER****Long Handled—Four-Tine****8-inch Crystalite Blue Tubular Ferrule and Cap**

13-inch tines. 10-inch spread. 3 inches between points. Smooth, fire hardened handle.

Repair handle No. BM4 Series

| Each          | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|---------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-PO44K-K     | X2D93  | X3D01  | 4                        | 13                   | \$4.40         | 4.50           |
| 3-PO44½K-K    | X3D02★ | X3D12★ | 4½                       | 13½                  | 4.55           | 4.70           |
| Three in bdl. |        |        |                          |                      |                |                |

**Long Handled—Six-Tine****8-inch Crystalite Blue Tubular Ferrule and Cap**

13-inch tines. 10-inch spread. 2¼ inches between points. Smooth, fire hardened handles.

Repair handle No. BM4K Series

| Each          | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|---------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-PO64K-K     | X3D34  | X3D44  | 4                        | 15                   | \$5.00         | 5.15           |
| 3-PO64½K-K    | X3D42★ | X3D52★ | 4½                       | 16                   | 5.15           | 5.30           |
| Three in bdl. |        |        |                          |                      |                |                |

**Long Handled—Five-Tine****8-inch Crystalite Blue Tubular Ferrule and Cap**

13-inch tines. 10-inch spread. 2¼ inches between points. Smooth, fire hardened handle.

Repair handle No. BM4 Series

| Each          | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|---------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-PO54K-K     | X3D14  | X3D24  | 4                        | 14                   | \$4.70         | 4.85           |
| 3-PO54½K-K    | X3D22★ | X3D32★ | 4½                       | 14½                  | 4.85           | 5.00           |
| Three in bdl. |        |        |                          |                      |                |                |

**VEGETABLE AND POTATO SCOOP FORKS****KEEN KUTTER****Deep Scoop Shape Pinch Point Tines with Blunt Ends Shaped and Balanced Like a Scoop Shovel**

Natural finish broad oval tines with 1¼ inch space between. Handle 30 inches long with IDL pressed steel D and comfortable wood grip. 10-inch tubular ferrule with cap. Green finish.

Repair handle No. KTIC

| Each      | Zone 1 | Zone 2 | No. Tines | Length<br>ins. | Spread,<br>ins. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|-----------|--------|--------|-----------|----------------|-----------------|----------------------|----------------|----------------|
| 3-K910-KK | X7D09  | X7D31  | 10        | 15½            | 14              | 21¼                  | \$10.65        | 10.95          |
| 3-K912-KK | X7D81  | X8D03  | 12        | 16             | 17½             | 23¼                  | 11.70          | 12.05          |

**CORN, BARN AND ENSILAGE FORKS****KEEN KUTTER****10-inch Tubular Ferrule with Cap—Riveted Shank Bent Handle—Stamped Steel D Head with Wood Grip Green Finish**

Oval tines. 30-inch bent handles. Curved head. Natural finish 16-inch tines.

Repair handle No. KTIC

| Each      | Zone 1 | Zone 2 | No. Tines | Spread,<br>ins. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|-----------|--------|--------|-----------|-----------------|----------------------|----------------|----------------|
| 3-K508-KK | X6D71  | X6D86  | 8         | 13              | 18                   | \$10.05        | 10.30          |
| 3-K510-KK | X7D34★ | X7D49★ | 10        | 15              | 19½                  | 11.00          | 11.25          |

Three in bdl.

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

## HAY FORKS

KEEN  KUTTER

Three-Tine

10-inch Green Tubular Ferrule with Gold Bronzed Cap

Bent Handle

12-inch tines. 7-inch spread.  $3\frac{1}{2}$  inches between points.

Repair handle No. KTHB4 Series

| Each        | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|-------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-KO34B-KK  | X3D13  | X3D21  | 4                        | 8                    | \$4.70         | 4.80           |
| 3-KO34½B-KK | X3D21★ | X3D29★ | 4½                       | 8½                   | 4.80           | 4.95           |
| 3-KO35B-KK  | X3D33  | X3D41  | 5                        | 9                    | 5.00           | 5.10           |

Three in bdl.



Four-Tine

10-inch Green Tubular Ferrule with Gold Bronzed Cap

Bent Handle


12-inch tines. 7-inch spread.  $2\frac{1}{4}$  inches between points.

Repair handle No. KTHB4½ Series

| Each        | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|-------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-KO44½B-KK | X3D41  | X3D49  | 4½                       | 9                    | \$5.10         | 5.25           |
| 3-KO45B-KK  | X3D53  | X3D61  | 5                        | 9½                   | 5.30           | 5.40           |

Three in bdl.

## KLICKER



Three-Tine

8-inch Crystalite Blue Tubular Ferrule and Cap

Bent Handle

12-inch tines. 7-inch spread.  $3\frac{1}{2}$  inches between points. Fire hardened handle.

Repair handle No. BHB4½K Series

| Each        | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|-------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-PO34½BK-K | X2D81  | X2D89  | 4½                       | 8½                   | \$4.20         | 4.35           |
| 3-PO35BK-K  | X2D93  | X3D01  | 5                        | 9                    | 4.40           | 4.50           |

Three in bdl.

## CHOPPED HAY FORKS


KEEN  KUTTER

Steel D handle with wood grip. Eight-inch steel ferrule with gold bronzed cap. Square shoulders. Green finish. 19-inch oval tines—space between tines  $2\frac{3}{8}$  inches. Width at point 19 inches. Length of handle 36 inches.

| Each      | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|-----------|--------|--------|----------------|----------------|
| 3-KCHD-KK | X7D54  | X7D69  | \$11.30        | 11.55          |

Three in bdl. Wt. bdl. 18 lbs.

## ALFALFA FORKS

KEEN  KUTTER

Four-Tine—Round Shoulder

10-inch Green Tubular Ferrule with Gold Bronzed Cap

Bent Handle

13-inch tines.  $9\frac{1}{2}$ -inch spread. 3 inches between points.

Repair handle No. KTHB4½

| Each         | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|--------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-KAO134½-KK | X3D62  | X3D72  | 4½                       | 9½                   | \$5.45         | 5.70           |

Three in bdl.

Less than Full Bundles, D0C3 each Extra.

STAR ★ DENOTES BEST SELLER

## HEADER FORKS

KEEN  KUTTER


## Standard Pattern

## Four-Tine—Round Shoulder

10-Inch Green Tubular Ferrule with Gold Bronzed Cap  
Bent Handle15-inch tines. 11-inch spread.  $3\frac{1}{2}$ -inch spacing.Repair handle No. KTM4 $\frac{1}{2}$ 

| Each                       | Zone 1 | Zone 2 | Length<br>Handle,<br>ft. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|----------------------------|--------|--------|--------------------------|----------------------|----------------|----------------|
| 3-KR0154 $\frac{1}{2}$ -KK | X3D70  | X3D80  | 4 $\frac{1}{2}$          | 11                   | \$5.55         | \$5.70         |

Three in bdl.



## Kansas Pattern—Deep Dish

## Four-Tine—Round Shoulder

10-Inch Green Tubular Ferrule with Gold Bronzed Cap  
Bent Handle15-inch tines. 11-inch spread.  $3\frac{3}{4}$  inches between points. Length of handle 4 $\frac{1}{2}$  feet.Repair handle No. KTM4 $\frac{1}{2}$ 

| Each                       | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|----------------------------|--------|--------|----------------|----------------|
| 3-KK0154 $\frac{1}{2}$ -KK | X3D70  | X3D80  | \$5.55         | \$5.70         |

Three in bdl. Wt. bdl. 11 $\frac{1}{2}$  lbs.

## COTTON SEED FORKS

KEEN  KUTTERScoop Shaped Bowl—10-Inch Tubular Ferrule with Cap  
Riveted Shank—Stamped Steel D Head with Wood Grip  
Green Finish17-inch natural finish diamond tines. Space between tines  $1\frac{1}{4}$  inches. 30-inch handle.

Repair handle No. KTIC

| Each       | Zone 1 | Zone 2 | No. Tines | Spread,<br>ins.  | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|------------|--------|--------|-----------|------------------|----------------------|----------------|----------------|
| 3-K410S-KK | X7D21  | X7D43  | 10        | 14               | 21                   | \$10.80        | \$11.15        |
| 3-K412S-KK | X7D89  | X8D11  | 12        | 17 $\frac{1}{2}$ | 26 $\frac{3}{4}$     | 11.85          | 12.20          |

All above: Three in bdl.

## BARLEY UTILITY FORKS

KEEN  KUTTER

## Long Handles—Five Tines

8-Inch Green Tubular Ferrules with Gold Bronzed Cap

Square shoulder. 18-inch oval tines. Width at point 14 inches.  
Bent handle. Length of handle 4 $\frac{1}{2}$  feet.Repair handle No. KTM4 $\frac{1}{2}$ 

| Each                       | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|----------------------------|--------|--------|----------------|----------------|
| 3-KB0504 $\frac{1}{2}$ -KK | X4D27  | X4D40  | \$6.40         | \$6.60         |

Three in bdl. Wt. bdl. 12 $\frac{1}{2}$  lbs.

## Steel D Handle, with Wood Grip—Green Finish


8-Inch Tubular Ferrule with Gold Bronzed Cap

Square shoulder. 18-inch oval tines. Width at point 14 inches.  
Length of handle 34 inches.

Repair handle No. KTIM

| Each        | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|-------------|--------|--------|----------------|----------------|
| 3-KB050D-KK | X4D27  | X4D40  | \$6.40         | \$6.60         |

Three in bdl. Wt. bdl. 13 lbs.



## Long Handled—Four-Tine

10-Inch Green Tubular Ferrule with Gold Bronzed Cap

Square shoulder. 18-inch tines.  $14\frac{1}{4}$ -inch spread.  $4\frac{3}{4}$ -inch spacing.  
Length of handle 4 $\frac{1}{2}$  feet.Repair handle No. KTM4 $\frac{1}{2}$ 

| Each                       | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|----------------------------|--------|--------|----------------|----------------|
| 3-KB0184 $\frac{1}{2}$ -KK | X4D02  | X4D12  | \$6.05         | \$6.20         |

Three in bdl. Wt. bdl. 12 lbs.

**BALLAST OR STONE FORKS**KEEN  KUTTER

10-inch Tubular Ferrule with Cap—Riveted Shank  
Stamped Steel D Head with Wood Grip—Green Finish  
Natural Finish Square Tines—30-inch Handle

Repair handle No. KTIC

Length tines, 13½ ins. Spread, 10½ ins. Space between tines, 1⅛ ins.

| Each      | Zone 1 | Zone 2 | No. Tines | Wt. Bdl., lbs. | Zone 1 Each | Zone 2 Each |
|-----------|--------|--------|-----------|----------------|-------------|-------------|
| 3-K98S-KK | X7D33  | X7D55  | 8         | 20¾            | \$11.00     | \$11.35     |

Length of tines 14 ins. Spread, 13 ins. Space between tines, 1⅛ ins.  
3-K100S-KK X8D13 X8D35 10 24¾ 12.20 12.50  
Three in bdl.

**COKE FORKS**KEEN  KUTTER

10-inch Tubular Ferrule with Cap—Steel D Head  
Natural Finish 17-inch Diamond Tines  
30-inch Handle—Green Finish

Repair handle No. KTIC

Space between tines, 1¼ ins. Width at center and spread at points, 18 ins.

| Each      | Zone 1 | Zone 2 | No. Tines | Wt. Bdl., lbs. | Zone 1 Each | Zone 2 Each |
|-----------|--------|--------|-----------|----------------|-------------|-------------|
| 3-K712-KK | X8D93  | X9D15  | 12        | 26¾            | \$13.40     | \$13.70     |

Space between tines, 1¼ ins. Width at center and spread at points, 20¼ ins.

|           |       |       |    |     |       |       |
|-----------|-------|-------|----|-----|-------|-------|
| 3-K714-KK | X9D61 | X9D83 | 14 | 30½ | 14.40 | 14.75 |
|-----------|-------|-------|----|-----|-------|-------|

Three in bdl.

**COAL SCOOP FORKS**KEEN  KUTTER

10-inch Tubular Ferrule with Cap—Riveted Shank  
Steel D Head—Green Finish  
Natural finish round tines. 30-inch handle.

Repair handle No. KTIC

Length of tines 15 ins. Space between tines, 1¼ ins. Width at center and spread at points, 13½ ins.

| Each         | Zone 1 | Zone 2 | No. Tines | Wt. Bdl., lbs. | Zone 1 Each | Zone 2 Each |
|--------------|--------|--------|-----------|----------------|-------------|-------------|
| 3-K1012½-RKK | X8D93  | X9D15  | 12        | 24½            | \$13.40     | \$13.70     |

Length of tines, 15 ins. Space between tines, ¾ in. Width at center and spread at points, 14 ins.

|             |       |       |    |    |       |       |
|-------------|-------|-------|----|----|-------|-------|
| 3-K1014R-KK | X9D61 | X9D83 | 14 | 25 | 14.40 | 14.75 |
|-------------|-------|-------|----|----|-------|-------|

Three in bdl.

**POTATO HOOKS**KEEN  KUTTER**Heavy Pattern****Four Broad Oval Tines**

Bent head. Long green ferrule. Riveted shank. 4½-foot handle.  
7½-inch tines. 7½-inch spread.

Repair handle No. KTC4½

| Each       | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|------------|--------|--------|-------------|-------------|
| 3-K4B01-KK | X3D14  | X3D24  | \$4.70      | \$4.85      |

K4B01 H Six in bdl. Wt. bdl. 24 lbs.

**Light Pattern****Four Broad Oval Tines**

Bent head. Long green ferrule. Riveted shank. 4½-foot handle.  
6¾-inch tines. 6¼-inch spread.

Repair handle No. KTC4½

| Each       | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|------------|--------|--------|-------------|-------------|
| 3-K4B01-KK | X2D80★ | X2D86★ | \$4.20      | \$4.30      |

Six in bdl. Wt. bdl. 14 lbs.

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

## MANURE HOOKS

KEEN  KUTTER

Four Oval Tines


Bent head. Long green ferrule. Riveted shank. 5-foot handle. 9½-inch tines. 9-inch spread.

Repair handle No. KTP5

| Each      | Zone 1 | Zone 2 | Each   | Each |
|-----------|--------|--------|--------|------|
| 3-KM40-KK | X3D42  | X3D52  | \$5.15 | 5.30 |

Six in bdl. Wt. bdl. 20 lbs.

## CHOPPED HAY DRAGS

KEEN  KUTTER

A large capacity hook type drag specially designed for handling chopped hay and similar light bulky material.

Five slender oval tines, sharpened and polished. Straight portion of tines 10 inches long, over all length 14 inches. Width at points 14 inches. Straight hardwood handle six feet long. Steel tubular green ferrules.

| Each       | Zone 1 | Zone 2 | Each   | Each |
|------------|--------|--------|--------|------|
| 3-KHD56-KK | X5D50  | X5D65  | \$8.25 | 8.50 |

Six in bdl. Wt. bdl. 32½ lbs.

## CORN DRAG OR MILL HOOKS

KEEN  KUTTER

Four heavy oval tines 8 inches long. Width of head 10¼ inches. Ash handle 6 feet long. Tubular green ferrules.

| Each       | Zone 1 | Zone 2 | Each   | Each |
|------------|--------|--------|--------|------|
| 3-KCD48-KK | X5D21  | X5D40  | \$7.90 | 8.10 |

Six in bdl. Wt. bdl. 27 lbs.

## STONE HOOKS OR DRAGS

KEEN  KUTTER

Four Flat Angular Back Tines

Heavy Pattern

Bent head. Long green ferrule. Riveted shank. 5-foot handle. 9¾-inch tines. 7¾-inch spread.

Repair handle No. KTP5

| Each      | Zone 1 | Zone 2 | Each   | Each |
|-----------|--------|--------|--------|------|
| 3-KSH4-KK | X4D83  | X4D96  | \$7.25 | 7.45 |

Six in bdl. Wt. bdl. 28 lbs.

## GARDEN OR FIELD HOES


KEEN  KUTTER

Socket Pattern

Full polished blade. Long green socket and shank. 4½-foot handle. Repair handle No. KTRS4½

| Each       | Zone 1 | Zone 2 | Width Blade, ins. | Depth Blade, ins. | Wt. lbs. | Zone 1 Each | Zone 2 Each |
|------------|--------|--------|-------------------|-------------------|----------|-------------|-------------|
| 3-KG06¼-KK | X2D24★ | X2D30★ | 6¼                | 4¼                | 13       | \$3.35      | 3.45        |
| 3-KG07-KK  | X2D28  | X2D34  | 7                 | 4¼                | 14       | 3.45        | 3.50        |

Six in bdl.



Socket Pattern—Serrated Blade

New blade edge with sharpened serrations (4 sharp points per inch of width, dig better in all soils.

Full polished thin tapered blade, spring neck. 4½-foot handle. Copper bronzed socket and shank.

Repair handle No. KTRS4½

Width of blade 6¼ inches. Depth of blade 2¾ inches.

(KEEN KUTTER)

| Each       | Zone 1 | Zone 2 | Each   | Each |
|------------|--------|--------|--------|------|
| 3-KT06¼-KK | X2D32★ | X2D38★ | \$3.50 | 3.55 |

Six in bdl. Wt. bdl. 11½ lbs.

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

## GARDEN OR FIELD HOES

## KLICKER



## Socket Pattern

Forged blade  $\frac{1}{8}$  polished  $\frac{2}{3}$  of blade and socket crystalite blue.  $\frac{1}{16}$ -inch shank.  $4\frac{1}{3}$ -foot, smooth, fire hardened handle. Depth of blade  $4\frac{1}{4}$  inches. Crystalite ferrule.

Repair handle No. BRS4 $\frac{1}{2}$ K

| Each                     | Zone 1 | Zone 2 | Width<br>Blade,<br>ins. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|--------------------------|--------|--------|-------------------------|----------------------|----------------|----------------|
| 3-PG06 $\frac{1}{4}$ K-K | X2D00★ | X2D06★ | 6 $\frac{1}{4}$         | 13                   | \$3.00         | 3.10           |
| Six in bdl.              |        |        |                         |                      |                |                |

## Shank Pattern

Forged blade  $\frac{1}{8}$  polished and  $\frac{2}{3}$  of blade and shank aluminum finish. Fire hardened handle  $4\frac{1}{3}$  feet, with crystalite blue ferrule. Depth blade  $4\frac{1}{4}$  inches.

Repair handle BRS4 $\frac{1}{2}$ K

| Each                   | Zone 1 | Zone 2 | Width<br>Blade,<br>ins. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|------------------------|--------|--------|-------------------------|----------------------|----------------|----------------|
| 3-PG $\frac{1}{4}$ K-K | X1D92  | X1D98  | 6 $\frac{1}{4}$         | 12                   | \$2.90         | 2.98           |
| Six in bdl.            |        |        |                         |                      |                |                |

## COMET



Blade and shank taper forged in one piece from solid steel, no welds. Blade  $6\frac{1}{4}$  inches wide,  $4\frac{1}{4}$  inches deep. Beveled edge.  $4\frac{1}{3}$  foot spring neck Ash handle. Head and ferrule finished in gold bronze.

| Each                              | Each   |
|-----------------------------------|--------|
| 3-C6G-K                           | X1D70★ |
| Six in bundle. Wt. bundle 13 lbs. |        |

SOUTHERN MEADOW OR  
BLACKLAND HOES

## COMET



## Shank Pattern

Blade and shank taper forged in one piece from solid steel, no welds. Gooseneck shank  $\frac{3}{16}$  inch diameter. Blade 7 inches wide,  $3\frac{1}{2}$  inches deep. Beveled edge. 5 foot Ash handle. Head and ferrule finished in gold bronze.

| Each                                            | Each  |
|-------------------------------------------------|-------|
| 3-C7MS-K                                        | X1D70 |
| Six in bundle. Wt. bundle 14 $\frac{1}{2}$ lbs. |       |

SOUTHERN MEADOW OR  
BLACKLAND HOES

## Socket Pattern

Forged steel blade 8 inches wide,  $3\frac{1}{2}$  inches deep. Beveled edge. Gooseneck  $\frac{3}{16}$  inch diameter. 5 foot Ash handle. Head and socket finished in gold bronze.

| Each                              | Each  |
|-----------------------------------|-------|
| 3-C8MO-K                          | X1D80 |
| Six in bundle. Wt. bundle 16 lbs. |       |

Six in bundle. Wt. bundle 16 lbs.

## AMES




## Lightweight Ladies Garden and Floral

Forged polished steel heads gold trimmed. Green ferrules. 5 inch blade  $3\frac{3}{4}$  inches deep. 4 foot light spring handle.

| Each                                            | Zone 1<br>Each | Zone 2<br>Each |
|-------------------------------------------------|----------------|----------------|
| 3-AFH5-K                                        | X1D90          | X1D94          |
| Six in bundle. Wt. bundle 10 $\frac{1}{2}$ lbs. |                |                |

Six in bundle. Wt. bundle 10 $\frac{1}{2}$  lbs.

## CULTIVATOR, WEEDER HOES



Thin, polished shallow blades for surface cultivation. Sharpened sides and cutting edge. Blade width  $6\frac{1}{4}$  in. Blade depth  $1\frac{3}{4}$  in. Length of handle  $4\frac{1}{3}$  ft. Long plain ferrule. Green lacquered.

## Shank Pattern with Flat Gooseneck

## (KEEN CUTTER)

| Each                        | Zone 1<br>Each | Zone 2<br>Each |
|-----------------------------|----------------|----------------|
| 3-KT6 $\frac{1}{4}$ -KK     | X2D14          | X2D18          |
| Six in bdl. Wt. bdl. 9 lbs. |                |                |

Six in bdl. Wt. bdl. 9 lbs.

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

## WEEDING HOES

KEEN  KUTTER

Forged steel, polished and enameled blade. Riveted shank, sharp point. Gray and gold finish. Green ferrules.

## One Prong

Width of blade  $3\frac{1}{8}$  inches. Length of head  $8\frac{1}{4}$  inches. Length of handle  $4\frac{1}{8}$  feet.

| Each                                      | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|-------------------------------------------|--------|--------|----------------|----------------|
| 3-K1PF-KK                                 | X2D16  | X2D22  | \$3.25         | 3.35           |
| Six in bdl. Wt. bdl. $13\frac{1}{2}$ lbs. |        |        |                |                |



## Two Prongs

Polished and enameled blade. Sharp spear points. Riveted shank. Gray and gold finish. Green ferrules.

Width of blade  $3\frac{5}{8}$  inches. Length of head  $8\frac{1}{4}$  inches. Length of handle  $4\frac{1}{8}$  feet.

| Each                         | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|------------------------------|--------|--------|----------------|----------------|
| 3-K2PF-KK                    | X2D16  | X2D22  | \$3.25         | 3.35           |
| Six in bdl. Wt. bdl. 13 lbs. |        |        |                |                |



## 3-Prong Long Handle

One piece steel head. Blade  $2\frac{3}{4} \times 5\frac{3}{4}$  in. Clear ash handle. Head finished in copper bronze paint with bright steel blade tip. Maroon ferrule.

| Each                             | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|----------------------------------|--------|--------|----------------|----------------|
| 3-K24L-KK                        | D8C6   | D9C0   | \$1.30         | 1.35           |
| Six in bundle. Wt. bundle 7 lbs. |        |        |                |                |

2-Prong  
Long Handle

One-piece steel blade. Head measures  $5\frac{3}{4} \times 2\frac{7}{8}$  in. Clear ash handle, 26 in. long. Copper bronze finish on head with bright steel tip. Maroon ferrule.

| Each                             | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|----------------------------------|--------|--------|----------------|----------------|
| 3-K25L-KK                        | D8C6   | D9C0   | \$1.30         | 1.35           |
| Six in bundle. Wt. bundle 7 lbs. |        |        |                |                |

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

## WEEDING HOES

KLICKER

Bright cold rolled steel blades. Upset forged steel shank. Bright finish. Crystalite blue ferrule. Smooth, fire hardened handle 4 feet long, firmly attached.



## One Prong

Length of head 9 inches. Width of blade  $3\frac{1}{2}$  inches. Pointed prongs.

| Each    | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|---------|--------|--------|----------------|----------------|
| 3-1PK-K | X1D12★ | X1D18★ | \$1.70         | 1.80           |

Six in bdl. Wt. bdl. 12 lbs.



## Two Prong

Length of head 9 inches. Width of blade  $3\frac{5}{8}$  inches. Two pointed prongs.

| Each    | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|---------|--------|--------|----------------|----------------|
| 3-2PK-K | X1D12★ | X1D18★ | \$1.70         | 1.80           |

Six in bdl. Wt. bdl. 11 lbs.

## TRIANGULAR HOES



## Warren Pattern

## For Trenching, Filling and Hilling

Special one-piece forged polished blade, rigid and eared. Green lacquered steel neck and socket. Select straight grained ash handle  $4\frac{1}{8}$  feet long, polished and lacquered.

Length of blade  $6\frac{5}{8}$  inches. Width at top  $4\frac{3}{4}$  inches.Repair handle No. KTRS4 $\frac{1}{8}$ 


(KEEN KUTTER)

| Each      | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|-----------|--------|--------|----------------|----------------|
| 3-KW7H-KK | X2D28★ | X2D34★ | \$3.45         | 3.50           |

Six in bdl. Wt. bdl. 12 lbs.

TRIANGULAR HOES

GARDEN CENTER



Good for close work in thick growth. Sharpened on sides. Blade width 2 in. Blade depth 4 1/4 in. Length of handle 4 ft. Green lacquered ferrules.

Shank Pattern

(KEEN KUTTER)

| Each      | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|-----------|--------|--------|----------------|----------------|
| 3-KWW1-KK | X1D90  | X1D94  | \$2.85         | 2.90           |

Six in bdl. Wt. bdl. 7 1/2 lbs.

CULTIVATOR WEEDING HOES

AMES



Forged steel polished blade, gold neck with plain green ferrules. Blade 2 inches wide, 4 1/2 inches deep. Four foot light spring handle.

| Each     | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|----------|--------|--------|----------------|----------------|
| 3-ACWH-K | X1D90  | X1D94  | \$2.85         | 2.90           |

Six in bundle. Wt. bundle 8 lbs.

COTTON HOES

KEEN KUTTER



Long Socket Pattern

Southern Meadow or Black Land Scraping

Full polished blade. 5-foot handle. 1/16-inch shank. Green socket and shank.

Repair handle No. KTRS5

Depth of Blade 3 1/2 inches.

| Each       | Zone 1 | Zone 2 | Width<br>Blade,<br>ins. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|------------|--------|--------|-------------------------|----------------------|----------------|----------------|
| 3-KSMO6-KK | X2D05  | X2D13  | 6                       | 15                   | \$3.10         | 3.20           |
| 3-KSMO7-KK | X2D09★ | X2D17★ | 7                       | 15 1/2               | 3.15           | 3.25           |
| 3-KSMO8-KK | X2D13★ | X2D21★ | 8                       | 16                   | 3.20           | 3.30           |
| 3-KSMO9-KK | X2D17  | X2D25  | 9                       | 16 1/2               | 3.25           | 3.40           |

Six in bdl.

COTTON HOES

KEEN KUTTER



Goose Neck Shank Pattern

Full Polished Blade

Long green ferrule and 1/2-inch diameter shank are riveted. Depth of blade 5 1/2 inches.

Repair handle No. KCT4 Series  
Depth of blade 4 1/2 inches. 4 foot handle.

| Each          | Zone 1 | Zone 2 | Width<br>Blade,<br>ins. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|---------------|--------|--------|-------------------------|----------------------|----------------|----------------|
| 3-KC64 1/2-KK | X2D01  | X2D09  | 6                       | 16 1/2               | \$3.00         | 3.15           |

Depth of blade 5 inches. 5 foot handle.

|           |       |       |   |        |      |      |
|-----------|-------|-------|---|--------|------|------|
| 3-KC65-KK | X2D09 | X2D17 | 6 | 17 1/2 | 3.15 | 3.25 |
|-----------|-------|-------|---|--------|------|------|

Depth of blade 5 inches. 5 foot handle.

|           |       |       |   |    |      |      |
|-----------|-------|-------|---|----|------|------|
| 3-KC75-KK | X2D13 | X2D21 | 7 | 18 | 3.20 | 3.30 |
|-----------|-------|-------|---|----|------|------|

Six in bdl.



Cotton Chopper

Straight Shank, Narrow Blade

Full Polished Blade

Riveted green shank and long steel ferrule. 1/2-inch shank. 5-foot handle.

Repair handle No. KTC5

Depth of Blade 4 inches.

| Each      | Zone 1 | Zone 2 | Width<br>Blade,<br>ins. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|-----------|--------|--------|-------------------------|----------------------|----------------|----------------|
| 3-KCC7-KK | X2D09  | X2D17  | 7                       | 18                   | \$3.15         | 3.25           |
| 3-KCC8-KK | X2D13  | X2D21  | 8                       | 19                   | 3.20           | 3.30           |

Six in bdl.

KLICHER



Socket Pattern

Southern Meadow or Blackland Scraping

Solid forged one piece taper rolled blade 1/8 polished, with crystalite finish on rest of blade and socket. 1/16-inch shank. Blade 3 1/2 inches deep. 5-foot fire hardened handle.

Takes No. BRS5K handle

| Each       | Zone 1 | Zone 2 | Width<br>Blade,<br>ins. | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|------------|--------|--------|-------------------------|----------------------|----------------|----------------|
| 3-PSMO6K-K | X1D88  | X1D97  | 6                       | 15                   | \$2.85         | 2.95           |
| 3-PSMO7K-K | X1D93★ | X2D01★ | 7                       | 15 1/2               | 2.90           | 3.00           |
| 3-PSMO8K-K | X1D97★ | X2D05★ | 8                       | 16                   | 2.95           | 3.10           |
| 3-PSMO9K-K | X2D01  | X2D09  | 9                       | 16 1/2               | 3.00           | 3.15           |

Twelve in bdl.

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

## COTTON HOES

## Klicker



## Regular Shank Pattern

Solid forged, one piece tapered rolled planished  $\frac{1}{8}$  polished blade. Crystalite blue ferrule.

$\frac{1}{2}$ -inch shank. Depth of blade 5 inches. 5-foot smooth, fire hardened handle.


Repair handle No. BC4 $\frac{1}{2}$ K

Takes No. DHK series handle

| Each                     | Zone 1 | Zone 2 | Width Blade, ins. | Length Handle, ft. | Wt. Bdl., lbs.   | Zone 1 Each | Zone 2 Each |
|--------------------------|--------|--------|-------------------|--------------------|------------------|-------------|-------------|
| 3-PC64 $\frac{1}{2}$ K-K | X1D85  | X1D93  | 6                 | 4 $\frac{1}{2}$    | 16 $\frac{1}{2}$ | \$2.75      | \$2.90      |
| 3-PC65K-K                | X1D93  | X2D01  | 6                 | 5                  | 17 $\frac{1}{2}$ | 2.90        | 3.00        |
| 3-PC75K-K                | X1D97  | X2D05  | 7                 | 5                  | 18               | 2.95        | 3.10        |

Six in bdl.

## COMET



## Regular Pattern

Blade and shank taper forged in one piece from solid steel, no welds. Gooseneck shank  $\frac{1}{2}$  inch diameter. Blade 7 inches wide, 5 inches deep. Beveled edge. 5 foot Ash handle. Head and ferrule finished in gold bronze.

| Each            | Each   |
|-----------------|--------|
| 3-C7R/5-K X1D80 | \$2.70 |

Six in bundle. Wt. bundle 18 lbs.



## Light Pattern

Blade and shank taper forged in one piece from solid steel, no welds. Gooseneck shank  $\frac{1}{16}$  inch diameter. Blade 6 inches wide, 4 $\frac{5}{8}$  inches deep. Beveled edge. 4 $\frac{1}{2}$  foot Ash handle. Head and ferrule finished in gold bronze.

| Each                           | Each   |
|--------------------------------|--------|
| 3-C6L/4 $\frac{1}{2}$ -K X1D65 | \$2.50 |

Six in bundle. Wt. bundle 13 $\frac{1}{2}$  lbs.

## PLANTERS HOES

## KEEN KUTTER



## Straight Shank Pattern

Repair handle No. KTP5

Full polished blade,  $\frac{5}{8}$ -inch shank. Long green ferrules. 5-foot handle.

Width of blade 8 inches. Depth 5 $\frac{3}{4}$  inches.

| Each       | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|------------|--------|--------|-------------|-------------|
| 3-KSP85-KK | X2D22  | X2D32  | \$3.35      | \$3.50      |

Six in bdl. Wt. bdl. 21 $\frac{1}{2}$  lbs.

## Klicker



## Regular Shank Pattern

Solid forged one piece taper rolled aluminum finish  $\frac{1}{4}$  polished blade. Crystalite blue ferrule.  $\frac{5}{8}$ -inch shank. Depth of blade 6 inches. Smooth, fire hardened handle. 4 $\frac{1}{2}$  foot long.

Takes No. BP5K handle

Width of blade 5 ins. Depth of blade 5 $\frac{1}{4}$  ins.

| Each                     | Zone 1 | Zone 2 | Length Handle, ft. | Wt. Bdl., lbs.   | Zone 1 Each | Zone 2 Each |
|--------------------------|--------|--------|--------------------|------------------|-------------|-------------|
| 3-PP54 $\frac{1}{2}$ K-K | X1D93  | X2D01  | 4 $\frac{1}{2}$    | 17 $\frac{1}{2}$ | \$2.90      | \$3.00      |

Six in bdl.

## PLANTERS HOES

## KLICKER



## Cotton Chopper


Aluminum finish with  $\frac{1}{8}$  polished blade. Steel ferrule and shank crystalite blue. Depth of blade 4 inches. 5-foot smooth, fire hardened handles.

Takes No. BC5K handles

Width of blade 8 inches.

| Each      | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|-----------|--------|--------|----------------|----------------|
| 3-PCC8K-K | X1D97  | X2D05  | \$2.95         | \$3.10         |

Six in bdl. Wt. bdl. 19 lbs.



Repair handle No. BP5K

## Straight Shank Pattern

Aluminum finish with  $\frac{1}{8}$  polished blade.  $\frac{5}{8}$ -inch shank. Long crystalite blue ferrules. 5-foot fire hardened handles.

Width of blade 8 inches. Depth  $5\frac{3}{4}$  inches.

| Each       | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|------------|--------|--------|----------------|----------------|
| 3-PSP85K-K | X2D05  | X2D16  | \$3.10         | \$3.25         |

Six in bdl. Wt. bdl.  $21\frac{1}{2}$  lbs.

## BEET OR NURSERY HOES

## KEEN KUTTER



## Socket Pattern—Long Handled

Full polished blade. Green riveted socket.  $4\frac{1}{8}$ -foot handle.

Repair handle No. KTRS4 $\frac{1}{8}$

Width of blade 6 ins. Depth of blade  $3\frac{3}{8}$  ins.

| Each      | Zone 1 | Zone 2 | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|-----------|--------|--------|----------------------|----------------|----------------|
| 3-KN06-KK | X2D24★ | X2D30★ | 13                   | \$3.35         | \$3.45         |


Width of blade 7 ins. Depth of blade  $3\frac{5}{8}$  ins.

|           |       |       |                  |      |      |
|-----------|-------|-------|------------------|------|------|
| 3-KN07-KK | X2D28 | X2D34 | 13 $\frac{1}{2}$ | 3.45 | 3.50 |
|-----------|-------|-------|------------------|------|------|

Six in bdl.

## BEET OR NURSERY HOES

## KLICKER



Repair handle No. BRS4 $\frac{1}{2}$

## Socket Pattern

Crystalite blue finish on metal with  $\frac{1}{8}$  polished blade.  $4\frac{1}{8}$ -foot smooth, fire hardened handle.

Width of blade 6 ins. Depth of blade  $3\frac{1}{2}$  ins.

| Each      | Zone 1 | Zone 2 | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|-----------|--------|--------|----------------------|----------------|----------------|
| 3-PN06K-K | X1D96  | X2D02  | 12 $\frac{1}{2}$     | \$2.95         | \$3.05         |

Width of blade 7 ins. Depth of blade  $3\frac{1}{2}$  ins.

|           |       |       |    |      |      |
|-----------|-------|-------|----|------|------|
| 3-PN07K-K | X2D00 | X2D06 | 13 | 3.00 | 3.10 |
|-----------|-------|-------|----|------|------|

Six in bdl.

## NURSERYMEN'S OR BEET HOES

## COMET



## Socket Pattern

Forged steel blade 7 inches wide, square top earless pattern. Beveled edge.  $4\frac{1}{8}$  foot Ash handle. Head and socket finished in gold bronze.

|         |            |        |
|---------|------------|--------|
| Each    |            | Each   |
| 3-C7N-K | X1D65..... | \$2.50 |

Six in bundle. Wt. bundle 13 lbs.

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

## ONION HOES

KEEN  KUTTER

## Square Top

Shallow full polished blades with keen sharpened cutting edge and sides. Spring neck white ash handle  $4\frac{1}{4}$  feet long. Green ferrules. Blade 7 inches wide and  $1\frac{3}{4}$  inches deep.

## Shank Pattern

| Each                                       | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|--------------------------------------------|--------|--------|--------|--------|
|                                            |        |        | Each   | Each   |
| 3-KS71 $\frac{3}{4}$ -KK                   | X2D22  | X2D26  | \$3.35 | 3.40   |
| Six in bdl. Wt. bdl. 10 $\frac{1}{2}$ lbs. |        |        |        |        |

## MORTAR HOES

KEEN  KUTTERShank Pattern Mortar Mixers  
Perforated, Full Polished Blade

Riveted black shank. Blade 10 inches wide, 6 inches deep,  $\frac{5}{8}$ -inch shank.  $5\frac{1}{2}$ -foot handle. Green ferrules.

Repair handle No. KTP5 $\frac{1}{2}$ 

| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------------|--------|--------|--------|--------|
|                              |        |        | Each   | Each   |
| 3-KM210-KK                   | X4D26  | X4D36  | \$6.40 | 6.55   |
| Six in bdl. Wt. bdl. 24 lbs. |        |        |        |        |



## Shank Pattern—Full Polished Steel Blade

Riveted black shank. Blade 10 inches wide, 6 inches deep.  $\frac{5}{8}$ -inch shank.  $5\frac{1}{2}$ -foot handle. Green ferrules.

Repair handle No. KPP5 $\frac{1}{2}$ 

| Each                                       | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|--------------------------------------------|--------|--------|--------|--------|
|                                            |        |        | Each   | Each   |
| 3-KM10-KK                                  | X4D26  | X4D36  | \$6.40 | 6.55   |
| Six in bdl. Wt. bdl. 24 $\frac{1}{2}$ lbs. |        |        |        |        |

## SCUFFLE HOES

KEEN  KUTTERRailroad or Garden—Shank Pattern  
Extra Heavy Polished Blade

Forged from one piece of steel. Single straight shank pattern. Green steel ferrule and shank. Size of blade  $8\frac{1}{2}$ x4 inches. Length of handle 5 feet.

## Repair handle No. KTPF5

| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------------|--------|--------|--------|--------|
|                              |        |        | Each   | Each   |
| 3-KRS84-KK                   | X3D54  | X3D64  | \$5.30 | 5.45   |
| Six in bdl. Wt. bdl. 20 lbs. |        |        |        |        |

## SCUFFLE HOES

KEEN  KUTTER

One-piece high grade tool steel blade and shank. Green long ferrule and shank.

Size of blade  $7\frac{1}{2}$ x4 inches. Length of handle  $5\frac{1}{2}$  feet.

Repair handle No. KTPF5 $\frac{1}{2}$ 

| Each                                       | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|--------------------------------------------|--------|--------|--------|--------|
|                                            |        |        | Each   | Each   |
| 3-KA25-KK                                  | X2D80  | X2D86  | \$4.20 | 4.30   |
| Six in bdl. Wt. bdl. 14 $\frac{1}{2}$ lbs. |        |        |        |        |



Full size, yet light weight. Blade and shank forged in one piece from bar steel and heat treated. Designed for push-pull motion. Beveled edge sharpened all around—cuts on all sides. Copper bronze finish on blade and shank. Green ferrule.

Blade—7 inches wide,  $1\frac{1}{2}$  inches deep at edges,  $3\frac{1}{2}$  inches at center point.

Length of handle with longer ferrule— $4\frac{1}{2}$  feet.

| Each                        | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|-----------------------------|--------|--------|--------|--------|
|                             |        |        | Each   | Each   |
| 3-KGS7-KK                   | X1D94  | X1D96  | \$2.90 | 2.98   |
| Six in bdl. Wt. bdl. 9 lbs. |        |        |        |        |

SIDEWALK SCRAPERS OR  
SCUFFLE HOESKEEN  KUTTER

For chopping and cleaning ice, scraping mud from sidewalk, scraping stable and chicken house floors, cutting weeds, edging lawns, flower beds, etc.

Forged steel blade. Top of blade, shank and ferrule green.  $4\frac{1}{2}$ -foot white northern ash handle. 7-inch blade, 5 inches deep.

## Repair handle No. KTPF5

| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------------|--------|--------|--------|--------|
|                              |        |        | Each   | Each   |
| 3-KCSC-KK                    | X2D15★ | X2D30★ | \$3.25 | 3.49   |
| Six in bdl. Wt. bdl. 16 lbs. |        |        |        |        |



## Socket Pattern

Blade forged from high grade steel, oil tempered, one-third polished. Balance of blade painted black. Green socket.

Long lasting light weight handle  $4\frac{1}{2}$  feet long. Extra select growth straight grained ash, smooth belted and waxed. Blade 7x6 inches.

Repair handle No. KTRS4 $\frac{1}{2}$ 

| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------------|--------|--------|--------|--------|
|                              |        |        | Each   | Each   |
| 3-KOSC-KK                    | X2D40  | X2D50  | \$3.60 | 3.75   |
| Six in bdl. Wt. bdl. 24 lbs. |        |        |        |        |

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

UNHANDLED EYE HOES

KEEN  KUTTER



Scovil Pattern, Planters

Solid eye, square shoulder blade and eye forged from one-piece extra quality steel. Tempered and sharpened straight blade. One-third polished bit. Jarred body and eye. Takes No. BPA5K handle.

Depth 6 1/4 inches.

| Each                | Zone 1 | Zone 2 | Width, ins. | Wt. Bdl., lbs. | Zone 1 Each | Zone 2 Each |
|---------------------|--------|--------|-------------|----------------|-------------|-------------|
| 0-KSE0-KK           | X1D62  | X1D70  | 7           | 9 1/2          | \$2.45      | 2.55        |
| Depth 6 1/2 inches. |        |        |             |                |             |             |
| 0-KSE1-KK           | X1D64  | X1D70  | 7 1/2       | 10 1/2         | 2.45        | 2.55        |
| Six in ctn.         |        |        |             |                |             |             |



Planters' American Field Pattern Found Eye

Blade and eye forged from one-piece of tool steel. One-third polished bit, tempered and sharpened. Takes No. BPA5K handle

Depth 6 1/2 inches.

| Each        | Zone 1 | Zone 2 | Width, ins. | Wt. Bdl., lbs. | Zone 1 Each | Zone 2 Each |
|-------------|--------|--------|-------------|----------------|-------------|-------------|
| 0-KAE0H-KK  | X1D62  | X1D66  | 7           | 9              | \$2.45      | 2.50        |
| Six in ctn. |        |        |             |                |             |             |



Sprouting

Heavy steel blade. Third polished bit. Solid round adze eye. Depth 7 3/4 inches. Width 4 1/2 inches. Takes No. BPA5K handle

| Each                            | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|---------------------------------|--------|--------|-------------|-------------|
| 0-KG6/0-KK                      | X1D36★ | X1D70★ | \$2.50      | 2.55        |
| Six in ctn. Wt. ctn. 9 1/2 lbs. |        |        |             |             |

UNHANDLED EYE HOES

SCOVIL

Planters' Improved

Forged from one piece of steel, half polished.

Straight Blade

Has groove lock eye which prevents handle from rotating.

Repair handle No. BPA5K



|                     | Each  | Width, ins. | Depth, ins. | Wt. Ctn., lbs. | Each   |
|---------------------|-------|-------------|-------------|----------------|--------|
| 0-00-K              | X1D30 | 6 1/2       | 5 1/2       | 30             | \$1.95 |
| 0-0-K               | X1D35 | 7           | 6           | 33             | 2.10   |
| 0-1-K               | X1D40 | 7 1/2       | 6 1/2       | 36             | 2.15   |
| Twenty-four in ctn. |       |             |             |                |        |

TURF EDGERS

KEEN  KUTTER



For Trimming Around Edges of Lawns, Walks, etc.

Highest grade forged steel, oil tempered blade, with flanged top. Green lacquered steel ferrule. Straight grained ash handle 4 feet long polished and lacquered.

One-third polished blade 4 1/4 inches long, 9 inches wide.

| Each                         | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|------------------------------|--------|--------|-------------|-------------|
| 3-K40F-KK                    | X2D33  | X2D41  | \$3.50      | 3.60        |
| Six in bdl. Wt. bdl. 16 lbs. |        |        |             |             |



For cutting thick sod and trimming along walks. Turned step. Blades one-third polished. Blade width 9 in. Blade depth 4 3/4 in. Ferrules green lacquered. Natural finish ash handles.

Socket Pattern

| Each                         | Zone 1 | Zone 2 | Zone 1 Each | Zone 2 Each |
|------------------------------|--------|--------|-------------|-------------|
| 3-K040F-KK                   | X2D25  | X2D33  | \$3.35      | 3.50        |
| Six in bdl. Wt. bdl. 12 lbs. |        |        |             |             |

Less than Full Bundles, D0C6 Each Extra

STAR ★ DENOTES BEST SELLER

## GARDEN CULTIVATOR

KEEN  KUTTER

Three forged 4 inch long tines. Copper bronze head finish. Plain green ferrule. Clear handle. Length of handle 4 feet. Spread (extreme width)  $3\frac{1}{4}$  inches.

|           | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|-----------|--------|--------|--------|--------|
| Each      | 1      | 2      | Each   | Each   |
| 3-KFW3-KK | X2D06  | X2D10  | \$3.10 | 3.15   |

Six in bdl. Wt. bdl. 10 lbs.

KEEN  KUTTER

### Three Prongs Long Handle

Width at prongs 3 in. Clear ash handle, 36 inches long. Copper bronze head, green ferrule.

| Each      | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|-----------|--------|--------|--------|--------|
|           | D8C6   | D9C0   | Each   | Each   |
| 3-K22L-KK | D8C6   | D9C0   | \$1.30 | 1.35   |

Six in bundle. Wt. bundle 7 lbs.

## GARDEN CULTIVATORS

KEEN  KUTTER

### Five Prongs

Bent steel shanks set and bolted in wrought steel head.

Metal parts painted gray and gold. Selected straight ash handle  $4\frac{1}{3}$  feet long. Green ferrules.

| Each       | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------|--------|--------|--------|--------|
|            | X2D61  | X2D69  | Each   | Each   |
| 3-K1GC5-KK | X2D61  | X2D69  | \$3.90 | 4.05   |

Six in bdl. Wt. bdl. 16 lbs.

KEEN  KUTTER

### Four Curved Tines

A superior tool for preparing the ground for seeding and for cultivating after the planting is done.

High grade forged steel head and teeth. Green steel ferrule, riveted on. Extra select straight ash handle  $4\frac{1}{3}$  feet long. Length of teeth 4 inches. Spread (extreme width) 5 inches.

Repair handle No. KTR04 $\frac{1}{3}$

| Each      | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|-----------|--------|--------|--------|--------|
|           | X2D28★ | X2D34★ | Each   | Each   |
| 3-KSC4-KK | X2D28★ | X2D34★ | \$3.45 | 3.50   |

Six in bdl. Wt. bdl. 10 lbs.

AMES



### Three Tines

Forged sharp pointed tines gold finished. Green ferrules.

Three tines—head  $3\frac{1}{4}$  inches wide. 4 foot light spring handle.

| Each     | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|----------|--------|--------|--------|--------|
|          | X2D06  | X2D10  | Each   | Each   |
| 3-A3SC-K | X2D06  | X2D10  | \$3.10 | 3.15   |

Six in bundle. Wt. bundle 10 lbs.

Less Than Full Bundles D0C5 Extra Each

STAR ★ DENOTES BEST SELLER

## GARDEN RAKES

KEEN  KUTTER**Level Head**

14 curved, slim tapered teeth.  $3\frac{1}{4}$  inches deep; long green ferrule. Spring cushion neck. Dished head.

Thickness of head  $\frac{1}{4}$  inch.  $14\frac{3}{4}$ -inch width.  $5\frac{1}{2}$ -foot clear lacquered handle.

Repair handle No. KTRO5 $\frac{1}{2}$ 

| Each                                       | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|--------------------------------------------|--------|--------|----------------|----------------|
| 3-KT14-KK                                  | X2D37  | X2D45  | \$3.55         | 3.70           |
| Six in bdl. Wt. bdl. 16 $\frac{1}{2}$ lbs. |        |        |                |                |

**Steel Bow, Braced**

Forged high grade tool steel; one-piece head and bow; long steel ferrule and cap, with rivet driven through ferrule, shank and handle.

**15-Teeth**

$2\frac{3}{4}$ -inch curved teeth; gold bronzed fittings; 5-foot handle.

Repair handle No. KTC5

| Each                         | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|------------------------------|--------|--------|----------------|----------------|
| 3-KB15-KK                    | X2D57★ | X2D65★ | \$3.85         | 3.98           |
| Six in bdl. Wt. bdl. 17 lbs. |        |        |                |                |



One-piece head and teeth. Clear ash handle 36 in. long. Copper bronze finish on head, maroon ferrule. Width of head  $3\frac{1}{2}$  in. Length of teeth  $2\frac{3}{4}$  in.

**Four Teeth**

| Each                                           | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|------------------------------------------------|--------|--------|----------------|----------------|
| 3-K26L-KK                                      | D8C6   | D9C0   | \$1.30         | 1.35           |
| Six in bundle. Wt. bundle 6 $\frac{1}{2}$ lbs. |        |        |                |                |

KEEN  KUTTER

Steel bows, braced. Provides a powerful spring action. Tapered  $2\frac{1}{4}$  in. long teeth properly curved and dished to rake clean and hold a heavy load. Width of head 12 in. Over all depth of head  $3\frac{1}{4}$  in. Length of handle  $4\frac{1}{2}$  ft. Long crystalite maroon lacquered ferrules.

**12 Teeth**

| Each                         | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|------------------------------|--------|--------|----------------|----------------|
| 3-KB12-KK                    | X2D32  | X2D38  | \$3.50         | 3.60           |
| Six in bdl. Wt. bdl. 14 lbs. |        |        |                |                |

**KLICHER****Level Head****14 Slightly Curved Teeth—Plain Ferrules**

Thickness of head  $\frac{1}{4}$  inch. Depth of head  $3\frac{3}{4}$  inches. Length of head 14 inches.

5-foot, smooth, clear lacquered handle.

Repair handle No. BRO5K

| Each                         | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|------------------------------|--------|--------|----------------|----------------|
| 3-PL14K-K                    | X1D89  | X1D97  | \$2.85         | 2.95           |
| Six in bdl. Wt. bdl. 15 lbs. |        |        |                |                |



One-piece head and bow 14 inches wide,  $2\frac{1}{4}$ -inch curved teeth. Tubular steel green ferrule  $4\frac{1}{4}$  inches long with cap. Smooth, clear lacquered handle 5 feet long.

Repair handle No. BRO5K

**14-Teeth**

| Each                         | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|------------------------------|--------|--------|----------------|----------------|
| 3-PB14K-K                    | X2D21  | X2D29  | \$3.30         | 3.45           |
| Six in bdl. Wt. bdl. 16 lbs. |        |        |                |                |

GARDEN RAKES

COMET



Forged steel head 14 inches wide with long rounded bows. Curved teeth 2¼ inches long. Plain ferrule. 5 foot shaped Ash handle. Head and ferrule finished in gold bronze.

|                                   |        |
|-----------------------------------|--------|
| Each                              | Each   |
| 3-C14B-K X2D00★                   | \$3.00 |
| Six in bundle. Wt. bundle 18 lbs. |        |

FLORAL RAKES

AMES



Lightweight Ladies Garden and Floral

Forged steel heads—green ferrules. Eight curved gold finished teeth. Width of head 8 inches. 4 foot light spring handles.

|                                  |        |        |        |        |
|----------------------------------|--------|--------|--------|--------|
| Each                             | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|                                  |        |        | Each   | Each   |
| 3-ATR8-K X1D54 X1D58             |        |        | \$2.30 | 2.35   |
| Six in bundle. Wt. bundle 9 lbs. |        |        |        |        |

CRAB GRASS OR DANDELION RAKES

KEEN KUTTER



Socket Pattern

Designed for raking and cleaning lawns and yards. The saw teeth will exterminate dandelions by cutting off the blossoms.

Specially shaped heavy steel head 16¼ inches wide with 26 saw teeth. Socket firmly riveted to head. Painted green. Fine quality ash handle 5 feet long, polished and lacquered.

|                              |        |        |        |        |
|------------------------------|--------|--------|--------|--------|
| Each                         | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|                              |        |        | Each   | Each   |
| 3-KCG-KK X2D41★ X2D49★       |        |        | \$3.60 | 3.75   |
| Six in bdl. Wt. bdl. 19 lbs. |        |        |        |        |

LAWN RAKES

KEEN KUTTER



Reversible


24 Teeth and 12 Loops

Pressed steel open head and socket. Steel wire teeth and loops. Head and socket aluminum finish. Smooth hardwood handle 5 feet long.

Width of head 20½ inches.

|                               |        |        |        |        |
|-------------------------------|--------|--------|--------|--------|
| Each                          | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|                               |        |        | Each   | Each   |
| 3-K124R-KK X2D29 X2D37        |        |        | \$3.45 | 3.55   |
| Six in bdl. Wt. bdl. 17½ lbs. |        |        |        |        |

## HAY RAKES



Wire Braced—20-Tooth

Hardwood head, smooth finished ash handle mortised into head and held by six No. 10 gauge coppered steel wire braces. Plain finished. Round wood teeth, with square shoulders, mortised into head.

27-inch straight head, 4½-inch teeth. Set 1 inch apart. 6-foot ash handle.

| Each                | Each   |
|---------------------|--------|
| 3-WLXX-K X1D55..... | \$2.50 |

## EXTRA WOOD TEETH

| Each              | Each   |
|-------------------|--------|
| R-RT-K D0C4½..... | \$0.08 |

Loose. Wt. each 1 oz.

## ASPHALT OR TAR RAKES

GENEVA TRUE TEMPER



Heavy Pattern—14-Tooth

Best forged steel, 16½ inches wide. 18-inch shank. ½-inch square drop shank pattern. 3¾-inch teeth. Riveted tubular ferrule and cap. 5-foot handle.

| Each                       | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|----------------------------|--------|--------|--------|--------|
|                            |        |        | Each   | Each   |
| 3-1014H-K X5D74 X5D89..... |        |        | \$8.60 | \$8.65 |

Six in bdl. Wt. bdl. 39 lbs.

Light Pattern—14-Tooth

15½ in. wide—3½ in. teeth.

| Each                       | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|----------------------------|--------|--------|--------|--------|
|                            |        |        | Each   | Each   |
| 3-1014L-K X5D34 X5D49..... |        |        | \$8.00 | \$8.25 |

Six in bdl. Wt. bdl. 35 lbs.

## GARDEN MATTOCKS



KEEN KUTTER

Round eye, forged and drawn from one solid piece of tool steel.

Half polished blades; 4½-foot handle. Length of blade 13¾ inches. Width of blades 1¾ and 3½ inches. Diameter of eye 1½ inches.

Repair handle No. KTMHR4½

| Each                       | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|----------------------------|--------|--------|--------|--------|
|                            |        |        | Each   | Each   |
| 3-KDE3-KK X2D65 X2D73..... |        |        | \$3.95 | \$4.10 |

Six heads in ctn., six handles in bdl. Wt. 20 lbs.

## SOD LIFTERS

GENEVA TRUE TEMPER



Solid Steel Blade and 18-inch Shank, Tubular Ferrule

Blade 9 inches wide, 5 inches deep. 32-inch ash handle fitted with IDL steel D head.

| Each                   | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|------------------------|--------|--------|--------|--------|
|                        |        |        | Each   | Each   |
| 3-1-K X5D83 X5D96..... |        |        | \$8.75 | \$8.95 |

Six in bdl. Wt. bdl. 29 lbs.

## GRAVEL AND ROAD RAKES



KEEN KUTTER

Extra Heavy Steel

Used for raking road beds, gravel and coal. Japanned finish. Forged high grade tool steel head and riveted shank. Long steel ferrule. 5½-foot handle. 3¾-inch straight teeth.


14 teeth. Length of head 15¾ inches.

| Each                  | Zone 1 | Zone 2 | No. Teeth | Lgth. Head, in. | Wt. Bdl., lbs. | Zone 1 | Zone 2 |
|-----------------------|--------|--------|-----------|-----------------|----------------|--------|--------|
|                       |        |        |           |                 |                | Each   | Each   |
| 3-KX14-KK X4D39 X4D52 |        |        | 14        | 15¾             | 25½            | \$6.60 | \$6.75 |
| 3-KX16-KK X4D55 X4D68 |        |        | 16        | 18              | 27             | 6.85   | 7.00   |

Six in bdl.

Less than Full Bundles, D0C5 Each Extra

## BROOM RAKES

KEEN  KUTTER**22 Tooth—19 in. Wide**

"Pull-type" with stiff-flex action for heavy duty use. Chrome plated steel spring provides rigidity needed in heavy litter.

Chrome-plated spring clip reinforces one-piece tubular socket. Straight edge with large capacity. Tooth spacer bar distributes flex-action across full width of head.

Head finished in metallic maroon. Ash handle with fire hardened finish.

2 in. raking depth. Length of handle 4½ ft.

Repair handle No. KTBR3½

| Each       | Zone 1 | Zone 2 | Each   | Each |
|------------|--------|--------|--------|------|
| 3-KSL22-KK | X2D45  | X2D53  | \$3.69 | 3.80 |

Six in bundle. Wt. bundle 16 lbs.

KEEN  KUTTER**22-Tooth—19 inches Wide**

Spring steel teeth, braced 7 inches from working points. Each tooth twisted before entering handle socket. Socket riveted to handle. Select ash handle, red stained and waxed finish, 3½ feet long.

Repair handle No. KTBR3½

| Each        | Zone 1 | Zone 2 | Each   | Each   |
|-------------|--------|--------|--------|--------|
| 3-KFBR22-KK | X1D48★ | X1D54★ | \$2.25 | \$2.30 |

Twelve heads in box, twelve handles in bdl. Wt. 22 lbs.

KEEN  KUTTER**20 Tooth—Red Head**


Spring steel teeth with straight flat edge. Tempered for long life and scientifically spaced and shaped. Powerful flexing action. Tooth spacer bar. Teeth are held firmly in a one-piece tubular socket ferrule of heavy gauge steel with nail holes to hold handle tight. White ash handle 4½ feet long.

Over all spread of teeth 20 inches. Length of head 19 inches with a raking depth of 2 inches.

| Each       | Zone 1 | Zone 2 | Each   | Each   |
|------------|--------|--------|--------|--------|
| 3-KDL22-KK | X1D85  | X1D93  | \$2.79 | \$2.90 |

Six heads in ctn., six handles in bdl. Wt. 16 lbs.

LAWNCOMB

**24-Tooth**

Twenty-four flat, high carbon spring steel, curved or flexible teeth. Every tooth touches the ground without force and pressure. Will not dig in and injure grass or tender roots. Teeth braced or spaced and securely set in head. Olive green finish. Hardwood handle.

Length of teeth 8 ins. Width at point 18 ins. Length of handle 52 ins.


| Each     | Zone 1 | Zone 2 | Wt.<br>Bdl.,<br>lbs. | Zone 1<br>Each | Zone 2<br>Each |
|----------|--------|--------|----------------------|----------------|----------------|
| 3-LC18-K | X2D49  | X2D57  | 15                   | \$3.75         | \$3.85         |

Length of teeth 9½ ins. Width at point 24 ins. Length of handle 60 ins.

|          |       |       |    |      |      |
|----------|-------|-------|----|------|------|
| 3-LC24-K | X2D89 | X2D97 | 19 | 4.35 | 4.45 |
|----------|-------|-------|----|------|------|

Six heads in box, six handles in bdl.

DISSTON



Flat spring steel, hardened and oil tempered teeth, with back-bone spring feature, which takes the strain off the teeth, permits flexibility and non-rigid construction, so that the teeth produce a finger-like action.

Teeth are held in place by a patented slot and key spacer construction. Rake head finished in green enamel. Hardwood handle, natural color, lacquered. 7½-inch teeth.

**Length of Handle 54 inches**

| Each     | Zone 1 | Zone 2 | Zone 1<br>▲Each | Zone 2<br>▲Each |
|----------|--------|--------|-----------------|-----------------|
| 3-D18A-K | X2D32  | X2D40  | \$3.50          | \$3.60          |

Six heads in ctn., handles bundled and wrapped. Wt. 11 lbs.

**Length of Handle 57 inches**

| Each     | Zone 1 | Zone 2 | Zone 1<br>▲Each | Zone 2<br>▲Each |
|----------|--------|--------|-----------------|-----------------|
| 3-D24B-K | X2D72  | X2D80  | \$4.10          | \$4.20          |

Six heads in ctn., handles bundled and wrapped. Wt. 13 lbs.

Less than Full Bundles, D0C5 Each Extra  
STAR ★ DENOTES BEST SELLER

## BROOM RAKES

## DISSTON



Lawn Pride


High quality tempered spring steel. Gets all grass or leaves because all teeth touch ground at same time. Green body with lacquered hardwood handle 42 inches long.

## 18 Teeth

| Each    | Zone 1 | Zone 2 | Zone 1 | Zone 2 |
|---------|--------|--------|--------|--------|
|         |        |        | ▲ Each | ▲ Each |
| 3-12B-K | X1D40  | X1D47  | \$2.10 | 2.20   |

Twelve heads in ctn. Twelve handles in bundle. Wt. 22½ lbs.

## KLICKER



Twenty broad 8-inch spring steel teeth permanently anchored in a sturdy steel ribbed frame. Square edge construction. Double strength socket welded to frame. Clear lacquered ash handle 8 inches long. Painted green. Spread of teeth 19 inches. Length over all 61 inches.

| Each     | Each   |
|----------|--------|
| 3-CLRK-K | D6C9★  |
|          | \$1.05 |

Twelve heads in ctn., handles in bdl. Wt. 24 lbs.

## MOKSNES




Light and easy to handle with perfect balance. Twenty-one flexible teeth made of ¼ inch spring steel. Length of sanded fir handle 48 inches. Width of head 19 inches.

| Each   | Each   |
|--------|--------|
| 3-45-K | D6C5★  |
|        | \$0.98 |

Twelve heads and twelve handles in ctn. Wt. ctn. 22 lbs.

## MOKSNES



Tempered spring steel wire teeth fastened through handle, reinforced in steel head and braced across back to prevent spreading. Blue enameled finish. Sanded fir handle 47 inches long, firmly bolted.

Size of head 16x8½ inches.

## 16 Teeth

| Each   | Each   |
|--------|--------|
| 3-27-K | D5C3   |
|        | \$0.79 |

Six in bdl. Wt. bdl. 8 lbs.

## MC GUIRE

MCGUIRE'S  
BAMBOO  
LAWN RAKE

CONSTRUCTED IN U. S. A.

## Bamboo

Operates over lawn without injury to the most tender grass. Spiral flexibility permits teeth full play over uneven surfaces and protects teeth against breakage. Arched metal grip permits operation of each tooth without exertion of pressure. 48 inch polished wood handle.

| Each     | Size in. | Wt. Bdle. lbs. | Each   |
|----------|----------|----------------|--------|
| 3-BR18-K | X1D00    | 18 15          | \$1.50 |
| 3-BR24-K | X1D35    | 24 21          | 2.00   |

Twelve in bundle.

Sold Only in Full Bundles

Less than Full Bundles, D0C5 Each Extra

STAR ★ DENOTES BEST SELLER

## WEEDERS OR ASPARAGUS KNIVES

### GARDEN CENTER



High carbon polished steel blade and shank. V-point with ground sharp edges. Clear lacquered hardwood handle firmly attached.

Width of cutting edge  $1\frac{5}{16}$  inches. Diameter of shank  $\frac{3}{8}$  inch. Length over all 48 inches.

### KEEN KUTTER

| Each                        | Zone 1 | Zone 2 | Zone 1<br>Each | Zone 2<br>Each |
|-----------------------------|--------|--------|----------------|----------------|
| 3-KDW-KK                    | D8C6   | D9C0   | \$1.30         | \$1.35         |
| Six in bdl. Wt. bdl. 6 lbs. |        |        |                |                |



### GARDEN CENTER

High grade tool steel. Tempered double beveled cutting edge. Ground sharp, green lacquered shank. Length of blade, including shank,  $9\frac{1}{2}$  inches. Width cutting edge,  $1\frac{1}{2}$  inches. Hardwood handle  $4\frac{1}{2}$  inches long. Green enameled steel ferrule. Length over all 14 inches.

### KEEN KUTTER

| Each                                       |                     | Each   |
|--------------------------------------------|---------------------|--------|
| F2490KK                                    | D5C3                | \$0.80 |
| FX2490KK                                   | D5C3—(Case lots 12) |        |
| Twelve in box. Wt. box $4\frac{1}{2}$ lbs. |                     |        |

### NORCROSS



High carbon  $\frac{5}{16}$  in. round steel shank, painted yellow. V-point turnblast finish blade with ground sharp edges. Black enamel wood handle with metal ferrule. Length of handle 5 in. Over-all length 14 in.

| Each                           | Each   |
|--------------------------------|--------|
| F2485K (S25N) D4C5             | \$0.69 |
| Twelve in ctn. Wt. ctn. 5 lbs. |        |

## DANDELION WEEDERS

### NORCROSS



Blade and shank forged from one piece  $\frac{5}{16}$ -inch square steel. Blade  $2\frac{1}{2}$  inches long and  $\frac{3}{8}$  inch wide, with cutting edge ground sharp.

Bright yellow shank with black trim. Tumbled satin finish clear lacquered head. Select shaped hardwood sanded handle. 45 inches long, clear lacquered finish. Black ferrule.

| Each                            | Each   |
|---------------------------------|--------|
| 3-70N-K D9C0                    | \$1.35 |
| Twelve in ctn. Wt. ctn. 13 lbs. |        |

## DANDELION WEEDERS

### NORCROSS



High carbon turnblast finish blade and  $\frac{5}{16}$  in. shank. V-point with ground sharp edge. Shaped white ash handle 45 in. long, firmly attached.

| Each                                         | Each   |
|----------------------------------------------|--------|
| 3-S40N-K (S40N) D7C5                         | \$1.15 |
| Twelve in ctn. Wt. ctn. $12\frac{1}{2}$ lbs. |        |

### AMES

V-shaped forged gold finished heads, plain green ferrules. Blades  $1\frac{3}{8}$  inches wide,  $2\frac{5}{8}$  inches long. 3 foot light spring handle

### Long Shank Pattern

| Each    | Zone 1 | Zone 2 | Each   | Each   |
|---------|--------|--------|--------|--------|
| 3-ADW-K | D8C6   | D9C0   | \$1.30 | \$1.35 |

Six in bundle. Wt. bundle 6 lbs.

Less than Full Bundles, D0C5 Each Extra

## CRAB GRASS WEEDER

### CRAB JACK



Lever-action. Just insert in root crown and press down

Sure way to eliminate crabgrass, plantain, buckhorn, dandelion, Johnson grass and other lawn pests.

Light enough for women; it weighs only 4 ozs. Tempered steel with heavily plated rust-resisting cadmium.

| Per Ctn.             | Each   |
|----------------------|--------|
| F2313K (CJ300) X5D76 | \$0.80 |

Twelve in ctn. Wt. ctn.  $2\frac{1}{2}$  lbs.

Sold Only in Full Cartons

## LONG HANDLED WEEDERS

### DOO-KLIP



Doo-Klip  
Model DK-606

V-shaped hardened and electro-plated steel cutting blade. Saw edge retriever claw picks up severed weeds. Sturdy sure-grip foot push bar, adjustable for use from either right or left side. Tubular steel handle. Easy up and down action. Comfortable grip. Jade green finish.

Length over all 41 inches.

| Each                                     | Each   |
|------------------------------------------|--------|
| F2350K (DK606) X2D63                     | \$3.95 |
| FX2350K (DK606) X2D63—(Case lots 4)      |        |
| Four in ctn. Wt. ctn. $9\frac{1}{2}$ lbs |        |

## ROTARY TURF EDGERS

KEEN  KUTTER



High carbon forged steel self-sharpening cutting wheel and blades. Heavy steel ribbed braces bolted to handle and riveted to blades. Adjustable tension for fine or coarse grass.

Cutting wheel 6¼ inches diameter. Rubber tired wheel 4¼ inches diameter and 1¼ inches wide. Trimmed in bright red. Braces finished in green, have 4½ inch span, 4 foot shaped ash handle, fire hardened.

**One wheel, close coupled with narrow axle.**  
Each  
**3-K0-KK X2D80★**.....\$4.30  
Two in ctn. Wt. ctn. 8 lbs.

**One-Wheel**  
Each  
**3-KRE1-KK X3D67**.....\$5.50  
Two in ctn. Wt. ctn. 8½ lbs.

**Two-Wheel**  
Each  
**3-KRE2-KK X4D34**.....\$6.50  
Two in ctn. Wt. ctn. 10½ lbs.

## LAWN TRIMMER

DEVILCLAW



Fully guaranteed all-purpose rotary grass shear and lawn edger. Edges along walks and driveways, foundation plantings, etc. Large self-sharpening rotary shearing disc. Dual shear blade—constant tension—spring action shears either right or left hand. Self sharpening hardened steel.

Heavy steel brackets bolted to handle, ribbed for extra strength. Grip-tread rubber tired on barrel shaped steel roller for positive traction on concrete, grass or ground.

Each ▲ Each  
**3-D-K X3D75**.....\$5.95  
Two in ctn. Wt. ctn. 8 lbs.

## LAWN EDGE TRIMMERS

PINES



Cuts and trims all grass lapping over edges of walks, curbs, etc.

Tempered steel cutting knife 6 inches in diameter. Hard maple parafine treated traction roller. Plain hardwood handle 42 inches long. Length over all 49 inches.

Each  
**3-PLK X2D00★**.....\$3.00  
Six in display ctr.  
Wt. ctn. 18 lbs.

## TURF EDGERS

IMPERIAL



For trimming around edges of lawns, walks, etc. It plows a clean U-shaped trench and delivers the cuttings on the sidewalk.


Stamped steel lacquered blade 12 inches long. Malleable socket and shank. Ash handle 38 inches long with malleable D head and wood grip.

Each  
**3-136-K X1D95**.....\$2.95  
Six in ctn. Wt. ctn. 25 lbs.

## SIDEWALK EDGER

EDGE-O-MATIC

...Edge 100 Feet of  
Sidewalk per Minute  
with **EDGE-O-MATIC**



**\$15.95** works like a  
*Lawn-Mower!*  
\*for all hard surfaces!

No digging, no stooping and no turf cutting. Cast iron gears, self-whetting blades of tool steel. Tubular steel handles with plastic grips. Tool steel tip and cutting edge on bed knife. Semi-pneumatic tire.

Edges 100 feet of sidewalk per minute.

### Dimensions

Length overall 40 inches, 3 inch trimming knives, 5 inch bed knife, 1½x6¾ inch rubber wheel.

Each  
**7-E-K X8D63**.....\$12.95  
3 or more **X8D21**

Three in ctn. Wt. ctn. 11 lbs.

## GARDEN TOOLS

KEEN  KUTTER

Sturdy steel blades. Copper bronze trim. Tools have natural finish ash handles.

## TROWELS



## English Gardeners Design

Heavy gauge stainless steel resists rust and action from acid soils and strong fertilizer. Sharp pointed blade  $5\frac{1}{2}$  in. long,  $3\frac{1}{4}$  in. wide.

Each F2460KK X1D07..... Each \$1.60


Six in ctn. Wt. ctn. 3 lbs.



Stainless steel acid and rust-resisting blade. Width  $2\frac{1}{4}$  in. Length 5 in. With a semi-flat rounded point. Straight lift. Small knob end fits palm comfortably.

Each F2461KK X1D07..... Each \$1.60

Six in ctn. Wt. ctn. 2 lbs.

Blade  $5\frac{5}{8} \times 3\frac{1}{4}$  in. Length of blade  $4\frac{3}{4}$  in.

Each F2463KK D5C3★..... Each \$0.79

Six in ctn. Wt. ctn. 6 lbs.

## TRANSPLANTING TROWEL

Blade 6x2 in. Length of handle  $4\frac{3}{4}$  in.

Each F2464KK D5C3★..... Each \$0.79

Six in ctn. Wt. ctn.  $2\frac{1}{2}$  lbs.

## CULTIVATORS



Three prongs, curved and pointed. Width at prongs  $2\frac{7}{8}$  in. Length of handle 12 in.

Each F2465KK D5C3★..... Each \$0.79

Six in ctn. Wt. ctn. 3 lbs.



Stainless steel three sturdy prongs, sharp pointed tips. Prongs curved and angled for maximum "scratch" action. Length of handle 8 in.

Each F2462KK X1D07..... Each \$1.60

Six in ctn. Wt. ctn.  $1\frac{1}{2}$  lbs.

## DIGGING FORK



Flat, pointed tines and shank formed in one piece.  $3\frac{3}{4}$  in. wide at tines. Length of handle  $5\frac{1}{2}$  in.

Each F2466KK D5C3★..... Each \$0.79

## HAND HOES



## Three Prong

Head formed in one piece. Blade  $2\frac{1}{4} \times 5\frac{3}{4}$  in. Length of handle 12 in.

Each F2467KK D5C3★..... Each \$0.79

Six in ctn. Wt. ctn. 3 lbs.



## Two Prong

Tines and Warren hoe blade are in one piece. Head  $5\frac{3}{4} \times 2\frac{7}{8}$  in.

Each F2468KK D5C3★..... Each \$0.79

Six in ctn. Wt. ctn. 3 lbs.

## HAND RAKE



Four tines in one piece for strength. Head  $3\frac{1}{2}$  in. Tines  $2\frac{3}{4}$  in. Length handle 12 in.

Each F2469KK D5C3★..... Each \$0.79

Six in ctn. Wt. ctn. 3 lbs.

**BULB PLANTERS****TRUE TEMPER**

An excellent tool for planting bulbs, vegetables, shrubs, small trees and for making fertilizer holes around larger trees and plants.

One piece all steel head, shaped with beveled core edge to penetrate ground easily. Makes round hole  $2\frac{1}{4}$  in. diameter up to 11 in. deep. Turned steps with supporting metal ribs. Fire hardened handle 26 in. long with steel D top. Copper bronze finish. Length of head  $11\frac{1}{2}$  in. Step width  $7\frac{1}{2}$  in. Core diameter  $2\frac{1}{4}$  in.

| Per Ctn.<br>(3) | Zone 1 | Zone 2 | Each<br>Zone 1 | Each<br>Zone 2 |
|-----------------|--------|--------|----------------|----------------|
| 3-BP-K          | X4D56  | X4D74  | \$2.30         | \$2.35         |

Three in ctn. Wt. ctn. 26 lbs.

**Sold Only in Full Cartons**

**GARDEN TOOLS****TRUMP****New Style Implements for Faster, Easier Cultivation**

Made of 18 gauge low carbon rust-resisting steel, green enameled. Natural finish large wood caps on end of handles protect user's hands.

**TROWELS**

One piece blade and socket. Length of blade 6 inches, width at heel  $3\frac{1}{2}$  inches, tapering to point. Length over all  $12\frac{1}{2}$  inches.

|               |                          |        |
|---------------|--------------------------|--------|
| Each          |                          | Each   |
| <b>F2481K</b> | (800) <b>D2C2★</b> ..... | \$0.34 |

Twelve in ctn. Wt. ctn.  $3\frac{3}{4}$  lbs.

**TRANSPLANTING TROWELS**

One piece blade and socket. Length of blade  $5\frac{3}{4}$  inches, width at heel  $2\frac{1}{2}$  inches, tapering to point. Length over all  $11\frac{1}{2}$  inches.

|               |                         |        |
|---------------|-------------------------|--------|
| Each          |                         | Each   |
| <b>F2484K</b> | (804) <b>D2C2</b> ..... | \$0.34 |

Twelve in ctn. Wt. ctn.  $5\frac{1}{2}$  lbs.

**WEEDERS**

One piece head and socket. Five sharp claws. Size of head  $3 \times 4\frac{1}{2}$  inches, length of prongs  $1\frac{1}{2}$  inches. Length over all  $11\frac{1}{2}$  inches.

|               |                          |        |
|---------------|--------------------------|--------|
| Each          |                          | Each   |
| <b>F2483K</b> | (802) <b>D2C2★</b> ..... | \$0.34 |

Twelve in ctn. Wt. ctn.  $6\frac{1}{4}$  lbs.

**FORKS**

One piece head and socket. Four straight prongs. Size of head  $3 \times 4\frac{1}{2}$  inches. Length of prongs  $3\frac{1}{4}$  inches. Length over all  $11\frac{1}{2}$  inches.

|               |                          |        |
|---------------|--------------------------|--------|
| Each          |                          | Each   |
| <b>F2482K</b> | (801) <b>D2C2★</b> ..... | \$0.34 |

Twelve in ctn. Wt. ctn.  $5\frac{1}{4}$  lbs.

**STAR ★ DENOTES BEST SELLER**

**GARDEN TOOL SETS****Three Piece Sets**

Made from new mill run full weight 18 gauge steel with ribbed shanks for extra strength. Baked green enamel finish. Shaped handles with turned hardwood plug ends to protect the hands.

Consists of: No. 800 trowel, length  $12\frac{1}{2}$  inches, No. 801 fork with four tines, length  $10\frac{1}{2}$  inches and No. 802 cultivator with five prongs, length  $11\frac{1}{2}$  inches.

|                |                                    |         |
|----------------|------------------------------------|---------|
| Per Set        |                                    | Per Set |
| <b>F2486K</b>  | (811) <b>D7C0★</b> .....           | \$1.05  |
| <b>FX2486K</b> | (811) <b>D7C0★</b> —(Case Lots 24) |         |

One set in box, twenty-four sets in case  
Wt. case 42 lbs

**GARDEN TOOLS****AMES**

Designed for home gardeners. Light in weight and well balanced.

High quality cold rolled steel, sharpened and polished. High grade hardwood handles with attractive clear lacquer finish.

**TROWELS****Regular**Blade 6 inches long,  $3\frac{3}{4}$  inches wide at top tapering to point. Length handle  $4\frac{1}{4}$  inches.**(AT)**Each ..... Each  
F2472K D5C6 ..... \$0.79

FX2472K D5C3—(Case lots 6)

Six in ctn. Wt. ctn. 3 lbs.

**Transplanting**Blade 6 inches long,  $2\frac{1}{8}$  inches wide. Length of handle  $4\frac{1}{4}$  inches.**(ATT)**Each ..... Each  
F2473K D5C6 ..... \$0.79

FX2473K D5C3—(Case lots 6)


Six in ctn. Wt. ctn.  $2\frac{1}{2}$  lbs.**SPADING FORKS**Uniformly pointed three flat tines. One piece shank and head. Width at point three inches. Length of handle  $4\frac{1}{4}$  inches.**(ASF)**Each ..... Each  
F2474K D5C6 ..... \$0.79

FX2474K D5C3—(Case lots 6)

Six in ctn. Wt. ctn. 3 lbs.

**LAWN WEEDERS**One piece heat treated steel, forged with V notch blade, 1 inch wide. Length of handle  $4\frac{1}{4}$  inches.**(ALW)**Each ..... Each  
F2475K D5C6 ..... \$0.79

FX2475K D5C3—(Case lots 6)

Six in ctn. Wt. ctn.  $2\frac{1}{2}$  lbs.**CULTIVATOR HOES**One piece solid steel blade and tines. Length  $5\frac{3}{4}$  inches. Width  $2\frac{1}{2}$  inches. Length of handle 12 inches.**(AH2)**Each ..... Each  
F2476K D5C6 ..... \$0.79

FX2476K D5C3—(Case lots 6)

Six in ctn. Wt. ctn. 3 lbs.

**WEEDING HOES**One piece solid steel narrow blade. Length  $5\frac{3}{4}$  inches. Width  $2\frac{3}{4}$  inches. Length of handle 12 inches.**(AWH)**Each ..... Each  
F2478K D5C6 ..... \$0.79

FX2478K D5C3—(Case lots 6)

Six in ctn. Wt. ctn. 3 lbs.

**RAKES**One piece steel head  $3\frac{7}{16}$  inches wide. Five teeth  $2\frac{3}{16}$  inches long. Length of handle 12 inches.**(AF5)**Each ..... Each  
F2477K D5C6 ..... \$0.79

FX2477K D5C3—(Case lots 6)


Six in ctn. Wt. ctn. 3 lbs.

**CULTIVATORS**One piece steel shank and head. Three tines with  $3\frac{1}{8}$  inch spread. Length of handle 12 inches.**(AC3)**Each ..... Each  
F2479K D5C6 ..... \$0.79


FX2479K D5C3—(Case lots 6)

Six in ctn. Wt. ctn.  $3\frac{1}{2}$  lbs.

STAR ★ DENOTES BEST SELLER

**KNEE PADS****JUDSEN**

For every down-on-the-knees job. Ideal for mechanics, gardeners, household and many down-on-the-knees chores. Resists moisture. Constructed of top quality molded rubber. Soft sponge rubber. Soft sponge rubber cushion on the inside. Sturdy adjustable straps with metal fastener moulded right into the pad. Safe, non-slip waffle tread grips on the bottom. Light in weight and form fit for any knee.

Per Pair  
F2342K**X1D47★**Loose. Wt. per pair  $1\frac{1}{2}$  lbs.Per Pair  
\$2.25**KNEE PADS****JUDSEN****Lightweight**

Light and compact—easy to put on and take off. Soft, red rubber pads. Adjustable straps. Each pair in a plastic re-usable bag.


Per Pair

F2349K D9C8 ..... \$1.50

Loose. Wt. per pair  $\frac{3}{4}$  lbs.

## GARDEN CULTIVATORS

SHAPLEIGH'S



High Wheel Overdrive

A popular type construction for home gardeners general purpose use. Overdrive principle puts the power over the axle and increases leverage on attachments.

Electrically welded high carbon steel 24 inch wheels with 8 spokes. Convex shaped rim  $1\frac{1}{4}$  inches wide. Wide axle. Steel shank and wheel arms provide 3 adjustments, up or down or back and forth. Attachments bolt securely for desired depth.


**Standard Attachments**—No. 30 five prong cultivator, No. 31 double end shovel and No. BE44 moldboard plow without landslide, all high carbon steel, oil tempered. Natural finish, rust-proofed.

Sound seasoned oak handles, smooth water-proof varnished finish. Enamelled red wheels with green trim.

Each  
3-SH-K X7D70★.....\$11.65

One in a flat pack, knocked down. Wt. 21 lbs.

SHAPLEIGH'S



Direct Drive


For professional and home gardeners. Preferred for its stability, smooth action and accuracy in working close to plants. Adjusts quickly and easily for height of handles and depth of attachments. Electrically welded high carbon steel 16 inch red wheels with 8 spokes. Convex shaped rim  $1\frac{1}{4}$  inches wide. Wide axle. Wheel arm has 1 hole for adjusting attachments. Attachments bolt securely for desired depth. Sound oak full length plow handles with shaped green grips. Smooth finish, waterproofed and varnished. Steel spreader bar at grips. Channel steel connector bar with hand grip adjusting nut for adjusting handle height.

**Standard Attachments**—No. 30 five prong cultivator, No. 31 double end shovel and No. BE44 moldboard plow without landslide, all high carbon steel, oil tempered. Natural finish, rust-proofed.

Each  
3-SL-K X7D20★.....\$10.90

One in a flat pack, knocked down. Wt. 16 lbs.

## SHAPLEIGH'S



Rotary Tiller

Weeds, hoes, cultivates and mulches a strip of soil  $10\frac{1}{2}$  inches wide. Works well in any soil.

Heavy cast reel  $9\frac{3}{4}$  inches wide with eight blades having forty hoe points. Wide adjustable scuffle knife. Five 6 inch shovels. Steel frame and attachments. Long hardwood handle with cross bar. Finished in dark blue, trimmed in orange.

**All Around Garden Tool**  
Each  
3-SRC-K X7D95.....\$11.95

One in ctn., handles packed separately.  
Wt. each 17 lbs.

STAR ★ DENOTES BEST SELLER

## GARDEN CULTIVATOR ATTACHMENTS

Lacquer Finished—These will Fit and Interchange with most Any make of Garden Plow.

## FIVE PRONG CULTIVATORS



Each  
3-S30-K X1D90.....\$2.95  
Loose. Wt. 3 lbs.

## DOUBLE END SHOVELS

Length  $11\frac{1}{2}$  inches. Width  $\frac{1}{8}$  to  $3\frac{3}{8}$  inches.

Each  
3-S31-K D6C0.....\$0.95  
Loose. Wt.  $\frac{3}{4}$  lb.

## SCUFFLE HOES

Cutting edges  $5\frac{3}{8}$  inches long. Width 9 inches.

Each  
3-S32-K D8C0.....\$1.25  
Loose. Wt.  $\frac{1}{2}$  lb.

## MOLDBOARD PLOWS

## Without Landside

Plows 4 inch furrows. Length 8 inches. Cutting edge  $5\frac{3}{4}$  inches.

Each  
3-S44-K D6C0.....\$0.95  
Loose. Wt.  $1\frac{1}{4}$  lbs.

## STEEL WHEELS



Diameter 24 inches. Eight spokes, welded high carbon steel convex shaped rim  $1\frac{1}{4}$  inches wide.

Each  
3-S24-K X2D25.....\$3.35  
Loose. Wt.  $5\frac{1}{2}$  lbs.

**ROTARY TILLER**KEEN  KUTTER

|                              |             |          |
|------------------------------|-------------|----------|
| Each                         |             | Each     |
| 21-KK66-KK                   | X92D95..... | \$129.95 |
| One in ctn. Wt. ctn. 90 lbs. |             |          |

**ACCESSORIES**

For 21-KK66-KK Tiller

**EXTENSION TINES**

|                                  |            |         |
|----------------------------------|------------|---------|
| Per Set                          |            | Per Set |
| 21-KK66ET-KK                     | X7D49..... | \$9.95  |
| One set in ctn. Wt. ctn. 10 lbs. |            |         |

**FURROWER**

With bracket and extension bar.

|                              |            |        |
|------------------------------|------------|--------|
| Each                         |            | Each   |
| 21-AFX-K                     | X3D91..... | \$5.50 |
| One in ctn. Wt. ctn. 12 lbs. |            |        |

**ROTARY TILLER**KEEN  KUTTER

|                               |              |          |
|-------------------------------|--------------|----------|
| Each                          |              | Each     |
| 21-KK77-KK                    | X116D95..... | \$164.50 |
| One in ctn. Wt. ctn. 110 lbs. |              |          |

**ACCESSORIES**

For 21-KK77-KK Tiller

**FURROWER**

With Bracket.

|                             |            |        |
|-----------------------------|------------|--------|
| Each                        |            | Each   |
| 21-AF-K                     | X2D83..... | \$3.95 |
| One in ctn. Wt. ctn. 8 lbs. |            |        |

**DEPTH GAUGE WHEEL**

With attaching bracket, extension bar with axle, and two 6.00x1.50 wheels. Attaches to hood support bracket under hood.

|                              |            |        |
|------------------------------|------------|--------|
| Each                         |            | Each   |
| ✚DW-K                        | X5D53..... | \$7.75 |
| One in ctn. Wt. ctn. 10 lbs. |            |        |

**SIDE SHIELDS**

Two flat heavy gauge steel shields attaches to side of hood to protect plants from tines. Used in close cultivating.

|                                 |            |         |
|---------------------------------|------------|---------|
| Per Set                         |            | Per Set |
| ✚SS-K                           | X2D83..... | \$3.95  |
| One set in ctn. Wt. ctn. 5 lbs. |            |         |

**FRONT HOOD**

One-piece welded shield attaches to front of tiller hood. Used in close cultivating particularly in heavy growth.

|                             |            |        |
|-----------------------------|------------|--------|
| Each                        |            | Each   |
| ✚FH-K                       | X3D18..... | \$4.45 |
| One in ctn. Wt. ctn. 5 lbs. |            |        |

**WEIGHT BOX**

One-piece welded steel rectangular box fits on top of hood. Easy to attach. Use, with weight (concrete block, iron block, etc.) to force tines to dig in unusually hard-packed soils.

|                              |            |        |
|------------------------------|------------|--------|
| Each                         |            | Each   |
| ✚WB-K                        | X4D47..... | \$5.95 |
| One in ctn. Wt. ctn. 10 lbs. |            |        |

**DEPTH STICK**

(All previous years Models SP)

|                              |            |        |
|------------------------------|------------|--------|
| Each                         |            | Each   |
| ✚DS-K                        | X4D47..... | \$5.95 |
| One in ctn. Wt. ctn. 10 lbs. |            |        |

# **NEW BUDGET-PRICE, QUALITY-BUILT**

SHAPLEIGH'S  
**KEEN KUTTER**  
MODEL KK66  
**ROTARY TILLER**

**... takes all  
the toil  
out of tilling  
the soil**

**Today's  
Highest quality  
Low-priced  
Tiller**

**TOP-PROFITS  
SURE SALES WINNER**  
Built to DO an all-around Job  
... from Sale to Soil!



**SHAPLEIGH HARDWARE COMPANY**  
St. Louis, Missouri

# KEEN KUTTER

MODEL KK66

- **PACKED FOR SHIPPING IN ONE CARTON**
- **ORDER BY BOTH MODEL NUMBER AND DESCRIPTION**
- **PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE**



**WARRANTY:** KEEN KUTTER KK66 guaranteed against defective materials or workmanship for ONE FULL YEAR from date of purchase. Shapleigh agreeing to replace or repair free of charge, any and all parts proved to be defective and subject to such guarantee.

**GUARANTEE ON TINES:** Tines on all KEEN KUTTER Tillers are fully guaranteed against breakage.

# KEEN KUTTER

MODEL KK66

**makes you toughest competition!**

## A NEW, RUGGED ROTARY TILLER FOR ALL GARDEN NEEDS!

The new KEEN KUTTER Model KK66 tiller has so much more in quality and value. Designed for all home garden needs, the KEEN KUTTER will outperform most all heavier, hard to handle tractor models. One-piece wear resistant, welded tines are designed to do an amazing tilling chore, with no strain on the operator . . . its perfect balance assures ease of handling. It works the soil 6 inches deep.

Many plus-features give more added value benefits . . . giving you more, dollar for dollar . . . feature by feature. Every KEEN KUTTER tiller is factory-tested and backed by a complete and continuing parts service!



Tills or cultivates a full 16" swath; with Extension Tines gives a wide 24" coverage.



*Pace-Setting*

**MODEL**

**KK66**

16" Rotary Tiller, with 2¼ H.P. Briggs and Stratton engine, Recoil Starter. Shipping Weight 90 lbs.

*Extension Tines*

Shipping Weight 10 lbs.

**Model KK66-ET**

## SPECIFICATIONS AND FEATURES

- CASTING:** Gray Iron, Close-Grained  
**WORM:** Hardened, One-Piece Worm and Shaft  
**WORM GEAR:** Bronze, Throat Cut Teeth  
**THRUST BEARING:** Timken Tapered Roller  
**RADIAL BEARING:** Ball  
**TILLER SHAFT BEARING:** Torrington Needle Bearings  
**OIL SEALS:** Neoprene, Metal Core  
**IDLER BEARING:** Double-Seated Ball  
**TINES:** One-Piece, Welded, Wear-Resistant, High Carbon  
**BELTS:** Neoprene Oil and Heat Resistant  
**GEAR REDUCTION:** 35 to 1  
**ENGINE SPEED, at 3200 RPM:** Tine Speed, Approx. 90 RPM  
**HANDLES:** 16 Gauge 1" O.D. — 3-Piece Tubular Steel  
**ENGINE:** 2¼ H.P., 4-cycle Briggs & Stratton  
**STARTER:** Recoil  
**WHEELS:** 8 x 1.75 Rubber Tires  
**WIDTH OF TINES:** 16", with Extension Tines: 24"  
**DIAMETER OF TINE CIRCLE:** 11¼"  
**NUMBER OF TINES:** 6 Double-End Self-Sharpening Tines  
**TILLAGE DEPTH:** 6"  
**CLUTCH:** Finger-Tip Control  
**DEPTH STICK:** Adjustable  
**OPTIONAL EQUIPMENT:** Extension Tines: Furrow Attachment  
**COLORS:** White Handles and Tines, Orange Base and Engine

**SHAPLEIGH HARDWARE COMPANY**

St. Louis, Missouri

**NEW... ALL NEW... NEW FOR '59**

SHAPLEIGH'S

**KEEN KUTTER**

MODEL KK77

**ROTARY TILLER**

**New Profit-Boosting  
Quality-Built  
Heavy-Duty  
Best Seller!**

**So light in weight...  
so beautifully balanced  
...even women and  
children find it  
easy to handle,  
fun to run!**



**make more money faster**

**... selling the new KEEN KUTTER**  
**MODEL KK77 ROTARY TILLER**


**SHAPLEIGH HARDWARE COMPANY**  
**St. Louis, Missouri**

# KEEN KUTTER

## MODEL KK77

### OPTIONAL ATTACHMENTS

|                              |                   |
|------------------------------|-------------------|
| EXTENSION TINES, KK77-ET     | Shpg. Wt. 10 lbs. |
| SIDE SHIELDS, KK77-SS        | Shpg. Wt. 5 lbs.  |
| FURROWER ATTACHMENT, KK77-AF | Shpg. Wt. 8 lbs.  |
| DEPTH GAUGE WHEELS, KK77-DW  | Shpg. Wt. 10 lbs. |
| WEIGHT BOX, KK77-WB          | Shpg. Wt. 10 lbs. |
| FRONT HOOD, KK77-FH          | Shpg. Wt. 5 lbs.  |



Tills or cultivates a full 17" swath; with Extension Tines added gives a wide 26" coverage.

- PACKED FOR SHIPPING IN ONE CARTON
- ORDER BY BOTH MODEL NUMBER AND DESCRIPTION
- PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

# KEEN KUTTER

## MODEL KK77

### FIRST in QUALITY!

Highly efficient production methods, skilled craftsmanship, and quality-tested materials combine with more new advanced engineering to make the new KEEN KUTTER Model KK77 Rotary Tiller a "first" in quality. That's the quality of KEEN KUTTER TILLERS, a guarantee of top performance for years and years. Built for rugged, tough usage, the KEEN KUTTER is again first choice in rentals, too. More than ever there's more profits at the "top."

### FIRST in VALUE!

The all-new KEEN KUTTER is way out in front with more new proved performance values. Big values in wide, wide tilling . . . with eight double-end tines to break up the hard-packed soil and till to a 6" depth.

### MODEL KK77

17" Rotary Tiller, with 3 H.P. Briggs and Stratton Engine, Steel Sleeve Cylinder, quick start recoil starter. Shipping Weight 110 lbs.

### SPECIFICATIONS AND FEATURES

**CASTING:** Gray Iron, Close-Grained  
**WORM:** Steel Worm  
**WORM GEAR:** Bronze, Throat Cut Teeth  
**THRUST BEARING:** Sealed Ball Bearing  
**RADIAL BEARING:** Oilite Bronze Bearing  
**TILLER-SHAFT BEARING:** Torrington Needle Bearings  
**OIL SEALS:** Neoprene  
**IDLER BEARING:** Oilite Bronze Bearing  
**TINES:**  $\frac{3}{8}$ " High-Carbon Steel  
**BELTS:** Standard "V" Belt  
**GEAR REDUCTION:** 10 to 1  
**ENGINE SPEED; at 3200 RPM:** Tine Speed Approx. 135 RPM  
**STARTER:** Recoil  
**WHEELS:** 10 x 1.75 Rubber Tires  
**WIDTH OF TINES:** 17", with Extension Tines: 26"  
**DIAMETER OF TINE CIRCLE:** 12  $\frac{1}{4}$ "  
**NUMBER OF TINES:** 8 Double-End, Self Sharpening Tines  
**CLUTCH:** Finger-Tip Control  
**DEPTH STICK:** Adjustable  
**COLORS:** White Handles and Tines; Red Base, Engine, and Hood


**WARRANTY:** KEEN KUTTER KK77 is guaranteed against defective materials or workmanship for ONE FULL YEAR from date of purchase. Shapleigh agreeing to replace or repair free of charge, any and all parts proved to be defective and subject to such guarantee.

**GUARANTEE ON TINES:** Tines on all KEEN KUTTER Tillers are fully guaranteed against breakage.

**SHAPLEIGH HARDWARE COMPANY**  
St. Louis, Missouri

## ATTACHMENTS FOR 2000 AND 3000 SERIES SPRINGFIELD TRACTORS

## WHEEL WEIGHTS




Used when more traction is needed. Attached to wheel by two bolts.

**Weight 25 lbs.**

**For Models After 1956**

|                         |  |          |
|-------------------------|--|----------|
| Per Pair                |  | Per Pair |
| 21-5000N-K X9D40.....   |  | \$12.50  |
| Loose. Wt. each 25 lbs. |  |          |


## PLOWS



Pitch and depth easily adjustable without wrenches and without stopping plow.

|                         |       |         |
|-------------------------|-------|---------|
| Each                    | Size, | Each    |
| 21-3100-K X22D15        | ins.  | \$29.50 |
| 21-3200-K X27D40        | 6½    |         |
|                         | 8     | 36.50   |
| Loose. Wt. each 45 lbs. |       |         |

## MOWERS



A heavy duty mower with engine driven cutting reel. Six spiders and five alloy steel blades, resist distortion and shock. Heavy underknife with simple position adjustment.

**Width 24 inches**

|                              |  |         |
|------------------------------|--|---------|
| Each                         |  | Each    |
| 21-2500-K X44D62.....        |  | \$59.50 |
| One in ctn. Wt. ctn. 70 lbs. |  |         |

## SICKLE BARS




Ideal for tall grass or weeds. Separate clutch permits operator to do close work without forward motion.

Sickle bar of rigid construction. Standard two inch size knives and guards.

**Width 32 inches**

|                              |  |         |
|------------------------------|--|---------|
| Each                         |  | Each    |
| 21-2400B-K X50D65.....       |  | \$67.50 |
| One in ctn. Wt. ctn. 52 lbs. |  |         |


## DISC HARROWS



Two four blade gangs of heat treated discs, adjustable to draw dirt away from row or to throw it in. Oiled hard maple bearings.

|                                    |  |         |
|------------------------------------|--|---------|
| Each                               |  | Each    |
| 21-2800-K X26D10.....              |  | \$34.75 |
| Loose (3 pieces). Wt. each 72 lbs. |  |         |

## GRADERS




Designed for use as a bulldozer for light grading or snowplow.

All steel heavy duty blade, adjustable to right, left or straight ahead.

**Width 36 inches**

|                         |  |         |
|-------------------------|--|---------|
| Each                    |  | Each    |
| 21-2610-K X18D38.....   |  | \$24.50 |
| Loose. Wt. each 38 lbs. |  |         |

## CULTIVATORS



Control lever regulates depth of three reversible shovels simultaneously and lifts them for easy travel. Adjustable for pitch. Width and height adjust without wrench. Follows easily, no need for guide handle.

|                              |  |         |
|------------------------------|--|---------|
| Each                         |  | Each    |
| 21-2300-K X25D90.....        |  | \$34.50 |
| One in ctn. Wt. ctn. 68 lbs. |  |         |

## ROTARY SAW BLADE AND STAND

For use with 3500 rotary weed cutter attachment. Consists of 20 inch cordwood saw blade, pull rod and stand.

|                              |  |         |
|------------------------------|--|---------|
| Each                         |  | Each    |
| 21-3600-K X10D25.....        |  | \$13.65 |
| One in ctn. Wt. ctn. 22 lbs. |  |         |

Stock Items Can Also be Shipped Direct From Factory F. O. B., Springfield, Ohio. No freight allowed.

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. Springfield, Ohio. N. F. A.

## GARDEN TRACTORS SPRINGFIELD SPRINGTIL ROTARY TILLER



Guaranteed free from defects in material or workmanship for 90 days from date of purchase. Engine has manufacturers guarantee.

Choice of tilling widths  $7\frac{1}{2}$ , 11,  $14\frac{1}{2}$ , 18 and  $21\frac{1}{2}$  inches.

Adjustable tubular steel handles. Easily controlled. All controls located at top of handle.

### Specifications:

**Engine**—Four cycle  $2\frac{3}{4}$  H.P. capacity Briggs & Stratton, governor controlled.

**Starter**—Recoil.

**Throttle**—On handle bar.

**Clutch**—Belt tightener type. Positive "Quick-Lok" engagement mechanism. Assures easier fingertip lock release.

**Steering**—Tubular steel, handle bars. Adjustable height.

**Transmission**—Worm and worm wheel drive runs in oil.

**Frame**—Semi-steel casting.

**Bearings**—Needle bearings for tiller shaft. Timken bearings for worm shaft.

**Depth Bar**—Adjustable 0 to  $6\frac{1}{2}$  in. hinged for easy reverse of tiller.

**Transport Wheels**—Two 10x1.75 inch semi-pneumatic. Adjustable width and 3 positions. Front to rear balance adjustment.

**Handles**—Tubular steel adjustable in two positions. Heavy duty plastic grips.

### Without Tines

|                               |          |
|-------------------------------|----------|
| Each                          | Each     |
| 21-RTC-K X93D40.....          | \$124.50 |
| One in ctn. Wt. ctn. 125 lbs. |          |

## TILLER TINE ASSEMBLY

For No. 21-RTC-K Garden Tractors


High carbon steel, heat treated, guaranteed for life against breakage.

### SPRINGTIL

Size— $14\frac{1}{2}$  inches

(illustrated on RTC Garden Tractor above)

|                                  |         |
|----------------------------------|---------|
| Per Set (4)                      | Per Set |
| 21-ST14-K X6D75.....             | \$8.95  |
| One set in ctn. Wt. ctn. 14 lbs. |         |




### BOLO

Size 26 inches

|                                  |         |
|----------------------------------|---------|
| Per Set (4)                      | Per Set |
| 21-BT26-K X14D95.....            | \$19.95 |
| One set in ctn. Wt. ctn. 32 lbs. |         |

## ATTACHMENTS FOR RTC & 200 SPRINGTIL TILLER FURROWING TOOLS



Plow deep furrows by bolting to the depth stake gage. Large 8 inch shovel digs a deep trench.

|                             |        |
|-----------------------------|--------|
| Each                        | Each   |
| 21-120-K X2D85.....         | \$3.75 |
| One in ctn. Wt. ctn. 8 lbs. |        |


## EDGING DISCS



Slotted points will cut turf or soil sharply and truly along edge of walks or drives. Throws cutting away from edge.

|                             |        |
|-----------------------------|--------|
| Each                        | Each   |
| 21-130-K X5D25.....         | \$6.95 |
| One in ctn. Wt. ctn. 9 lbs. |        |

## AERATING DISCS




Use in place of tiller tine sections to pierce ground. Width 12 in.

|                                  |             |
|----------------------------------|-------------|
| Per Set (4)                      | Per Set (4) |
| 21-140-K X11D25.....             | \$14.95     |
| One set in ctn. Wt. ctn. 12 lbs. |             |

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Springfield, Ohio N.F.A.

STAR ★ DENOTES BEST SELLER

# **ATTACHMENTS FOR 200 SPRINGTIL TILLER ROLLERS**



Water ballast—180 lbs., sand filled 210 lbs.  
Two 14 in. diameter sections with 10 in. face.  
Quickly attaches to tiller shaft same as tines.

|                    |             |
|--------------------|-------------|
| Per Set (2)        | Per Set (2) |
| ✦150-K X18D75..... | \$24.95     |

One set in ctn. Wt. ctn. 50 lbs.

## **TILLER TINE EXTENSIONS**



Shape of points assures maximum turning of  
soil at proper depth.

|                     |             |
|---------------------|-------------|
| Per Set (2)         | Per Set (2) |
| 21-110-K X3D75..... | \$4.95      |

One set in ctn. Wt. ctn. 12 lbs.

## CUTTER MATTOCKS

KEEN  KUTTER

Forged from highest grade steel, oil tempered. Oval adze eye. Painted red with polished blades and bits.

## Junior—Short Cutter

Weight each 3 lbs. Hoe width 3 inches. Cutter length 4 inches. Cutter width  $2\frac{1}{2}$  inches. Total length 13 inches. No. 7 eye  $1\frac{3}{4} \times 2\frac{3}{4}$  inches.

Takes Handle No. SM2/7

Each ..... Each  
**0-KS3-GK X3D72** ..... \$5.65

Six in ctn. Wt. ctn. 19 lbs.

## Short Cutter

Weight each 5 lbs. Hoe width  $3\frac{1}{2}$  inches. Cutter length  $4\frac{3}{4}$  inches. Cutter width 3 inches. Total length  $15\frac{3}{4}$  inches. No. 6 eye  $2 \times 3$  inches.

Takes Handle Nos. SPH1, SPH2, SPH3

Each ..... Each  
**0-KS5-GK X4D08** ..... \$6.25

Six in ctn. Wt. ctn.  $32\frac{1}{2}$  lbs.

## KLICKER



Solid steel, painted black, bevels polished. Tempered blades and bit. Oval adze eye.

## Junior Short Cutter

Weight each 3 lbs. Hoe width 3 inches. Cutter length 4 inches. Cutter width  $2\frac{1}{4}$  inches. Total length 13 inches. No. 7 eye  $1\frac{3}{4} \times 2\frac{3}{4}$  inches.

Takes Handle No. SM2/7

Each ..... Each  
**0-3SK-G X2D87** ..... \$4.30

Six in ctn. Wt. ctn. 19 lbs.

## Short Cutter

Weight each 5 lbs. Hoe width  $3\frac{1}{2}$  inches. Cutter length  $4\frac{3}{4}$  inches. Cutter width 3 inches. Total length  $15\frac{3}{4}$  inches. No. 6 eye  $2 \times 3$  inches.

Takes Handle Nos. KPH1, SPH2, SPH3

Each ..... Each  
**0-5SK-G X3D16** ..... \$4.75

Six in ctn. Wt. ctn.  $32\frac{1}{2}$  lbs.

## PICK MATTOCKS

KEEN  KUTTER

Forged from highest grade steel, oil tempered. Oval adze eye. Painted red with polished blades and bits.

Weight each 5 lbs. Hoe width  $3\frac{1}{2}$  inches. Hoe length 8 inches. Pick length 8 inches. Length over all 19 inches. No. 6 eye  $2 \times 3$  inches.

Takes Handle Nos. KPH1, SPH2, SPH3

Each ..... Each  
**0-KP5-GK X4D20** ..... \$6.30

Six in ctn. Wt. ctn.  $32\frac{1}{2}$  lbs.

## KLICKER



Solid steel, painted black. Tempered blades and picks. Oval adze eye.

8 inches. Pick length 8 inches. Length over all 19 inches. No. 6 eye  $2 \times 3$  inches.

Takes Handle Nos. SPH1, SPH2, SPH3

Each ..... Each  
**0-P5K-G X3D25** ..... \$4.90

Six in ctn. Wt. ctn.  $32\frac{1}{2}$  lbs.

## RAILROAD AND CLAY PICKS

KEEN  KUTTER

High grade steel, oil tempered and carefully ground. One chisel and one diamond shape point. Oval eye. Painted red. Polished points.

| Each                  | Weight Ea., lbs. | Length, ins.    | Wt. Case, lbs.  | Each   |
|-----------------------|------------------|-----------------|-----------------|--------|
| <b>0-KR5-GK X3D45</b> | 5                | $22\frac{1}{2}$ | $32\frac{1}{2}$ | \$5.20 |
| <b>0-KR6-GK X3D65</b> | 6                | 23              | 38              | 5.50   |

Six in ctn.

## KLICKER



Forged steel with hardened bit and point. One chisel and one diamond shape point. Oval eye. Painted black.

| Each                 | Weight Ea., lbs. | Length, ins.    | Wt. Case, lbs.  | Each   |
|----------------------|------------------|-----------------|-----------------|--------|
| <b>0-5KR-G X2D73</b> | 5                | $22\frac{1}{2}$ | $32\frac{1}{2}$ | \$4.10 |
| <b>0-6KR-G X2D93</b> | 6                | 23              | 38              | 4.50   |

Six in case

## CARBIDE LAMPS

The combination of water and carbide results in an acetylene gas, which when ignited, throws a pure white flame.

These lamps are economical to use, easy to operate, do not smoke, and are free from grease and dirt.

### AUTO-LITE

#### With Bumper Grip

**Bumper Grip**—This feature prevents breaking or denting of bottom when striking container to remove carbide. Also provides cool firm grip when bottom is hot.



Miners

Heavy brass throughout, hinged friction cap on water container. A carbide charge of 2 ounces burns for 2½ hours. Complete with lava tip and spark lighter.

With heavy brass wire hanging hook and removable cap spring. Polished brass finish. Chromium plated reflector.

| Each    |       | Reflector | Wt.            | Each   |
|---------|-------|-----------|----------------|--------|
|         |       | in.       | lbs.           |        |
| K2261B  | (103) | X1D80     | 3 6¼           | \$2.70 |
| KX2261B | (103) | X1D80     | (Case lots 12) |        |
| K2382B  | (104) | X1D80     | 4 19½          | 2.70   |
| KX2382B | (104) | X1D80     | (Case lots 36) |        |



Miners

These lamps are equipped with self-cleaning ball dropper for regulating flow of water insuring a steady even flame at all times. It will not clog as water cleans curved seating surface.


This lamp has extra large reflector and will give more brilliant light.

Polished brass with chromium plated reflector.

#### 7-inch Reflector

| Each    |       | Each   |
|---------|-------|--------|
| 6-107-B | X2D60 | \$3.90 |

One in ctn. Wt. ctn. 1½ lbs.



#### Hunters' and Fishermen's Special

This lamp is the same general construction as our No. 103, except with 4-inch special ribbed reflector which concentrates the center light beam into a brilliant spotlight.

| Each    |             | Each           |
|---------|-------------|----------------|
| K2266B  | (115) X1D80 | \$2.70         |
| KX2266B | (115) X1D80 | (Case lots 12) |

One in box. Twelve in ctn. Wt. ctn. 10 lbs.

### AUTO-LITE



Sportsmen's

For campers, hunters, fishermen, trappers and outdoorsmen. Will burn for 6 full hours.

All brass construction. Reflector 7 inches in diameter. Oversize carbide container. Folding handles. Patented Guy's dropper insures a steady even flame at all times.

| Each    |       | Each   |
|---------|-------|--------|
| 6-875-B | X3D10 | \$4.65 |

One in ctn. Twelve in case. Wt. case 17 lbs.

## REPAIRS FOR CARBIDE LAMPS

### FELT PACKING

#### JUSTRITE



Good grade felt. Diameter 1⅝ inches. Thickness ⅛ inch.

| Per Ctn. (12) |      | Per Ctn. (12) |
|---------------|------|---------------|
| R-29-B        | D1C4 | \$0.20        |

Twelve in ctn. Wt. ctn. 1 oz.

Sold Only in Full Cartons

### TIPS



Metal tips

Brass shell, imported lava burner inset.

| Per Pkg. (12) |      | Per Pkg. (12) |
|---------------|------|---------------|
| R-28-B        | D3C5 | \$0.55        |

Loose. Wt. pkg. 1¼ oz.

### FLINTS




#### For All Miners' Lamps

| Per Pkg. (12) |      | Per Pkg. (12) |
|---------------|------|---------------|
| R-26-B        | D1C5 | \$0.25        |

Wt. pkg. 1¼ oz.

## MINERS' CAPS AMERICAN PAD & TEXTILE



Heavy brown duck, flannel lined. Moisture resistant visor.

Lamp holder for carrying all makes of Carbide lamps.

Adjustable—fits 6½ to 7½.

| Each   |            | Each   |
|--------|------------|--------|
| G4719B | (797) D9C5 | \$1.50 |

One in bag. Wt. bag 2 ozs.

**CALCIUM CARBIDE****UNION****Miner's Lamp Size**

Calcium carbide generates acetylene gas which makes a pure white "daylight" flame that will penetrate fog and mist.

The gas does not smoke. Has no odor when burning. Costs less than one cent an hour to burn. An ounce will produce an hour's light.

Perfectly harmless when kept dry.

For miners', camp, sportsmen's lamps. Also for other lamps and lanterns.

|              |                          |         |
|--------------|--------------------------|---------|
| Per Can      |                          | Per Can |
| K5417B (2M)  | D5C1.....                | \$0.80  |
| KK5417B (2M) | D4C6 (Case lots 24 cans) |         |

Twenty-four cans in case. Wt. case 48 lbs.

**DIRECT SHIPMENT****CALCIUM CARBIDE****UNION BRAND****Miners Lamp Size**

| Per Case |              | Contents<br>Can, lbs.  | Cans<br>Per case |
|----------|--------------|------------------------|------------------|
| ±2M-B    | X12D10 ..... | 2                      | 24               |
| ±10M-B   | X12D50 ..... | 10                     | 6                |
| Per Drum |              | Contents<br>Drum, lbs. |                  |
| ±25M-B   | X3D85 .....  | 25                     |                  |
| ±100M-B  | X9D80 .....  | 100                    |                  |

**NOTE—The Factory Will Not Ship From Their Warehouses any Carbide in Broken Case Lots.  
Carbide Can Be Shipped in Case Lots From the Following Warehouses.**

**SHIPPING POINTS**

**Alabama—**  
Birmingham  
\* Mobile

**Arkansas—**  
Little Rock

**Colorado—**  
Denver  
\*\* Pueblo

**Illinois—**  
Chicago  
Herrin  
Peoria

**Indiana—**  
Evansville  
Indianapolis

**Iowa—**  
Des Moines

**Kentucky—**  
Allen  
Hazard  
Louisville  
Middlesboro

**Louisiana—**  
\* Baton Rouge  
\* New Orleans  
\* Shreveport

**Mississippi—**  
\* Jackson

**Missouri—**  
Joplin  
North Kansas City  
St. Louis

**Ohio—**  
Canton  
Cincinnati  
Cleveland  
Columbus  
\* Toledo  
\*\* Uhrichsville  
Youngstown

**Oklahoma—**  
\* Oklahoma City  
Tulsa  
  
**Tennessee—**  
Chattanooga  
Knoxville  
Memphis  
Nashville

**Texas—**  
\* Beaumont  
Dallas  
\* El Paso  
\* Houston  
San Antonio

**Washington—**  
Seattle  
Spokane

**Wyoming—**  
\*\* Casper

\* Handle cases of 2 lb. cans only.

\*\* Handle only 100 lb. and 25 lb drums—no cases.

**F. O. B. Shipping Points**

## CONCRETE MIXERS


VANCO

Built for Service—Portable Utility

Ideal time saver for the home, farm and construction in mixing feed, fertilizer, cement, soil, seed and mortar.

Heavy semi-steel bowl with smooth interior surface, riveted and electrically welded. Steel hopper, reinforced at opening with a  $\frac{1}{4}$  x 1 inch steel band, riveted and electrically welded. Three steel slicing blades firmly bolted in hopper, produce three way action. Large countersunk steel yoke bearings extend inside the bowl. Heavy semi-steel yoke. Steel ring gear to keep sand, grit and gravel out of gear pinion mixing wheel. Alemite grease fittings. Frame of  $1\frac{1}{2}$  x  $1\frac{1}{2}$  x  $\frac{3}{16}$  inches angle iron, reinforced and electrically welded.

Loads or discharges from either side directly into form, wheelbarrow or other receptacle.



Steel adjustable platform. Reinforced steel shield

## Specifications:

**Capacity**—6 cubic foot dry or 3 cubic foot wet mix.

**Hopper**—Opening 17 inches, diameter 25 inches, depth 26 inches.

**Pulley**—19 inches grooved.

**Belt**—Heavy duty V.

**Wheels**—10x2 $\frac{1}{2}$  inches ball bearing rubber tired.


**Dimensions**—46 $\frac{1}{4}$  inches high, 30 inches wide, 53 $\frac{1}{2}$  inches long over all.

Gasoline Engine, 1 $\frac{1}{2}$  H. P.

|                                     |          |
|-------------------------------------|----------|
|                                     | Each     |
| +30/15VR-K—Weight each 300 lbs..... | \$262.50 |
| Loose                               | ONORE    |

Electric Motor, 1 $\frac{1}{2}$  H. P.

|                                      |          |
|--------------------------------------|----------|
|                                      | Each     |
| +30/15VRE-K—Weight each 300 lbs..... | \$262.50 |
| Loose                                | ONORE    |



## Specifications:

**Capacity**—6 cubic foot dry or 3 cubic foot wet mix.

**Hopper**—Opening 17 inches, diameter 25 inches, depth 26 inches.

**Pulley**—19 inches V grooved or 3x12 inches flat face.

**Wheels**—12 inches steel or 10 $\frac{3}{4}$  inches ball bearing rubber tired.

**Dimensions**—45 inches high, 30 inches wide, 42 inches long over all.

## Hand or Belt Drive

| Nos.   | Each             | Pulley    | Wheels       |
|--------|------------------|-----------|--------------|
| +1VS-K | \$108.00<br>ESZΦ | V Grooved | Steel        |
| +1VR-K | 120.00<br>VZΦZ   | V Grooved | Rubber tired |
| +1FS-K | 108.00<br>ESZΦ   | Flat face | Steel        |
| +1FR-K | 120.00<br>VZΦZ   | Flat face | Rubber tired |


Weight each 200 lbs.

Loose

Items Marked ⚡ Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory, F. O. B. Colorado Springs, Colo. N. F. A.

## CONCRETE MIXERS

VANCO



## UTILITY

## Home, Farm and Construction

For mixing feed, fertilizer, cement, soil and seed.

## Specifications:

**Frame**—Angle iron reinforced, electrically welded.

**Motor Mount**—Steel, adjustable.

**Shield**—Reinforced steel.

**Yoke**—Heavy semi-steel.

**Drum**—Heavy semi-steel, diameter 25 inches, depth 26 inches, opening 17 inches.

**Bearing**—Heavy semi-steel.

**Pulley**—19 inch V-grooved.

**Belt**—Heavy duty V.

**Wheels**—Rubber tired, 4.00x8—2 ply.

Length with towing tongue 53½ inches. Width over all 50 inches.

Capacity 3 Cubic feet

Gasoline Engine, 1½ H. P.

|                                 |          |
|---------------------------------|----------|
|                                 | Each     |
| 20VR-K—Weight each 350 lbs..... | \$300.00 |
|                                 | OEZΦZ    |

Loose

Electric Motor, ½ H. P.

|                                  |          |
|----------------------------------|----------|
|                                  | Each     |
| 20VRE-K—Weight each 350 lbs..... | \$300.00 |
|                                  | OEZΦZ    |

Loose

Items Marked ✕ Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory, F. O. B. Colorado Springs, Colo., N. F. A.

## WHEELBARROWS

### CONCRETE OR MORTAR



RED STRONG



These barrows maintain perfect balance as the load is centered over the wheel. Handles extend in front of wheel and afford a convenient dumping fulcrum, also prevents damage to wheel. The V-shaped curved tray braces provide greater clearance for dumping into bins and forms.

Seamless pressed steel tray, with rounded nose. Extra steel bottom plate under tray. Steel strap across front of tray for additional strength.

Heavy channel steel legs with cross braces and steel shoes. Hardwood frame  $1\frac{5}{8} \times 2\frac{1}{2}$  inches with heavy steel nose guard. Curved front tray braces. Heavy enclosed dropped axle bearings hold wheels in position without cotter keys or nuts. Cold rolled steel axle. Painted red.

#### Specifications:

|     | Length Tray<br>on Top, ins. | Width Tray<br>on Top, ins. | Vertical<br>Depth at<br>Wheel, ins. | Vertical<br>Depth at<br>Handle, ins. |
|-----|-----------------------------|----------------------------|-------------------------------------|--------------------------------------|
| 1RB | 40 $\frac{1}{2}$            | 25 $\frac{1}{2}$           | 12 $\frac{1}{2}$                    | 8                                    |
| 3RB | 35                          | 27                         | 11                                  | 7                                    |

#### With Rubber Tire

Fitted with ball bearing wheel, having 16x4 inch pneumatic rubber tire with separate inner tube.

15 gauge steel.

| Each    |         | Struck          |                 |             | Each    |
|---------|---------|-----------------|-----------------|-------------|---------|
|         |         | Cap.<br>Cu. ft. | Cap.<br>Cu. ft. | Wt.<br>lbs. |         |
| 3-1RB-K | X27D50  | 5               | 4               | 73          | \$41.20 |
| 3-3RB-K | X23D85★ | 4               | 3               | 60          | 35.75   |

Loose

#### EXTRA TRAYS

| Each    |        | For<br>Wheelbarrow<br>No. | Wt.<br>lbs. | Each    |
|---------|--------|---------------------------|-------------|---------|
| 3-1RT-K | X10D15 | 1RB                       | 29          | \$15.24 |
| 3-3RT-K | X9D40  | 3RB                       | 23          | 14.08   |

Loose



The curved front tray braces provide more clearance for dumping into bins or forms than straight braces. Handles extend in front of wheel, affording dumping fulcrum and protection to wheel.

Seamless 16 gauge steel tray with turned edges, bolted to frame. Heavy channel steel legs  $1\frac{3}{4} \times 1$  inch, with riveted steel shoes and channel steel cross braces. Hardwood frame or handles  $1\frac{5}{8} \times 2\frac{1}{2}$  inches, with steel tipped ends. Curved front braces bolted to frame and tray. Length of handles 61 $\frac{1}{2}$  inches. Tray and frame painted red. Wheel painted black.

Equipped with 15 $\frac{1}{2}$ -inch steel wheel with 8 spokes. Tread  $1\frac{1}{2} \times \frac{5}{16}$  inch,  $\frac{5}{8}$  inch axle. Malleable iron axle boxes.

Standard capacity  $\frac{1}{4}$  cubic feet. Struck capacity  $2\frac{1}{2}$  cubic feet.

Tray  $37\frac{1}{2} \times 28\frac{3}{4}$  inches. Vertical depth: at handle 6 $\frac{1}{2}$  inches. At wheel 9 $\frac{1}{4}$  inches.

Tray and frame painted red, wheel painted black.

| Each                    | Each               |
|-------------------------|--------------------|
| 3-R45-K                 | X17D25.....\$25.88 |
| Loose. Wt. each 60 lbs. |                    |

#### EXTRA TRAYS

| Each                    | Each              |
|-------------------------|-------------------|
| 3-R45T-K                | X7D70.....\$11.56 |
| Loose. Wt. each 22 lbs. |                   |



All Steel

These barrows are strong and durable and will withstand most severe use.

The curved front tray braces provide more clearance for dumping into bins or forms than straight braces. Handles in front of wheel affording dumping fulcrum and protection to wheel.

Heavy solid seamless pressed steel tray with beaded wired rim.  $1\frac{1}{16}$ -inch tubular steel drop frame and handles. Heavy channel steel legs  $1\frac{1}{2} \times \frac{1}{2}$  inch, with riveted steel shoes and channel steel cross braces. Curved front braces bolted to front of tray.

Equipped with self-oiling steel wheel 15 $\frac{1}{2}$  inches in diameter, with 8 spokes. Tread  $1\frac{1}{2} \times \frac{5}{16}$  inch. Malleable iron axle boxes. Sixteen gauge steel.

|    | Length Tray<br>on Top, ins. | Width Tray<br>on Top, ins. | Vertical<br>Depth at<br>Wheel, ins. | Vertical<br>Depth at<br>Handle, ins. |
|----|-----------------------------|----------------------------|-------------------------------------|--------------------------------------|
| R4 | 32 $\frac{1}{4}$            | 26 $\frac{1}{2}$           | 7 $\frac{3}{4}$                     | 5 $\frac{1}{2}$                      |
| R5 | 37 $\frac{3}{4}$            | 28 $\frac{3}{4}$           | 9 $\frac{1}{2}$                     | 6 $\frac{3}{4}$                      |
| R7 | 37 $\frac{3}{4}$            | 28 $\frac{1}{2}$           | 9 $\frac{1}{2}$                     | 7                                    |

16 gauge steel.

| Each   |        | Struck          |                 |             | Each    |
|--------|--------|-----------------|-----------------|-------------|---------|
|        |        | Cap.<br>Cu. ft. | Cap.<br>Cu. ft. | Wt.<br>lbs. |         |
| 3-R4-K | X18D15 | 3 $\frac{1}{2}$ | 2               | 58          | \$27.20 |
| 3-R5-K | X18D65 | 4               | 2 $\frac{1}{2}$ | 65          | 27.94   |

14 gauge steel.

|        |        |   |                 |    |       |
|--------|--------|---|-----------------|----|-------|
| 3-R7-K | X22D03 | 4 | 2 $\frac{1}{2}$ | 79 | 33.04 |
| Loose  |        |   |                 |    |       |

#### EXTRA TRAYS

| Each    |       | For<br>Barrows,<br>Nos. | Wt.<br>lbs. | Each   |
|---------|-------|-------------------------|-------------|--------|
| 3-R4T-K | X6D50 | R4                      | 14          | \$9.70 |
| 3-R5T-K | X7D70 | R5                      | 20          | 11.56  |
| 3-R7T-K | X9D25 | R7                      | 29          | 13.86  |

Loose

#### EXTRA WHEELS

| Each                   |       | For Barrows,<br>Nos. | Each   |
|------------------------|-------|----------------------|--------|
| 3-R4W-K                | X3D60 | R4-R5-R7-R45         | \$5.40 |
| Loose. Wt. each 9 lbs. |       |                      |        |

STAR ★ DENOTES BEST SELLER

WHEELBARROWS  
HOME AND GARDEN

KEEN  KUTTER



Sturdy steel tray with full rolled edge. Leg brace supports bottom of tray. Steel tubing handles, plastic grips. Heavy duty oilite bearing wheel, semi-pneumatic 10x1.75 inch puncture-proof tire. Cadmium plated axle, bolts and nuts. Baked on finish—red tray, yellow handles and wheel.

Maximum capacity 3 cubic feet. Top of tray 24½x31½ inches. Over-all height 25 inches, length 48 inches, width 26 inches.

Each  
3-KGB-KK X6D35.....\$9.65  
Packed in two ctns. Wt. 22 lbs.

CONCRETE OR MORTAR

SHAPLEIGH'S



Pressed high carbon, 16 gauge steel trays, with rolled edges. Rounded fronts. Varnished hardwood handles. Riveted channel legs with heavy steel shoes. Square channel wheel guard. Malleable axle brackets with threaded axles. Roller bearing type steel wheel with 2-ply 16x4 pneumatic rubber tires with inner tube. Trays painted blue. All other metal parts painted black.

Tray 27¾x37½ inches. Capacity 4½ cubic feet, struck capacity 3 cubic feet. Length over all 60 inches. Height at front 25¼ inches.

Each  
3-S43-K X24D25.....\$36.50  
Loose. Wt. each 61 lbs.

EXTRA TRAYS

For Wheelbarrows No. S43

Each  
3-S45T-K X6D75.....\$9.25  
Loose. Wt. each 21½ lbs.



WHEELS  
GLEASON

Steel disc ball bearing wheels with semi-pneumatic tires for all types of slow motion rolling equipment. Farm, homecraft or industrial.

| Quantity | No.   | Size, ins. | Fits Axle, in. | Each   |
|----------|-------|------------|----------------|--------|
| 2        | 650   | 6x1½       | ½              | \$1.90 |
| 2        | 813   | 8x1.75     | ½              | 2.35   |
| 2        | 1013  | 10x1.75    | ½              | 2.95   |
| 1        | 1023B | 10x2.75    | ¾              | 5.90   |
| 1        | 1213  | 12x1.75    | ½              | 3.60   |

Display Stand and 8 Wheels

Per Asst. ▲ Per Asst.  
3-522-K X16D75★.....\$23.95  
One asst. in ctn. Wt. ctn. 32 lbs.

OPEN STOCK

For use on battery chargers, compressors, camera dollies, lawn furniture and similar service equipment.

Spot welded steel disc construction with smooth base. Semi-pneumatic tire. Flange type unground commercial ball bearings.

Size 6x1½ inches. Fits ½ inch axle.  
Each  
3-650-K X1D20.....\$1.90  
One in box. Ten in ctn. Wt. ctn. 12½ lbs.

For power mowers, golf bag carriers, farm carts and other light portable equipment.

Steel disc, spot welded construction with smooth base. Semi-pneumatic tire. Commercial unground flange type ball bearings.

Size 8x1.75 inches. Fits ½ inch axle. Load capacity 100 lbs.  
Each  
3-813-K X1D55.....\$2.35  
One in box. Ten in ctn. Wt. ctn. 22½ lbs.

Large diameter assures easy rolling over rough ground for power mowers, all types of carriers and light duty portable equipment.

Welded steel disc construction smooth base wheel. Semi-pneumatic tires. Ball bearings.

Size 12x1.75 inches. Fits ½ inch axle. Load capacity 100 lbs.  
Each  
3-1213-K X2D35.....\$3.60  
One in box. Ten in ctn. Wt. ctn. 42½ lbs.

For rotary lawn mowers, golf bags and out-board carriers, milking machines and similar portable equipment.

Spot welded steel construction smooth rim wheel. Semi-pneumatic puncture proof tires. Flange type commercial unground ball bearings.

Size 10x1.75 inches. Fits ½ inch axle. Hub width 2¼ inches.  
Each  
3-1013-K X1D95.....\$2.95  
One in box. Ten in ctn. Wt. ctn. 32½ lbs.

For garden wheelbarrows, silage carts, welders, hand trucks and other medium duty equipment.

Welded steel disc construction. Luggage base semi-pneumatic tires, commercial unground flange type ball bearings.

Size 10x2.75 inches. Hub width 2¾ inches. Load capacity 250 lbs.  
Each  
3-1023-K X3D80 ½ \$5.70  
3-1023B-K X3D85 ¾ 5.90  
One in box. Ten in ctn. Wt. ctn. 60 lbs.

**BARROW WHEELS****Automotive Type**

For converting standard barrows fitted with ordinary wheels into easy running, easy-pushing, rubber-tired wheelbarrows.



Ball bearing wheel, with 16x4.00 inch pneumatic rubber tire. Length of hub 7 inches. Wheel has 1½ inch opening to accommodate locking chain. Diameter of arbors ⅝ inch.

**With Inner Tube and Valve**

Will fit Nos. R45, R4, R5, R7, R10, 1RB, 1RBS, S43, S5 and 3RB barrows.

**Two Ply Tire**

|          |                  |         |
|----------|------------------|---------|
| Each     |                  | Each    |
| 3-2RTW-K | X10D30.....      | \$15.46 |
|          | Wt. each 10 lbs. |         |

**Four Ply Tire**

|          |                  |         |
|----------|------------------|---------|
| Each     |                  | Each    |
| 3-4RTW-K | X11D70.....      | \$17.50 |
|          | Wt. each 11 lbs. |         |

Barrows Nos. R45, R4, R5 and R7 can be converted to rubber tire by adding the exchange price below. Specify on your order the number of barrow wheel wanted.

**Add to Price of Barrow as Cataloged**

|          |       |
|----------|-------|
| Each     |       |
| 3-2RTW-K | X6D70 |
| 3-4RTW-K | X8D10 |

We can only furnish complete wheels with tires—Extra tires must be purchased from regular tire dealers.

**Notice**

We have been notified that the tire manufacturers have issued instructions that all adjustments on wheelbarrow tires are to be made through the local tire dealer in each town. In view of these instructions do not return tires to St. Louis. Have them adjusted at nearest dealer.

**WHEELBARROW  
EXTRA HANDLES****For Wheelbarrows Nos. R45 and S43**

Selected high grade hardwood 1¾x2¼x59½ inches. Plain natural finish.

|          |                         |          |
|----------|-------------------------|----------|
| Per Pair |                         | Per Pair |
| 3-EH-K   | X4D40.....              | \$6.75   |
|          | Loose. Wt. pair 12 lbs. |          |

STAR ★ DENOTES BEST SELLER

**PICK-UP CARTS**

KEEN  KUTTER

**Handy Hauler**

Steel body with embossed sides for extra rigidity. Heavy channel undergear with ½ inch steel axle. ⅝ inch tubular handle. 11 inch solid disc type wheels with 1½ inch ribbed rubber tires. Standing height of handle 26 inches from floor. Red enameled body, white wheels, black handle.

Size of body 29¾x20x15 inches.

**Capacity 4 Cubic Feet**

|              |             |        |
|--------------|-------------|--------|
| Per Ctn. (3) |             | Each   |
| 3-KKHH-KK    | X16D50..... | \$8.15 |

Three in ctn. Wt. ctn. 83 lbs.

**EXTRA WHEELS****For 3-S202/1-K and 3-S202/2-K****Pick-up Carts.**

Diameter 10 inches. Steel discs with 1½ inch tractor rubber tires. Bronze oilite bearings. Silver finish.

|           |            |        |
|-----------|------------|--------|
| Each      |            | Each   |
| 3-CW-K    | X1D20..... | \$1.95 |
| Lots of 2 | X1D15      |        |

Two in ctn. Wt. ctn. 3 lbs.

## GLEASON

## APPLIANCE AND REFRIGERATOR

Easier to use in three ways. Pick up load, lift load and climb stairs.

Electrically welded reinforced tubular steel frame and handles with rubber handles for firm, comfortable grip. Felt padded vertical rails. Steel nose plate. Two 1-inch tubular steel cross bars. Two 2-inch web straps. Cold rolled steel axle  $\frac{5}{8}$ -inch welded at load

balancing pivot point for greater leverage. Heavy duty ball bearing wheels with heavy industrial tires, 10x2.75. Heavy aluminum castings of two piece construction for easy replacement.

Finished in gleaming white with red painted wheels.

Height 53 inches. Width 26 inches. Nose plate 23 inches wide, 7 inches deep.

Capacity 500 lbs.

Each  $\ddagger$ 5505-K X34D95..... Each \$52.50

Loose. Wt. each 55 lbs.

## ANCO



## CEMENT BAG

Designed for tremendous strength. Streamlined and easy to handle. No sharp corners to snag a bag.

Strong angle iron frame,  $1\frac{1}{2}$ x $1\frac{1}{2}$  inches. Large heavy steel base plate with 13-inch nose and two wheels. Eight-inch wheels with  $2\frac{1}{2}$ -inch face and solid rubber tires. Grease packed roller bearings. Zerk fittings. Single unit, arc welded and precision built. Rust-resisting green enameled finish.

Frame 50 inches high and 20 inches wide.


Capacity 1200 lbs.

Each  $\ddagger$ 12-K X71D40..... Each \$107.10

Loose. Wt. each 94 lbs.

## TRUCKS

## GLEASON



For bottling plants, dairies, stores, warehouses, farms and factories.

One piece tubular steel main frame, 46 inches high, 17 inches wide. Securely welded to 14x7 inch steel closed nose plate. Push-pull handle. Axle,  $\frac{5}{8}$ -inch, and support welded to gether. Solid rubber wheels 5x1 $\frac{1}{2}$  inches, with oilless bearing moulded in for trouble-free service. Finished in red.

Capacity 600 lbs.

Each 0-15-K X8D35..... Each \$12.75

Loose. Wt. each 18 lbs.

## SUPERIOR

## Ruggedly Built for Rugged Work



Heavy steel 1 inch tubing frame with three curved steel cross braces. Pin handle with closed nose plate. All welded construction.

5x1 $\frac{1}{2}$  inches solid rubber wheels. Steel axles. Hydraulic Zerk grease fittings. Finished in red.

Height 46 inches, width 16 inches.

Capacity 600 lbs.

Each 0-10-K X8D70..... Each \$13.25

Loose. Wt. each 18 lbs.



Tubular 1 inch steel frame and push-pull handle. Three flat steel cross braces and stair glides. Closed nose plate securely welded to frame. Steel  $\frac{5}{8}$ -inch axles. Steel disc wheels with  $\frac{5}{8}$ -inch ball bearings and 10x2.75 semi-pneumatic wheels. Height 44 inches.

Load Capacity 400 lbs.

Each 0-3305C7-K X16D50..... Each \$24.95

Loose. Wt. each 32 lbs.

## MILWAUKEE TRUCK CO.



## Pack Pony

Handles compact, heavy loads with a minimum of effort. 18x32 inch platform equipped with handle slots on both sides.

Truck comes with one steel tube handle 1 inch in diameter. Ideal for small parts in tote boxes, assemblies and for moving stock to island counters, etc.

## Specifications:

Platform—18x32 inches.

Overall Height—33 $\frac{1}{2}$  inches.

Height of Desk From Floor—6 $\frac{3}{4}$  inches.

Overall Length—33 $\frac{1}{2}$  inches.

Load Capacity—500 pounds.

Caster Wheels—4x1 inch swivel type solid rubber.

Front Wheels—5x1 $\frac{1}{4}$  inch solid rubber.

Each 0-88/2-K X19D00..... Each \$28.50

One in ctn. Wt. ctn. 43 $\frac{1}{2}$  lbs.