
# HERRYDISTRIBSONS

INCORPORATED



PHILADELPHIA PA



ESTABLISHED 1840 50 ACRES

HENRY DISSTON & SONS INCORPORATED KEYSTONE SAW, TOOL, STEEL AND FILE WORKS PHILADELPHIA, U.S.A.

64 BUILDINGS



Any saws or tools of our manufacture not obtainable from your jobber will be supplied direct by the factory, provided the name of the jobber is mentioned, through whom they will be invoiced.

HENRY DISSTON & SONS

KEYSTONE SAW, TOOL, STEEL AND FILE WORKS

PHILADELPHIA, U. S. A.



CHICAGO, ILL. NEW ORLEANS, LA. SEATTLE, WASH.

BRANCH HOUSES:

BOSTON, MASS. MEMPHIS, TENN. CINCINNATI, OHIO BANGOR, MAINE SAN FRANCISCO, CAL. PORTLAND, ORE.

VANCOUVER, B. C. SYDNEY, AUSTRALIA

CANADIAN WORKS: TORONTO, CANADA

JANUARY, 1918

ROSE TOOLS, INC.

Quality Sells

SPECIAL attention is called to new goods added to the standard line in this new PRICE-LIST of JANUARY, 1918, the merits of which are fully established with the trade and mechanics generally.

Our desire is to impress upon the Trade and all Users, that in addition to the most complete line of Saws manufactured, there is a large variety of Carpenters', Bricklayers' and other Mechanics' Tools of that same "HIGH DISSTON STANDARD"—making these TOOLS the same VALUED ASSET to the Merchants' Stock as DISSTON Saws.

HENRY DISSTON, prior to 1855, imported all the steel used by him in the manufacture of DISSTON Saws; in that year he built and operated his own CRUCIBLE STEEL PLANT, where, employing his wide knowledge of SAW requirements, he carefully investigated and experimented, until he discovered a formula which enabled him to produce the finest SAW STEEL in the WORLD. From time to time thereafter other formulas were developed and thoroughly tested for the respective needs of other TOOLS bearing the BRAND of DISSTON. This Steel Plant, the first and for a long time the only CRUCIBLE SAW STEEL Plant in the United States, has been continued by HENRY DISSTON & SONS. The improvement of efficiency and output has kept pace with the increasing requirements of SAWS, TOOLS, FILES, KNIVES, Etc.

In the quality of STEEL, therefore, lies the first of a series of reasons for the continued wonderful efficiency of the DISSTON BRAND GOODS.

The plant of HENRY DISSTON & SONS was established in 1840, and now consists of 50 acres, 64 buildings in which 3600 employees are at work, progression being strikingly shown by the up-to-date buildings, sanitary appliances and the equipment which consists of the latest improved machinery, many of which were originated and built in the Disston Works.

These remarkable facilities guarantee the HIGHEST STAND-ARD of QUALITY, and EFFICIENCY of all SAWS, TOOLS, FILES, KNIVES, Etc., bearing the BRAND of DISSTON.

2

HENRY DISSTON & SONS INCORPORATED Keystone Saw, Tool, Steel and File Works PHILADELPHIA, U. S. A.



#### "KEYSTONE"

TRADE MARKS REGISTERED U. S. PATENT OFFICE

IN addition to the above, many of our other TRADE MARKS and TRADE NAMES are REGISTERED in this and Foreign Countries.

All persons are cautioned against using any of our Trade Marks or Trade Names, except for the purpose of indicating that the goods identified thereby were manufactured by us.

We also caution all persons against imitating the labels we use to identify and describe the articles we manufacture.

HENRY DISSTON & SONS

January, 1918

#### NOTICE

A LL ORDERS from persons unknown to us must be accompanied with cash or good commercial reference, unless the goods are to be shipped C. O. D., in which case we require a deposit sufficient to cover express charges both ways, as a guaranty that the goods will be taken from the express office promptly on arrival. Shipments made by parcel post to all parts of the United States and its possessions in accordance with the rules of the Post Office Department, the amount of postage will be charged net on invoice, not subject to the cash discount.

REMITTANCES should be made by P. O. Money Order, Registered Letter, Draft on Philadelphia or New York, or by Express, which will insure safe delivery. When sent by express, the charges must be prepaid. Bills unpaid by the 20th proximo, will be drawn for at sight.

PROPER SHIPPING INSTRUCTIONS should be given, to prevent delay, expense and annoyance to customers.

ALL GOODS SHIPPED AT PURCHASER'S RISK AND INVOICED AT CURRENT RATES WHEN SHIPPED

PRICES are F. O. B. cars or boat Philadelphia.

QUOTATIONS subject to change without notice, correction of stenographic or typographical errors, and are contingent upon accidents, strikes and other delays unavoidable or beyond our control.

#### WHEN SENDING SAWS FOR REPAIRS

THE NAME OF OWNER SHOULD APPEAR ON EACH in order to identify it when received, thus avoiding delay. Mail us full instructions for the work to be done, stating the hand, speed, and feed of the mill, and shipping directions for the return of the saw.

MARK PACKAGE PLAINLY, TACONY, PHILADELPHIA, U. S. A.

HENRY DISSTON & SONS

#### DISSTON CRUCIBLE STEEL

Our facilities for making and rolling crucible steel being more than adequate for our own purposes, we are in position to furnish the trade with the following classes:

DISSTON TOOL STEELS

BEST TOOL

SPECIAL HIGH-SPEED STEEL

EXTRA TOOL

SPECIAL TOOL STANDARD TOOL

DISSTON SAW AND SHEET STEELS SPECIAL HIGH-SPEED MILLING

#### DISSTON MISCELLANEOUS STEELS

FILE STEEL

PLIER STEEL

SCREWDRIVER STEEL

HAMMER STEEL

AXE, HATCHET, CHISEL STEEL

AUGER BIT STEEL
CANT HOOK STEEL

MAGNET STEEL

SKATE STEEL

FORK AND HOE STEEL

DIE STEEL

TROWEL STEEL

MATTOCK STEEL

SPRING STEEL, ETC.

COLD-ROLLED STEEL COLD-ROLLED HARDENED AND TEMPERED COLD-ROLLED HARDENED, TEMPERED AND POLISHED


Prices quoted on application

#### THE STANDARD NUMBER OF TEETH IN CIRCULAR SAWS

Diameter Links	Carsiff	Rip	Diameter Inches	Cut-off	Rip			
3	72 80	30 36	36 38	60	32 32			
4 5	90	36	40		32 to 36			
6	90	36	42		32 to 36			
7	90	36	44		32 to 36	For Ste	am Fee	d Mills of
8	90	36	46	80	32 to 40	large capa	acity ru	nning Saws:
.9	90	36	48	80	32 to 40			
10	72	30	50	80	32 to 40	750 to 800 B	LUV	800 to 900 Rev.
12	60	32	52	90	32 to 50			
14	60	32	54	-90	32 to 50			
16	60	32	56	90	32 to 50	80		90
18	60	32	58	100	40 to 60	80		90
20	60	32	60	100	40 to 60	80		90
22	60	32	62	100		80		90
24	60	32	64	120		80		90
26	60	32	66	120	Commence of			90
28	60	32	68	126				
30	60	32	70	130				
32	.60	32	72	130				
34	60	32						
Diameter	V	Holomo	Edward	Tommer	Shihar	ÿ		Heading

Inches	Larh Saws	Bolters	Edgers	Tommera	Slathers	Reserva	Shingho	Heading Sawa
12	32							
14	3.2							
16	36							
18	36	36						
20	339	36						
22		36				36 to 50		
24		40	32	72		36 to 50		
26		40	32	72		36 to 50		
28			32	72	(8) (6)	36 to 50		
30				72	72	36 to 50		
32		1.4		100	72	36 to 50		
34	1474		600	19	72	36 to 50	sa pa	
36	3515			1,1	72		60 to 100	
38				184	80		60 to 100	
40			1110	- 69	80	50 to 80	60 to 100	
+2	1,11,1		2.50	1,22	80		60 to 100	80
44	12.0	111	1.63	151	0.0			80
46			3.91	1000				80
48	155		2.5	100				90
50	80	1.1	4.4	i i i				90
52	180	490	0.00	100				100
54	185			550				100
56	7.7		5550	100	414			100

#### DISSTON SONS HENRY



The above cut illustrates various Styles of Teeth for Circular Saws. By referring to this when ordering, customers will be enabled to indicate to us the style of touth required; gauge or thickness per

SOLID TOOTH: For Crosscotting Ripping or Crosscotting Nos. 14, 12, 13 and 14 Ripping or Crosscotting Nos. 1, 6 and 8 No. 18

INSERTED
The CHISEL TOOTH is the best form for general mill use. No. 10 is used principally on the Pacific TOOTH:

Cast. No. 10 is adapted for thin saws, re-sawing, etc. The AMERICAN, TRENTON, PROSSER, DUNBAR and GOULDING are are tyles formerly musle by The American Saw American Saw (Saw).

#### DISSTON STANDARD GAUGE

Sauge	Decimals of Inch	Fractional Part of Inch	Millimeter Equivalent	Gauge	Decimals of Inch	Fractional Part of Inch	Millimeter Equivalent
0000	_454		11.53	17	.058	1-16 Scant 3-64 Full	1.47
000	.425		10.79	18	049	3-64 Scant	1.07
-00	.380	22 64 6	9.65	20	042	1-32 Full	.89
0	.340	22-64 Scant	8.64			1-04-1-1111	
1	,300	19-64 Full	7.62	21	.032		.71
2	.284	9-32 Full	7.21	22	.028		.63
- 3	.259	17-64 Scant	6.58	23	025		.56
-4	238	15-64 Full	6.04	24	022		
5	.220	7-32 Full	5.59	25	.020		.51
6	.203	13-64 Scant	5.16	26	.018		.46
7	.180	3-16 Scant	4.57	27	.016		.41
8	.165	11-64 Scant	4.19	28	:014		.36
0	.148	9-64 Full	3.76	29	.013		.33
10	134	1-8 Full	3.40	30	.012		_30
11	.120	1-8 Scant	3.05	-31	.010		.25
12	.109	7-64	2.77	- 32	,009		.23
13	.095	3-32 Full	2.41	33	,008		. 20
14	.083	5-64 Full	2.11	34	.007		. 18
15	.072	5-64 Scant	1.83	35	-009		.13
16	.065	1-16 Full	1.65				

#### SAW-SETS

SPECIALLY ADAPTED FOR HAND SAWS, CROSS-CUT SAWS, CIRCULAR SAWS AND ALL SMALL SAWS



No. 2 (small) SS.00 per dozen Packed one-half dozen in box No. 12 (medium) 11.00 " Packed one in box No. 20 (large) ... Packed one in box



No. 8 (large) . \$18.00 per doz. For Circular and Cross-cut Saws, 12 Gauge and lighter. Packed one in box. No. 18 (med.), 15,00 " " For Circular and Cross-cut Saws, 14 Gauge and lighter Packed one in box. For Hand Saws, Back Saws, Web Saws, Narrow Band Saws, etc. 10 points to the inch and coarser. Packed one-half dozen in box. No. 28 (small) . 11.00 " " No. 280(small) 11.00 " " For Hand Saws, Back Saws, Web Saws, Butcher Saw Blades, etc., from

10 to 16 points. Packed one-half dozen in box.

The idea embodied in this Saweatt is must have will common itself to every use of a armovaring tool. The principal feature is the use of two plangers operated by the two levers or handles; pressure on the lower lever forcing plunger "D" against the body of the saw, that hadding it rigidly in pestion and preventing slipping, whilst a continuation of the pressure on the upper lever operates plunger "C" in setting the tooth.

In a string the tooth is the same and the same

line with the top of touth to be set.

We claim this to be the heat Hand Set ever put on the marker, and a trial will convince anyone of its superior metits. If
the instructions a set adjustment are carried out the results will be entirely satisfactory to the operator.

#### HENRY DISSTON SONS

#### HAND-SAW JOINTER

SPECIALLY ADAPTED FOR HAND SAWS, NARROW BAND SAWS, ETC.



When the teeth of a saw become irregular in size it is absolutely necessary to dress them down until all are of an equal height, and this should always be done before attempting to reset or sharpen the saw. To facilitate this work and insure evenness we fully recommend the above Jointer, which is simple in construction and readily adjusted.

Price, complete with file .... \$5.75 per dozen Extra Files ..... \$1.50 per dozen Packed one-quarter dozen in box.

#### STAR SAW-SET

FOR HAND, BACK, BAND, WEB, WOOD AND SMALL CIRCULAR SAWS, NOT THICKER THAN 18 GAUGE

Prominent among the advantages claimed for this set is that it can be oper-

ated by the foot by means of a treadle, thus leaving the hands free to guide the saw; or it can be used by striking on the top with a light mallet.

A is the plunger, which can be operated by a treadle attached to E, under the machine, and a slight tap with the foot will set the tooth; B, the hammer or striking part; C, the anvil; D, the movable gauge; F, the screw to regulate the amount of set. The striking part and the anvil, or portion which receives the blow, are star-shaped, and similar in construction. The points are all of different sizes, and are numbered from 1 to 6, and are designed to set different sized teeth. It will strike a blow as sharp and effective as though done by a hammer, and is the most useful and complete saw-set that has ever been offered. If the saw is hard, several blows should be given in setting it. Raise the back of the saw from the guide-screw F, when the first blow is given, and gradually lower it with each blow until the process is complete. With each set is included a gauge for holding narrow blades, such as Web saws, etc., in position during operation of setting.

Price......\$10.00 per dozen Packed one-quarter dozen in box.



116

#### SONS DISSTON HENRY

#### SAW CLAMPS



No. 1 IMPROVED BALL and SOCKET CLAMP

held straight or ar any angle the oper-

No. 1. Japanned. \$11.00 per dozen.

No. 2. Iapanned. \$9.00 per dozen.



IMPROVED, No. 2

#### REVOLVING SAW-SET



per dozen

Packed one-half dozen in box



ADJUSTABLE, No. 4

Particularly adapted for use when filing narrow band, web saws, etc. The supporting arms are adjustable, and can be regulated to suit the various widths of saws to be filed, the blade being maintained in the same position throughout and by slightly raising lever, can be moved along.

No. 4. Japanned (length of jaw, 12] 

#### SAW CLAMPS

HANDY, No. 5



#### FASTENED TO BENCH BY SCREWS

Length over all, 14; inches. Filing length of jaw, 13 inches. Weight, 3; lbs.

No. 5. Japanned \$10.00 per dozen

HANDY, No. 6



Same pattern and dimensions as No. 5 with the addition of screw lugs for fastening to bench. These lugs fold closely to body of clamp. Weight, 5 pounds, 9 ounces.

No. 6. Japanned \$14.00 per dozen

The Handy Saw Clamp was designed with the particular view of making it light in weight and at the same time strong and durable; to take up the least possible space and easily carried in a tool

The material is grey iron, the arches are reinforced to give the requisite strength where needed Tightened by means of the eccentric lever permits of quick and positive action. There being three points of pressure on the jaw, proper contact with the blade is obtained along the entire length without the use of rubber packing, which insures the holding of the saw-blade firmly and rigidly in position.


Packed one in pasteboard box

Trude Mark Registered U. S. Patent Office

# SAW FILING GUIDE

Parented Dec. 12, 1893

ESPECIALLY DESIGNED TO ASSIST THOSE NOT SKILLED IN THE ART OF SAW-FILING TO FILE A SAW CORRECTLY



#### DIRECTIONS

This cut shows a saw and the guide in proper position for filing. There are three marks on the upper hub of the swivel attachment, and one mark on the other. One of the three marks shows when it is in position for one side and the other designates when it is in position for filing the other side. The third, or centre mark, shows when it is in position for filing Rip Saws. To obtain the correct position loosen the wing-nut and move the guide around to the point desired; after tightening wing-nut, loosen screw in file handle and adjust the file for the shape of tooth wanted.

A good way is to select a tooth of correct shape and let file down into it, tighten set-screw in handle, then file a tooth to see if the shape suits. If not, turn the file a little to the right or left and try another tooth until the proper shape is obtained. Then file every other tooth. When one side is filed, reverse saw and attachment and file the other teeth. For Rip Saws, place the file at right angles with the saw, as mentioned above, and file every tooth. Always keep the file as nearly horizontal as possible. USE A 5½-INCH DISSTON SLIM TAPER FILE.

Length of jaw, 121 inches. Price includes Clamp, Filing Guide, File and Handle.

Packed one in wooden box, weight 20 pounds

Trade Mark Registered U. S. Patent Office

# 13

# SAW FILING GUIDE

Patented December 17, 1893.



Packed one in pasteboard box. Weight, 7 pounds each.
Where a heavier and stronger clamp is wanted, we recommend the D3.

### STANDARD WIRE GAUGE, No. 5



Packed half-dozen in box.

#### DISSTON STANDARD WIRE GAUGES

PERFECTION ATTAINED

ACCURACY GUARANTEED



No. 1. Small Gauges, 1 to 26. \$20.00 per dozen



No. 2. Large Gauges, 0 to 29

\$35.00 per dozen



No. 3. 0 to 29. \$28.00 per dozen " 4. 1 to 26 \$25.00 "

To insure perfect accuracy, it is absolutely requisite that our gauge and that of our customers should be alike, and to this end we have been compelled to enter the field in this delicate branch of manufacture. Our success is complete, and we are making a correct standard gauge, which we warrant, and sell at a low price.

ALL GAUGES MADE TO STUBB'S OR BIRMINGHAM STANDARD

Packed half-dozen in box

#### CABINET PATTERN WEBS



Length 18 inch	Thickness 23 gauge	\$2.15	\$2.40	\$2.60		in. Wide er dozen
20 "	23	2.20	2.45	2.70	3.05	66
22 41	23 **	2.25	2.55	2.80	3.15	**
20 " 22 " 24 "	23 "	2.40	2.70	3.00	3.35	**
26 **	23 11	2.60	2.90	3.10	3.60	100
28 44	23 "	2.75	3.10	3.30	3.80	4.6
30 "	23	2.90	3 30	3.60	4.10	**
26 ** 28 ** 30 ** 32 **	23 "	3.10	3.45	3.85	4.40	340
34 " 36 "	22 "	3_30	3.60	4.00	4.55	11
36 "	22 ***	3.50	3.75	4 15	4.70	11

All above Webs are set and sharpened

#### CABINET PATTERN WEBS

EXTRA THIN BACK

		1,, 6.1.15					
Length 18 inch 20 " 22 " 24 "	Thickness on Toothef Lilgs 23 gauge 23 " 23 " 23 "	Rack Edge	\$2.55 2.60 2.70 2.80	\$2.75 2.85 2.95 3.10	\$3.00 3.10 3.20 3.35	\$3.25 pc 3.45 3.55 3.75	
26 " 28 " 30 " 32 "	23 " 23 " 23 " 22 "	25 25 25 24	3.00 3.10 3.30 3.40	3.30 3.40 3.65 3.80	3.60 3.75 4.00 4.20	4.00 4.25 4.50 4.75	**
34 " 36 "	22 "	24 "	3.50 3.65	3.90 4.10	4.35	4.90 5.15	44

All above Webs are set and sharpened

Five per cent, extra for each gauge heavier than the above.

Five per cent, extra for each gauge lighter than the above.

Twenty per cent, extra for Webs toothed over 10 points per inch.

Twenty-five per cent. extra for Webs toothed over 15 points per inch.

Cabinet Webs heavier than 20 gauge special price.

Cabinet Webs lighter than 25 gauge special price.

For prices of Webs with cut tangs, advance 40c, per dozen on above prices. For prices of Webs with tangs "riveted" on, advance 60c, per dozen on above

For prices of Webs with cross-cut saw tabs "riveted" on, advance \$1.00 per

dozen on above prices.

Specify whether "cut" or "riveted" tangs are wanted, otherwise cut tangs will be sent.

# TURNING OR CHAIR WEBS

SET AND SHARPENED READY FOR USE

	-	Line	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		A PARTY N		VIII NA	*****	****	0	
8	Pirri	*********		DISS	TON			reres		eres.	4
Length Inch 6 7 8	Gauge 23 22 22	Price Per Doz. \$1.20 1.25 1.30	Widths 16 to 1 16 1 16 1 16 1 16 1 16 1	10 10 10 10	9 9 9	74 In. 73 7 7 7 7 7 3	Number 3s In. 7 7 7	Points to	Inch 14 In.	36 In.	1 In.
10 12 14	22 21 21	1.35 1.45 1.60	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 10 10	9 9 8	7½ 7½ 7½ 7½	7 7 7				
16 18 20	20 20 20	1.80 2.00 2.25	\$ 11 TH 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 10 10	8 8	7½ 7½ 7½	7 7 7				5/4 2/5 3
22 24 26	20 19 19	2.50 2.80 3.10	1 1 5 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		8 8 8	$\begin{array}{c} 7\frac{1}{2} \\ 7\frac{1}{2} \\ 7\frac{1}{2} \end{array}$	7 7 7	6½ 6½ 6½	6 6	51 51 51	9
28 30 32	19 19 18	3.45 3.80 4.20	1 · · · · · · · · · · · · · · · · · · ·		8 8	71 71 71 71	7 7 7	61 61 61 62	6 6	51 51 51 51	
34 36	18 18	4.60 5.00	1 1 1 1		8	$\frac{7\frac{1}{2}}{7\frac{1}{2}}$	7 7	$6\frac{1}{2}$	6	5½ 5½	

One gauge heavier than above list, no extra charge.

When two gauges heavier than above list, Felloe Web prices will be charged. Extra width, 10 per cent, additional for each 1 inch.

## FAY'S PATENT SCROLL SAWS

	17	*********			
	17		**********		
	THE	11111111111111	ISSTON	********	111
8 8 75	2.00	2,25	2.50	2.75	3.00 per dozen
\$1.75	16	18	4.50	5.00	5,50 per dozen
42.02	W.1 16 is	shoe over 1	inch wide, at	nd from 18 to	24 inches, over 1

Fay Webs to 16 inches, over 3/4 inch wide, and from 18 to 24 inches, over 1 inch wide, extra price.

Fay Webs made from 13 to 16 gauge in thickness.

#### SONS HENRY

# FELLOE WEBS

SET AND SHARPENED READY FOR USE

	in.	DOTTO TOTAL	**********	******	******	1111111	*******	*****			2
2	****	*****		DISS	TON		1111	1111	111111	1 (C) los	
Length		Price	Widths ##		ti In.	Number 14 In.	Paints to	Inch 14 In.	s¢ In.	14.Tm	1 In.
Inch	Gange	\$1.30	16 to 1	9	8	61	6	111	1.4		
6	19	1.35	16 " 1	9	8	61	6	14114	+ +		
7 8	19 19	1.45	3 11 1 16 2	9	8	61/2	6				
-			3 " 1 16 1	9	8	$6\frac{1}{2}$	6				
10	18	1.60	16 2	9	8	61	6				
12	18	1.85	1 " 1	9	7	61	6				
14	17	2.10				-	6				
16	17	2.35	1 " 5	9	7	61	6				
18	17	2.70	1 44 5	9	7	61	6				
20	17	3.00	1 " 3	9	7.	61	0				
-		3.30	1 " 1		7	61	6	51	5	43	
22	17		1 " 1	200	7	61	6	51	-5	45	
24	17	3.65	1 11 7		7	61	6	53	5	$4\frac{1}{2}$	
26	17	4.00		-	7	61	6	51	5	45	
28	17	4.40	1 " 1			61	6	54	5	4 1/2	
30	16	4.80	i " 1		7	61	6	51		45	
32	16	5.20	1 " 1	4.4	1	03	0	_			_
-		5.60	1 " 1	141-	7	$6\frac{1}{2}$	6	51		4	
34 36	16 16	6.00	1 " 1	100	7	61	- 6	54		41	

One gauge heavier than above list, no extra charge,

Five per cent. extra for each additional gauge to 14 gauge; above 14 gauge, special prices. Extra width, 10 per cent. for each 1 inch.

# CANADIAN WEB SAWS

REGULAR STOCK 20 GAUGE



Blades 36 inches in length and under made with regular wood-saw peg teeth. Blades over 36 inches in length made peg teeth with square gullets.

Used exclusively in Canada. Manufactured by our Toronto Works.

Prices on above saws furnished upon application.

125

ROSE TOOLS, INC.

# HENRY DISSTON & SONS

# GIN ROLLER BLADES

42 inches x 54 " x	31	in.	wide	X	1	in.	thick,	0	in. st	traight	bevel "	\$32,00 per 36.00	44
													11
60 " x 72 " x	4	110	11	X	37	11	16	16	44	4.6	144	60.00	Œ

If concave bevel, add 25 per cent, to the above list

Prices for sizes other than the above will be furnished upon application

### DOCTOR BLADES

OR CALICO-PRINTERS' WEBS

			inches	X	19	to	24 24	gauge		\$6.75	per dozen
36	a	$x^{2\frac{1}{2}}$								8 50	++
42	11	x 21					24	**		9.00	0.00
11	44	x 23	44	X	19	41	24	**			
		_			10	4.0	24	6.5		9.50	
46		x 25 x 25						4.4		.10.00	3.0
48		X - 2	For e	acl	1 3	dd	ition	ial in	ch in length, 5 per cent. ext	1.0	
									De la companya de la		per dozer
33	inches	2 3									
		100	inches	X	12		24	Rank		8 50	100
36	11	x 3	inches	X	19	++	24	gang			
		x 3	++	X	19		24		Social Control of the	. 10.00	,
42		x 3 x 3	**	X	19	**	24		Social Control of the		,
36 42 41		x 3	**	X	19 19	11	24 24 24			.10.00	, ,,
42	++	x 3 x 3	**	X	19 19 19		24 24 24 24	**	***************************************	. 10.00 . 10.50	) "
42 44 46	***	x 3 x 3 x 3 x 3	**	X X X	19 19 19 19		24 24 24 24 24	**		.10.00 .10.50 .11.00	) "
42	***	x 3 x 3 x 3	**	X X X	19 19 19 19		24 24 24 24 24	**	***************************************	.10.00 .10.50 .11.00	; " ; " ;

For each additional inch in length, 5 per cent, extra For each gauge heavier, 5 per cent, extra

# HENRY DISSTON & SONS

# HENRY DISSTON

ORIGINATED AND PATENTED THE

# SKEWBACK HANDSAW

JUNE 23, 1874



REG.U.S.PAT.OFF MDEF M.IND.RGTRADA

(THE ONLY ORIGINAL BRAND THEN AND NOW)

# DISSTON HAND SAWS

are manufactured throughout at the Disston Works. The steel, high-grade Crucible Steel, is made in the Disston Steel Works after a formula demonstrated by years of experience to be particularly adapted for Hand Saws; the blades, properly shaped, are hardened and tempered under the exclusive Disston processes; accurately ground by the special Disston method, insuring uniformity, giving an even thickness along the entire tooth-edge, tapering thinner to the back and from handle to point, requiring very little set to the teeth for clearance of the body of blade in the cut, thus making a narrow kerf and easy running; accurately tensioned for true cutting, the teeth of right shape, evenly set and sharpened for fast, smooth work; while the handles, made of selected lumber, long and well-seasoned, are symmetrical in all proportions, formed with a comfortable handhold and each securely fastened on its blade in such a position as to give the correct "hang" or pitch to the saw when entering the work, making it feel light and well balanced, feeding into the wood with the least exertion.

These are the points of merit by which Disston Saws have earned and maintained long-continued supremacy for high Quality, excellence of Workmanship and greatest Efficiency.

The Brand **Disston** is reserved exclusively for the high-grade goods which are never sent out under any other brand.

SAWS AND TOOLS BEARING THE BRAND "DISSTON" CARRY A FULL GUARANTEE

#### ORDER ALL HAND SAWS BY THE NUMBER OF POINTS TO THE INCH

The following cuts are full size of the respective number of teeth and points per such which they represent. It will be noticed that in one inch space, there is one tooth less than there are points.

Rip Saw Teeth six points and coarser are graduated from butt to point of blade, the narrow end being one point to the inch finer than at butt; the "points" being measured at butt of blade.

#### CROSS-CUT TEETH

mannan 12 POINTS

MAMMAN 11 POINTS

MIMMIN 10 POINTS



MAAAAAA 8 POINTS







# RIP TEETH 4% POINTS

#### SONS DISSTON HENRY

#### DISSTON

WARRANTED EXTRA REFINED LONDON SPRING STEEL, PATENT GROUND AND TEMPERED, HAND, PANEL AND RIP SAWS

Teade Mark Registered II S Parent Office





This is the latest and finest Handsaw ever made.

Genuine Rosewood handle, carved and polished. The blade is Disston Skewback design, exceptionally high finish, made from Disston Highest quality Crucible Steel, and fastened in the handle with nickel-plated screws. Our many years' experience and wide knowledge in the making of a perfect saw steel has enabled us to produce a blade for this saw that cannot be duplicated elsewhere.

No. D15. Same quality and finish as D115. Straight back.

30 inches 30.00 32.00 34.00 36.00 40.00 45.00 per dozen 27.75 \$25.75 Packed one in Special Box

ACME WATER THE PARTY OF THE PARTY OF

Acme Skewback, Extra Refined London Spring Steel, Selected and Highly Polished Blade, Warranted, Apple Handle, Carved and Polished, Brass Screws. Thumb-hole in Handle

263 \$22.00 24.00 26.00 29.00 31.00 32.00 40.00 per dozen

NOTE: A fast, smooth-cutting saw; particularly adapted for fine cabinet work, sawing mitres. and in all instances where rapid, smooth cutting is required. It will cut a joint sufficiently smooth to and in ad instance, where copin, amount of the second of t not for general use. They are high in temper, specially ground for clearance and require no set.

To properly file the No. 120 saw, a DISSTON SIX-INCH SAFE BACK CANT FILE, made expressly for this purpose, should be used.

> Made with Cross-cut or Rip Teeth at same price For number of screws in Disston Saws, see page 163

#### DISSTON

WARRANTED EXTRA REFINED LONDON SPRING STEEL, PATENT GROUND AND TEMPERED, HAND, PANEL AND RIP SAWS



Skewback, Extra Refined London Spring Steel, Selected and Highly Polished Blade, Warranted, Apple Handle, Carved and Polished, Brass Screws.

16 18 20 22 14 26 28 30 inches

\$19.75 21.75 24.00 26.00 28.00 30.00 34.00 39.00 per dozen



Extra Refined London Spring Steel, Selected and Highly Polished Blade, Warranted, Apple Handle, Carved and Polished, Brass Screws.



Extra Refined London Spring Steel, Selected Blade, Warranted, Close-up Apple Handle, Full Polished, Brass Screws.

16 18 20 21 24 26 28 30 inches \$15.00 16.00 18.00 20.00 22.00 23.00 26.00 30.00 per dozen Made with Cross-cut or Rip Teeth at same price

For number of screws in Disston Saws, see page 163

Packed one-third dozen in box

#### DISSTON

WARRANTED EXTRA LONDON SPRING STEEL, PATENT GROUND AND TEMPERED, HAND, PANEL AND RIP SAWS



Extra London Spring Steel, Grained Blade, Warranted, Apple Handle, Full Polished, Brass Screws.

16 18 20 21 24 26 28 30 imbes \$14.75 16.25 18.00 20.00 21.50 22.50 25.50 28.50 per dozen



Refined Crucible Steel, Grained Blade, Warranted, Close-up Apple Handle, Carved and Polished, Brass Screws.

14 16 18 20 22 24 26 28 10 index

813.75 14.75 16.25 18.00 20.00 21.50 22.50 25.50 28.50 per dozen



Skewback, Refined Crucible Steel, Highly Polished Blade, Warranted, Apple Handle, Carved and Polished, Brass Screws.

Thumb-hole in Handle

16 18 70 22 24 26 28 10 inches

\$16.75 18.25 20.00 22.00 23.50 25.00 28.00 31.00 per dozen

Made with Cross-cut or Rip Teeth at same price. For number of screws in Disston Saws, see page 163.

#### DISSTON

WARRANTED REFINED CRUCIBLE STEEL, PATENT GROUND AND TEMPERED, HAND, PANEL AND RIP SAWS

Refined Crucible Steel, Highly Polished Blade, Warranted, Apple Handle, Carved and Polished, Brass Screws.



26-inch Blade, 63 inches wide at butt, 13 inches at point



Full Width Skewback Blade, same quality and finish as D20



Full Width Straight-Back Blade, same quality and finish as D20



26-inch Blade, 61 inches wide at hors, 11 inches as soins

		timoti of intiles	MINE ME DUILE 18	menes at poin	E-
	PANEL		HAND		RIP
. 18	70	22	24	26	29 inches
\$18.25	20,00	22,00	23.50	25.00	28.00 per dozen

Made with Cross-Cut or Rip Teeth at same price For number of screws in Disston Saws, see page 163

Packed one-third dozen in box

#### DISSTON SONS

#### DISSTON

WARRANTED REFINED CRUCIBLE STEEL, PATENT GROUND AND TEMPERED, HAND, PANEL AND RIP SAWS



This is the original Skewback Saw, and has proved to be the most popular saw in the world. Skewback, Refined Crucible Steel blade, Warranted; Apple handle, full Polished, Brass screws.

These Saws have all the latest improvements in hand saws, and are warranted superior. They combine the popular "Skewback," the peculiar shaped butt or heel which, with the new screws, makes it almost impossible to work loose from the handle, and gives the full sweep of the Saw without the possibility of catching in the work. This saw was originated and patented by HENRY DISSTON in Thumb-hole in Handle

24 2.6 \$14.75 16.25 D 30. Same as DS, with straight back. Same price.

Made with Cross-cut or Rip Teeth at same price

For number of screws in Disston Saws, see page 163

Trade Mark Registered U. S. Patent Office

Patent applied for



Skewback, Refined Crucible Steel Blade, Warranted. Hardwood Handle, full Polished, Brass Screws

The combination of teeth in this saw, alternate sections of five regular cross-cutting teeth and two ripping teeth, separated by numerous deep gullets for full clearance, insures free running, easy, very rapid and clean cutting in heavy work, whether cross-cutting or ripping, and especially for sawing diagonally across the grain, as its name implies. Enlarged sections of teeth

This saw is particularly adapted for general construction work of all kinds; studding-up houses, shoring for sewers, making forms for concrete buildings, railroad work, millwright, farm use, etc.

The Disston Double Duty Saw far excels any other pattern of saw ever made for like utility, and is easily kept in order.

#### DISSTON

COMPACT, 1874



The above is an evolution of the Compact Saw originated by Henry Disston in 1874. The "let in" or close-up handle allows full sweep of the blade, reduces the length over all, occupying small space in the kit.

Same quality as D8. Apple Handle,

CENTENNIAL, No. 76

Trade Mark Registered U. S. Patent Office.



No. 76, Centennial. Skewback, Crucible Steel Blade, Warranted, Apple Handle, Polished, Brass Screws.

\$14.00 15.00 17.00 19.00 20.00 21.00 24.50 28.00 per dozen

DISSTON, NO. 77 For use in Dry, Seasoned Lumber only





No. 77. Extra London Spring Steel Blade, Warranted, Apple Handle, Polished, Brass Screws.

18 30 inches \$17.50 19.00 20.00 22.00 24.00 25.00 29.00 33.00 per dozen

NOTE: - The No. 77 Saw is particularly adapted for fine cabinet work, sawing mitres, where rapid and smooth cutting is required. The use of a plane can be dispensed with, as they will cut a joint sufficiently smooth to glue without planing. In sharpening, care must be taken to file the teeth at the same angle as they leave the factory. Use a 41-inch regular taper file. These Saws are warranted to run without set in dry, seasoned lumber only, and are not for general use. They are high in temper, specially ground for clearance and require no set,

> Made with Cross-cut or Rip Teeth at same price For number of screws in Disston Saws, see page 163

> > Packed one-third dozen in box

#### DISSTON

WARRANTED REFINED CRUCIBLE STEEL, PATENT GROUND AND TEMPERED, HAND, PANEL AND RIP SAWS

No. 8

Refined Crucible Steel, Grained Blade, Warranted, Apple Handle, full Polished, Brass Screws. \$13.75 14.75 16.75 21.50 24.50 28.50 per doz. 19.00

#### THE ORIGINAL HENRY DISSTON SAW

No.

Crucible Steel, Grained Blade, Warranted, Beech Handle, full Polished, Brass Screws. 30 inches 19.00 20.00 23.50 27.00 per doz. \$12.00 13.00 14.00 16.00 18.00

39.00 per doz.

34.50

\$30.50





Crucible Steel, Grained Blade, Warranted, Beech Handle, Polished Edge, Brass Screws. Equal to any saw manufactured that is not branded "Disston." 810.25 11.25 12.50 14.00 15.50 16.50 17.50 20.50 23.50 per doz.

> Made with Cross-cut or Rip Teeth at same price. For number of screws in Disston Saws, see page 163.

#### HAND SAWS

WARRANTED CRUCIBLE STEEL, PATENT GROUND AND TEMPERED, HAND, PANEL AND RIP SAWS

Grained Blade, Beech Handle, Polished Edge, Brass Screws

Teade Mark Registered U. S. Patent Office

"BROWN'S"



per dozen

"C. BISHOP"



14.00 15.00

Trude Mark Registered U. S. Patent Office

T. TAYLOR "



11.00 per dozen



per dozen For number of screws in saws, see page 163

Packed one-third dozen in box

#### IMPROVED COMBINATION SAWS

THE MOST COMPLETE AND USEFUL SAWS EVER OFFERED TO THE TRADE



A Full Combination Saw

No. 43. Combination Saw, with 24-inch Square and Rule, Straight-Edge and Scratch Awl; Apple Handle, with Plumb and Level attachment. Blade same quality as Disston, No. 7 Hand Saw. 

No. 42. Combinations Saw, with 24-inch Square and Rule, Straight-Edge and Scratch Awl; Apple Handle. Blade same quality as Dissron, No. 7, Hand Saw. Without Plumb and Level attachment.



No. 38. Combination Saw, with 24-inch Square and Rule, Straight-Edge and Scratch Awl, Apple Handle. Blade same as "Brown's," No. 3.

No. 39. Combination Saw, with 24-inch Square and Rule, Straight-Edge and Scratch Awl; Apple Handle, with Plumb and Level attachment. Blade same quality as "Brown's," No. J.



No. 29. Combination Saw, with 24-inch Square and Rule, Straight-Edge and Scratch Awi; Beech Handle.

Combination Hand Saws made in 26-inch length only

#### DISSTON HENRY SONS



Adapted to tenoning, shouldering, dovetailing, curving, cog-cutting, or any purpose where a definite depth of cut is required. Same quality as Disston, No. 7.

This Gauge can be placed on any DISSTON SAW at an advance of \$5.00 per dozen.

#### REMOVABLE-BACK SAW



This saw can be used with equal facility for either Hand or Back Saw. When the back, A, is removed the saw can be used as a Hand Saw. Replace the back and a first-class Back Saw is the result. Same quality as Disston, No. 7.

25.00 per dozen 816.75 18.00 20.00 This Back can be placed on any STRAIGHT-BACK DISSTON SAW at an advance of \$5.00 per dozen for all lengths.

Made with Cross-cut or Rip Teeth at same price.

#### SHIP CARPENTERS' SAWS

Also suitable for cabinet-makers, pattern-makers and work where a narrow saw is desirable,



Lengths, 18 to 28 inches. Price, same as No. 7 Saw



Lengths, 18 to 28 inches. Price, same as D100 Saw.

Ship Carpenters' Saws are manufactured in all Disston Patterns, at the same prices as the regular saw. Regular Ship Carpenters' Saws are made 6] inches wide at butt, 1] inches wide at the point for 26 inches, other sizes in proportion to their lengths.

> Made with Cross-cut or Rip Teeth at same price. For number of screws in Disston Saws, see page 163. Packed one-third dozen in box.

HENRY DISSTON SONS

#### SPECIAL SAWS ETCHED TO ORDER Churry Handle, Carved and Polished, Brass Serross, full width, Skew or Straight Bask Blade, Nickel-plated Reinforce Plate. 26.90 per dozen 23.40 \$17,50 No. 405 Beech Handle, Polished, Carved Grip, Brass Screws, Skewback Blade 15.25 \$10.50 17.25 per dozen Trade Mark Registered No. 060 Beech Handle, Varnished Edge, Brats Screws, Skewback Blade \$9.50 11.15 10.00 11.90 12.60 14.10 per dozen No. 035 Beech Handle, Varnished Edge, Brass Screws, Skewback Blade, Blued 11.60 inches 12.60 \$7,55 8,60 14.60 per dozen Trade Mark Registered U. S. Pat. Off. No. 075 Beech Handle Varnished Edge, Brass Screws, Skewhack Blade

139

Packed one-third dozen in box

12.50 per dozen

\$8.25

9.25

#### SPECIAL SAWS ETCHED TO ORDER



Walnut Finish Handle, Polished, Steel Plate, Oval Brass Screws

\$8.00	18 8.65	9.25	9,90	10,50	26 11.10	28 inches 13.60 per dozen
			W 1 1	Land and the same of the same		



Beech Handle, Varnished Edge, Steel Screws, with 24-inch Etched Rule

TEST NO. 10	



#### Beech Handle, Varnished Edge, Brass Screws

16	18	20	2.2	24	16	28	30 inches
\$6,20	6.65	7.15	7,80	8.40	9.00	11.10	12 50 per dozen



#### Beech Handle, Varnished Edge, Brass Screws

12	14	. 16	18	20	22	24	26	28	30 inches
\$4.50	4.90	5.40	5,90	6.40	6.90	7.40	8.00	10.00	11 25 per dozen

Packed one-half dozen in box

#### HENRY DISSTON SONS



Cherry Handle, Carved and Polished, adjustable to various positions; This Saw has been especially designed to fill the need of a tool by which the Mechanic can cut our any particular section of floor, partition or ceiling to any depth desired without the necessity of boring holes, chiseling, etc. Sections cut our with this saw can be replaced in original position if desired. The Blade is reversible, interchangeable and adjustable to various positions, and held firmly in place by patent bolt and ratchet. The lever is also adjustable, and can be placed in proper alignment with handle by turning bolt backward or forward as desired. 18 inch. 20.00 D-19 Flooring, 16 inch, \$19.00 20 inch, 22:00 per dozen

PLUMBERS' SAW, No. 10



Made particularly for use on work encountered by mechanics in making repairs where it is necessary to cut through joists, rafters, flooring, etc., in which nails may be embedded. Also for cutting 24 inches 20.75 per dozen soil pipe, gas pipe, etc. 19.00 No. 10 Plumbers' ..... \$14.50

# PLUMBERS' SAW, No. 5



Specially adapted for the use of MECHANICS. The Cherry Handle is adjustable to various positions. The coarse teeth are for sawing wood. The fine teeth for sawing wood in which mails 21.00 per dozen



Beech Handle, varnished edges, brass screws. One edge toothed 6 points; other edge 8 points. 10.00 per dozen No. 6 Plumbers'

#### MITRE-BOX SAWS

Made in **Disston Quality only**, their accuracy and efficiency is recognized as The Standard by the prominent manufacturers of Mitre Boxes.

#### DISSTON MITRE-BOX SAW, No. 4

W. RISSTON A SONE



Crucible Steel Blade, Apple Handle, Polished Edge, Brass Screws, Blued Back. The following prices are for saws measured the full length of the blade. The peculiar shape of butt or heel in these saws makes the toothed edge about 2 inches shorter than the full length of the blade. Mitre-Box Saws are regularly made 11 points to the inch. 19 gauge in thickness.

		4	5	5 inches to	miter ha
21	) inch	\$24.00		per	doze
2	men	 26.00	828.50	\$31.00	**
4		28.00	31.00	34.00	11
2	+ ::	30.00	33.50	37.00	4.4
2			36.00	40.00	4.6
2	8 21	 31.00	38 50	43.00	314
31			41.00	46.00	
3	7	30.00	11.00	10.00	

# BACK SAWS

#### DISSTON BACK SAW, No. 4

Made with Rip Teeth when specially ordered at the same price



C. Di., J Pagis

No. 4	Apple Ha	ndle, Polish	ed Edge, B	rass Screws	, blued bac	K.
	\$13.00	14.00	16.00	18.00	20.00	22.00 per dozen
No. 5	. With Soli	d Brass Bac	k.			
	\$18.00	19.00	21.00	23.00	26.00	30.00 per dozen
No. 7	. With Poli	ished Steel !	Back.			
	814.00	15.00	17.00	19.00	21.00	18 inches 23.00 per dozen

#### HENRY DISSTON & SONS

#### BACK SAWS

CRUCIBLE STEEL

"MECHANICS' OWN" BACK SAW, No. 77



These Saws are particularly adapted for fine cabinet work, sawing mittes, and where tapid and smooth cutting is required the use of a plane can be dispensed with, as they will cut a joint sufficiently amount to glue without planing. Regularly made 8 points to the inch, except for about 11" at the front where the teeth are 12 points to the inch. In filing use a 43-inch slim taper file.

	10	12	14	16 inches
\$16.00	18.00	20.00	22.00	25.00 per dozen
18	20)	- 22	24	26 inches
\$28.00	31.00	34.00	37.00	40.00 per dozen



10 12 14 16 18 inches \$14.50 16.50 18.50 20.50 22.50 per dozen

#### BACK SAW, No. 14

Patented Jan. 27, 1914



Cherry Handle, Carved and Polished. Disston Crucible Steel blade, Warranted. One edge toothed 9 points for cutting with the grain; the other, 13 points, for cross-cutting.

The slotted, heavy steel back, by means of the wing nut and lever tightener is quickly adjusted to cut any special depth required.

Adapted for tenoning, shouldering, doverailing, cog cutting, or any purpose where a definite depth of cut is desired.

8x3 10x7 12x1/c 14x3/c 10x4/c inches

No. 14. Back Saw. \$14.50 15.50 17.25 19.00 20.75 per dozen

Packed one-third dozen in box.

#### BACK SAWS

"JACKSON" BACK SAW, No. 1

Beech Handle, Polished Edge, Blued Back

inches No. 1. Jackson ..... \$9 00 10.00 14 00 16.00 18.00 per dozen



Beech Handle, Polished Edge, 10 and 12-inch made with open Handle, 14-inch with closed Handle. All sizes made 12 point only. 10 00 per dozen No. 0. DAVIS



Apple Handle, Polished Edge, Brass Screws, Brass Back, Combining the advantages of a Hand Saw and a Back Saw. No. 8. Half-exck Bench Saw \_\_\_ \$18.00 21.00 24.00 27.00 per dozen



Registered U.S. Patent Office

#### DOVETAIL SAW, No. 68

Polished Handle, Steel Back, Brass Plated, Extra Quality Spring Steel Blade,

No. 68. DOVETAIL SAW. ...

DOVETAIL SAW, No. 69

Same pattern and dimensions as No. 68. Made for cutting brass and copper in sheets or tubes. 10.50 per dozen

DOVETAIL SAW, No. 70

Apple Handle, Open Grip, Polished Edges, under back, 26 gauge, 17 points. Steel Back Brass

No. 70, 87,50 8,00 9,00 9,75 per doz. Packed one-sixth dozen in box



DISSTON SONS

#### DISSTON HANDY SAW KIT, No. 101

The combination of Blades in any of these sets provides a Handy Kit for the practical mechanic, householder, farmer, etc.

-timenanian manual programmer 12-inch Keyhole \$2.25 per doz. 14-inch Compass \$2.75 per doz. 16-inch Pruning

\$7.00 per doz.

18-inch Plumbers' \$11.00 per doz.

20-inch 10 Point

\$11.00 per doz.

20-inch

7 Point Rip Saw \$11.00

THE WILLIAM OF THE WARREST OF THE WARREST OF THE WARRANT OF THE WA The contract of the same of th







Canyon Case

per doz. Hardwood Handle, Carved and Polished, with a special lever device which is arranged to hold the blades comprising the Sets rigid and the special formation of the butt of the blades prevents wobbling.

The special shaped Lever Bolt, permits by a quarter or half turn of same, the keeping of the Lever in position so it will not interfere with the working

The Plumbers' Saw Blade is specially tempered for cutting nails, spikes, bolts, gas pipe, soil pipe, etc. The blades are made of DISSTON CRUCIBLE STEEL, ground and polished.

No. 101, SIX BLADE SET, \$4.50 Adjustable Handle

No. 102. FIVE BLADE SET, \$4.00

Rip Saw Blade, 7 point. . . . . . . . . . . . . 20 inch Keyhole Saw Blade. . . . . . . . . . . . 12 inch

Adjustable Handle

\$6,00 per doz. No. 103, FIVE BLADE SET, \$3.50 

No. 104, FOUR BLADE SET, \$3.00 

Keyhole Saw Blade. Adjustable Handle No. 105, THREE BLADE SET, \$2.75 Cross-cut Saw Blade, 10 point. ...... 20 inch Rip Saw Blade, 7 point ...... 20 inch 

Adjustable Handle

Pur up in a durable canvas case, having strong leather-bound edges, and containing separate compartments for each blade, with a special pocket for the handle. Convenient and light to carry.


## DISSTON HANDY SAW KIT. No. 201

#### FOR PLUMBERS' USE

Adjustable Handle

\$4.50 per doz.

The combination of Blades in this set provides a handy kit for plumbers' use-14-inch Compass, 16-inch Special Blade, 18-inch Plumbers' Blade, and a 20-inch Hand Saw Blade.



These are of the same high quality, material and workmanship as the regular Handy Kit. The Plumbers' Saw Blade is specially tempered for cutting nails, spikes, bolts, gas pipe, soil pipe, etc. Put up in a durable canvas case, having strong leather bound edges, and containing separate compartments for each blade, with a special pocket for the handle. Convenient and light to carry.

Canvas Case 

#### HOLDEN PATTERN COMPASS SAW, No. 70



#### EXTRA BLADES FOR HOLDEN PATTERN COMPASS

	*******	************	H.DISSTON & SONS	
8	10	12	14	16 inches
82.00	2.25	2.50	2.75	3.00 per dozen
Interchar	ngeable Blades, l	Reversible Hand	les, Strong, Conve	enient and Compact.
	Company of the Compan	Packed one do:	ten in box.	

HENRY DISSTON SONS

#### COMPASS SAWS

CRUCIBLE STEEL

COMPASS SAW, No. 2



Apple Handle, Brass Screws

10 No. 2. Compass Saw. . . . . 84.25 4.50 4.75 5.00 5.25 per dozen

> COMPASS SAW, No. 77 K DISSTON & SONS

Apple Handle, Brass Screws

No. 77. Compass Saw. . . . . 84 . 25 4 . 50 5.00 5.25 per dozen Packed one-half dozen in box

COMPASS BLADES

10 12 14 No. 2 and No. 77 Blades ... \$2.25 2.50 2.75 3.00 3.25 per dozen These blades are sent not punched unless ordered otherwise Packed one dozen in box

INTERCHANGEABLE, No. 4

Packed one-quarter dozen in box

12 No. 4. Compass Saw. . . \$4.00 4.25 4.50 4.75 5.25 per dozen

INTERCHANGEABLE COMPASS BLADES, No. 4

12 26 18 inches No. 4. Compass Blades... \$2.25 2.50 2.75 3.00 3, 25 per dozen Packed one dozen in box

ADJUSTABLE COMPASS SAW, No. 9



18 inches 7.00 per dozen Packed half dozen in box

When ordering Compass Saw Blades designate by number in catalogue. When not otherwise specified No. 4 will be sent.

147

#### NEST OF SAWS, No. 3

Combining one each, Keyhole, Compass and Table or Pruning Saw



PERFECT STREET, STREET	1	50
Handle and Tightener, No. 3 \$1.75 Keyhole Blade, No. 3, 10 inch 2 00 Compass Blade, No. 3, 14 " 2.75 Pruning Blade, No. 3, 16 " 5.50	 ten \$1.75 p 2.00 2.75	I Nest runing Blade ser dozen
No. 3 Nest, complete \$12.00	\$6.50	++

#### SQUARE-HOLE NEST OF SAWS, No. 5



NEST OF SAWS, No. 7	
MEANY BIRTH & Alve C	6
TEMPERED TO THE MAILS	
212500	

This nest of saws consists of handle, tightener, and three blad. Compass blade for cutting wood in which nails may be imbedded,		
encountered in the ordinary course of plumbing.		
Handle and Tightener, No. 7		
Plumbers' Compass Blade, No. 7, 14 inch	3.50 **	
Compass Blade, No. 7, 16 inch	3.00 "	
Keyhole Blade, No. 7, 10 inch	2.00	
No. 7 Nest, complete	\$10.25	
	The second secon	

When ordering Blades, designate by Name and Number and style Nest Saws with two screws in handle at same price

#### HENRY DISSTON & SONS

#### PLUMBERS' COMPASS SAW, No. 8



Equipped with an extr.	a heavy blade, 16 p	gauge. S	pecially ma	de for Plumbers
use and rough, heavy work		12	1.4	In inches
No. 8. Plumbers' Compas	s Saw	\$5.00	5.25	5.50 per dozen

# PLUMBERS' NEST OF SAWS, No. 60



The No. 60 Nest of Saws consists of Handle, Tightener and Three Blades one 18-inch blade specially tempered for the cutting of wood in which nails may be imbedded, lead pipe and that class of work encountered in the ordinary course of plumbing, one 14-inch Compass Blade and one 10-inch Keyhole Blade.

Adjustable Lever Tightener

#### ADJUSTABLE HANDLE. NO SCREW-DRIVER REQUIRED

The blades are fastened in the Handle by means of the special lever device, which is so arranged as to take in the different thicknesses of the various blades, the pin in Bolt-head being moved forward or backward, as may be required; and this, at the same time, permits the keeping of the Lever on a line with the Handle, so it will not interfer with the working of the saw.

not interiere with the working	Of the auto-	
Handle and Tightener, No. 60		r do
DL Ja No 60 14 inch	the state of the s	0
Plumbers' Blade, No. 60, 18 inch		++
No 60 Plumbers' Nest, complete	\$18.00	4.4

KEYHOLE SAW AND PAD, No. 95



Round, Hardwood Handle, Polished, Nickel-plated Ferrule.

The Handle is slotted clear through, permitting the adjustment of Blade for length of cutting-edge required.

Packed half dozen in box

#### KEYHOLE SAW AND PAD, No. 5



No. 5. Keyhole Blade, \$1.40; Handle, 60 cents; Complete, \$2.00 per dozen This is an inexpensive and convenient combination of Keyhole Saw, Saw Pad and Screw Driver

#### KEYHOLE SAW AND PAD, No. 10



No. 10. Keyhole Blade, \$1.40; Handle, \$1.00; Complete, \$2.40 per dozen

#### KEYHOLE BLADES CRUCIBLE STEEL

grastow

No. 6. Keyhole Saw Blade, extra ground, set and sharpened ... \$2.00 per dozen " 7. Reversible Keyhole Saw Blade 2.00 " 8. Blind-makers' Saw Blade 1.75 Parked one dozen in box.

> KEYHOLE SAW, No. 15 BEECH HANDLE, BRASS SCREWS



14 implies 2.75 per dozen

Registered L. S. Pat. Off

"JACKSON" COMPASS SAWS



When ordering Compass Saw or Keyhole Saw Blades, designate by number.

Packed one-half dozen in box.

#### DISSTON SONS HENRY

#### CABINET SAW, No. 80 NICKEL-PLATED LEVER TIGHTENER



Cherry Handle, Carved and Polished. Disston Crucible Steel Blade, Warranted. One edge toothed 10 points for cutting with the grain; the other, 15 points, for cross-cutting. Te-inch hole in end for

The blade is securely fastened in handle by the lever rightener, which permits a quick adjustment of the handle according to the touth-edge to be used. Especially adapted for fine work, such as cabinet, pattern making, mitering, etc.

12 14 16 No. 80. All sizes, 31 inches wide. . . . \$8.00 8.25 9.00 10.00 11.00 12.00 per dozen.

#### TURKISH



Apple Handle, Varnished Edge, Blade 16 x 24 inches at handle, 18 Gauge, 15 Points, \$12.00 per dozen Packed one-third dozen in box.

#### PATTERN MAKERS'

Plain Apple Handle, Blade 71 x 11 inches, 

Packed one saw in box





Adjustable for various depths of cut.

Beech Handle, Varnished Edge, Blade 6x 12 inches, Packed half dozen in box.

Hardwood Handle, Polished, Heavy Steel Ferrule, Nickel-Plated and Threaded, Crucible Steel, Nickel-plated, Frame g-inch wide, A-inch thick, 41-inches deep from tooth-edge to inside of back.

This is a well-made Coping Saw, more efficient and stronger than the ordinary wire back style. The blade is controlled or adjusted by the two Knurled stretchers when sawing sharp angles, etc.,

Packed one-sixth dozen in box

CURRIER OR SLICKER BLADE CABINET SCRAPER OF SUPERIOR QUALITY

7 inch x 2 inch, 25 gauge . . . . \$2.00 per dozen



#### CABINET SCRAPERS

J	Tain Cire Edges	Ground and Dres	Even Gauge and on Edges		Plain Cat Edges	Ground Ev	en Gange I on Edges
2 x4 ;	80.30	80.55 1	oer dozen	31x6	\$0.90	\$1,65 pc	er dozen
2 x6	.45	.80	**	4 x4	.60	1.10	**
23x5	.50	- 90	11	4 x5	.80	1.45	**
3 x4	.45	. 80	1100	4 x6	.90	1.65	**
3 x5	. 55	1.00	11			Main Cut	Ground
3 x6	-65	1.20	45			Edges	Dressed
		assorted, sm:			box	80.60	\$0.90
4.4	44 44	" larg	e, 34 x 4	to 5 x 6	66 (A) ( ) ( ) ( ) ( )	80	1.45

Unless otherwise specified, Plain Cut Edges will be sent

#### SWAN NECK

# CABINET SCRAPERS





\$1.80 3 x 5 inches ..... \$1 80 per dozen

2.75 per dozen

SONS HENRY DISSTON



### "LITTLE GIANT" PRUNING HOOK AND SAW

SIMPLE AND DURABLE

The Knife and Saw are both made of the best Crucible Steel, and can be used with or without a pole. The tool is strongly made and durable. The Saw is detached where its use is not required on large limbs.

This Pruner fills a long-felt need, as it combines two useful tools in one, without increase of cost to the user.

The Saw-blade is attached to the Hook by means of two clamp-screws, as shown in the accompanying cuts, which also show the method of attaching a Pole or Handle. We also make a Pruning Hook of this style without the Saw Attachment.

Hook and Saw (without pole), \$18.00 per doz. Length of Blade, 12 inches.

Hook only (without pole), \$12.00 per doz.

Hook will take in Branch ? in. Diameter.

Packed one-sixth dozen in box.

IMPROVED PRUNING SAW AND KNIFE No. 20



This Saw is designed for attachment to a pole, so the upper branches of trees can be reached without the aid of a ladder, the Knife or Saw being brought into requisition as may be required. When desired, the Pole can readily be detached, the socket on the Frame forming an excellent handle.

The peculiar formation of the Tooth enables the Saw to cut both ways, causes an equal strain on the limb, insures smooth and rapid execution, and prevents the saw from becoming jammed in cutting green wood. Length of saw, 10 inches.

# "THE ORCHARD" PRUNING HOOK AND SAW

This tool meets general requirements. The economy of combining two tools in one will be appreciated.

The Knife and Saw are made of the best Crucible Steel, and can be used with or without a pole. Although possessing great strength, it is of light construction, with crescent shaped blade having long, slender teeth, so formed as to draw the saw into the wood. It is particularly adapted for sawing the smaller branches in general pruning.

The Saw Blade, which is attached to the Hook by two clamp-screws, can be readily removed, when the Hook only is required. We can furnish this style of Pruning Hook without the Saw attachment if so desired.

Malleable iron handle, Japanned, with socket.

Hook and Saw (with-

out Pole) . . . . . \$18.00 per dozen Length of Blade 10 inches

Hook only (without

Hook will take in Branch 1 inch diameter Packed one-sixth dozen in box

#### No. 111 PRUNING SAW



Similar in quality and style to "The Orchard," without Pruning Hook.

Malleable iron handle, Japanned, with socket. Crucible steel, crescent-

shaped blade, 10 inches in length; long, slender teeth.

The blade is fastened to handle with wing-nut and so arranged that it may be adjusted to any angle. Can be used with or without a pole.

No. 111 S11.00 per dozen
Packed one-sixth dozen in box

HENRY DISSTON & SONS

# DISSTON TABLE AND PRUNING SAWS, No. 7 CRUCIBLE STEEL



No. 7. Crucible Steel, Grained Blade, Warranted, Apple Handle, Polished Edge, Brass Screws.

\$8.00 8.50 9.00 10.00 11.00 12.00 13.00 14.00 per dozen

# BROWN'S TABLE AND PRUNING SAWS, No. 3 CRUCIBLE STEEL



No. 3. Grained Blade, Apple Handle, Polished Edge, Brass Screws.

\$5.50 6.00 6.75 7.50 8.25 9.00 9.75 10.50 per dozen



Beech Handle, Varnished Edges, Brass Screws, Narrow Crucible Steel Blade, Blued. Length of Blade, 20 inches; five inches wide at butt, one inch at point. Toothed seven points to inch.

#### GRAPE PRUNER



Apple Wood, Open Grip Handle, Brass Screws, Crucible Steel Blade, 10½ inches long, 1½ inches wide at butt, ½ inch at point.

Packed one-half dozen in hox

#### PRUNING SAWS



Patented Nov. 2, 1909

Cherry Handle, Carved and Polished, Crucible Steel Blade, Double Edge-thrust cut on the convex edge, draw cut on the concave edge. Adjustable handle, lever tightener.

No. 1 ..... \$11.00

14 11.50

12 50

13.50

14.50

22 inches 15.50 per dozen

No. 2



Patented Nov. 2 1909

Cherry Handle, Carved and Polished, Crucible Steel Blade, Double Edge, Adjustable lever tightener. 22 inches

No. 2......\$10.00

10.50

10.00

9.00

11.00

13.00 12.00

14.00 per dozen

#### PARAGON PRUNER, No. 5



Beech Handle, Varnished Edges, Brass Screws, Crucible Steel Blade, Double Edge-thrust cut on convex edge, draw cut on concave edge.

No. 5 ..... 89.50

No. 4 ...... \$8.50

11 00

12.00

13.00

11.50

8.50

22 inches 14.00 per dozen

22 inches

12.50 per dozen

#### DISSTON DUPLEX PRUNING SAW, No. 4

BEECH HANDLE, BRASS SCREWS



16

9.50

AVERY SAW CO. DUPLEX PRUNING SAW, No. 40



No. 40 ..... \$6.00 6.50 7.00

14

Packed one-third dozen in box

18

10.50

#### 22 inches 9.50 per dozen

#### HENRY DISSTON

#### TAPERED PRUNING SAWS

Polished Steel Frames, Crucible Steel Blades, Hardwood Handles. These are specially desirable Priming Saws, the shape of Frame permitting their use in narrow spaces.

POMONA, No. 8



No. 8. Length of Blade, 14 inches centre to centre of holes. ... \$12.00 per dozen DOUBLE SWIVEL, No. 9



No. 9. Length of Blade, 14 inches centre to centre of holes. ... \$14.00 per dozen



No. 10. Length of Blade, 14 inches centre to centre of holes. . . \$16.00 per dozen



No. 12. Length of Blade, 14 inches centre to centre of holes. . . \$15.00 per dozen



No. 15. Length of Blade, 14 inches centre to centre of holes. . . \$16.00 per dozen Packed one-sixth dozen in box

8, 10, 12 1.15 17 1.30 " without " 

## TAPERED PRUNING SAWS



Flat steel back, narrow tapezed point, Beech handle, varnished edges, two nickel-plated screws. Handle has extra large grip for use with gloved hand. Swivel stretcher. Blued steel blade. 



Oval steel back, straight tapered point, Beech handle, varnished edges, three nickel-plated screws. Handle has extra large grip for use with gloved hand. Blued steel blades.

No. 17. Length of blade 20 inches centre to centre of holes .... NEW YORK PATTERN



Flat steel back, narrow tapered point, Beech handle, varnished edges, three biass screws. Handle has extra large hand-hold for use with gloved hand. Blued steel blade. No. 18. Length of blade 18} inches centre to centre of holes....



Flat steel back, narrow tapered point, Beech handle, varnished edges, three brass screws. Handle has extra large hand-hold for use with gloved hand, swivel stretcher, blued steel blade No. 19. Length of blade 18 inches centre to centre of holes.



Flat steel frame, slightly tapered, riveted sockets, swivel stretcher. Beech handle, varnished edges, two mickel-plated screws. Blued steel blade. Length 14 inches centre to centre of holes. \$13.00 per dozen

Packed one-sixth dozen in box

### PRUNING SAWS CALIFORNIA





#### ADELAIDE



#### ADJUSTABLE POLE PRUNER

No. 11

WITHOUT POLE



Adapted for sawing by hand or attached to a pole. The Handle is made of maneause iron, with socker, and the Blade of best Crucible Steel. Adjustable for sawing at different angles. No. 11. Length of Blade, 18 inches; Handle, 5 inches ....... \$9.00 per dozen

Packed one-sixth dozen in box



Similar to the No. 7 Ship Saw, with the exception of extra large hand-hold for use with gloved hand, slightly heavier blade, and coarser teeth for pruning.



Narrow Point Crucible Steel Blade, Copper Handle with Beechwood Grip.

No. D-24. ... \$8.00 8.40 8.85 9.30 10.25 11.00 per dozen

No. D-26



Similar to the No. D-20 Handsaw, with the exception of extra large hand-hold for use with gloved hand, slightly heavier blade, and coarser teeth for pruning. The 26-inch is fitted with five brass screws. 24-inch and smaller with four brass screws.

20 No. D-26. ......\$20.00 22.00 25.50 25.00 per dozen Parked one-third dozen in box.



An excellent tool for general or household use. 26 inches. \$16.00 per dozen.



#### TOBACCO SPUDS

CRUCIBLE STEEL BLADES

No. 1. Angular Blade, 

No. 2. Oblong Blade. 

Packed half-dozen in box.

#### HENRY DISSTON SONS

#### PRUNING SAW, No. 61



Special shaped, Crucible steel blade, teeth arranged to cut when drawing the saw toward you; comfortably shaped handle; two screws.

12-inch, \$5,00

14-inch, \$5.50

16-inch, \$6.00 per dozen

#### FOLDING PRUNING SAW, No. 36

Designed to meet the demand for a pruning saw. which can be easily carried in the

pocket. FOLDED shaped blade is 91" long. made of the best crucible steel. The teeth are formed to draw the saw into the wood, and the saw cuts on pull. The handle, firted

with our lever-tightener, allows the blade to be ad-

justed to different angles; also firmly locks the blade in handle when closed.

No. 36. Pruning Saw. \$6 50 per dozen Packed one-sixth dozen in box





No. 100. Crucible steel blades, Hardwood handles ... \$1.63 \$2.00 \$2.38 each No. 101. Same as No. 100, with blades notched and notches scored to prevent slipping .... 1.88 2.25

The above have tangs extending through handle and riveted.

No. 1100. Same as No. 100, without riveted tang ... 1.52 No. 1101. Same as No. 101, without riveted tang ... 1.75 2.10

#### LADIES' PATTERN HEDGE SHEARS

Same type and quality as No. 100.

No. 1. Hedge Shears. blades 64 inch, \$1.25 each.



161

#### HANDLES



Each Handle on the DISSTON Hand Saws is separately slit, bored and fitted to its blade, insuring the correct "Hang" to the saw when entering the work.

The stock handle, bored and slit, will not fit holes in the blade from which old handle has been

taken, for the reason given above.

ascert, 10			80.000	400101				18-20	22-24	26	28	inches
Handles,	No.						(Stit only)	81.55		\$1.80		per dozei
0.0		107.	10					1.75	\$1.75	2.00	\$2.20	- 41
99		7.	115					2.25	2.25	2.50	2.75	11
	0.0	8.	Apple				300	3.(X)		4.00	4.25	- 11
		D100.	14	Carved	Bored	and Shr)		4.00	4.25	5.00	5.25	
		D8.	(8)					3.00	3.25	4.00	4.25	. 44
17.5	**	120.	49	Carved	44	44		4:00	4.25	5.00	5.25	6.1
141		12 and	112. A	nole, Ca	rved (F	loted and	Shit)	5.25	5.50	6.50	6.75	11.
194	0.0	10		1	11	17	**	4.00			5.25	
	11	D20, I	221	00	10.	11	11	4.00				144
		D22, I		110	11	44	44	4.00		5.00		44
0.63				sewood.	Carved	(84)	14	9.75		10.50		44



## BACK SAW AND COMPASS SAW HANDLES



No. 4 BACK

No. 2 COMPASS

	8-10-12	14-16 inches
Back Saw, No. 1, Beech (Slit only).	81.25	\$1.50 per dozen
" 4, Apple (Back cut out and Shr)	2.75	3.00 "
Compass, " 2, (Slit only)	1.10	1.10 "

#### BUTCHER SAW HANDLES







Butcher Saw Handles, Nos. 1, 2, 15, 70 and Pork Packers', Nos. 1 and 2 (Slit only) \$1.50 per dozen

14		5, 6, 7 and 23			1.75	44
	110	8 and No. 1 Beef Splitter	(4)		2.50	**
h.c.	-14	19.		Av	2.00	**

Packed one dozen in box

#### HENRY DISSTON SONS

#### SAW SCREWS











No. 8, Iron

No.	1	Centennial (E	Brass	Screws)	\$2	40	per gr
44	2	16	**	**		70	44
44	3	44	++		Small, Warranted Superior	45	44
144	4	44	4.6	14	Large, " " 4	60	44
++	7	Raised	44	11			44
++	8	Iron Screws,				20	44
++	15	Brass Screws,	Rou	nd Hea	d	25	

Packed in boxes of one dozen.

#### Number and Kinds of Screws in Hand Saws

No. 7	28-inch   Three No. 15, One No. 4   24
D8	\begin{pmatrix} 28 & " & Four No. 2, One No. 4 \\ 26 & " & Three No. 2, One No. 1, One No. 4 \\ 24 & " and under. & Three No. 1, One No. 3 \end{pmatrix}
No. 120, D100, D115, D20, D21, D22, D23	28 and 26-inch Four No. 2, One No. 4 24-inch and under Three No. 1, One No. 3
Nos. 12, 112	28 and 26-inch. Three No. 2, One No. 4 24-inch Three No. 1, One No. 3 22 " and under Two No. 1, One No. 3
No. 16	28-inch Three No. 2, One No. 4 26, 24 and 22-inch Three No. 1, One No. 3 20-inch and under Two No. 1, One No. 3
No. 99	28 and 26-inch
Nos. 9, 76, 77, 8, 107, 3	28-inch
Nos. 1, 0	28 and 26-inch Three No. 1, Onc. No. 3 24-inch and under Two No. 1, Onc. No. 3
No. 00	All Sizes Two No. 1, One No. 3

163

#### WOOD SAW BLADES

CRUCIBLE STEEL, PATENT GROUND AND TEMPERED SET AND SHARPENED

#### STRAIGHT BREAST

The second secon	Marie 14- Illianismissi	
	30	32 Inches
Disston Crucible Steel, 2% inch	es wide \$6.65	\$7.10 per dozen
" Spring " 24 "	" 6.65	7.10
" Extra (for Woodsawye	rs), 23 ins. 8,50	8.95 **
ti ti ti treodainiye	14 " 8.50	8.95 "


#### PEG TOOTH

No. 6. " 9. " 11.

" 12.

			14141414141414					10	32 inch	es.
No.	Α	6.	Disston Peg	Tooth,	2	inches	wide.	.87.10	87.55 per	dozen
9.6	A	9.	11	44	23	(44)	6.6	7.10	7.55	
16	A	11	4.6	.11	23	0.00	66	8.95	9.40	4.6
9.6		12.	4.4	++	11	3.0	11	8.95	9.40	44

#### ROUND-BREASTED



#### No. 45

No.	45.	Disston	Improved	Round-Breasted,	blued 30	32 inches
	200	13 inche	s wide		\$6.00	\$6.45 per dozen

#### No. 7

No. 7.	Disston Improved Wood Saw Blade, 23 inches 10 wide, 33 points to the inch	32 inches \$7.55 per dozen
	Wood Saw Blades with Peg Tooth, advance 45c. per	dozen.
	Packed one dozen in bundle.	

164

#### HENRY DISSTON & SONS

#### WOOD SAW BLADES

CRUCIBLE STEEL, PATENT GROUND AND TEMPERED SET AND SHARPENED

#### CHAMPION TOOTH, No. 16



No. 16. Disston Crucible Steel, 27 inches wide ...... \$7.10 \$7.55 per dozen

#### TUTTLE TOOTH, No. 66



#### No. 77 TOOTH

No. 77.	Disston Improved Wood Saw Blade, 2% inches 30 32 inches	

wide \$7.10 \$7.55 per dozen

#### MARSHALL, No. 3



#### JACKSON, No. 4

	WAA	
No. 4.	Jackson, 2 inches wide. \$3.50 "Peg Tooth, 2 inches wide. 3.95	\$3.95 per dozen 4.40
No. 245. No. 245.	Round Breasted, Blued, 12 inches wide 3.50 Peg Tooth, 12 inches wide 3.95	3.95 per dozen 4.40 "

#### MONTANA, No. 2

o. 2.	Montana, 11 inches wide.	\$3.00	\$3.45 per dozen
	Packed one dozen in bundle.		

# WOOD SAW RODS

Made of steel wire, with strong, square cut threads. Will not strip or pull out. The loops are riveted with strong, heavy heads, making positively the best line of Wood Saw Rods on the market.

22-inch Rods suitable for saws with 30-inch blade



#### CLIPPER ROD 14 inches \$8.00 per gross 10.25 Tinned

#### CLIMAX ROD 24 inches \$8.50 per gross 11.25

#### PATENT DUPLEX ROD

Extra quality material, special cut thread. The rod is shouldered to give extra strength where thread is cut.



Packed one dozen in paper box.

#### RODS FOR WEB SAW FRAME

Size of Frame Rod	\$6,25	15 6.50	6.75 7.	8 20 21 23 00 7.25	7.50	24 inches 7.75 per gross
Size of Frame Price	26 29 \$8.00	8,25	8,50	32 8.75	9.00	9.25 per gross

Web Saw Rods are three inches longer than the blades. Packed one dozen in paper box.

HENRY DISSTON SONS

### WOOD SAWS

WOOD SAWYER'S DELIGHT, No. 111



No. 111. Disston Wood Saw, 30 inches. Selected Maple Frame, Varnished, No. 111 Disston Round-Breast Blade, Extra Thin Back, 2% inches wide, 41 Points. Patent Duplex Loop Rod, Tinned. A practical wood sawyer's saw and the best made. Price ..... \$12.00 per dozen

IMPERIAL, No. 47



No. 47. Disston Wood Saw, 30 inches, No. 7 Extra Thin Back Straight-Breast Blade, 22 inches wide, 3½ Points. Mahogany Stained Frame, Varnished, Patent Duplex Loop Rod, Tinned. The most practical and fastest cutting saw made. 

Packed half dozen in hox

#### WOOD SAWS

IMPERIAL BLUE, CHAMPION TOOTH, No. 48



PERFECTION, No. 45




Packed half dozen in box

#### WOOD SAWS

ECLECTIC, No. 40




No. 40. Disston Wood Saw, Stained Red and Varnished, 30 inches. No. 26 Round-Breast Blade. Thin Back, 21 inches wide, 41 Points. Climax Rod. Plain.



No. 06. DISSTON WOOD SAW, Stained Red and Varnished, 30 inches. No. 6, Straight-Breast, Thin Back Blade, 23 inches wide, 43 Points. Climax Rod, Plain.

Price......\$10.00 per dozen

Packed half dozen in box



No. 50. Special Wood Saw, Stained Red and Varnished, 30 inches. No. 50 Red Frame, Clipper Rod, Plain, with Wide, Blued or Bright, Round or Straight-Breast Blade, 24 inches wide., Etched to order.

Natural finish at same price

No. 150. Red stained and varnished frame, 30 inches, improved brace, one rivet, No. 245 Plain Tooth, blued round-breast blade, plain Clipper rod.

No. 150. With Champion, Lumberman, Tuttle or Peg Tooth blade, 2 inches 

Trade Mark Registered U. S. Patent Office

"JACKSON," No. 04




No. 04. JACKSON WOOD SAW, Stained Red and Varnished, 30 inches. Clipper Rod, Plain, Jackson No. 4 Blade, 2 inches wide, 41 Points.

Price ......\$6.55 per dozen

Packed half dozen in box


#### WOOD SAWS

CLIMAX FRAME, No. 60



No. 60. DISSTON CLIMAX WOOD SAW, 30 inches, Duplex Rod, Plain, No. 77 Blade, 21 inches wide, 


BRACE FRAME, No. 80



30 inches, Duplex Rod, Plain, No. 77 Blade, 2% inches wide. Price. \$12.00 per dozen

> Nos. 60 and 80 parked half dozen in box or bundle Put up in box unless bundle is specified

#### WOOD SAWS



Packed half-dozen in box or bundle

Part up in box unless bundle is specified

#### SWEDISH PATTERN WOOD SAW



No.	231			Peg Tooth 18.00 "	
**	241 242 243		42 " x 2 "	Champion Tooth.         20.25         \$19.00 dozen           Peg Tooth         20.25         "           Peg Tooth         20.25         "           Peg Tooth         23.50         "	
4.1	342	**	48 " x 3 "	Packed half-dozen in box	ı

WOOD SAWS



No. 6. Disston Wood Saw, 30 inches, Climax Loop Rod, Plain, No. 6 Blade, Straight-Breast, 23 inches wide, 41 Points.



No. 3. Marshall Wood Saw, 30 inches. Clipper Loop Rod, Plain, No. 3 Blade, 21 inches wide, 43 Points.

Price ..... \$7.00 per dozen

No. 03. Marshall Wood Saw, 30 inches, same as above, with Red Frame.

Price..... \$7,45 per dozen

Nos. 6, 3 and 03 packed half-dozen in box or bundle. Put up in box unless bundle is specified. No. 4. JACKSON WOOD SAW, No. 4 Straight-Breast Blade, 30 ins., 2 in. wide, 41 Points. Clipper Loop Rod, Plain. 

Packed half dozen in box or bundle Put up in box unless bundle is specified

SAW BUCK, No. 2

"PERFECTION" No. 3 FOLDING SAW BUCK



No. 2. Made of carefully selected wood, well finished, with strong rod, etc. Price \$2.95 per dozen



No. 3. Made of carefully selected Maple, well seasoned, natural finish. The legs are 2 inches # inch, 303 inches long, strongly braced. The malleable iron castings at each side of the centre brac support the weight, making possible a light but durable Saw Buck. The centre brace is covered with a wood cylinder 2 x 14 inches. This cylinder revolves, and serves to protect the brace from the same When opened, the top of centre brace is 153 inches from the ground. 

HENRY DISSTON SONS

# CABINET SAW FRAME, No. 1



No. 1. Cabinet For price of Blades, take list of Cabinet Webs, page 123, adding 40 cents per dozen for cut tangs

#### WEB SAW FRAME



Frames only, 12, 14, 16, 18, 20 inches. \$6.50 per dozen Frames only, 22, 24, 26, 28, 30, 32, 34, 36 inches. 7.50 " Packed one-quarter dozen in box. SPECIFY IF RODS ARE WANTED. For price of blade see page 124. Standard width of blades is 1/k inch.

#### WOOD SAW FRAMES

gross
**

#### BOYS' BUCK SAW AND BUCKS PAINTED RED

PERFECT, 22-inch Blade, Saws and Bucks, 

PERFECT, JR., 15-inch Blade, Saws and Bucks, 

Packed one Saw and Buck complete in box

# BUTCHERS' SAWS

The Disston Butchers' Saws are made with solid steel backs, carefully forged; solid forged sockets. The stretchers are simple in construction but effective.

All handles are made of well-seasoned wood and shaped to give an easy,

comfortable grip.

Having all facilities in this department, we are enabled to produce and maintain the highest standard of quality.

OVAL BACK, No. 1

Beech Handle, Polished Edge, Brass Screws, Oval Back, 3 inch x 3 inch. Depth from inside centre-edge of 24-inch frame to tooth-edge of blade, 5 inches. Bright blade, 11 inches wide. 11 points.

1.4 16 17.50 per dozen 14.00 14.75 16,50 No. 1 ..... 813.25



Beech Handle, Polished Edge, Nickel-Plated Screws, Flat Back, % inch x 3 inch. Depth from inside centre-edge of 24-inch frame to tooth-edge of blade, 41 inches. Bright blade, I inch wide. 11 points.

16 14. No. 2 \$11.00 11.50 12.00 12.50 13.25 14 00 per dozen

FLAT BACK, No. 3



Apple Handle, Polished Edge, Brass Screws, Flat Back, 1 inch x 1 inch. Depth from inside centre-edge of 24-inch frame to tooth-edge of blade, 42 inches.

Bright blade, 1 inch wide. 11 points.

19.50 per dozen 18.75 18.00 17.25 Packed one-third dozen in box

#### HENRY DISSTON SONS

#### BUTCHERS' SAWS

CALIFORNIA, No. 5, FLAT BACK CLOCK-SPRING BLUED BLADE



Beech Handle, Polished Edge, Brass Screws, Flat Back, 1 inch x 1 inch. Depth from inside centre-edge of 24-inch frame to tooth-edge of blade, 6 inches. Clockspring, blued blade, a inch wide, 13 points, fastened with screw in front end.

No. 5. Polished . . . . . \$18.50 19.00 20.00 21.00 per dozen " 54. Nickel-plated .. 22.50 23.00 25.00 24.00

CALIFORNIA, No. 6, OVAL BACK



Beech Handle, Polished Edge, Brass Screws, Oval Back, a inch x a inch. Depth from inside centre-edge of 24-inch frame to tooth-edge of blade, 51 inches. Blued blade, 2 inch wide, 11 Points.

24 inches 16.75 19.50 per dozen

FLAT BACK, No. 7



Beech Handle, Polished Edge, Brass Screws, Flat Back, 1 inch x 1 inch. Depth from inside centre-edge of 24-inch frame to tooth-edge of blade, 5 inches. Bright blade, a inch wide, 10 points.

18 20 24 26 ... No. 7. Polished . . . . \$13.50 No. 71. Nickel-plated . . 17.50 14.25 15.00 15.75 16.50 18.00 per dozen 19.00 19.75 20.50 22.00 Packed one-third dozen in box

176

# HENRY DISSTON & SONS

## BUTCHERS' SAWS

FLAT BACK, No. 8



Beech Handle, Polished Edge, Brass Screws, Flat Back, 1 inch x 1 inch. Depth from inside centre-edge of 24-inch frame to tooth-edge of blade, 42 inches. Bright blade, 2 inch wide, 10 points,

Handles specially made with thumb-hold, giving an easy, comfortable grip and perfect control over the saw

#### FLAT BACK, No. 13



Cherry Handle, Polished Edges, Nickel-plated Screws, Flat Back, Unich x 1 inch, special temper and tension. Depth from inside centre-edge of 24-inch frame to touth-edge of blade, 51 inches. Clock-spring blade, 24 gauge, 1 inch wide, 13 points to the inch.

16 18 20 22 24 26 inches No. 13 ...... \$20.00 20.50 21.00 21.50 22.00 23.00 per dozen

The manner of inserting and fastening the blade in this saw is quick and easy. Front end of blade is fastened with a threaded screw, the blade is held at the stretcher end by a loose pin, giving a quick and easy adjustment. Diamond shape stretcher passing through a diamond shape eye, tightening with a wing nit, makes the saw sanitary.

#### FLAT BACK, No. 15



Beech Handle, Polished Edge, Brass Screws, Flat Back, 1 inch x 1 inch. Depth from inside course edge of 24-inch frame to tooth-edge of blade, 41 inches. Blued blade, 1 inch wide, 11 points.

No. 15 ..., \$11.75 12.50 13.25 14.00 14.50 15.50 16.50 per date

Packed one-third dozen in box

#### HENRY DISSTON & SONS

#### BUTCHERS' SAWS

#### PORTER HOUSE, No. 16



Apple Handle, Polished Edge, Nickel-plated Screws, Flat Back, 1 inch.x \(\frac{1}{2}\) inch. Depth from inside centre-edge of 24-inch frame to tooth-edge of blade, \(\frac{5}{2}\) inches. Clock-spring blued blade, \(\frac{1}{2}\) inch wide, \(\frac{14}{2}\) points, fastened with screw in front end.

No. 16. Polished. \$13.75 14.50 15.25 16.25 17.00 18.00 19.00 per dozen 16½. Nickel-plated. 17.75 18.50 19.25 20.25 21.00 22.00 23.00 "





Beech Handle, Polished Edge, Brass Screws, Flat Back, I inch x 1 inch. Depth from inside centreedge of 24-inch frame to tooth-edge of blade, 51 inches. Bright blade, 11 inches wide. 11 points.

No. 19. Polished S18.50 19.25 20.00 21.00 22.00 23.00 24.00 per dozen 19}, Nickel-plated 22.50 23.25 24.00 25.00 26.00 27.00 28.00 "

# FLAT BACK, No. 23



# FLAT BACK, No. 70



Beech Handle, Polished Edge, Steel Screws, Flat Back, ‡ inch x ‡ inch, Square Edge. Depth finside centre-edge of 24-inch frame to tooth-edge of blade 4½ inches. Blued blade, ‡ inch wide, 11 points. Quick adjustable, santray stretcher.

#### SONS HENRY DISSTON




Beech Handle, Polished Edge, Steel Screws, Flat Back, 34" x 34" Square Edge. 412 inch from inside centre-edge to tooth-edge in 24 inch size. Blued Blade, 34 inch, 11 points. Equipped with quick-adjustable sanitary stretchers, same as No. 70. 10 14 16 14.00 per dozen 10.50 11.00 10.00 \$9,40

BEEF SPLITTER, No. 1

Beech Handle, Polished Edge, Brass Screws, Flat Back, 12 inch x 1 inch. Depth from inside centre-edge of 28-inch frame to tooth-edge of blade, 51 inches. Bright heavy blade, 2 inches wide,

29.00 per dozen 25.00 No. 1 ...... 823.00 24.00 Packed one-third dozen in box




Beech Grips, Polished Edge, Brass Screws, Flat Back, 13 inch x 32 inch, depth from inside centre-edge of frame to tooth-edge of blade, 63 inches. Bright, heavy blade, 2 inches wide, 8 Points. 

The length or size is determined by the length of the blade it takes, measured over all. Packed one-sixth dozen in box

PORK PACKERS', No. 1

Beech Handle, Polished Edge, Brass Screws, Oval Back, å inch x 14 inch. Bright blade,



16 in., \$11.00

16 in., \$13.00 PORK PACKERS', No. 2

Beech Handle, Polished Edge, Brass Screws, Flat Back, 1 inch t wide, 11 Points.

Packed one-third dozen in box 18 in., \$11.75 per dozen

18 in., \$13.75 per dozen

#### HENRY DISSTON SONS

# DE-HORNING, No. 6



Japanned Malleable Iron Frame, Beech Handle, complete, with Blade 10 inches long, 4-inch wide. No. 6. Complete .... \$7.00 per dozen Blades only ...... \$1.30 per dozen Packed half dozen in box.

#### SAW KNIVES CRUCIBLE STEEL BLADE

Disston ..... \$4.30 per dozen Keystone ...... \$3.45 per dozen Packed one dozen in box.

#### MINCING KNIVES

No. 4. Crucible steel blade, plain Beech han-No. 6. Crucible steel blade, Beech handle, varnished edges, brass screws, \$27.50 per gross No. 8. Heavy crucible steel blade, Beech handle, varnished edges, brass screws, \$29.50 per gross.

Nos. 4 and 6 same pattern, but smaller in size than No. 8. Packed one dozen in box,

#### BUTCHERS' BLOCK SCRAPERS

No. 8

Butchers' Block Scrapers, plain Beech handle, six-inch blade, 5 inches wide, \$3.75 per dozen. Packed one dozen in box.



# WALL SCRAPERS

1. Cast steel, 3 ins. wide, \$1.50 2. Cast steel, 4 ins. wide, 1.70 6. Special, 4 ins. wide, 1.05 Packed one dozen in box.

180

181

No. 2

Round Bases a most, Bright Blade, a inch wide.



CHALLENGE, No. 12

Flat Back, § inch x 1/8 inch, Blade, § inch wide.

12 14 16 inches
33.40 3.40 3.70 per dozen

ECONOMY, No. 1000





No. 10

Round Back, 18 inch, 1814e, 1 inch wide.

12
14
15
16 inches
3.45 per dozen

Packed half dozen in box.

HENRY DISSTON & SONS

## BUTCHER SAW BLADES



		B	right blade	4 1 to 11 in	ches wide, ir	iclusive			
\$2.90	3.10	3.30	3:50 Beinhe Ma	3:70 Jan 11 an 2	3.90 inches wide,	4.10	4.30	28 4.50	inches per dozen
			might bia	ues 13 to 2	inches wide,	inclusive			
\$3.90	4.10		4.30	4.50	24 4.70 PECIFIED OS		26 4.90	5.10	per dozen

#### CLOCK-SPRING BLUED BLADES

To 11 inches wide	- J-17 W	2150	4.10	4:20	4.50	4.10	4.30	4.50 5.10	4.75	44
WHEN WIDTHS OF	BLUED	BLADES	ADVIN	ST SHEET	STREET, C	W. OPPO				ENT.

#### BUTCHER BLADES IN COIL

EITHER BLUED OR BRIGHT



4 inch wide, 7 cents.

\$ inch wide, 8 cents.

\$ inch wide, 9 cents per foot.

Packed in coils of 25 and 30 feet.

\$ 50-foot coil (blue finish) sent when not otherwise specified.

No warranty on these saws except for visible defects as shown by split teeth.



Made expressly for punching holes in Burcher Blades, etc., not heavier than 22 gauge.

No. 1. Iron handle S1.40 each No. 2. Iron handle, lighter weight ... 50.50 each

No. 340. For Cutting Iron and Steel. Made especially for use of Structural Iron Workers, particularly in places and positions where the ordinary hack frame cannot be used. Blade of special high temper, hollow ground for clearance, requiring no set on teeth. 12 points to inch. Do not attempt to set,

\$20.75 23.00 25.00 28.00 30.25 32.50 36.00 39.00 inches per dozen No. 341. For Cutting Copper and Brass. Similar to No. 340. Same

price. Made 10 points to inch. Do not attempt to set teeth,

No. 342. For Cutting Metal Trim. Designed especially for cutting lightpressed steel shapes—steel mouldings and metal trim of all kinds. Special high temper, hollow ground for clearance, requiring no set. 16 points to inch. Do not

22-inch. 28.00 per dozen attempt to set. 

No. 343. For Cutting Kalomine. Soft metal drawn over a wooden or composition body-and material of a similar nature. 11 points to inch. Teeth can be set and filed.

\$14.75 16.25 18.00 20.00 21.50 22.50 25.50 28.50 per dozen



No. 440. For Cutting Steel or Iron. 12 points to inch.

35.00 37.50 40.00 42.50 45.00 dozen 4-inch under back, \$30.00 32.50 38,75 41.90 45.00 48,15

No. 441. For Cutting Copper. 10 points to inch. Same price as No. 440. No. 442. For Cutting Metal Trim. 15 points to inch. Same price as No. 440. Above saws special high temper. Do not attempt to set teeth.

No. 443. For Cutting Kalomine. 11 points to inch.

4-inch under back, \$24.00 26.00 28.00 30.00 32.00 34.00 36.00 dozen 28.50 31.00 33.50 36.00 38.50 41.00

For Filing Nos. 340, 341, 342, 440, 441 and 442 we recommend a Disston Superfine 5-inch, 3-square Metal Saw File, No. 2 Cut.

For Nos. 343 and 443 use a Disston 51-inch Slim Taper File.

#### HENRY DISSTON SONS

#### HACK SAW FRAMES

REVERSIBLE FRAME, No. 1



Solid Flat Back, Forged Steel Frame, Solid Sockets, Hardwood Handle, Polished. Depth from inside edge of 10-inch frame to tooth-edge of blade, 316 inches.

No. 1. Polished frame only

.,	8		10	1.2	14	16	inches
No. 11 NO. 1 1	\$9.00		10.00	11.00	12.00	13.00	per dozen
No. 1½. Nickel-	plated, fram \$11.00	11.50	12 (X)	13.00	14 50	15 50	11

"KEYSTONE" REVERSIBLE FRAME, No. 2



Solid Oval Back, Hardwood Handle, Depth from inside edge of 10-inch frame to tooth-edge of blade, 21 inches.

No. 2. Japanned, frame only, \$5.15 5.35 5.60 5.80 6.00 6.25 per dozen " 3. Polished " 6.85 7.10 7.30 7.50 7.75 8.00 "

#### IMPROVED REVERSIBLE FRAME, No. 18



Solid Oval Back, Tinned, Extra Strong, Square Stretcher, Reversible, Hardwood Handle, Polished. Depth from inside edge of 12-inch frame to tooth-edge of blade. 3 inches.

No. 18. Tinned, frame only

\$6.00 6.25 6.50 6.75 7.00 7.50 8.00 8.50 per dozen

No. 18 FOR DISSTON HOLLOW-GROUND BLADE AND THOSE ON WHICH THE LENGTH IS MEASURED OVER ALL.

Packed one frame in box

# HACK SAW FRAMES

No. 25



Solid Steel Flat Back I inch  $x \frac{1}{4}$  inch, Depth  $4\frac{3}{4}$  inches from inside edge of frame to edge of blade. Polished Hardwood Handle. This is the strongest frame made. No riveted parts. Reversible Stretcher, special adjustment, sockets of solid steel forged. Made for 12-inch blades only.

No. 25. Polished, Frame only ... \$16.00 per dozen ... 25½. Nickel-plated, Frame only ... 19.00

#### IMPROVED ADJUSTABLE, No. 31



Steel Frame, Riveted Sockets, Polished Hardwood Handle. Blade readily inserted; parts will not fall out while readjusting. Adjustable to half-inches.

Depth from inside edge of frame to tooth-edge of blade, 3% inches. Adapted

| Depth History | Depth | | De



Steel Frame, Nickeled, Riveted Sockets, Reversible, Black Hardwood Handle. Stretchers will not fall out while readjusting. Depth from inside edge of frame to tooth-edge of blade, 3 % inches. Made for 8-inch blade only.

No. 100. Nickeled, Frame only \$6.00 per dozen.

Packed one frame in box

## HENRY DISSTON & SONS

#### HACK SAW FRAMES

No. 351



Extension Frame

12 Inches

10,00 per dozen

No. 361

Closed Handle, Hardwood, Polished Edges, Steel Frame, Nickel-plated, adjustable by half inches to take in blades 8 to 12 inches. Riveted sockets. Reversible stretchers, will not fall out while readjusting.

No. 2



Steel Frame, Nickeled, Riveted Sockets, Reversible, Hardwood Handle. Stretchers will not fall out while readjusting. Depth from inside of frame to tooth-edge of blade 3½ inches.

No. 200



Depth, I inch from tooth-edge to inside of Back,

Steel Frame, Square Stretcher, Reversible four positions, Hardwood Handle,

The low-back frame permits its use in extremely close quarters and affords better control of the saw. Adapted especially for electricians and plumbers, etc. Takes in 8-inch blade, measured centre to centre of holes.

No. 200. Frame and Blade

Packed one-sixth dozen in box.

## HACK SAW FRAMES

ADJUSTABLE, No. 110

Steel Frame, Nickeled, Riveted Sockets, Reversible, Black Hardwood Handle, Blade easily inserted. Stretchers will not fall out while readjusting. Adjustable 8 to 12 inches. Depth from inside edge of frame to tooth-edge of blade, 3\mathbb{\ext{g}} inches, No. 110. Nickeled, Frame only.

\$8.00 per dozen

Packed one frame in box.


EAGLE HACK SAW, No. 115



Japanned Frame and Handle. Stretcher made with a square stock, preventing blade from turning. The blade can readily be loosened or tightened by turning handle. Depth from inside edge of 12-inch frame to tooth-edge of blade, 2\frac{3}{2} inches.

No. 115. Frame only... \$3.60 4.20 4.50 4.80 5.20 per dozen
Packed one in a box.

#### SCREW SLOTTING HACK BLADES



Disston Special Crucible Steel, tapered and hollow ground to run without set. Tempered so they can be refiled. Milled teeth. Put up in a set of four blades, one each.

8	in.	centre to co	ntre of holes, 1	in. wide,	12	gauge	(.109)	24	Points	\$0.26	each "
8		**	· 1		16	11	(.065)	24		0.22	-44
0	"	44	** 1	44	18	7.6	(.049)	24		0.19	:((
0			2								

# HENRY DISSTON & SONS

# RAIL HACK SAWS

No. 6



Nos. 6, 7, 8, 9, 10. Steel Frame, Polished, Riveted Sockets. Strong and durable. These are specially adapted for Large Work, cutting off Iron Beams, Girders, etc., and will be found a very valuable tool for Contractors.

No.	6.	101	in.	inside o	f frame to	tooth-edge,	suitable s	for S	in.	blades,	\$15.00	per	doz.	Frames	only
84	8.	10	14	10	10	40		1.	2	84	18.00	10		63	44
4.0	9.	101	+6	**	110	44	- 41	1	+	144	19:00	-0.0	198	94	44
.44	10.	101	44	-61	4.6	-11	120	10	1	100	23,00	. 27	10	-14	14
								- 18	0.11	4.6	78 (8)	4.4	44-	-14	100

Nos, 9 and 10 MADE WITH HANDLE ON EACH END

#### No. 11, DROP HANDLE



Nos, 11, 12, 13, 14, 15, Steel Frame, Nickel-plated, Rivered Sockets. Drop handle

64	12.	10	in.	maide	of frame	to tooth-edge,	suitable for	- 9	itt.	blades,	\$20.00	per	doz.	Frames	onl
14	13.	101	**	316	10	-64	22	12			23.00			64	44
1.0	14.	101	-64	66	44.			14	- 1	**	24.00	11	9.4	00	. 19
44	15.	103		66	66	- 0		16	**	**	28.00	94	6.6		1.0
	-							18	44.	44	33.00	44	++	1.64	100

Packed one frame in box

#### Nos, 14 and 15 MADE WITH HANDLE ON EACH END

Teade Mack Registered U. S. Patrot Office

# HACK SAW BLADES

"CHROMOL," Hardened throughout LENGTH MEASURED FROM CENTRE TO CENTRE OF HOLES



MILLED TEETH

Made of "CHROMOL STEEL," a high-grade material peculiarly suited for Metal-cutting Blades. The teeth are milled, giving the greatest possible strength. and making them sharp and clean; set in such a manner that every third tooth is straight-acting as a cleaner-while the two intervening teeth are set alternately right and left. This arrangement allows each tooth to do its full share of the work, and the action of the cleaner tooth, to a great extent, relieves the set teeth of part of the wear, which considerably prolongs the life of the blade.

They are hardened by the DISSTON process, which renders them hard and tough without being brittle.

For hand frame use we recommend blades with Number of "Points" as follows:

Soft steel, east iron, etc., and all general work.	.16	points	or	15	teeth
Tool steel, light angle iron and hard metals.	.18	4.4	11	17	(9)
Brass, Copper, Drill Rods, Iron pipe and sheet metal	24	4.6		44.50	
Tubing and Metal thinner than 22 gauge	.32	44	++	31	46.

#### IN ORDERING, SPECIFY NUMBER OF TEETH OR POINTS WANTED OTHERWISE 16 POINT OR 15 TOOTH BLADES WILL BE SENT

b	Width	Thickness		Points	to Inch	List	Price per Gross
ength	Winth	.025 or 23 ga.	16	18	24	32	\$8.00
8" -	3//	025 or 23 ga.	16	18	24	32	9.00
	177	.025 or 23 ga.	16	18	24	32	9.00
9" -	377	.025 or 23 ga.	16	18	24	32	9.60
2.00	100	.025 or 23 ga.	16	18	24	32	10.00
10" -	577	.025 or 23 ga.	16	18	24	32	10.20
	9.77	.025 or 23 ga.	16	18	24	32	12.00
12"	377	.025 or 23 ga-	16	18	24	32	12.60
	9.77	.025 or 23 ga.	16	18	24	32	16.10
14"	3//	.025 or 23 ga.	16	18	24	32	16.80
_	B ''	.025 or 23 ga.	16	18	24	32	18.30
16"	16	.025 or 23 ga.	16	18	24	32	19.20

SOFT-BACK Hacksaw Blades, with milled teeth, same price as Chromol.

#### HENRY DISSTON SONS

#### MACHINE HACK SAW BLADES

"CHROMOL" HARDENED THROUGHOUT, FOR MACHINE OR POWER USE Trade Mark Registered U. S. Patent Office



These Blades are made of the same steel, teeth milled in and set in the same manner as the Chromol Blades for hand use

We recommend the following "Points" to the inch for the respective classes of work

Light power	15	points	or	14	reeth.
Brass, Copper, Iron pipe, etc	18	14	"	17	4.1
Heavy power work		110	11	10	11

Furnished in sizes suitable for any make of machine.

Length	Centre to Centre	Width	Thickness	Po	ints per	Inch	Price per Gro
		3"	.049 or 18 ga.	-11	15		\$19.50
10"	10"	4"	.032 or 21 ga.	11	15	18	13.50
		3"	.065 or 16 ga.	11			30.45
		i"	.049 or 18 ga.	- 11	15		23.40
12"	12"	211	.032 or 21 ga.	11	15	18	16.20
		1"	.065 or 16 ga	11:			37.80
		1//	.049 or 18 ga.	11	15		29.40
		4//	.065 or 16 ga.	11			37.10
		4"	.049 or 18 ga.	11	15		27.30
14"	135"	11.	.032 or 21 ga.	11	15	18:	18.90
		1//	.065 or 16 ga.	-11			44.10
		1"	.049 or 18 ga.	-11	15		34.30
		4"	.065 or 16 ga.	11			42.40
		- 100	.049 or 18 ga.	11.	15		31.20
16"	16"	1//	.032 or 21 ga.	11	1.5	18	21.60
		10	.065 or 16 ga.	11			50:40
		1"	.049 or 18 ga.	11	15		39.20
		111	.065 or 16 ga.	- 11			45.05
		100	.049 or 18 ga.	11	15		33.15
17"	164"	1"	.032 or 21 ga	11	15	18	22.95
		1"	.065 or 16 ga.	- 11			51.55
		1"	.049 or 18 ga.	- 11	15		41.65
		311	.065 or 16 ga.	11			47.70
		4"	.049 or 18 ga.	11	15		35.10
18"	18"	211	.032 or 21 ga	1.1	15	18	24.30
		1	.065 or 16 ga.	11			56.70
		1"	.049 or 18 ga	11	15		44.10
		4"	.049 or 18 ga.	11	15		37.25
20"	20"	1"	.065 or 15 gal.	11			63.00
		100	.049 or 18 ga.	11	1.5		49.00
		1"	.083 or 14 ga.	11 -			84.80
-24"	24"	1"	.065 or 16 ga.	11			75.60
		1/4	.049 or 18 ga.	11	15		58-80
30"	30"	1"	.083 or 14 ga.	11			110.00
		1.0	.065 or 16 ga.	11			92.40

## HACK SAW BLADES

#### DISSTON'S HOLLOW GROUND

LENGTH MEASURED OVER ALL



#### MILLED TEETH

We call particular attention to these blades for work requiring accuracy.

They are made of Disston special crucible steel; hollow ground to run without set, and tempered so that they can be refiled.

For sawing all classes of metal they are superior to any other blade on the

Per dozen	\$2.30	2.40	2.50	2.60	2.70	3.00	3.25	4.00	4.5
Points, per inch.				14					
decimal equivalent				042					
Gauge [Disston] Tooth-edge.	20								
Width, "	1	-	-	10	400	10	10	10	10
Length, inches	S 1100	7	457	- 11		7	1	- 2	1
market, and are so acknowled				11	1.7	1.5	1.4	16	18

#### FLEXIBLE BACK

LENGTH MEASURED FROM CENTRE TO CENTRE OF HOLES



Made of high-grade Steel, hardened and tempered on cutting-edge only. Particularly desirable for certain classes of work. Also furnished in coils of sufficient lengths for use on Bandsawing machines.

cient	engti	is for	use	OH	Dannisav		e much	inco.
					20.27.612.2	10	STOCK	SIZES

			Br 4. c. c.	C. Britain	20.0 40.40.40							
Length, inches	8	8	9	0	10	10	12	12	14	14	16	16
Width "	1	1	- 1	- 2	1	1	I.	- 1	1	1	- 1	1
Cause [Disstan]	23	.21	23	21	23	21	23	21	23	21	23	21
" Dec. equivalent,	025	032	.025	.032	025	032	0.25	.032	025	0.32	025	.032
Points, per inch	16	16	16	16-	16	.16	16	16	16	16	16	.16

If desired, these blades can be furnished with fine teeth, 22 or 26 points to the inch, with or without set, \(\frac{1}{2}\) inch wide, 23 gauge. These are adapted for sawing bicycle tubing, brass, aluminum, etc.

Locksmiths' Blades, \(\frac{1}{2}\) inch wide, 23 [.025] or 25 [.020] gauge, 16 or 22 points.

6-inch ... \$6.00 8-inch ... \$7.20 per gross

Jewelers' Blades, 4 inch wide, 28 [.014] gauge, 30 points.

Always specify length from centre to centre of holes, width, gauge or thickness and number of "Points" to inch desired.

## HENRY DISSTON & SONS


#### PLASTERING TROWELS

Plastering Trowels, as illustrated on the following pages, are what are known as finishing trowels, and are always supplied when not otherwise specified.

Browning Trowels furnished when specially ordered, at same price, these being one gauge heavier than finishing trowels, and working side not ground to thin edge.


Disston Trowels are made of the highest grade crucible steel, carefully tempered and ground, the handles are mounted in the most approved manner, and are fully guaranteed.

We have been manufacturing Trowels since 1855.



No. 0. Disston Finishing Trowel. . \$14.75 16.25 17.75 19.50 per dozen

The mounting and handle of this trowel are adjusted by an improved method, making it strong, durable and easy to the hand. The blade is of the highest grade crucible steel, highly tempered, and properly ground from the centre to the edges on the working side.




The handles of the No. 1 Plastering Trowels are fastened by an improved method, fitting better to the hand, and not liable to come loose.

Packed half dozen in box.


# PLASTERING TROWELS

No. 2



Length of Blade Width of Blade Number of Riveta 15.75 per dozen Disston..... \$12 25 13.50 14.50 No. 2.

#### CINCINNATI PATTERN



#### No. 21 CINCINNATI

		S rivets in	all lengths.		
No. 21.	Unigth of Blade Width of Blade DISSTON	10 and 1017 477 812 50	13.00	13,50	12 inches 14.00 per dozei
NO. 21.	Dission				ATTENDED MARKETS

		No. 22 CB		eta in all lengt			
No. 22.	Length of Blade, Width of Blade, DISSTON -			15.00	15.50	16.50	17.50 per dozen
			Packed	half dozen i	n box.		

#### WOODROUGH & McPARLIN CINCINNATI PLASTERING TROWELS No. 121 CINCINNATI

		No. 121 C	The Chairman I		
	Length of Blade	457	416	441	12 inches
No. 121	. W. & McP	\$12.50	13.00	13.50	14.00 per dozer


No. 122	CINCINNATI	EXTRA.	WALNUT	HANDLES
---------	------------	--------	--------	---------

	No.	122 CINCINNATI EX	TRA, WALNU	T HANDLES		
No. 122.	Width of Blade	\$14,00	14.50	15.00	15.50	per dozen
		Packed half	dozen in box.			

#### HENRY DISSTON SONS


## PLASTERING TROWELS

No. 12




Length of Blade 10 and 10% Width of Blade 45% 12 inches No. 12. Disston ..... 812.25 13.50 14.50 15.75 per dozen Distance on 11-inch trowel from end of blade to shank at one end 43 inches, and 2 inches at the other end; 41 inches between shanks.

No. 13



Distance on 11-inch trowel from end of blade to shank at one end 42 inches, and 24 inches at the other end; 41 inches between shanks; width of blade, all lengths, 41 inches.

No. 23



Same as No. 13, except mounting is in centre of blade

Length of Blade 10 and 1051 and 23 \$7.75 Nos, 13 and 23 8.50 10.00 per dozen

The above Trowels especially adapted for Cement Workers' use

# HENRY DISSTON & SONS


# PLASTERING TROWELS

WESTERN, No. 16

Same pattern and dimensions as No. 17, WITHOUT REINFORCING POST.

No. 16. Disston \$15.00 15.50 16.00 16.50 per dozen

WESTERN, No. 17



Made of the highest grade crucible steel; tempered by our improved method, accurately ground, thin blades. Fastened with seven rivets to long mounting with shield. Tang extends through handle and is securely fastened with flush barrel nut. End of handle beveled for thumb-rest. The strengthening post at end of handle prevents the mounting from bending when the trowel is used for work such as cementing, etc., where pressure is exerted. Polished handles.

Length of Blade. 10 and 10)6 11 11/6 12 inches width of Blade. 41/6 41/6 41/6 41/6 17.50 per dozen No. 17. Disstron. \$16.00 16.50 17.00 17.50 per dozen

#### PLASTERERS' FINISHING, No. 118

LEATHER GRIP




These Trowels are of the same high quality, workmanship and pattern as Nos. 16 and 17, with the exception that the blades are fastened with ten rivets

to ex	erra le	ong mountings.	310	1136	12 ir	ches
	18. 19. 28. 118. 119. 128.	Polished Handle with post ex.thin blade, 24 g Leather Grip with post with post extra thin blade, 24 g	a. 16.50 20.50 21.50 a. 20.50	17.00 21.00 22.00	\$17.50 p 18.50 17.50 21.50 22.50 21.50	er dozen

#### HENRY DISSTON & SONS

## PLASTERING TROWEL

No. 38 FINISHING



Made of the highest grade Crucible Steel, tempered by our improved method; accurately ground blade, extra thin, 24 gauge, slightly concaved. Extra long mounting, fastened to the blade with ten rivers. The handle is specially shaped and formed to fit the hand.

Length of Blade. 10% 11% 11% 12% inches Width of Blade.

No. 38. Dissron S17.75 18.25 18.75 19.25 per dozen

# CIRCLE OR COVE TROWEL

The state of the s



CORNER TROWEL

No. 24, Inside or No. 25, Outside Circle
Radius 2 3 inches
6 inches long . . . . \$9.00 11.80 per dozen

No. 26, Inside or No. 27, Outside Angle 6 inches long. . . . \$7.00 per dozen


7.00 11.80 per dozen 6 inches long. . . .\$7.00 per doze State whether "Inside" or "Outside" is wanted

# MASONS' MITRE RODS BEVELED ON LONG EDGE

,

450 2.95 3.75 4.80 5.80 per dozen 140 7.50 8.75 9.15 per dozen

#### MARSHALL PATTERN, No. 3



Width of Blades, 434 inches for all lengths. Three rivets in all lengths. Length of Blade. 10 and 1032 11


No. 3. Marshall. \$7.75 8.50 9.25 10.00 per dozen

197

HERRY DISSTONA SONS

#### TROWELS

CEMENTERS', No. 20



Extra heavy blade, 16 gauge. Made of high-grade Crucible Steel. Tempered by our improved method, accurately ground. Mounting 1-inch wide and extends within 2 inches of the ends.

No. 20. Disston. \$17.00 18.25 19.75 per dozen

PAINTERS' CEMENT, No. 49



Crucible Steel Blade, Riveted Tang. 54 inches x 41 inches . . . . . 88.00 per dozen

CEMENTERS' EDGING TROWEL, No. 50



\$14.00 18.00 per dozen No. 50. Disston

## BRICK TROWELS

LONDON PATTERN, No. 5




10% inches No. 5. \$7.50 8.00 8.50 9.00 9.50 10.50 per dozen 14 inches \$11.00 12.00 12.75 14.25 15,00 per dozen

#### LONDON PATTERN, No. 6 THROUGH TANG, CAPPED



No. 6. 87.75 8.75 10.25 10.75 per dozen 12 14 inches \$11.25 13.00 13.75 14.50 15.25 per dozen

#### LONDON PATTERN, No. 7 THROUGH TANG, DOUBLE FERRULE



No. 7. \$8.00 9.00 9.50 10.00 10.50 11.00 per dozen 12 14 inches 12.00 14.00 14.75 15.50 per dozen Packed half-dozen in box Post at right angle to blade, insuring proper balance

#### BRICK TROWELS



No. 10. \$8.50 9.00 9.50 10.00 10.50 11.00 11.50 per dozen 11.50 12.50 13.00 13.75 14.50 15.25 16.00 per dozen

No. 12. Same pattern as No. 10, with light-weight, flexible blade,

To meet the various requirements of the users, we make the Philadelphia Pattern Brick Trowels bearing the name of Disston, with Handle or "Lift" at three different heights.

Packed half-dozen assorted lifts in box Post at right angle to blade, insuring proper balance





Packed half-dozen in box

HENRY DISSTON & SONS

# BRICK TROWELS

NEW YORK, No. 11



Extra quality Crucible Steel Blade, Carefully hardened and tempered, ground to a true and correct taper.

No. 11.	89.50	10.00	10.50	11.00	11.50	12.00	10:5	per dozen
	\$13.00	13_50	14.00	14.75	15.50	16.25	17.00	per dozen

#### NEW YORK, No. 111

WITH LEATHER GRIP



No. 111.	756	8	8);	9	9:1	10	10st inches
	\$12.00	12.50	13.00	13.50	14:00	14.50	15.00 per dozen
	1.1	1176	1.2	1230	11	1000	19 50 per dozen

Above Trowels are made with the Handle or "Lift" at three different heights. The tang extends through handle and is riveted.

Packed half-dozen assorted lifts in box Post at right angle to blade, insuring proper balance

# HENRY DISSTON & SONS

## BRICK TROWELS

NEW YORK, No. 112



Extra quality Crucible Steel Blade, carefully hardened and tempered, ground to a true and correct taper.

	716	W.	434	9	93.0	10	10% inches
No. 111.	89.50	10.00	10.50	11.00	11.50	12.00	12.50 per dozen
	11	1116	1.2	1214	13	1316	14 mehra
	\$13.00	13.50	14.00	14.75	15.50	16.25	17.00 per dozen





Similar to No. 111 with Leather Grip.

	712	14	815		916	10.	1035 inches
No. 111½.	\$12.00	12.50	13.00	13.50	14.00	14.50	15.00 per dozen
							19.50 per dozen

These Trowels are of same quality and design as our No. 11 and 111, with the exception that the tang does not extend through handle, thus giving a solid wood end, which is preferred by some users.

Made with the "Lift" or hang of handle at three different heights.


Packed half-dozen assorted lifts in box

Post at right angle to blade, insuring proper balance

# HENRY DISSTON & SONS

## BRICK TROWELS

BOSTON PATTERN, No. 32



LOWELL PATTERN, No. 33



\$5.50 6.00 6.50 7.00 7.50 8.00 8.50 9.00 9.50 10.00 per dozen

#### CUCUMBER PATTERN, No. 34



85.50 6.00 6.50 7.00 7.50 8.00 8.50 9.00 9.50 10.00 per dozen

Packed half-dozen in box

Post at right angle to blade, insuring proper balance

#### BRICK TROWELS

#### "PEERLESS"

This is the highest type, the very ACME OF PERFECTION in Trowel making. Each DISSTON Trowel is made from a single diamond-shaped piece of steel from one end of which is forged the tang. The steel—DISSTON CRUCIBLE STEEL—is of a quality adapted for trowel blades, which are highly tempered, taper-ground, and possess the characteristic spring, giving greatest efficiency.

The post being straight, or at right angles with the blade, gives better balance in use.


The handles made of hickory, polished; reinforced with a long, heavy nickelplated steel ferrule.

For efficiency, lasting qualities and beauty of finish these Trowels establish a new standard.

#### 



.\$18.25 18.75 19.25 19.75 20.25 per dozen
Packed half-dozen in box
Assorred weights—light, medium and heavy



No. 41

#### BRICK TROWELS

MANHATTAN, No. 30



Extra quality, wide heel, crucible steel blade. Carefully hardened and tempered; ground to a true and correct taper. 10, 10, 10, 11 115, 12 inches

No. 30. Wood Handle \$11.50 12.00 12.50 13.00 13.50 14.00 per dozen No. 130. Leather Handle \$14.00 14.50 15.00 15.50 16.00 16.50

NEW ENGLAND, No. 31



Trovel designed to meet a growing demand for a short, wide heel trovel. This trowel is 6] inches wide at the widest part of the heel, making it an extremely well-balanced tool.

wide at the widest part of the heel, making it an extremely vertraliance of the health part of the health pa

 No. 31. Wood Handle
 \$10.50
 11.00
 11.50 per dozer

 No. 131. Leather Handle
 \$13.00
 13.50
 14.00
 "

Made in the above lengths only

Post at right angle to blade, insuring proper balance

# POINTING TROWELS

REGULAR, No. 15



LONDON, No. 16 SOLID SHANK, SPECIAL SHAPE, NARROW POINT



5.16 .....\$4.25 4.50 4.75 5.00 5.25 5.75 per doze



The No. 15 Pointing Trowel will be sent unless otherwise specified.



Crucible steel blade

Criteible steel blade

6] inches x 53 inches .S9.50 per doz. S4.35 4.35 4.65 4.90 5.15 per dozen

Packed half-dozen in box



# TROWELS COKE, No. 80



No. 80. 9-inch \$7.25 per dozen



COKE, No. 90

QUAKER CITY BRICK TROWEL, No. 100 RIVETED TANG



Packed one dozen in box

HENRY


# TROWELS

DISSTON

SONS

"STANDARD BRAND" PLASTERING, BRICK AND POINTING

PLASTERING, No. 150



BRICK

LONDON PATTERN, No. 151 PHILADELPHIA PATTERN, No. 152



12 \$8,25

\$2.95

6.50

8.75

3.10

8.00

7.00

9.50 per dozen

3.40 per dozen

POINTING, No. 153

6.75

Parked half-dozen in box

208

ROSE TOOLS, INC

\$6.25

87.25

4.11

3.00

209

#### SONS HENRY DISSTON

#### CANE KNIVES





No. 1. Length, including Handle, 213 inches; Length of Blade, 14 inches; Width of Blade at point, 4 inches; Thickness or Gauge, 18... \$6.50 per dozen Weight, 11 pounds per dozen



No. 2. Length, including Handle, 21 inches; Length of Blade, 13 inches; Width of Blade at point, 47 inches; Thickness or Gauge, 16 ...... \$8.00 per dozen Weight, 17 pounds per dozen



No. 9. Length, including Handle, 201 inches; Length of Blade, 111 inches; Width of Blade at point, 61 inches; Thickness or Gauge, 18 . . . . \$6.50 per dozen Weight, 11 pounds per dozen



No. 91. Length, including Handle, 201 inches; Length of Blade, 111 inches; Width of Blade at point, 57 inches; Thickness or Gauge, 20 . . . . . 86.00 per dozen Weight, 91 pounds per dozen



No. 16. Length, including Handle, 213 inches; Length of Blade, 123 inches; Width of Blade at point, 41 inches; Thickness or Gauge, 16 . . . . . \$9.00 per dozen Weight, 201 pounds per dozen Special patterns made to order

#### CANE KNIVES

No. 110

No. 110. Length, including Handle, 20 inches; Length of Blade, 13 inches; Width of Blade at point, 6 inches; Thickness or Gauge, 16. ...... \$8.00 per dozen Weight, 21 pounds per dozen.



No. 90. Length, including Handle, 191 inches; Length of Blade, 121 inches; Width of Blade at point, 51 inches; Thickness or Gauge, 17 ..... \$8.00 per dozen Weight, 21 pounds per dozen.



No. 92. Length, including Handle, 20 inches; Length of Blade, 121 inches; Width of Blade at point, 5 inches; Thickness or Gauge, 16 ...... 39.00 per dozen Weight, 21 pounds per dozen.



No. 93. Length, including Handle, 20 inches; Length of Blade, 121 inches; Width of Blade at point, 5g inches; Thickness or Gauge, 16. . . . . \$9.00 per dozen Weight, 21 pounds per dozen.

WE MANUFACTURE A COMPLETE LINE OF CANE KNIVES AND ARE PREPARED TO FURNISH SPECIAL PATTERNS ON ORDER. PRICE QUOTED ON RECEIPT OF SKETCH, GIVING FULL DESCRIPTION AND DIMENSIONS

#### HENRY DISSTON & SONS

#### MACHETES



No. 230. Wood Handle. Length over all, 281 inches. Blade, 24 inches Weight, 20 pounds per dozen



No. 270. Wood Handle....Length over all, 263 inches ......Blade, 22 inches Weight, 174 pounds per dozen



No. 370. Wood Handle .... Length over all, 23 inches ...... Blade, 18 inches Weight, 13½ pounds per dozen

WHEN WRITING FOR ESTIMATE ON SPECIAL KNIVES, SEND SKETCH GIVING FULL DESCRIPTION AND DIMENSIONS

#### HEDGE KNIFE



#### CORN KNIFE




#### CHAMPION HEDGE TRIMMER, No. 3



Crucible Steel Blade, hardened and tempered, handle of selected, well-seasoned ash, 2-inch Ferrule.

Length of Handle, with Ferrule, 201 inches: Blade, 191 inches. . . . \$14.00 per dozen Weight, 39 pounds per dozen.



Length, 56 inches. \$34.00 per dozen Length, 59 inches. \$24.00 per dozen "Samson" made with 6, 8, 10, 12-foot handles, special price

The handles of the "Samson" are made of Maplewood and the Rapid of Ash Wood, carefully selected, the blades of both are 9 inches long and made of solid steel, forged to shape.

These Diggers have been thoroughly tested and have given the greatest sarisfaction to all who have

used them. They work free and easy and are far superior to all plungers, augers and boring tools.

The Rapid can also be used as a transplanter.

The cuts on the left show the Diggers, with blades open, ready for plunging, those on the right showing how the dirt is grasped.

#### DITCH BANK BLADES

## DISSTON DITCH BANKBLADE



Designed for Cleaning Ditch Banks; Plantation work; Destroying Checkee Hedges; Trimming Trees; Cleaning Railroad Rights of Way, etc. Highest Grade Crucible Spring Steel Blade; Polshed and Etched; Blade Extends into Handle and Rivered Over Metal Plate. Supplied with Plates and Rivers only; no Handle Steel Over Metal Plate.

Ditch Bank Blade, 213 ins. long: width, 74 ins.; length of cutting edge, 18 inches. . . . . 825.00 per dozen



Iron Stock, Nickel-plated, Flush Screw, Parallel Edges, Steel Blade. A slight turn of the thumb-screw operates unique mechanism for tightening or releasing blade.

Parented October 29, 1907


No. 3 54.85 6.20 6.75 per dozen

TRY SQUARE, No. 51/2



No. 5) 82.00 2.45 2.80 3.55 4.65 5.50 per dozen

MITRE SQUARE, No. 11



# TRY SQUARE, No. 1



BEVEL, No. 1






214

of Lever Tightener, if so ordered

# MITRE SQUARE, No. 10



#### TRY SQUARE, No. 15

417

\$7.25



Graduated in 4ths when specially ordered at same price.

Trued inside and out. Made in the following lengths only:

10 inches 12.00 per dozen 

Length measured from inside of stock to end of blade

# TRY SQUARE, No. 5



BEVEL, No. 5





## GAUGES



No. 75. No. 76. No. 77.	1.04	Chinal Day	mb-screw, Steel Point , marked with Inches, Steel Point ted Oval Bar marked with Inches, Steel Point		5 "	40
-------------------------------	------	------------	--	--	-----	----



Hardwood Polished, Head Plated, Oval Bar-marked with Inches, Steel Point

	110100		4.177	DUL	HOZER
No.	771-	Cond Bons	4:20	1.9	110
No.	79.	Boxwood, Oval Bar, marked with Inches, Steel Point	\$ 25	14	14
No.	80.	" Head Plated, marked with Inches, Steel Point	2.00	++	0.0
No.	81. 1	Hardwood, Cutting, Steel Cutter	1.35	44	44
No.	82.	Head Plated, Oval Bar, Steel Cutter	6.00	115	44
No.	84. 1	Boxwood "	0.1.0		



No. 843. Boxwood, Polished, Cutting, Head Plated, Oval Bar. Steel Cutter. . . . 88.50 per dozen



No. 89. Beech, Mortise, Brass Slule, Brass Thumb-screw S10.00 per dozen



No. 893. Boxwood, Polished, Mortise and Marking, Graduated Stem, Brass Slide \$10.85 per dozen and Thumb-screw

218

Packed half-dozen in box.

SONS

# GAUGES





No. 91. Rosewood, Morrise, Screw Slide, Brass Thumb-screw. 316.00 per dozen " " Head Plated, Thumb-screw 18.00 " " No. 92.



No. 93. Rosewood, Morrise, Screw Slide, Head and Stem Plated, Thumb-screw . . . \$18.50 per dozen

No. 95. Rosewood, Mortise, Full Plated Head and Stem, Screw Slide with Thumb-



No. 951/2. Rosewood, Polished, Mortise and Marking, Graduated Stem, Brass Slide 



No. 96. Boxwood, Mortise, Full Plated Head and Stem, Screw Slide, marked with 

Packed half-dozen in box

ROSE TOOLS, INC

#### SONS HENRY DISSTON

#### GAUGES

#### DESIGNED ESPECIALLY FOR USE IN MANUAL TRAINING SCHOOLS



Made of hardwood; oval head, with brass screw; two brass strips inlaid in the face. Steel point. The oval shape of the head enables the user more easily to manipulate the gauge.

No. 801 \$5,90 per dozen



This gauge is similar to the 801 gauge; hardwood; oval head, with brass screw; two brass strips inlaid in the face.

The bar is not graduated. This cutter will not follow the grain of the wood, and insures accurate work.





#### HANDLES

POLISHED, BORED AND SLOTTED For Flat Blades





No. 2. SOLID BRASS FERRULES

No. I. STAMPED BRASS FERRULES

No. 1	1.35	1.45	1.55	1.90	2.15	2.30	per dozen
Assorted sizes, one dozen in							

No. 2 ..........\$1.95 2.15 2.30 2.50 2.70 3.00 3.30 per dozen Packed one dozen in box

#### FERRULES

		* *****	*******	
		SOLID BRASS.	POLISHED	
30	3-4	34	34	1 inch
\$3 35	4.65	5.35	6.70	9.30 per gross
%-inch to	l-inch, assorted	2.17		5.00
inch and	I inch, assorted			8.00 "
* 411500000000000000000000000000000000000		Packed half-gr	oss in box	

#### HENRY DISSTON SONS

#### SCREW DRIVERS

Trade Mark Registered U. S. Patent Office

"ELECTRIC"



Round Blade, Crucible Steel, carefully hardened and tempered, finished either No. 15 bright or No. 16 blued. Hardwood Handle.

\$3.30 3.45 3.60 4.00 4.40 4.60 5.15 5.60 5.75 per dozen No. 17. Same pattern and quality as "Electric" bright blade, excepting Handle

is "Rubberoid," with Nickel-plated Ferrule.

12 Inches \$4.70 4.85 5.00 5.40 5.80 6.00 6.55 7.00 7.15 per dozen

Trade Mark Registered U. S. Patent Office

"TELEGRAPH"



Round Blade, Crucible Steel, carefully hardened and tempered, finished bright. Black Hardwood Handle, with Nickel-plated Ferrule.

No. 30. \$3.55 3.70 3.90 4.35 4.75 4.85 5.35 5.75 5.90 per dozen

No. 35. Red handle, otherwise similar in pattern, quality and price to No. 30.

No. 10. Same pattern and quality as "Telegraph," excepting Handle is "Rubberoid," with Nickel-plated Ferrule.

\$4.95 5.10 5.30 5.75 6.15 6.25 6.75 7.15 7,30 per dozen

#### CABINET-MAKERS'



Round Blade, Ta-inch diameter, Crucible Steel, carefully hardened and tempered, finished bright. Black Hardwood Handle.

No. 31. \$3.55 3.70 3.90 4.35 4.75 4.85 5.35 5.75 5.90 per dozen No. 36. Red handle, otherwise similar in pattern, quality and price to No. 31.

The Tang of these Screw Drivers is driven in Handle, Rivet extends through Ferrule, Handle and Tang, and is headed on both ends, thus preventing the blade from turning in the socket, making a strong, durable driver.

Packed half-dozen in box

#### HENRY DISSTON & SONS

#### SCREW DRIVERS

No. 9 THROUGH TANG, CAPPED END



Crucible Steel Blade, hardened and tempered, bright finish. Tang extends through handle, capped end. Handle, same shape as Telegraph Driver, with Rubberoid finish. Long heavy Steel Nickel-plated Ferrule. Rivet extends through Ferrule. Handle and Tang and is headed on both ends.

No. 9 ... \$5.70 6.65 7.75 9.15 10.30 11.45 13.75 15.50 per dozen



Round Crucible Steel Blade, hardened and tempered, bright finish. Extends entirely through handle and is capped on the end. Hardwood handle, nickel-plated ferrule.

Blade is securely fastened in handle with a rivet passing through ferrule, handle and blade, headed on both ends.

> No. 38 THE STRONGEST DRIVER MADE

till STRONGEST DRIVER MAD



The No. 38 Series driver will withstand the hardest work. The blade is made of Crucible Steel, specially Hardened and Tempered throughout. Handle of Hardwood, black finish. Long, heavy, Nickel-plated Ferrule.

The blade is fastened in the handle by a method which prevents its turning or coming loose.

Automobilists and others will particularly appreciate the strength of this screw driver.

No. 38 .....\$7.70 8.65 9.75 11.15 12.30 13.45 15.75 17.50 per dozen

HENRY DISSTON & SONS

## SCREW DRIVERS

No. 20



Forged, round, Crucible Steel Blade, flat at butt. Hardwood Handle, ebonized, Nickel-plated Ferrule.

No. 20. \$2.65 3.25 3.90 4.55 5.25 6.50 7.25 9.60 10.50 per dozen

FLAT BLADE, No. 40



Flat Forged Blade, Flat Handle, Polished, Heavy Brass Ferrule.

\$3.50 4.00 5.25 5.70 5.95 6.85 8.00 9.10 10.75 per dozen

ELECTRICIAN, No. 95

INSULATE, No. 50
PARTICULARLY ADAPTED FOR ELECTRICIANS USE



Crucible Steel Blade, carefully hardened and tempered; is embedded in a hard Rubber Handle, so fastened that it will not work loose.

The solid rubber acts as insulation.

The Handle, hard rubber, is of a texture eliminating brittleness, strong, tough and durable, pressed to form, the grip is milled, and the extended rings prevent the hand from slipping or touching the blade.

This is a practical, high-grade screw-driver, beautifully finished

222

#### SHAFTING LEVEL

FOR USE OF MILLWRIGHTS AND MACHINISTS



Above, with trued Flat Base, for Bench Work, etc., same price Packed one in box

#### POCKET LEVELS

No. 1



No. 150



Cherry Wood, Stained; Size, 12 inches by 13 inches by 3 inch. Nickel-plated

No. 150. Level only. Made in 12-inch length only. \$35.00 per gross No. 155. Plumb and Level. Made in 12-inch length only ..... 5.75 per dozen Packed half-dozen in box

No. 200



Packed one dozen in box

# PLUMB

HENRY

Top Plumb Plumb and Level, 5. 6. 6. 8. No. No. No.

Side Views, Polished

Arch



DISSTON



8

SONS

28888

17 520 525

No . 0 %

# MASONS' PLUMB AND LEVELS

MASONS', No. 105



No. 105. A light, reversible level, made of well-seasoned Cherry, 2] inches wide, I inch thick. Fitted with six proved glasses (four plumb and two level), all adjustable. Improved Disston Grip ends protected with brass-caps.......

Per dozer 854.25 ×

S

20

Z

S

## ADJUSTABLE PLUMB AND LEVELS



With the Disston Adjustable Plumb and Levels, the adjusting of two screws (A and B) will enable anyone to true up the bubble. The simplicity of this adjustment is one of the features that makes these levels appeal to mechanics. As the illustration shows, there are no springs to get out of order, nor will the screws rust in damp weather and interfere with the adjustment.

In case of a broken glass the adjustment can be readily taken out and new glass inserted.

#### DIRECTIONS FOR ADJUSTING

To adjust the level, remove the protecting shield C; loosen flat-head screw A, raise or lower round-head screw B until bubble is true; then tighten screw A. To adjust plumb, remove the protecting shield; loosen one screw and tighten the other until the bubble is true. For List of Adjustable Plumb and Levels, see following pages.

ROSE TOOLS, INC.



No. 25. Adjustable Plumb and Level, Triple Stock, Arch Top Plate, Two Brass Lipped Side Views, Solid Brass Ends, Improved Duplex Side Views, Polished. Assorted

Inches Per Dozen 26 to 30 \$54.00 ENR

23

Z

20

Z

SO

No. 26



No. 26. Plumb and Level, Double Stock Cherry, Brass Top Plate, Brass Lipped Side View, Solid Brass Ends, Polished. Level, Adjustable; Plumb, Non-adjustable. Assorted

26 to 30 35.25

No. 0105



No. 0105. A light, Reversible Carpenter's Plumb and Level, 24 inches wide, 1 inch thick. Cherry Stock, Natural Finish. Fitted with Six Proved Glasses (four plumb, two level). Adjustable. Brass Ends. Assorted.

24 to 30 47.00

Parked half-dozen assorted sizes in how

Θ

No. 27



No. 27. Plumb and Level, Solid Cherry Stock, Natural Finish, Brass Top Plate, fastened with Brass Screws, Two Brass Lipped Side
Views, Two Brass Lipped Plumb Views, both Plumb and Level-glasses proved and set in Brass Tubing. Level,
Adjustable; Plumb, Non-adjustable. Assorted
No. 28. Plumb and Level, same Pattern, Quality and Finish as No. 27. Level. Adjustable; Plumb, Non-adjustable. Assorted
No. 29.

No. 29.

\$25.00 18 to 24 34 00 H

FF

0

50

1

550

Z

S

to

20

co

7

CO

No. 30

No. 30. Adjustable Plumb and Level, same Pattern, Quality and Finish as No. 27. No. 31. Nos. 27 to 31 put up one level in near pasteboard box 26 to 30 38 00 34 00 18 to 24

#### GRADUATING ATTACHMENT ON No. 17 PLUMB AND LEVEL



This improvement can be put into any of the Plumb and Levels The Graduating Level is very useful in obtaining any degree or angle required. This at \$14.00 per dozen extra.

Packed one-half dozen in box in this list at \$14.00 per dozen extra.

3) inches 13 (X) per gross 8 20 8.20 10.80 10.80 LEVEL GLASSES 88 20 10.80 21 inches to 31 inches. Assorted .... 12 90 per gross 1½ inches to 2 inches. Assorted ..... \$8.60 per gross 1½ 1½ 1½ 11.40 11.40 14 10 17.00 

Packed one dozen in box

11,40 12.60 14.10

24

# PLUMB AND LEVELS

No. 55



No. 55. Adjustable Mahogany Plumb and Level, Full Brass Bound, Arch Top Plate, Two Brass Lipped Side Views, Solid Brass Ends, Polished. Assorted. 24 to 30 898.00

No. 56. Adjustable Plumb and Level, same as No. 55, with Cherry Stock, Natural Finish No. 60. Mahogany Plumb and Level, Full Brass Bound, Arch Top Plate, Two 24 to 30 79 50 Side Views, Solid Brass Ends, Polished. All lengths one inch

thick, two inches wide \$38.30 45.50 No. 65. Cherry Stock, Natural Finish, similar to No. 60 54.65 per dozen \$30.95 36.45 42.84

No. 70



No. 70. Adjustable Mahogany Plumb and Level, Natural Finish, Full Brass Bound, Arch Top Plate, Two Side Views, Solid Brass Ends, Polished. All lengths one inch thick, two inches wide. \$45.00 183 No. 75. Adjustable Plumb and Level, same as No. 70, with Cherry Stock, Natural Finish \$38.00 61.50 per dozen

Packed one in pasteboard box

36.25

No. 9, D. P. Double Plumb

Brass Ends, Polished.

Double Plumb

30

Screes Stock, Natural Finish, Brass both Plumb and Level-Glasses

47.65

0

HENRY DISSTON 8 SONS

# CABINET BURNISHERS


No. 1, OVAL



NO. 3.	Oval         419           Round         \$3.35           Square, with round point, cut on all sides         3.35           Square, with round point, not cut         3.85           3.35         3.85	per dozen

# DISSTON "MAGNETO" FILES

FOR CLEANING MAGNETOS, IGNITION COILS SPARK PLUGS, SPARK GAPS, CONTACTS, Etc.



An indispensable item of motor equipment. The File is 64 inches long over all. Put up on attractive display card holding one dozen, or in box. PRICE ON APPLICATION

Patented Nov. 11, 1913

COMBINATION FILE CARD AND BRUSH



The use of this Combination Card and Brush will keep the file in good condition. The Card is to be first used on file to loosen the filings, then cleaning File Card and Brush. .87.50 per dozen File Card only. . . . . \$6.50 per dozen

#### DISSTON

IS WARRANTED AS PERFECT AS A FILE CAN BE MADE

SLIM TAPER

TAPER

SQUARE

BLUNT BAND

MILL

FLAT BASTARD

HALF ROUND

ROUND

HALF ROUND WOOD RASP

We manufacture a full line of the various kinds and sizes of Files. We have been making files since 1872.

They are made of Disston high quality Crucible Steel, carefully forged throughout, teeth well-formed, and hardened by our special process.

We use 35,000 dozen Disston Files annually in our own Works, therefore know what a good file should do and make Disston Files so they will do it.

HENRY DISSTON SONS

#### AMERICAN STANDARD FILE LIST

NOVEMBER, 1899

INCH	MILL	AND R			HAN	DANDP	LLAR						
	Bastard	2d Cut	Smooth	Bastard	2d Cut	Smooth		Bastard	2d Cut	Smooth	Bastard	2d Cut	Smooth
4 5 6	\$3.00 3.20 3.50	3.50 3.80 4.00	3.90 4.10 4.50	3.70 3.90 4.30	4.30 4.60 4.80	4.70 4.90 5.30	4 5 6	\$3.80 4.10 4.60	4.60 4.80 5.10	4.90 5.30 5.50	3,70 3,90 4,30	4.30 4.70 5.10	4.80 5.30 5.60
7 8 9	3.90 4.30 4.90	4.60 4.90 5.80	4.90 5.40 6.30	4.80 5.30 6.30	5.50 6.10 7.20	6.10 6.60 7,90	7 8 9	5.10 5.50 6.60	5,80 6,30 7,70	6.30 7.00 8.30	4.90 5.40 6.70	5.80 6.30 7.80	6.30 6.70 8,30
10 11 12	5.60 6.70 7.50	6.40 7.80 8.60	7.00 8.50 9.40	7.00 8.60 9.70	8.10 9.80 11.00	8.70 10.70 12.10	10 11 12	7.40 9.10 10.20	8.50 10.40 11.50	9,10 11.30 12.80	7.50 9.40 10:70	8.70 10.90 12.30	9,40 11,80 13,50
13 14 15	9.40 10.70 15.10	10.70 12.20 15.00	11.70 13.10 16.10	11.80 13.30 16.00	13.60 15.30 18.30	14.70 16.70 20.00	13 14 15	12.50 13.90 16.90	14.30 16.10 19.20	15.40 17.50 20.90	13.30 15.00 17.90	15.20 17.00 20.60	16.20 18.20 21.70
16 17 18	14.70 18.20 20.20	16.80 20.20 22.70	17.90 21.70 24.30	17.80 21.50 23.90	20.10 24.20 26.80	22.30 26.50 29.20	16 17 18	18,70 22,50 25,10	21.20 25.40 28.20	23.30 27.50 30.40	20.10 24.20 26.80	22.80 27.10 29.90	24.20 28.60 31.50
19 20	24.60 27.40	27.50 30.70	29.40 32.90	28.40 31.50	31.60 35.30	34.60 38.30	19 20	29.70 32.80	33.20	35.70 39.30	31.90	35.40	37.60 41.60
MIII Db	int, Dbl. ( J. Cut, rrow Poin	14	2 in. 1 *		lunt) Do	uble Cut			Blunt ce I in.		Cotter	Blunt o dvance 2	r Taper
INCH	HALF-R	DATH	REE SQ.		WARDIN	G	INCH	PIT	CANT	G. A. X-CUT	PLA	Inserted	
	Bastard	2d Cut	Smooth	Bastard	2d Cut	Smooth	-		. 5114				Chisel
4 5	\$4.80 5.40	5.60 6.10	6.10	4.00 4.50	4.80 5.30	5.40 5.80		Single	Single	Single	Single	Double Cut	Tooth
7 8	7,00 7,50	7.70 8.30	7.10 8.20 8.90	5,90 6,40	5.90 6.90 7.50	7.50 8.20	5 6	\$4.80 5.40 6.10	4.30 4.70 5.40	4.80 5.40 6.10			34 - F
10 11	9.10 10.70	9.40 10.10 11.80	9.90 10.70 12.70	7.80 8.70 10.90	9.00 10.10 12.70	9.90 11.00 13.70	7 8 9	7,00 7,50 8,50	6.10 6.40 7.80	7.00 7.50 8.50	6.40 7.40	7.40 8.60	8.J0 9.40
13 14	11.80 14.10 15.50	13.00 15.40 17.00	13.90 16.60 18.30	12.30 15.20 17.00	14.30 17.40 19.40	15.40 18.70 21.00	10 11 12	9,10 10.70 11.80	8.70 10.40 11.40	9.10 10.70 11.80	8.60 10.90 12.10	10.90 12.10 14.70	10.10
15 16 17 18	20.60 24.70 27.50	20.40 22.50 27.00 29.90	21.70 24.20 28.90 32.00	8 inch	Stave Sav	9.40		Climax.					
19 20	32.80 36.20	35.70 39.40	38.10 42.30		Saw Imp				DOUBLE	E-ENDER	TAPER		

10

Sizes below 4 Inches, not extended, take 4-inch price.

Ball litches, not specified, take next higher foll inch price.

Ball litches, not specified, take next higher foll inch price.

One Round Edge, advance 215 per cent.

Blunt Files, not specified, advance one inch on respective kinds and turx.

Single or Float Cut, not specified, or regardly a hapse take Double Cut price.

Single or Float Cut, not specified, not specified, or regardly a hapse take Double Cut price.

Two Round Edges, advance 25 per cent.

Two Round Edges, advance 25 per cent.

Cuts Not Specified, made upon regular Balks, advance one inch on respective kinds and nearest cuts.

Irregular Goods, all-length shows those lated, advance 20 per cent. on next lower inch price, Files varying from standard sizes to be claimed as irregular and subject to special prices.

10.70

3.50

Illustrated File Catalogue mailed on application

10

4.90

3.90 4.40

Ginsaw . . . . . take bastard price Crossing ..... adv. 1 ins.

Feather Edge (Blunt) "High Back Half-Round "

#### AMERICAN STANDARD FILE LIST

NOVEMBER, 1899

INCH	ONE	MILL ONE ROUND EDGE			MILL OUND I	EDGES	INCH	TAP	ERS	SLIM 1	TAPERS	Band Blunt an	
	Bastard	2d Cut	Smooth	Bastard	2d Cut	Smooth		Single Cut	Double Cut	Single Cut	Double Cut	Regular	Stim
4	\$3.40	3.90	4.40	3.80	4.40	4.90	3	82.10	2.50	2.10	2.50	2.50	2.50
5	3.60	4.30	4.60	4.00	4.80	5.10	3	2.10	2.50	2.10	2.50	2.50	2.50
6	3.90	4.50	5.10	4.40	5.00	5.60	4	2.20	2.90	2.20	2.60	2.90	2.60
7	4.40	5.20	5.50	4.90	5.80	6.10	4	2.40	3.10	2.30	3.00	3.10	3.00
8	4.80	5.50	6.10	5.40	6.10	6.80	5	2,60	3.50	2.50	3.20	3.50	3.20
9	5.50	6.50	7.10	6.10	7.30	7.90	5)	3,00	4.00	2.90	3.50	4.00	3.50
10	6.30	7.20	7.90	7.00	8.00	8.80	6	3,40	4.70	3.10	3.90	4.70	3.90
11	7.50	8.80	9.60	8.40	9.80	10.60	7	4,30	5.60	3.80	4.50	5.60	4.50
12	\$.40	9.70	10.60	9.40	10.80	11.80	8	5,40	6.70	4.50	5,30	6.70	5,30
13	10.60	12.00	13.20	11.80	13.40	14.60	9	6,60	8.10	5.40	6,30	8.10	6,30
14	12.00	13.70	14.70	13.40	15.30	16.40	10	8,10	9.70	6.40	7,50	9.70	7,50
15	14.70	16.90	18.10	16.40	18.80	20.10	11	10,70	12.10	8.30	9,10	12.10	9,10
16	16.50	18.90	20.10	18.40	21.00	22.40	12	12.50	14.70	9.50	11.00	14.70	11.00
17	20.50	22.70	24.40	22.80	25.30	27.10	13	15.90	17.50	12.10	13.10	17.50	13.10
18	22.70	25.50	27.30	25.30	28.40	30.40	14	18.20	20.60	13.80	15.40	20.60	15.40

INCH	HO	RSE RA	SPS	FILE	RASPS	INCH	W	OOD FIL	ES	W	OOD RAS	SPS
	Plain	Beveled and 34 Rasp	Tanged	Flat	Half Round		Flat	Half Round	Cabinet	Flat	Half Round	Cabinet
6 7 8 9				87.40 8.60 9.40 11.40	8.10 9.30 10.10 12.20	6 7 8 9	\$4,30 4,80 5,30 6,30	6.10 7.00 7.50 8.50	8.10 9.30 10.10 12.20	7,40 8,60 9,40 11,40	8.10 9.30 10.10 12.20	10.10 11.70 12.80 15.50
10 11 12 13	9,40 11,40 12,80 15,20	10.70 12.90 14.40 17.00	12.80 15.20 16.80 19.60	12.80 15.50 17.50 20.90	13.70 16.80 18.70 22.40	10 11 12 13	7,00 8,60 9,70 11,80	9.10 10.70 11.80 14.10	13.70 16.80 18.70 22.40	12.80 15.50 17.50 20.90	13.70 16.80 18.70 22.40	17.50 20.70 22.80 26.80
14 15 16 17 18	17.80 20.90 24.40 28.90 12.90	20.10 23.60 27.50 31.50 36.20	23.10 27.30 32.20	23.20 27.80 30.80 36.20 40.90	24.80 29.70 32.90 38.90 43.60	14 15 16 17 18	13.30 16.00 17.80 21.50 23.90	15,50 18,50 20,60 24,70 27,50	24.80 29.70 32.90 38.90 43.60	23.20 27.80 30.80 36.20 40.90	24.80 29.70 32.90 38.90 43.60	29.60 33.90 36.90 42.40 46.90

INCH		KNIFE		INCH		SHOE RASPS	
	Bastard	2d Cut	Smooth		Flat	Half Round	Oval
4 5 6 7	85.40 6.10 6.90 7.80	6.10 6.70 7.50 8.50	6.40 7,10 7,90 8.90	6 7 8 9	88.10 9.30 10.10 12.20	8.10 9.30 10.10 12.20	9.30 10.10 12.20 13.70
8 9 10 11	8,50 9,40 10,10 12,20	9.10 10.60 11.50 13.70	9,50 11,30 12,30 14,60	10 11 12 13	13.70 16.80 18.70 22.40	13.70 16.80 18.70 22.40	16.80 18.70 22.40
12 13	13.70 16.30	15.20 17.90	16.10 19.20	14	24.80 LAST N	24.80 TAKERS' RASPS	11116

14 18.20 19.90 21.20 One inch advance on Cabinet Rasp

Sizes below 4 inches, not extended, take 4-inch prior.

Half Inches, not specified, take not behave full inche price.

One Round Edge, advance 125 per cent.

Blunt Edge, advance 125 per cent.

Blunt Edge, and specified, advance one inche on respective kinds and cuts.

Single or Floor Gut, not specified an regular shapes take Double Cut price.

Single or Floor Gut, not specified and regular shapes take Double Cut price.

Two Round Edges, advance 25 per cent.

Two Round Edges, advance 25 per cent.

Two Round Edges, advance 25 per cent.

Tregular Guode, all lengths above those lated, advance 20 per cent. on next lower inth price. Edge varying from standard sizes, to be chaped as regular and subject to special prices.

lilustrated File Catalogue mailed on application

HENRY DISSTON

## SUPERFINE FILES

SONS

		н	AND					P	ILL.	R, I	XI	LAR N	ARR	ROW	
No.	00-2	3-4	- 5	6.	7	8		No.		00		3-4		5-6	7-8
2" and 2\"	\$1.83 2.20 2.45 2.70	1.95 2.50 2.60 2.85	2.05 2.40 2.75 3.00	2.20 2.60 3.00 1.25	2.15 2.90 1.25 3.55	2.50 3.10 4.50 3.80	27.	and 2	177	51 /	10	1.76 1.95 2.20 2.56		1.75 2.05 2.16	1.85 2.15 2.45
41 6	3.45 4.10 5.50	1.35 1.65 4.40 6.75	1,65 1,05 4,65 6,05	3.85 4.40 5.00 6.65	4.25 4.75 5.53 7.25	4.45 5.03 6.01 7.75		41		3.0	15	2.85 1.20 1.50		2.60 1.10 1.40 1.65	1.75 1.60 1.90
8 9 10 12 14	6.10 8.25 9.33 12.10 15.00	6.63 8.80 9.90 12.60 15.00	7.15 9.60 10.50 13.60 16.00	7.71 9.90 11.10 14.00 17.00	8 40 40 50 11 50 14 70 18 20	11.60 12.30 15.50 19.50		8 9 10 12		6.5	100	4.40 5.iii) 6.63 8.80 12.00		1,75 1,05 7,15 1,30 1,10	5.00 6.60 7.90 9.70 15.50
		CHES	Perit Marian	and the same	2	21 3	3) 4	41	1.5	6	7	1.8	10	12	14
Vidily in Decim. parts of an inch- stated as near as practicable.	Pill	ar Narr		nw	20	31 44 20 28 16 19	30 3	51 .56 58 .41 55 .23	44	7.5	4	1 . Sw 5 . J. J 50;	1.(4)	1.25	1.50

Palar, Palar Narrow, and Palar Extra Narrow, with one or both edges cut, take same List Price as with two safe edges.

Other regular widths not listed take regular his poice.

-squa	RE AND	META	L SAW		KN	IFE.			WARDING					
No.	00-2	3-5	6-8	No,	00-2	3-4	5-6	No.	00-2	3-4	5.6	1 6.1		
2) 1	1.75 2.20 2.20 2.40	1.75 2.15 2.15 2.15 7.66	1.75 2.50 2.50 2.50 2.75	21 21 3	1.75 2.80 2.30 2.85	1.75 2.40 2.45 2.95	1.75 2.50 2.55 1.09	2) 2) 3	1.50 1.60 1.85	1.65	1.75 2.00 2.10	1.9 2.3 2.3		
4 4 5 6	2 83 3 20 3 45 4 40	1.15 3.60 4.55	1.55 1.85 1.75	4 4 5 6	1.50 1.85 4.10 4.95	3.40 4.00 4.55 5.50	1.15 4.10 4.85 6.05	4 4 1 5	2.30 2.60 3.00 3.00 4.10	10	7.40 1.45 1.81	2.6 1.1 1.6 4.7		
7 8 9	7,40 8,50 9,15 11,20	7.95 7.20 9.35 11.00	6.60 8.50 9.50 9.50 9.50	8 9	6.60 8.80 9.90 10.40	7.15 9.20 10.45 10.70	7.70 9.60 11.00 11.10	2 8 9	5.05 6.10 7.40 9.00	5.50 6.60 8.10 9.60	6 10 7,70 8 80 10.00	6.76 7.80 9.46 10.40		

	IALF-Re		15,00	12	12,30   1		lin l	2 11.40	12.50	12.60	13.00
	THE PERCENT	JUND			CROSS	SING			BARRE	TTE	
No.	00-2	3-5	0-8	No.	00-2	3-5	6-8	No.	80-2	3.5	6-8
2" 2½ 3 A½ 4 4½ 5 6 7 8 9	1,75 2,50 2,30 2,50 2,50 2,75 3,10 3,45 4,40 6,08 7,48 9,90 10,70	1.85 2.40 2.40 2.70 1.40 5.25 7.15 8.75 12.10	1.95 2.60 2.60 2.95 1.70 4.30 4.65 5.90 7.95 0.55 11.20	27 28 3 3 4 45 5 6	1.65 2.20 2.25 2.30 3.40 3.95 4.40 5.15 7.40 6.50 11.00	1.65 2.25 2.30 2.55 1.60 4.15 4.96 5.90 8.80 9.25 11.50	1.65 2.35 2.40 2.85 1.83 4.65 5.50 6.60 8.75 10.10 15.20	2 2 3 3 4 4 4 5 5 6 7 8 10	1 79 2 85 2 10 2 45 3 40 1 85 4 70 6 05 7 70 9 11 12 50	1 70 2 15 2 15 2 15 2 15 1 10 4 01 4 15 6 10 8 00 8 00 12 50	1.73 2.24 2.26 3.66 4.86 5.20 6.66 8.25 9.55 17.80 16.00

	SQL	ARE			R	OUND		CA	OUT A	BARR	ETTE	CF	ROCHET	AND	PIPPIN
No.	00-2	3-5	6-8	No.	00-2	3-5	6-8	No.	00-2	3-5	6-8	No.	00-2	3-5	6-8
2 2 3 3 3 4 4 4 5 6 7 8 9 10 12	1.20 1.30 1.35 1.60 2.20 2.75 3.55 1.40 5.50 6.05 7.15 8.80	1.20 1.30 1.35 1.60 2.70 2.90 3.75 4.65 6.05 6.80 8.00 9.60	1.30 1.30 1.33 1.60 2.85 1.05 3.98 4.95 6.60 7.75 8.80 10.40	2 2 3 3 4 4 4 5 6 7 8 9 10 12	0.90 1.05 1.25 1.73 1.90 2.05 2.55 1.30 4.40 5.50 7.15 9.10	1.05 1.05 1.05 1.25 1.25 2.05 2.30 2.83 1.83 4.05 6.00 8.21 10.10	90 1.05 1.05 1.25 4.95 2.50 2.50 3.15 4.40 5.50 0.55 11.10	21 21 3 4 4 4 5 6 7 8	2 20 2 85 2 85 3 70 4 40 5 50 6 05 7 15 8 60 10 00	2.20 2.95 2.95 2.98 3.85 4.60 5.95 6.30 7.60 8.90 10.40	2.20 3.05 3.05 3.05 1.75 4.80 6.05 6.55 7.75 9.10 10.00	2° 25 3 31 4 41 5 6 7 8 10	1.65 7.20 2.20 2.20 2.40 3.53 3.53 3.85 4.95 6.60 8.25 11.60	1 20 2 45 2 30 1 83 4 43 1 95 4 30 5 4 30 7 14 8 75 1 2 00	7.20 7.75 2.75 3.15 3.70 4.15 4.70 5.75 2.70 2.15 12.45

# SUPERFINE FILES

INCH	2	215	3:	335	4	419	5	6	7	H-	10	12
Equaling All Constitution Slitting R'd Straight Drill or Joint	1.50 1.95	2.20	2.20 1.10	1.50	3.50 1.90	4.40 2.10	5.25	6.70 2.75	8.20 3.85	9,40 5.05	12.60	13.50 16.00
Rd. or Sq. Edge   1 Thickness of   Thin   Drill or Joint   Thick		102	1.95	.03	.04		3.05	3.70	4.40	10	11211	Was a

Pivot Files and B Right and Left Cut in e Conical Corn	ither Sharp or	Screw Head With or without Tang 2 "	Die Sinkers Assorted Shapes	
21" with Tang \$3.30 21" " Handle 3.55 21" " Double 6.60	2,75 per dozen 3.00	21" 2.20 3" 2.25 " 31" 2.60 " 4" 3.50 "	3" 82.15 per dozen 3½" 2.50 Ratchet 3" 82.25 per dozen	

			MACHINE				
Length over all 31" Length over all 31"	with 1"-sh with 1"-sh	ank, all sha ank, all sha	ipes of assorte ipes of assorte	d		. \$3.00	per dozen

#### PARALLEL MACHINE FILES, CUTS 00-0-2


				es, a long		
Round	82,30	Three-Square	. 83.45	Oval	84.15	per dozen
Square.	2.75	Crochet	3.85	Lozenge	4.20	Access Miles
Pillar	3.05	Pippin	4.15	Knife	4.30	10
Half Round	3.50	Crossing	4.40	Round or Square Edge Joint.	2.40	14

	THE RESIDENCE OF THE PARTY OF T
Bent Rifflers, Handled, Set of 6, assorted shapes	
Machinist Scrapers, Handled, Set of 6, assorted shapes	2.75 **

#### NEEDLE FILES

1	10	c/m: or	4"	80.95	States	Shapes 1.50	1.45 pe	r doz.	Of the following twelve va- rieties Round, Half-Round, Flat.
Round Handle	12	11	41	1.10		1.50	1.45	2	Oval, Knife, Square, 3-Square, Sliering, Equaling, Joint, Bar- rette and Marking Lif Round
Square Handle	16	A.E.	61"	1.25		1.90	1.85	140	Handle) or Half-Round, Blune
or Escapement,	14	***	214	1.20	\$1.40	2.00	1.90	6	(if Square Handle).

Put up in dozens, either assorted (one of each kind) or in kinds. Assorted dozens will always be sent when order does not state otherwise.



We have a separate department thoroughly equipped for the manufacture of Superfine Files of all shapes and sizes known to the trade, and being hardened by our special process, we guarantee them equal, or superior to others of either foreign or domestic manufacture.

Illustrated File Catalogue mailed on application

# HENRY DISSTON & SONS

#### INDEX

Ø 3550	PAG
Back Saws	142-14
Back Saws for Metal.	18
Handles for	16
Beef Splitter Saws	180
Bevels	214-217
Brick Trowels	199-200
Burnishers, Cabiner	221
Butcher Block Scrapers	101
Butchers' Saws.	174 100
Blades for	1/0-100
Handles for	
Transfer tot	162
Cabinet Burnishers	411
Cabinet Pattern Webs	433
Cabinet Saws	11 - 11 - 123
Cabinet Saws	151
Cabinet Saw Frame	
Cabinet Scrapers	152
Canadian Webs	125
Cane Knives	. 210, 211
Cementers' Trowels	198
Clamps for Saws when Filing	118-121
Coke Trowels	200
Compass Saws and Blades	146-150
Handles for	162
Coping Saws	157
Corn Knives	21.2
Currier Blades	152
De-horning Saws	181
Ditch Bank Blades	717
Doctor Blades	136
Doverail Saws	144
Edging Trowels	100
Fay Webs	124
Felloe Webs	172
Perrules	78/78/78
Files	222 220
File Card and Bearly	233-238
Filing Guides and Clamps	.233
Flooring Saw	120, 121
Gauge Saw	179
Gauges, Carpenters' Marking	219 220
Gauges of Saws, Standard	141, 142
Gin Roller Blades	120
Hack Saw Blades	190-103
Frames.	184 180
	104-103

Hack Saw, Hand Saw Pattern	PAGE
Half-Back Bench Saw	144
Handles, Back, Butcher	100
Compass, Hand Saw	163
Screw Driver	220
Hand, Panel and Rin Sawe	132 140
Hand Hack Saw	104
Hand Saw Jointer	117
Handy Hand Saw	1.00
Handy Kit	145 146
Hedge Knife	212
Hedge Shears	4 7 7 7 7
Hedge Trimmer	212
	1416
Joiner Saws	171
Jointer for Hand Saws	117
	.117
Keyhole Saws and Blades	140-160
Kitchen Saws	148-150
Knives, Cane, Corn, Hedge	
Saw Knife, Mincing Knife	210-212
Dan tenne, Minering Knile	181
Levels	
Glasses for	224-232
Pocket	230
Shafting.	224
Machetes	224
Magneto Files	111212
Masons' Levels	233
Masons' Mitre Rods,	26, 227
Meral Cutting Saws	197
Midget Saw Punch	84-192
Mincing Knives	183
Mirre-Box Sawa	181
Mitre-Box Saws Mitre Rods, Matons'	143
Mitre Squares 214, 2	197
214, 2	10, 217
Nest of Saws 145, 146, 14	10 140
Patternmakers' Saws	151
Plastering I rowels	14 10h
Plumb and Levels	25 222
Flumbers Saws 141 14	E. 14B
Pocket Levets	941
FOR Fackers Naws	1.00
ridining and Table Saws 15	5 171
Hook and Saw. +z	7 174
Saw and Knife	151
Punch, Midget Saw	193

# HENRY DISSTON & SONS

#### INDEX-Continued

PAGE	FAG
Rail Hack Saw Frames and Blades 189	Teeth, Standard Shapes
Removable Back Saw	Teeth, Standard Number of
Rods, for Web Saws	Terms
Rods, for Wood Saws	Tobacco Spuds
	Turning Webs
Saw Clamps and Filing Guides	Trade Marks
Saw Knives	Trowels, Brick and Pointing
Saw-sets	Cementers' Edging
Saw Screws	Coke, Quaker City Brick
Scrapers, Butcher Block	Cross Joint
Scrapers, Cabinet	Garden, Gauging
Scrapers, Wall181	Painters' Cement
Serew Drivers	Plastering, Corner, Circle
Handles and Ferrules	"Standard Brand"
Screw Slotting Saws	Tile Setters
Screws, Saw	Try Squares
Scroll Saws, Fay's	Turkish Saw
Sets, Saw	Turkish Saw.
Shafting Level224	W-U C
Shears, Hedge	Wall Scrapers
Ship-carpenters' Saws	Webs, Cabinet, Canadian, Fay, Felloe,
Slicker Blades	Turning or Chair
Spuds, Tobacco	Web Saw Frames
Squares, Mitre	Web Saw Rods
Try and Bevel	Wire Gauges
Square-hole Saws	Wood Saws
Stair Builders' Saws	Blades for
Standard Number of Teeth 8	Boys' Buck Saws
Standard Teeth and Gauge	Bucks
Star Saw-set	Frames
Steel	Rods16