

CATALOG No. 39-A




Thor

PORTABLE ELECTRIC TOOLS

THOR POWER TOOL COMPANY • AURORA, ILLINOIS

Distributed By



THOR AURORA, ILL. MAIN WORKS

Thor—manufacturer of portable power tools since 1893, and for nearly 40 years the pioneer in new electric tool developments—introduces in this catalog the highest quality ever attained in universal electric tools . . . the Thor "*Silver Line*."

Released to the field beginning in 1948, the "*Silver Line*" marks a peak in Thor achievement as the designer and manufacturer of so many "firsts" in electric tools.

Thor "*Silver Line*" electric tools—drills, screwdrivers, saws, nut setters, grinders, sanders and polishers—are built to the highest quality standards set by tool users in industry, the automotive service field, and the construction market, who

demand efficient performance and long service in electric tools so vital to meet their production, service and construction schedules.

Trademark of the new "*Silver Line*" beyond its top quality construction and performance is the highly polished finish on the die-cast housings of all tools in the line.

In the "*Silver Line*" and in all models in the Thor universal electric tool line—hammers, valve refacers, valve seat grinders, bench grinders and associated tools—highest quality of materials and craftsmanship is the policy of Thor production, carrying with every model a guarantee of longer service, trouble-free performance and the maximum in power and handling ease.



UNIVERSAL ELECTRIC TOOLS

EQUIP- MENT

Thor universal electric tools are furnished with three-wire cables and two-prong plugs suitable for plugging into standard receptacles. The third wire in the cable, green in color, is furnished with a connector to permit grounding the tool as a safety precaution.

MOTORS

All portable electric tools shown in this catalog are furnished with universal motors which may be operated either on direct current or alternating current of 60 cycles or less at the voltage specified. Bench grinders and valve refacers are furnished standard for operation only on alternating current. On special order, bench grinders are available with direct current motors; valve refacers with universal motors.

VOLTAGES

Thor motors are furnished standard for operation on 115 volt (110 to 120 volt) current. 220 volt motors can be furnished when specified. Special voltage motors in tools built for export use are also available for domestic use on special orders.

PARTS INTERCHANGE- ABILITY

All Thor tool parts, including stock repair parts, are precision manufactured for ready interchangeability. Thor has designed its new Silver Line tools with many parts interchangeable from one tool to another, permitting faster and more economical service for tool users and distributors who stock their own repair parts.




A symbol of power and endurance in Norse mythology, Thor, the God of Thunder, has furnished a fitting trade name for the world's most powerful electric and air tools.

ALPHABETICAL INDEX

AIR TOOL KIT.....	38
BALANCERS	18
BELT SANDERS	26
BENCH GRINDERS	28
DRILLS	4-12
FENDER HAMMERS	37
GRINDERS	28-29
HAMMER	24-25
IMPACT WRENCHES	14-15
NIBBLER	25
NUT SETTERS	14-21
POLISHERS	30
SANDERS	26-27
SAWS	22-23
SCREWDRIVERS	16-21
TAPPERS	13
VALVE GRINDERS	33-34
VALVE REFACERS	31-32

**ACCESSORIES
IN ALL SECTIONS**


Thor



- 1 THREE JAW GEARED CHUCK with key, capacity zero to 1/4".
- 2 HEAVY DUTY BALL BEARINGS throughout, grease-sealed for minimum maintenance.
- 3 LARGE VENTILATING FAN AND SLOTS provide cooler handling, longer life of motor.
- 4 EASILY REMOVED HANDLE for quick access to switch and brushes for inspection and cleaning.
- 5 OVER CAPACITY SWITCH is neoprene sealed for endless service.
- 6 DYNAMICALLY AND STATICALLY BALANCED MOTOR develops 25% more power than any other standard duty drill in its class.
- 7 GEARS are of high grade alloy steel, scientifically heat treated for strength and long wear.
- 8 BRIDGED SUPPORT for upper armature bearing maintains permanent alignment for greater accuracy and long wear.
- 9 DIE CAST ALUMINUM HOUSINGS for minimum weight without sacrifice of sturdiness or durability.

Silver Line

STANDARD DUTY
1/4" DRILL
\$42.00



Available in seven speeds and a right angle model for all general purpose drilling. Slow speed models provide increased torque for drilling stainless steel, monel and other hard alloys and for driving hole saws up to 1 1/8". Exceptionally good balance and light weight make the 1/4" Silver Line a perfect one-hand tool, especially for close quarter and overhead work.

SPECIFICATIONS

Code	ED2
Capacity	1/4"
Speed	1800 R.P.M.
Weight	3 lbs.
Shipping Weight	4 lbs.
Overall Length	7 7/16"

OPTIONAL SPEED MODELS

R.P.M.	Code	Price
5000	ED5	\$42.00
3700	ED0	42.00
2500	ED1	42.00

SLOW SPEED MODELS

1100	ED3	\$48.00
800	ED7	48.00
550	ED4	48.00

ALL MODELS EQUIPPED with 3-jaw chuck and key; pistol grip handle with momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.

1/4" RIGHT ANGLE DRILL



Standard Chuck



Optional Collet

Right angle head rotates to four positions, up, down, sideways, through 360°. Length of right angle head with standard 3-jaw chuck, 3 11/16"; with optional 1/4" collet, 2 5/16".

Code	ED111
Speed	2250 R.P.M.
Weight	3 7/8 lbs.
Shipping Weight	8 lbs.
Length Overall	10"
PRICE	\$57.00

EQUIPPED with 3-jaw chuck and key; pistol grip handle with momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector. Optional: 1/4" collet instead of chuck.

All tools equipped with AC DC Universal Motors—Standard Voltage: 115; also available in 220 and special voltages if specified.

Silver Line

HEAVY DUTY

1/4" DRILL

\$45⁰⁰

Thor

Pistol Grip



SIDE HANDLE MODEL

All "F" series drills can be equipped with side handle at no extra charge. When ordering, add letter "S" to code number.

Rated as a production tool for assembly lines and other heavy duty work, the Thor 1/4" heavy duty "F" series is available in two handle styles and seven speeds, including four slow speeds recommended for drilling in stainless steel and for driving Hole Saws up to 1 1/8". Extra motor power, oversize gearing, ball bearing construction throughout gives these tools the stamina to stand up under hard and heavy usage.

EQUIPPED with 3-jaw chuck and key; momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.

STANDARD SPECIFICATIONS

Code No.	U14F
Capacity	1/4"
Speed	2500 R.P.M.
Weight	3 7/8 lbs.
Shipping Weight	5 lbs.
Overall Length	8 3/4"
PRICE	\$45.00

OPTIONAL SPEED MODELS

Code	R.P.M.	Price
U13F	5000	\$45.00
U12F	3750	45.00

SLOW SPEED MODELS

Code	R.P.M.	Price
U17FD	1500	\$53.50
U18FD	1000	53.50
U16FD	750	53.50
U22FD	500	53.50

HEAVY DUTY
PLASTIC CASE

1/4" DRILL

\$45⁰⁰

- **SHOCK PROOF**—Completely insulated, like a plastic-handled screw-driver.
- **DURABLE**—Tempered plastic outer housings are completely supported and reinforced by inner aluminum frame.
- **15% LIGHTER**—Heavy duty power, standard duty weight.

STANDARD SPECIFICATIONS

Code	U14K
Capacity	1/4"
Speed	2500 R.P.M.
Weight	3 1/4 lbs.
Shipping Weight	5 lbs.
Overall Length	8 1/2"
PRICE	\$45.00

OPTIONAL SPEED MODELS

Code	R.P.M.	Price
U12K	3750	\$45.00
U13K	5000	45.00

All "K" series drills can be equipped with side handle at no extra charge. When ordering, add letter "S" to code number.



Pistol Grip

A heavy duty tool with same rated production capacity as the "F" series Silver Lines.

EQUIPPED with 3-jaw chuck and key; momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.

Thor

COPPER Line

1/4" DRILL KIT \$43.50



The complete "home workshop" package, featuring the Thor 1/4" Copper Line electric drill, with 3-jaw geared chuck, pistol grip, and trigger switch with locking pin; equipped with 19 assorted accessories for drilling, buffing, polishing, grinding and wire brushing; also equipped with horizontal stand to mount drill for bench and or table operation; entire contents packaged in convenient steel carrying case.


Vertical Drill Stand readily mounts 4CL or 4CLJ 1/4" Copper Line electric drill for use as drill press. See page 11.



HIGH SPEED DRILL BITS
Set of 13, 1/16" to 1/4", for fast drilling in steel or wood.



PRECISION ARBOR
Permits use of grinding wheels, buffing wheels, wire brushes.



DRILL STAND
Grinding, buffing, wire brushing.

KIT SPECIFICATIONS

CONTENTS OF NO. 4CLJK KIT

(Including list prices of all items that may be purchased to replace original kit contents)

No. 4CLJ 1/4" Copper Line Drill	\$22.95
No. 22764 Horizontal 1/4" Drill Stand	3.15
No. 74757 Arbor Adaptor with 1/4" Shank and 1/2" Spindle	.60
No. 22765 4" Wire Brush	1.00
No. 22766 3" Grinding Wheel, 1/2" thick, 1/2" hole	.75
No. 22767 3" Cotton Buffing Wheel	.50

No. 22768 Stick of Polishing Compound	.25
Set of 13 High-Speed Drill Bits, 1/16" to 1/4" (Not Sold Separately)	
Steel Carrying Case (Not Sold Separately)	
Net Weight of Kit	10 1/4 lbs.
Shipping Weight	12 lbs.
No. 4CLJK Kit, contents as above, list price complete	\$43.50
No. 4CLK Kit, with same contents as above with 1/4" Thor Copper Line Drill equipped with keyless chuck instead of 3-jaw geared chuck, list price complete	\$41.00



POLISHING COMPOUND
Brings dullest surface to bright sheen.



4" WIRE BRUSH
For cleaning off rust, scale, dirt, grease.



3" BUFFING WHEEL
For polishing, cleaning, buffing.



3" GRINDING WHEEL
For sharpening tools, knives, shaping metal.

1/4" COPPER Line DRILL

Precision die-cast aluminum alloy housings assure permanent alignment of moving parts for longer trouble-free service. Hardened alloy steel precision gears, extra large precision ground journals for longer endurance and true running. Self-lubricating oilite bearings and spindle thrust ball bearing.

1/4" DRILL SPECIFICATIONS

Catalog No.	4CLJ	4CL
Chuck	Geared	Keyless
Capacity in Steel	1/4"	1/4"
Overall Length	7 3/8"	8 1/8"
Net Weight	2 3/4 lbs.	2 3/4 lbs.
Shipping Weight	4 lbs.	4 lbs.
Free Speed	2000 R. P. M.	2000 R. P. M.
Price	\$22.95	\$19.95

EQUIPMENT — On-off trigger type plunger switch, with locking pin for continuous operation. Rubber-covered 3-conductor cable with 2-prong plug and grounding connector. Equipped for ready mounting in horizontal or vertical drill stand.



\$22.95

Keyless Chuck \$19.95

Thor

Silver Line HEAVY DUTY DRILLS

1/4" DRILL \$55.00

5/16" DRILL \$57.50

3/8" DRILL \$64.50



Side Handle



Grip Handle

SPECIFICATIONS

Code No.	EJ0	EJ1	EJ2
Capacity	1/4"	5/16"	3/8"
Speed R.P.M.	2000	1500	1000
Handle	Grip	Grip	Grip
Weight	6 1/2 lbs.	6 5/8 lbs.	7 3/4 lbs.
Shipping Weight	8 1/4 lbs.	8 1/2 lbs.	9 lbs.
Overall Length	12 1/2"	12 1/2"	12 3/4"
PRICE	\$55.00	\$57.50	\$64.50

ADDITIONAL 5/16" MODELS

Code	R.P.M.	Handle	Price
EJ4	1000	Grip	\$60.50
EJ6	1500	Side	\$7.50

ADDITIONAL 3/8" MODELS

EJ3	750	Grip	\$64.50
EJ7	1000	Side	64.50
EJ8	750	Side	64.50

*Specify "Code EJ2 with 1/4" chuck."

These tools are production tools—designed with power to spare for heavy duty use at rated capacity. All ball bearings; heat treated gears assure long, trouble-free service.

EQUIPPED with 3-jaw chuck and key; momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.



\$42.00

COPPER Line 1/2" DRILL

Low in price . . . built by Thor to quality specifications for long service in the home workshop and for other standard duty intermittent service. Drills holes up to 1/2" in steel, 1" in wood, drives hole saws, wire brushes, grinding wheels, etc. Can be used in drill stand as drill press. Die-cast aluminum housings, self-lubricated bearings. Equipped with 3-jaw chuck and key; seven feet of 3-conductor cable with 2-prong plug and ground connector.

Code	C8
Capacity	1/2"
Speed	420 R.P.M.
Weight	9 1/2 lbs.
Shipping Weight	12 1/2 lbs.
Length	14 1/2"
PRICE	\$42.00

Thor

Silver Line HEAVY DUTY 1/2" DRILL

- 1 MOTOR SO POWERFUL, gearing so strong that mining companies use this tool with carbide bits to drill 1 1/4" holes in solid rock! Abundant stall proof power for any other job you can name!
- 2 THREE-JAW GEARED CHUCK and key.



\$64.50

The Silver Line 1/2" Drill handles like a one-hand quarter-inch tool—delivers the power of a proved heavy duty 1/2" drill. On production work it makes holes faster because it won't stall under the heaviest pressure. Maintenance men find it's an easy tool to carry . . . small size speeds the close-quarter jobs. Automotive men use it to push through body and frame steel in seconds! Drives hole saws, wire brushes, etc. Drill stand available (page 11) to make this tool do double duty service as a drill press!

- 3 FULL BEARING CONSTRUCTION—8 oversize, precision ball bearings.
- 4 SCIENTIFIC LUBRICATION for minimum maintenance.
- 5 LARGE VENTILATING SLOTS, cast aluminum baffle and centrifugal fan assure cool running motor, cool handling tool, exceptionally quiet operation.
- 6 SEALED SWITCH with momentary trigger and locking pin.
- 7 CARTRIDGE TYPE carbon brushes, externally accessible.
- 8 DIE-CAST HOUSINGS, center plate, bridged armature support keep moving parts in permanent alignment for endless service.
- 9 SPADE AND SIDE HANDLES easily removed for quick inspection and service of brushes, commutator, switch.




SPECIFICATIONS

Code.....	EJ9
Capacity.....	1/2"
Speed.....	500 R.P.M.
Weight.....	8 lbs.
Shipping Weight.....	10 lbs.
Overall Length.....	12 1/4"

PRICE **\$64.50**

EQUIPPED with 3-jaw chuck and key; spade handle; side handle with momentary trigger switch and locking pin; removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector.



LARGE CAPACITY DRILLS

These tools are ruggedly built for heavy duty service in truck, bus and railroad shops, ship yards and other large equipment manufacturing and maintenance plants. Heavy section aluminum housings, alloy steel gears, reserve-power motors, all ball bearing construction.

Thor

Silver Line
1/2" 5/8" 3/4"



FEED SCREW ASSEMBLY \$10.00 extra on all EL and UF drills.



EXTRA HEAVY DUTY

1/2"

Code.....	EL5
Capacity.....	1/2"
R.P.M.....	525*
Weight.....	15 lbs.
Shipping Wt.....	25 lbs.
Length Overall.....	14 1/4"
Spindle Offset.....	1 1/4"
PRICE.....	\$84.00

EQUIPPED with 3-jaw chuck and key; side switch handle with locking pin, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 1 or No. 2 Morse Taper Socket in place of chuck. EXTRA: No. 80450 Feed Screw assembly complete, \$10.00 extra.

*Available at 750 R.P.M., \$5.00 extra. (Specify Code EL4)


Silver Line

UFD—5/8"

UFH—3/4"

UFS—7/8"

UFZ—1"



HEAVY DUTY

5/8"

Code.....	EL6
Capacity.....	5/8"
Speed.....	425 R.P.M.
Weight.....	15 1/4 lbs.
Shipping Weight.....	25 lbs.
Length Overall.....	14 1/4"
Spindle Offset.....	1 1/4"
PRICE.....	\$85.00

EQUIPPED with 3-jaw chuck and key; side switch handle with locking pin, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 Morse Taper socket in place of chuck. EXTRA: No. 80450 Feed Screw assembly complete, \$10.00 extra.

EXTRA HEAVY DUTY

Code.....	UFD
Capacity.....	5/8"
Speed.....	430 R.P.M.
Weight.....	24 3/4 lbs.
Shipping Weight.....	39 lbs.
Length Overall.....	17"
Spindle Offset.....	2 1/4"
PRICE.....	\$105.00

EQUIPPED with 3-jaw chuck and key; safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 Morse Taper socket in place of chuck. EXTRA: No. 81873 Feed Screw assembly complete, \$10.00 extra.

STANDARD DUTY

3/4"

Code.....	EL7
Capacity.....	3/4"
Speed.....	350 R.P.M.
Weight.....	15 1/2 lbs.
Shipping Weight.....	25 lbs.
Length Overall.....	14 5/8"
Spindle Offset.....	1 1/4"
PRICE.....	\$88.00

EQUIPPED with 3-jaw chuck and key; side switch handle with locking pin, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 or No. 3 Morse Taper socket in place of chuck. EXTRA: No. 80450 Feed Screw assembly, \$10.00 extra.

EXTRA HEAVY DUTY

Code.....	UFH
Capacity.....	3/4"
Speed.....	350 R.P.M.
Weight.....	25 3/4 lbs.
Shipping Weight.....	39 lbs.
Length Overall.....	17 3/4"
Spindle Offset.....	2 1/4"
PRICE.....	\$115.00

EQUIPPED with 3-jaw chuck and key; safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 or No. 3 Morse Taper socket in place of chuck. Extra: No. 81873 Feed Screw assembly complete, \$10.00 extra.

HEAVY DUTY

7/8"

Code.....	UF5
Drilling Capacity.....	7/8"
Reaming Capacity.....	1"
Speed.....	350 R.P.M.
Weight.....	25 1/2 lbs.
Shipping Weight.....	39 lbs.
Length Overall.....	16 7/8"
Spindle Offset.....	2 1/4"
PRICE.....	\$120.00

EQUIPPED with No. 3 Internal Morse Taper; safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. EXTRA: No. 81873 Feed Screw assembly complete, \$10.00 extra.

HEAVY DUTY

Code.....	UFA
Drilling Capacity.....	1"
Reaming Capacity.....	1 1/4"
Speed.....	300 R.P.M.
Weight.....	29 lbs.
Shipping Weight.....	39 lbs.
Length.....	18 7/8"
Spindle Offset.....	2 1/4"
PRICE.....	\$132.00


EQUIPPED with No. 3 Internal Morse Taper; safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. EXTRA: No. 81873 Feed Screw assembly complete, \$10.00 extra.

Thor

1-1/4" DRILLS



OPTIONAL
Spade Handle in
place of Feed
Screw.



350 R.P.M.—U3Z
\$200⁰⁰

78 R.P.M.—U3S
\$250⁰⁰

Tremendous power for drilling in steel up to 1 1/4" holes; for heavy duty reaming, non-reversible stud-setting, for use with earth-boring augers, etc.; 2 1/2 h.p. motor runs at 350 R.P.M. on U3Z, is geared down to 78 R.P.M. for high torque, slow speed heavy duty applications on U3S.

Code	U3Z	U3S
Drilling Capacity	1 1/4"	1 1/4"
Reaming Capacity	15/16"	H.D.
Speed R.P.M.	350	78
Weight	49 1/2 lbs.	93 lbs.
Shipping Weight	71 lbs.	115 lbs.
Length Overall	19 7/8"	27 1/4"
Spindle Offset	2 3/4"	4 1/8"
PRICE	\$200.00	\$250.00

EQUIPPED with No. 3 Internal Morse Taper Socket, safety switch handle, dead handle, feed screw, 7 feet of 3-conductor cable with ground connector. Optional: 1 1/4" square hole chuck, spade handle instead of feed screw. Extra-charge equipment: No. 3 Internal Morse Taper Use-Em-Up Socket.

COAL DRILLS


Abundant power for blast hole drilling in coal. Heavy duty motor and gearing, ball bearing construction, reinforced aluminum housings make this a sturdy tool for long service under rugged conditions. Safety switch shuts off current instantly upon release.

Code	UFS-C	UFZ-C
Speed	350 R.P.M.	300 R.P.M.
Weight	25 1/4 lbs.	26 1/4 lbs.
Shipping Weight	39 lbs.	40 lbs.
Length Overall	18 7/8"	19 1/8"
PRICE	\$130.00	\$142.00

EQUIPMENT includes flat taper coal-auger chuck, safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector.

MOTOR TYPES: Tools are furnished standard with AC/DC Universal Motor, 115 or 220 volts as specified. Can be furnished for constant 250 volt D.C. operation, complete as specified above, \$7.50 extra.

UFS-C
\$130⁰⁰



UFZ-C
\$142⁰⁰

All tools equipped with AC DC Universal Motors—Standard Voltage: 115; also available in 220 and special voltages if specified.

Thor

DRILL STANDS

Convert Portable Electric Drills to stationary use as Drill Press, for added leverage and accuracy.

No. 8 Drill Stand, Bench Type

For small drills up to 1/2" capacity. Available in three drill clamp models for (1) pistol grip drills; (2) end-grip type drills; or (3) side handle drills. WHEN ORDERING SPECIFY CODE NUMBER OF DRILL WITH WHICH STAND WILL BE USED.

	Drill Clamp Style		
	(1)	(2)	(3)
Vertical Movement.....	3"	3"	3"
Vertical Adjustment.....	11 1/2"	12"	12 1/2"
Bench Space.....	8 5/16" x 13"	8 5/16" x 13"	8 5/16" x 13"
Weight, Pounds.....	29	30	32
Shipping Wt., Lbs.....	47	47	47
PRICE.....	\$28.50	\$28.50	\$28.50

No. 26 Drill Stand, Bench Type

For large drills, 1/2" to 1" capacity. When ordering, specify code number of drill with which stand will be used.

Vertical Movement.....	5"
Vertical Adjustment.....	14"
Bench Space.....	15" x 9"
Weight, Pounds.....	50
Shipping Weight, Lbs.....	60
PRICE.....	\$44.00

No. 30 Drill Stand, Post Type

For large drills only, 1/2" to 1" capacity. Can be fastened to post or wall with lag screws or expansion bolts, requires no bench space. When ordering, specify code number of drill with which stand will be used.

Vertical Movement.....	5"
Vertical Adjustment.....	14"
Distance, Wall to Center of Drill.....	14 1/2"
Weight, Pounds.....	68
Shipping Weight, Lbs.....	80
PRICE.....	\$49.50

COPPER LINE Drill Stands

Low priced drill stands available in two sizes for 1/4" Copper Line Drill and 1/2" Copper Line Drill.

For Drill, Code No.....	4CLJ	C8
Stand Code No.....	4CLDS	C8DS
Vertical Movement.....	3"	5"
Vertical Adjustment.....	11 3/4"	14"
Bench Space.....	12 3/4" x 8 1/2"	12 1/4" x 8 1/16"
Weight, Lbs.....	11 3/4	32
Shipping Weight, Lbs.....	25	44
PRICE.....	\$12.95	\$19.95

ELECTRIC DRILL ACCESSORIES

CHUCKS



Chuck Size	Thread Size	Chuck No.	Price	Key No.	Price
3/16"	3/8" x 24	60252	\$ 5.50	25017	\$0.40
3/16"*	3/8" x 24	66929	5.50	25017	0.40
1/4"	3/8" x 24	25011	5.50	25017	0.40
1/4"*	3/8" x 24	20033	5.50	20034	0.40
5/16"	3/8" x 24	25076	6.00	25081	0.40
5/16"	1/2" x 20	76655	6.00	25081	0.40
5/16"	3/8" x 24	70646	6.50	73902	0.40
3/8"	1/2" x 20	25082	6.50	20039	0.50
3/8"	5/8" x 16	20073	6.50	20039	0.50
1/2"	1/2" x 20	75724	7.50	20039	0.50
1/2"	5/8" x 16	25245	7.50	20039	0.50
1/2"*	5/8" x 16	25252	8.00	20100	0.50
5/8"	5/8" x 16	25207	9.50	20100	0.50
3/4"	5/8" x 16	70488	12.00	70489	0.95
3/4"	3/4" x 16	76340	12.00	70489	0.95

*Heavy Duty

MORSE TAPERS

MORSE TAPER SHANK ADAPTORS



External M.T.	Male Thread	No.	Price
No. 2	5/8" x 16	70529	\$4.35
No. 3	5/8" x 16	70803	7.25

MORSE TAPER SOCKETS



Internal M.T.	Female Thread	No.	Price
No. 1	3/8" x 24	70805	\$3.35
No. 1	1/2" x 20	67031	3.70
No. 1	5/8" x 16	59335	3.35
No. 2	1/2" x 20	69996	4.75
No. 2	5/8" x 16	59441	3.35
No. 2	3/4" x 16	76765	6.00
No. 3	5/8" x 16	75822	3.35
No. 3	3/4" x 16	76766	6.00

MORSE TAPER SLEEVES



External M.T.	Internal M.T.	No.	Price
No. 2	No. 1	21798	\$.85
No. 3	No. 2	22471	1.10



ELECTRIC DRILL ACCESSORIES

HOLE SAWS



HOLE SAW ARBORS are furnished with $\frac{1}{4}$ " or $\frac{1}{2}$ " shank. See chart. $\frac{1}{4}$ " Pilot Drill to fit any arbor listed, order No. 21086, Price, \$0.95

Diameter	HOLE SAWS		ARBORS			
	Catalog Number	Price	$\frac{1}{2}$ " Shank		$\frac{1}{4}$ " Shank	
			Arbor No.	Price	Arbor No.	Price
$\frac{3}{4}$ "	20935	\$1.20	20957	\$1.85	21085	\$1.20
$\frac{7}{8}$ "	20936	1.20	20957	1.85	21085	1.20
1"	20937	1.20	20957	1.85	21085	1.20
$1\frac{1}{8}$ "	20938	1.32	20957	1.85	21085	1.20
$1\frac{1}{4}$ "	20939	1.32	20957	1.85	21085	1.20
$1\frac{3}{8}$ "	20940	1.32	20957	1.85	21085	1.20
$1\frac{1}{2}$ "	20941	1.32	20957	1.85	21085	1.20
$1\frac{5}{8}$ "	20942	1.52	20958	1.85		
$1\frac{3}{4}$ "	20943	1.52	20958	1.85		
$1\frac{7}{8}$ "	20944	1.52	20958	1.85		
2"	20945	1.52	20958	1.85		
$2\frac{1}{8}$ "	20946	2.00	20958	1.85		
$2\frac{1}{4}$ "	20947	2.00	20958	1.85		
$2\frac{3}{8}$ "	20948	2.00	20958	1.85		
$2\frac{1}{2}$ "	20949	2.00	20958	1.85		
$2\frac{5}{8}$ "	20950	2.00	20958	1.85		
$2\frac{3}{4}$ "	20951	2.00	20958	1.85		
$2\frac{7}{8}$ "	20952	2.00	20958	1.85		
3"	20953	2.00	20958	1.85		
$3\frac{1}{8}$ "	20954	2.00	20958	1.85		
$3\frac{1}{4}$ "	20955	2.00	20958	1.85		
$3\frac{1}{2}$ "	20956	2.00	20958	1.85		

SANDING AND POLISHING ATTACHMENTS



COMPLETE SANDING ATTACHMENT FOR $\frac{1}{4}$ " DRILLS Includes arbor, rubber backing pad, and one each coarse, medium and fine sanding discs.

4" diameter, No. 22383, price, \$1.45
5" diameter, No. 22384, price, \$1.70

COMPLETE POLISHING ATTACHMENT FOR $\frac{1}{4}$ " DRILLS Includes arbor, rubber backing pad, felt cushion pad and draw string polishing bonnet.

4" diameter, No. 22385, price, \$2.50
5" diameter, No. 22386, price, \$3.15

ADAPTOR ONLY FOR $\frac{1}{2}$ " DRILLS— $\frac{1}{2}$ " diameter arbor with $\frac{5}{8}$ " x 11 Male Thread and No. 59572 Nut.

Complete assembly, No. 21919, price \$2.50. No. 59572 Nut, price \$0.70.

POLISHING BONNETS

4", No. 21117 \$1.00
5", No. 21776 1.25

FELT CUSHION PAD

4", No. 21777 \$0.75
5", No. 21778 0.90

SANDING DISCS

$\frac{1}{2}$ " ARBOR HOLE

Closed Grain for Metal or Wood Sanding

Grade	4" Diameter		5" Diameter	
	Number	Price	Number	Price
24	20991	\$0.26	20984	\$0.27
36	20992	.25	20985	.21
60	20993	.22	20986	.24
120	20994	.21	20987	.22
180	20995	.21	20988	.22

Open Grain for Wood Sanding

24	20996	.26	20989	.27
36	20997	.25	20990	.26

WIRE BRUSHES



For Carbon Cleaning Brushes, see page 36, where listings are also carried on Valve Guide Cleaners, brush and reamer type.

MANDRELS



Your distributor can furnish $\frac{1}{8}$ " and $\frac{1}{4}$ " shank mandrels for use with small grinding wheels and polishing wheels, sanding discs, etc.

MOUNTED ABRASIVES



Thor mounted abrasive wheels and points in various shapes and sizes are available through your distributor. Ask for special catalog sheet.

ROTARY FILES



Thor Rotary Files mounted on $\frac{1}{4}$ " shanks are available through your distributor. Ask for special catalog sheet.

HOLE SPOTTER



For drills with $1\frac{1}{8}$ " plain spindle hub. Specify drill bushing size required. Catalog No. 71259, price \$11.90.

ALL ANGLE ATTACHMENT




For drills with $1\frac{1}{2}$ " x 20 or $1\frac{1}{4}$ " x 20 LH USS threaded hub. Permits drilling any angle through 360°. Catalog No. 75538, price \$53.45.

TAPPERS WITH MECHANICAL REVERSE

Thor

Special purpose machines designed with correct power and speed to produce perfect threads. Heavy-duty ball-bearing construction for long-lasting dependability.




\$85⁰⁰

1/4"

Code Number.....	UKS
Capacity.....	1/4"
Speed R.P.M.....	460
Weight.....	8 1/4 lbs.
Shipping Weight.....	11 lbs.
Length Overall.....	14 3/4"
PRICE.....	\$85.00

EQUIPMENT includes No. 75282 Tapping Chuck, grip handle with momentary plunger switch and lock, seven feet of 3-conductor cable with 2-prong plug and ground connector.



\$107⁵⁰

3/8"

Code Number.....	UBR
Capacity.....	3/8"
Speed R.P.M.....	500
Weight.....	11 1/2 lbs.
Shipping Weight.....	14 lbs.
Overall Length.....	16 1/4"
PRICE.....	\$107.50

EQUIPMENT includes No. 75839 Tapping Chuck, grip handle with momentary trigger switch and lock, seven feet of 3-conductor cable with 2-prong plug and ground connector.

MECHANICAL REVERSE

Both UKS and UBR are equipped with automatic mechanical reverse—a slight pull on the tool disengages the forward speed and throws it into reverse motion. UBR can be furnished with device for locking in either forward or reverse position. (Specify UBX, \$5.75 extra.)

TAPPING CHUCKS




For Tapper No.....	UKS	UKS	UBR
Capacity.....	0 to 1/4"	# 10 to 5/16"	# 10 to 1/2"
Number.....	75282	75838	75839
PRICE.....	\$9.50	\$10.50	\$12.00

Chucks come equipped with necessary wrenches.

All tools equipped with AC/DC Universal Motors—Standard Voltage: 115; also available in 220 and special voltages if specified.

Thor



Apply and Remove Nuts

- 1 Thor impact mechanism hits harder — fewer moving parts, minimum lifting action applies fullest motor power to actual striking operation.
- 2 Full ball seat contact on cam assures longer life.

Silver Line

IMPACT

Thor Electric Impact Wrenches take every job in stride. They deliver two hard rotary wallops for every spindle revolution when the going is tough—they run as free as an electric drill in lighter applications. Unique Thor impact principle banishes torque reaction. Motor runs continuously—even when spindle is stopped—cannot stall or burn out when used on oversize bolts.

EW6 EQUIPMENT includes 1/2" square drive spindle, reversing ring, pistol grip handle with momentary trigger switch and lock, 12 feet of 3-conductor cable with 2-prong plug and grounding connector.

3/8" IMPACT WRENCH KITS



EW6KC KIT

With Carrying Case (as illustrated)

1 EW6 3/8" Impact Wrench
1 Steel Carrying Case
6 Hexagon Sockets: 1/2", 1/2", 1/2", 1/2", 1/2", 1/2"
Shipping Weight 18 lbs.
Price, EW6KC \$135.45
Steel Carrying Case Only
No. 22252 \$12.00

EW6K KIT

1 EW6 3/8" Impact Wrench
1 No. 76387 Collet Chuck and Wrenches
1 No. 21797 No. 2 M.T. Socket
1 No. 21798 M.T. Reducer Sleeve
6 Hexagon Sockets: 1/2", 1/2", 1/2", 1/2", 1/2", 1/2"
Shipping Wt. 11 lbs.
Price, EW6K \$139.25

3/8"

NUT RUNNING CAPACITY



\$120.00

Code Number..... EW6
Basic Capacity..... 3/8" bolt size nut running
Free Speed, forward or reverse..... 2150 R.P.M.
Impacts Per Minute..... 2000
Weight..... 6 lbs., 14 oz.
Shipping Weight..... 8 1/2 lbs.
Overall Length..... 10"
Spindle Drive..... 1/2"
Spindle Offset..... 1 7/16"
PRICE..... \$120.00

3/8" ACCESSORIES

1/2" SQUARE DRIVE HEXAGON SOCKETS



COLLET TYPE CHUCK

No. 76387, square drive, capacity 1/8" to 3/8" round shanks and No. 10 to 1/2" square end taps and reamers. Price, \$12.55

No. 22476, 1/2" COLLET for No. 76387 Chuck, capacity 1/8" to 3/8" round shanks and No. 10 to 1/2" square end taps and reamers. Price, \$3.30

MORSE TAPERS

No. 2 M.T. SOCKET, 1/2" square drive, No. 21797, price, \$2.20.

No. 2 External to No. 1 Internal M.T. REDUCER SLEEVE, No. 21798, price, \$0.85.

SCREWDRIVING CHUCK



No. 73466, 1/2" square drive Quick Change Chuck for 1/8" hexagon shank screwdriver bits. Price, \$8.40.

SEE PAGE 19 FOR 7/16" SCREWDRIVER BITS AND FINDERS.

Nut Size	Standard Length, Single Broached		Deep Length, Single Broached	
	Number	Price	Number	Price
3/8"	20374	\$0.75	20388	\$1.25
7/16"	20375	.75	20389	1.25
15/32"	20376	.75	20390	1.25
1/2"	20377	.75	20391	1.25
17/32"	20378	.75		
9/16"	20379	.75	20393	1.25
19/32"	20380	.75	20394	1.25
5/8"	20381	.75	20395	1.25
11/16"	20382	.75	20396	1.25
3/4"	20383	.75	20397	1.30
13/16"	20384	.85	20398	1.35
7/8"	20385	.90	20399	1.45
15/16"	20386	1.00	20400	1.60
1"	20387	1.00	20401	1.60



Drive and Remove Screws

Drill in Steel, Wood and Masonry

Tap, Drive Hole Saws, etc.

Thor

- 3 Impact jaws, widely separated, strike **HARDER** blows, two for each spindle revolution.
- 5 Large ball bearing and pin bearing construction throughout.
- 7 Heavy section aluminum alloy die castings throughout.
- 4 Jaws rotate to present new striking surface for each blow.
- 6 Strong protecting bridge and cap behind reversing ring.
- 9 Balanced for one-hand operation.
- 8 Rugged construction, overlapping joints and through-bolts between casings for long-lasting strength.

WRENCHES REVERSIBLE

5/8"

**CAPACITY
NUT RUNNING**



\$180.00

Same type rugged impact mechanism as famous Thor "Packy" (EW6) Electric Impact Wrench, with extra heavy duty motor, detachable dead handle for added convenience.

EW10 EQUIPMENT includes 5/8" square drive spindle, reversing ring, pistol grip handle with momentary trigger switch and lock, detachable dead handle, 12 feet of 3-conductor cable with 2-prong plug and ground connector.



EW10 with
Optional
Dead Handle

**5/8" IMPACT
WRENCH KITS**



EW10KC KIT

With carrying case
(as illustrated)

- 1 EW10 5/8" Impact Wrench
- 1 Steel Carrying Case
- 4 Hexagon Sockets: 1/2", 3/4", 1", 1 1/8"
- Shipping Weight 23 lbs.
- Price, EW10KC \$198.20
- Steel Carrying Case Only
- No. 80852 \$14.00

EW10K KIT

- 1 EW10 5/8" Impact Wrench
- 1 No. 22473 Collet Type Chuck with extra 1/2" Collet
- 1 No. 22470 No. 3 M. T. Socket
- 1 No. 22471 M.T. Reducer Sleeve
- 4 Hexagon Sockets: 1/2", 3/4", 1", 1 1/8"
- No. 22472 Drift Pin
- 1 No. 22187 Socket Wrench Adaptor, 5/8" recess to 1/2" drive
- 1 No. 22188 Socket Wrench Adaptor, 5/8" recess to 3/4" drive
- No. 22537 Metal Accessory Box
- Shipping Weight 17 lbs.
- Price, EW10K \$208.40

Code Number.....	EW10
Basic Capacity.....	5/8" bolt size nut running
Free Speed, forward or reverse.....	2000
Impacts Per Minute.....	1850
Weight.....	12 1/4 lbs.
Shipping Weight.....	14 lbs.
Overall Length.....	11 27/32"
Spindle Drive.....	5/8"
Spindle Offset.....	1 19/32"
PRICE.....	\$180.00

5/8" SQUARE DRIVE HEXAGON SOCKETS

Standard Length, Single Broached			Deep Length, Single Broached	
Nut Size	Number	Price	Number	Price
9/16"	20211	\$0.90	20230	\$1.60
5/8"	20212	.90	20231	1.60
21/32"	20213	.90		
11/16"	20214	.95	20233	1.60
23/32"	20215	.95		
3/4"	20216	.95	20235	1.60
25/32"	20217	.95		
13/16"	20218	.95	20237	1.60
7/8"	20219	1.05	20238	1.65
29/32"	20220	1.10		
15/16"	20221	1.10	20240	1.75
31/32"	20222	1.10		
1"	20223	1.15	20242	1.75
1 1/16"	20224	1.25	20243	1.75
1 1/8"	20225	1.35		
1 3/16"	20226	1.50	20245	1.85
1 1/4"	20227	1.65	20246	2.25
1 5/16"	20228	1.65	20247	2.25
1 3/8"	20229	1.95	20248	2.25

5/8" ACCESSORIES

COLLET TYPE CHUCK

No. 22473, 5/8" square drive, capacity 1/8" to 1/2" round shanks and 1/8" to 5/8" square end taps and reamers. Price \$13.20

No. 22476, 1/2" collet for No. 22473 Chuck, capacity 1/8" to 3/8" round shanks and #10 to 1/2" square end taps and reamers. Price \$3.30

No. 22610, 5/8" collet for No. 22473 Chuck, capacity 1/8" to 3/8" round shanks and 1/8" to 1/2" square end taps and reamers. Price \$3.30

MORSE TAPERS

No. 3 M.T. SOCKET, 5/8" square drive, No. 22470, price \$2.40.

No. 3 External to No. 2 Internal M.T. REDUCER SLEEVE, No. 22471, price, \$1.10.

SOCKET WRENCH ADAPTORS

5/8" Recess to 1/2" Drive, No. 22187..... \$1.65

5/8" Recess to 3/4" Drive, No. 22188..... 1.65

SCREWDRIVING CHUCK

No. 73490 (For 1/8" Hexagon Shanks) Price, \$8.95.

Thor

SCREWDRIVERS

No.

8

The UL-series Screwdrivers and Nut Setters, averaging 4 lbs. in weight, drive screws up to No. 8 and set nuts up to $\frac{3}{16}$ " thread. Designed for use with suspension balancers described on page 18.



LEVER SWITCH

Code Number	Type Clutch	Attach. No.	Attach. Angle	Type Switch	R.P.M.	Price
ULTW	Dbl. Slip	461B	Straight	Lever	1000	\$77.00
ULPW	Dbl. Slip	461B	Straight	Lever	550	77.00
ULNW	Dbl. Slip	461B	Straight	Lever	1500	77.00
ULT	Dbl. Slip	461B	Straight	Bonnet	1000	71.50
ULP	Dbl. Slip	461B	Straight	Bonnet	550	71.50
ULN	Dbl. Slip	461B	Straight	Bonnet	1500	71.50

25° DOUBLE SLIP CLUTCH ATTACHMENT can be furnished with any of the above sizes, \$16.50 extra. (Attachment No. 482.) When ordering, specify ULP-482, etc.

ULP-481	Dbl. Slip	481	Rt. Angle	Bonnet	440	\$108.00
ULT-481	Dbl. Slip	481	Rt. Angle	Bonnet	800	108.00
ULN-481	Dbl. Slip	481	Rt. Angle	Bonnet	1200	108.00

EQUIPMENT: Above tools can be equipped either as screwdrivers or nut setters with optional selection of either one finder and one $\frac{1}{4}$ " hexagon shank screwdriver bit; or one standard length socket wrench shank, $\frac{1}{4}$ ", $\frac{9}{32}$ " or $\frac{3}{8}$ " square drive and one standard socket. Models below are equipped as nut setter only with $\frac{1}{4}$ ", $\frac{9}{32}$ " or $\frac{3}{8}$ " square drive and one standard socket. All sizes equipped with seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, \$7.50 extra.

ULP-492	Dbl. Slip	492	Rt. Angle	Bonnet	440	\$100.00
ULT-492	Dbl. Slip	492	Rt. Angle	Bonnet	800	100.00
ULN-492	Dbl. Slip	492	Rt. Angle	Bonnet	1200	100.00

No. 8 Lever Type
(ULPW, ULTW, ULNW)

No. 8 Bonnet Type
(ULP, ULT, ULN)

Weight	4 $\frac{1}{4}$ lbs.	3 $\frac{3}{4}$ lbs.
Shipping Wt.	7 lbs.	7 lbs.
Length	13 $\frac{3}{4}$ "	12 $\frac{3}{4}$ "



Bonnet Switch



No. 482—25° Angle Attachment

(\$16.50 extra on ULPW, ULTW, ULNW, ULP, ULT, ULN)



No. 481 Rt. Angle Screwdriver Attachment

(ULP-481, ULT-481, ULN-481)



No. 492 Rt. Angle Nut Setter Attachment

(ULP-492, ULT-492, ULN-492)

No.

12

Silver Line



The ED-series Silver Line Pistol Grip Screwdrivers and Nut Setters, ranging in weight from 3 to 4 $\frac{1}{8}$ pounds, drive screws up to No. 12 and set nuts up to $\frac{1}{4}$ " thread.

Code Number	Type Clutch	Attach. No.	Attach. Angle	Type Switch	R.P.M.	Wt. Lbs.	Length	Price
ED17	Positive	515	Straight	Pistol	800	3	9 $\frac{1}{2}$ "	\$61.00
ED16	Positive	515	Straight	Pistol	1100	3	9 $\frac{1}{2}$ "	61.00
ED18	Positive	515	Straight	Pistol	500	3	9 $\frac{1}{2}$ "	61.00
ED12	Dbl. Slip	445	Straight	Pistol	800	3	9 $\frac{1}{2}$ "	75.00
ED11	Dbl. Slip	445	Straight	Pistol	1100	3	9 $\frac{1}{2}$ "	75.00
ED13	Dbl. Slip	445	Straight	Pistol	500	3	9 $\frac{1}{2}$ "	75.00
ED47	Dbl. Slip	509	25°	Pistol	800	3 $\frac{1}{2}$	11 $\frac{1}{4}$ "	97.00
ED46	Dbl. Slip	509	25°	Pistol	1100	3 $\frac{1}{2}$	11 $\frac{1}{4}$ "	97.00
ED48	Dbl. Slip	509	25°	Pistol	500	3 $\frac{1}{2}$	11 $\frac{1}{4}$ "	97.00
ED41	Dbl. Slip	447	Rt. Angle	Pistol	880	4 $\frac{1}{8}$	10 $\frac{7}{8}$ "	120.00
ED42	Dbl. Slip	447	Rt. Angle	Pistol	660	4 $\frac{1}{8}$	10 $\frac{7}{8}$ "	120.00
ED51	Kickout	511	Rt. Angle	Pistol	880	3 $\frac{3}{4}$	10 $\frac{3}{4}$ "	110.00
ED52	Kickout	511	Rt. Angle	Pistol	660	3 $\frac{3}{4}$	10 $\frac{3}{4}$ "	110.00

EQUIPMENT—ED51 and ED52 are nut setters only, with $\frac{1}{4}$ ", $\frac{9}{32}$ " or $\frac{3}{8}$ " square drive and one standard socket. All other tools in ED-series can be equipped either as screwdrivers or nut setters with optional selection of either one finder and one $\frac{1}{4}$ " hexagon shank screw-

driver bits; or one standard length socket wrench shank, $\frac{1}{4}$ ", $\frac{9}{32}$ " or $\frac{3}{8}$ " square drive, and one standard socket. All sizes equipped with seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, \$7.50 extra.



No. 509—25° Angle Attachment

(ED46, ED47, ED48)



No. 447 Rt. Angle Screwdriver Attachment

(ED41 and ED42)



No. 511 Rt. Angle Nut Setter Attachment

(ED51 and ED52)

All tools equipped with AC/DC Universal Motors—Standard Voltage: 115; also available in 220 and special voltages if specified.

and NUTSETTERS

Thor

No. **14**

Silver Line

The F-series Screwdrivers and Nut Setters, averaging 4 $\frac{5}{8}$ lbs. in weight, drive screws up to No. 14 and set nuts up to $\frac{5}{16}$ " thread.

Code Number	Type Clutch	Attach. No.	Attach. Angle	Type Switch	R.P.M.	Price
U22F	Dbl. Slip	466B	Straight	Pistol	500	\$ 85.00
U22F-P	Positive	490	Straight	Pistol	500	72.50
U22F-25	Dbl. Slip	487	25°	Pistol	500	107.50
U16F	Dbl. Slip	466B	Straight	Pistol	750	85.00
U16F-P	Positive	490	Straight	Pistol	750	72.50
U16F-25	Dbl. Slip	487	25°	Pistol	750	107.50
U18F	Dbl. Slip	466B	Straight	Pistol	1000	85.00
U18F-P	Positive	490	Straight	Pistol	1000	72.50
U18F-25	Dbl. Slip	487	25°	Pistol	1000	107.50
U18FF	Dbl. Slip	466B	Straight	Foot	1000	115.00*
U18FL	Dbl. Slip	466B	Straight	Lever	1000	85.00
U18FL-25	Dbl. Slip	487	25°	Lever	1000	107.50
U19F	Dbl. Slip	489A	Rt. Angle	Pistol	400	135.00
**U19F	Dbl. Slip	489A	Rt. Angle	Pistol	400	135.00
**U19F	Dbl. Slip	489A	Rt. Angle	Pistol	800	135.00
U19FN	Kickout	169R	Rt. Angle	Pistol	375	125.00
**U19FN	Kickout	169R	Rt. Angle	Pistol	250	125.00
**U19FN	Kickout	169R	Rt. Angle	Pistol	500	125.00

*Optional speed—when ordering, specify speed.

EQUIPMENT—U19FN furnished as nut setter only, with $\frac{3}{8}$ " or $\frac{1}{2}$ " square drive and one standard socket. All other tools in F-series can be equipped either as screwdrivers or nut setters with optional selection of either one finder and one $\frac{1}{4}$ " hexagon shank screwdriver bit; or one standard length socket wrench shank, $\frac{3}{8}$ " or $\frac{1}{2}$ " square drive, and one standard socket. All sizes equipped with seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, \$7.50 extra.



U16F, U18F, U22F

	Pistol Grip	Lever
Weight	4 $\frac{3}{4}$ lbs.	4 $\frac{5}{8}$ lbs.
Shipping Wt.	7 lbs.	7 lbs.
Length	12 $\frac{1}{4}$ "	10 $\frac{7}{8}$ "



U18FL

(Also supplied with 25° angle attachment.)

***U18FF** suspension type, less lever switch handle, for use with foot switch below providing forward and reverse operation.



No. 437—25° Angle Attachment

(U16F-25, U18F-25, U22F-25, U18FL-25)



No. 489A Rt. Angle Attachment
SCREWDRIVER (U19F)



No. 169R Rt. Angle Attachment
NUTSETTER (U19FN)



*No. 76158 FOOT SWITCH
(For use with U18FF Driver)



EJ—Side Switch Handle

No. **18**

Silver Line



EJ—Grip Switch Handle

Code Number	Screw Capacity	Nut	Type Clutch	Attach. No.	Type Handle	Speed R.P.M.	Weight Lbs.	Shipping Weight	Length	Price
EJ18	No. 18	$\frac{3}{8}$ "	Positive	448	Side	500	8 $\frac{1}{4}$	9 $\frac{1}{4}$	12 $\frac{5}{8}$ "	\$ 90.00
EJ23	No. 18	$\frac{3}{8}$ "	Kickout	449	Grip	500	8	9	15 $\frac{1}{2}$ "	110.00
EJ12	No. 18	$\frac{1}{2}$ "	Positive	448	Grip	750	7 $\frac{3}{4}$	8 $\frac{3}{4}$	13 $\frac{1}{4}$ "	85.00
EJ22	No. 18	$\frac{1}{2}$ "	Kickout	449	Grip	750	8	9	15 $\frac{1}{2}$ "	108.00
EJ27	No. 18	$\frac{1}{2}$ "	Kickout	449	Side	750	8 $\frac{5}{8}$	9 $\frac{5}{8}$	14 $\frac{7}{8}$ "	108.00


ALL SIZES EQUIPPED with one standard $\frac{1}{2}$ " hexagon socket wrench shank with $\frac{1}{2}$ " square drive and one standard socket or one $\frac{1}{2}$ " hexagon shank screwdriver bit and finder assembly. (Both positive and kickout attachments use standard $\frac{1}{2}$ " socket wrench shanks and bits); EJ18 and EJ27 equipped with side handle with momentary trigger switch and locking pin, spade

handle and dead handle; EJ23, EJ12 and EJ22 equipped with grip handle with momentary trigger switch and locking pin; seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, all sizes, \$10.00 extra.

Thor

SCREWDRIVERS and NUT SETTERS

1/2"



Code Number.....	EL23	EL28	EL24	EL29
Capacity:				
Screw.....	No. 24*	No. 24*	No. 24*	No. 24*
Nut (thread size).....	1/2"	1/2"	1/2"	1/2"
Weight, Lbs.....	15	14 3/4	15	14 3/4
Shipping Weight, Lbs.....	18	17 3/4	18	17 3/4
Length.....	15 1/4"	14 3/4"	15 1/4"	14 3/4"
Type Attachment.....	Kickout	Positive	Kickout	Positive
Attachment.....	455	454	455	454
Speed R.P.M.....	525	525	350	350
PRICE.....	\$160.00	\$143.00	\$160.00	\$143.00

*And up to 3/8" Lag Screws.

ALL SIZES EQUIPPED with one No. 20519 7/16" hexagon socket wrench shank with 1/2" square drive, or one standard size 1/2" hexagon shank screwdriver bit and finder assembly, as specified. (Both positive and kickout attachments use standard

7/16" socket wrench shanks and bits); side handle with momentary trigger switch and locking pin, spade handle, dead handle, seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch, all sizes, \$10.00 extra.



BALANCERS FOR TOOL SUSPENSION

Thor Safety Balancers offer the safest and most convenient method of suspending screwdrivers and other tools over the work within easy reach for frequent or rapid use, particularly on assembly line operations. A slight pull brings the tool down... upon release it rises out of the way. Thor Balancers are available in the sizes listed below. Larger capacities, prices on application.

SIZE	0X	10B	10BX	20B	30B
Capacity, lbs.					
Maximum.....	10	10	20	20	30
Minimum.....	3	5	10	10	20
Range of Travel in Feet.....	5	5	5	6	6
Distance Hook to Hook Standard*.....	19"	35"	35"	54"	54"
Minimum**.....	13"	16"	16"	17 1/2"	17 1/2"
Weight, lbs.....	13 1/2	16 3/4	16 3/4	44	44
PRICE.....	\$30.00	\$65.00	\$70.00	\$70.00	\$73.00

*As shipped with standard length cable.

**Obtainable by shortening cable.

SCREWDRIVER AND NUT SETTER CLUTCH ATTACHMENTS



POSITIVE CLUTCH ATTACHMENT

A positive clutch attachment is equipped with two clutch jaws that are manually engaged by pressure applied by the operator. When pressure is released the clutch disengages, stopping the rotary motion of the bit. At the instant of tightening screw or nut the operator and the tool absorb the slight impact. Positive clutch attachments have a limited range of work because the jaw faces have a set angle. The jaws are disengaged when pressure is released. Thus, the tightening of the screw or nut depends entirely upon the judgment of the operator.



DOUBLE SLIP CLUTCH ATTACHMENT

The double slip clutch attachment has two separate clutches, one a positive, manually-engaged type which in turn drives an adjustable, spring tension slip clutch. This attachment with its adjustable feature can be set to drive any size screw in the capacity range of the attachment to a predetermined, uniform tightness. Once set, it eliminates all guess-work and guarantees tension of every nut or screw driven with 100% uniformity... automatically "slipping" when the desired tension is reached. In addition, this type of clutch cushions the impact, relieving the operator of fatiguing jolts and reducing spoilage by eliminating breaking of studs and stripping of threads. It also adds considerably to the life of the machine and clutch jaws by absorbing stress and shock loads.




KICK-OUT CLUTCH ATTACHMENT

This attachment is similar in action to the double slip clutch. It operates on virtually the same principle, except that the clutch does not "slip" when the desired tension is reached, but automatically "kicks out," and a set of cams holds the spring tension clutch open for a full revolution of disengagement. This type is used on larger capacity machines and, like the slip clutch, it drives each screw or nut to exactly the same predetermined tension, is adjustable for driving to different tensions, and absorbs the shocks. The cam prolongs the life of the clutch jaws and lowers maintenance cost of the tool.

SCREWDRIVER ACCESSORIES

Thor



Standard 1/4" Hex.
Shank Bit



1/4" Hex.
Finder



7/16" Hexagon
Shank Bit



7/16" Hex. Shank Bit
and Finder Assembly

1/4"
SHANK

For use with all
Thor Current No.
8, No. 12 and No.
14 S.D. and N.S.

Items below are uniformly priced as per figures at left

Items below are individually
priced as per figures following
each catalog number

	PRICE EACH	2F, 2R	3F, 3R	4F, 4R	5F, 5R, 6R	6F, 7R	7F, 8R	8F, 10R	PRICE EACH	10F, 12R	PRICE EACH	12F, 14R	PRICE EACH	14F, 16R	PRICE EACH
Standard Length Bit.....	\$0.69*	75280	75274	73194	73195	73196	22421	73197	\$0.69*	73198	\$0.69*	73199	\$0.85**	75356	\$0.85**
Standard Length Finder..... (Specify Screw Size)	2.00	25054	25054	25054	25054	25054	25054	25054	2.00	25054	2.00	25054	2.00	25054	2.00
1 7/8" Extension Bit.....	.90	77414	77415	77416	77417	77417		77418	0.90	77419	0.90	77420	0.90		
Non-Rotating Extension Finder for 1 7/8" Extension Bit.....	3.30	75122	75123	75124	75125	75125		75127	3.30	75128	3.30	75129	3.30		
4" Extension Bit.....	1.00			75086	75096	75100		75104	1.00	75108	1.00	75112	1.00		
4" Ext. Bit and Finder Assembly.....	1.75			75087	75097	75101		75105	1.75	75109	1.75	75113	1.75		
6" Extension Bit.....	1.10			75088	75098	75102		75106	1.10	75110	1.10	75114	1.10		
6" Ext. Bit and Finder Assembly.....	1.85			75095	75099	75103		75107	1.85	75111	1.85	75115	1.85		
2 1/16" Extension Bit.....	0.85			75240	75241	75242		75243	0.80	75244	1.00	75245	1.05		
2 1/16" Ext. Bit and Finder Assembly for use with Ext. Shank below.....	1.60			75246	75247	75248		75249	1.60	75250	1.75	75251	1.80		

*QUANTITY PRICES—Std. Length 1/4"
Bit: Lot of 50 to 99, \$0.48; 100 to 499,
\$0.43; over 500 (except No. 73198),
\$0.34. Box of 5 (all sizes), \$2.70.

**QUANTITY PRICES—Std. Length 1/4"
Bit: Lot of 50 to 99, \$0.75; over 100,
\$0.69. Box of 5, \$4.00.

1/4" PHILLIPS BITS

	No. 1 or No. 2	No. 3
Standard Length.....	70771\$0.57†	75075\$0.75
1 7/8" Extension.....	7527790	75278 1.10

†100 to 499, \$0.47; over 500, \$0.32.

1/4" REED AND PRINCE BITS

All Sizes
22090 \$0.50

Items below are individually
priced as per figures following
each catalog number

7/16"
SHANK

For use with all
No. 16 and larger
screwdrivers

Items below are uniformly priced as per figures at left

	PRICE EACH	6F, 6R, 8R	8F, 9F, 9R	10F, 10R, 12R	12F, 12R	14F, 16R	16F, 18R	18F, 20R	PRICE EACH	20F	PRICE EACH	24F	PRICE EACH
Standard Bits.....	\$0.97*	72944	72945	72946	72947	72960	72961	72962	\$0.97*	72963	\$1.20*	72907	\$1.45*
Standard Bit and Finder Assembly.....	1.55**	72951	72952	72953	72954	72964	72965	72966	1.95**	72967	2.40**	72956	2.80**

*QUANTITY PRICES—Std. Length 7/16"
Bit: Lot of 50 to 99 (except 72963,
72907), \$0.63; 100 to 499 (except 72962,
72963, 72907), \$0.57; over 500 (except
72962, 72963, 72907), \$0.46. Box of 5
(except 72963, 72907), \$3.45. No. 72963,
over 50, \$1.10; Box of 5, \$5.75. No.
72907, Box of 5, \$7.00.

**QUANTITY PRICES—Std. Length 7/16"
Bit and Finder Assembly (except 72966,
72967, 72956): Lot of 50 to 99, \$1.45;
over 100, \$1.25; Box of 5, \$7.50. No.
72966, over 50, \$1.80; Box of 5, \$9.25.
No. 72967, Box of 5, \$11.75. No. 72956,
Box of 5, \$13.75.

7/16" PHILLIPS BITS

Cat. No. 57551 #2 Point.....	\$0.86†
Cat. No. 57552 #3 Point.....	0.86†
Cat. No. 57553 #4 Point.....	0.86†

† Quantity price, 100 to 499, each \$0.51. Over 500, each \$0.48.

7/16" REED AND PRINCE BITS

All Sizes
No. 75281 \$0.75

EXTENSION SHANKS



with Chuck Assembly for holding socket wrench shanks or bits

Type Shank	Extension Length	Cat. No.	Price	Type Shank	Extension Length	Cat. No.	Price
1/4" Hex.	4"	75252	\$2.00	7/16" Hex.	4"	75254	\$1.80
1/4" Hex.	6"	75253	2.00	7/16" Hex.	6"	75255	2.00

LENGTH—All figures indicating length
of bits or extensions do not refer to
overall length, but to projection beyond
attachment or chuck.

PIX-UP FINDERS AND ADJUSTO-TRAY

A combination that speeds assembly operations three to nine times. Adjusto-Tray holds screws "heads up"—PIX-UP FINDER is then placed over the screw-head, and as the tray depresses slightly, the finder grips the screw head firmly and in perfect alignment, ready for the driving operation.

ADJUSTO TRAYS

Cat. No.	For Screw No.	Price
69408	3 and 4	\$6.00
69409	5 and 6	6.00
69410	8 and 10	6.00
71103	12 and 14	7.20

PIX-UP FINDERS AND BITS

For Use with Adjusto-Tray

Screw Size	Pix-Up Bits	Price	Pix-Up Finder Assembly	Price
3R	77415	.90	69414	\$5.40
3F	77415	.90	69418	5.40
4R	77416	.90	69422	5.40
4F	77416	.90	69426	5.40
6R	77417	.90	69430	5.40
6F	77417	.90	70040	5.40
8R	77418	.90	69435	5.40
8F	77418	.90	70044	5.40
10R	77419	.90	69440	5.40
10F	77419	.90	73042	5.40
12R	77420	.90	69445	5.40
14R	80885	.90	69450	5.40

Any Pix-Up Finder for screws not listed,
price on application.

WHEN ORDERING SCREWDRIVER BITS AND
OTHER ACCESSORIES, SPECIFY EXACT
SIZE AND TYPE OF SCREW OR SEND A
SAMPLE SCREW.



SOCKET WRENCHES

Single Broached Hex.



Double Broached Hex.

DISTANCE ACROSS FLATS

3/16"	7/32"	1/4"	9/32"	5/16"	11/32"	3/8"	7/16"	1/2"	17/32"	9/16"	19/32"	5/8"	21/32"	11/16"
-------	-------	------	-------	-------	--------	------	-------	------	--------	-------	--------	------	--------	--------

STANDARD 1/4" SQUARE DRIVE

HEX.	Standard Length Single Broached	20543 \$0.40	20544 \$0.40	20545* \$0.40	20547 \$0.40	20548 \$0.40	20549 \$0.40	20550 \$0.40	20551 \$0.40	20552 \$0.45				
HEX.	Deep Length Single Broached	20561 \$0.80	20562 \$0.80	20563 \$0.80	20564 \$0.80	20565 \$0.80	20566 \$0.80	20567 \$0.80	20568 \$0.80					
HEX.	Thin Wall Single Broached	20553 \$0.40	20554 \$0.40	20555 \$0.40	20556 \$0.40	20557 \$0.40	20558 \$0.40	20559 \$0.40	20560 \$0.40					
SQ.	Standard Length Double Broached	20569 \$0.40		20570 \$0.45	20571† \$0.45	20572 \$0.45		20573 \$0.45						

*With Inside Hex. Taper, No. 20546, \$0.50

†Single Broached

MAGNETIZED 1/4" SQUARE DRIVE

HEX.	Standard Length Single Broached	21087 \$1.40	21088 \$1.40	21089 \$1.40	21090 \$1.40	21091 \$1.40	21092 \$1.40	21093 \$1.45	21094 \$1.45	21095 \$1.45				
------	------------------------------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	--	--	--	--

9/32" SQUARE DRIVE

HEX.	Parker Kalon Single Broached			20584 \$0.40	20585 \$0.40			20588 \$0.40	20589 \$0.40	20590 \$0.45				
------	---------------------------------	--	--	-----------------	-----------------	--	--	-----------------	-----------------	-----------------	--	--	--	--

3/8" SQUARE DRIVE

HEX.	Standard Length Single Broached					20593 \$0.45	20594 \$0.45	20595 \$0.45	20596 \$0.45	20597 \$0.45	20598 \$0.55	20599 \$0.55	20600 \$0.50	20601 \$0.55	20602 \$0.60
HEX.	Parker Kalon Single Broached							20604† \$0.75	20605 \$0.50	20606 \$0.50					
HEX.	Standard Length Double Broached					20607 \$0.45	20608 \$0.45	20609 \$0.45			20611 \$0.45		20612 \$0.55		20613 \$0.60
HEX.	Thin Wall Double Broached					20615 \$0.55	20616 \$0.55	20617 \$0.55			20618 \$0.55		20619 \$0.60		20620 \$0.60
HEX.	Deep Sockets Single Broached				20622 \$0.60	20623 \$0.65	20624 \$0.65	20625 \$0.65			20626 \$0.65		20627 \$0.70		20628 \$0.80
HEX.	Deep Sockets Double Broached						20638 \$0.65	20639 \$0.65			20640 \$0.65		20641 \$0.70		
HEX.	Thin Wall Deep Single Broached					20630 \$0.60	20631 \$0.65	20632 \$0.65			20633 \$0.75		20635 \$0.80		20636 \$0.80
HEX.	Thin Wall Deep Double Broached										20643 \$0.75		20644 \$0.80		20645 \$0.85
SQ.	Standard Length Double Broached			20651 \$0.50	20652 \$0.55	20653 \$0.55		20654 \$0.55	20655 \$0.55	20656 \$0.55					
SQ.	Thin Wall Deep Double Broached							20657 \$0.75	20658 \$0.75	20659 \$0.80					

† Inside Hex. Taper

1/2" SQUARE DRIVE

HEX.	Standard Length Single Broached					20660 \$0.55	20661 \$0.55	20662 \$0.55			20663 \$0.55	20664 \$0.60	20665 \$0.60	20666 \$0.70	20667 \$0.60
HEX.	Parker Kalon Single Broached					20680 \$0.75	20681 \$0.75	20682 \$0.85			20683 \$0.90				
HEX.	Thin Wall Deep Single Broached						20684 \$0.65	20685 \$0.65			20686 \$0.65	20687 \$0.65	20688 \$0.65	20689 \$0.65	20690 \$0.70
HEX.	Standard Length Double Broached					20699 \$0.55	20700 \$0.55	20701 \$0.55			20702 \$0.55	20703 \$0.60	20704 \$0.60		20705 \$0.60
HEX.	Thin Wall Double Broached						20714 \$0.65	20715 \$0.65			20716 \$0.65	20717 \$0.65	20718 \$0.65	20719 \$0.65	20720 \$0.70
HEX.	Deep Length Single Broached					20733 \$1.25	20734 \$1.25	20735 \$1.25			20736 \$1.25		20737 \$1.25		20738 \$1.25
HEX.	Thin Wall Deep Double Broached							20745 \$1.20			20746 \$1.20		20747 \$1.20		20748 \$1.20
SQ.	Standard Length Double Broached					20756 \$0.70	20757 \$0.70	20758 \$0.70			20759 \$0.75		20760 \$0.80		20761 \$0.95

1/2" SQUARE DRIVE UNIVERSAL SOCKETS

HEX.	Standard Length Single Broached					20870 \$2.50	20871 \$2.50			20872 \$2.50		20873 \$2.60			20874 \$2.65
HEX.	Thin Wall Double Broached					20881 \$2.15	20882 \$2.15			20883 \$2.15		20884 \$2.20			20885 \$2.25

3/8" SQUARE DRIVE UNIVERSAL SOCKETS

HEX.	Standard Length Single Broached					20858 \$1.95	20859 \$1.95	20860 \$1.95			20861 \$2.15		20862 \$2.25		
HEX.	Thin Wall Double Broached					20863 \$2.05	20864 \$2.05	20865 \$2.05			20866 \$2.15		20867 \$2.15		20868 \$2.35

AND ACCESSORIES

Single Broached Square



Double Broached Square

ADDITIONAL SOCKETS

Sockets listed on these pages are the full range available up to 1/2" square drive for all Thor nut setters listed in this catalog. Thor also makes available power type sockets up to 1" square drive and impact sockets for Thor 3/8" and 5/8" impact wrenches.

SOCKET ADAPTORS

Socket adaptors provide a ready means of changing the square drive of your machine to a larger or smaller drive as desired.

Female End	Male End	IMPACT TYPE Number	Price	POWER TYPE Number	Price	Female End	Male End	IMPACT TYPE Number	Price	POWER TYPE Number	Price
3/8"	1/4"			20907	\$0.45	1/2"	5/8"	22185	\$1.45	20911	\$1.05
3/8"	9/32"			20908	.45	1/2"	3/4"	22186	1.55	20912	1.20
3/8"	1/2"	22194	\$0.85	20909	.65	3/8"	1/2"	22187	1.70		
1/2"	3/8"	22184	1.35	20910	.70	3/8"	3/4"	22188	1.70		

3/4"	25/32"	13/16"	7/8"	29/32"	15/16"	31/32"	1"	1 1/32"	1 1/16"	1 3/32"	1 1/8"	1 3/16"	1 1/4"
------	--------	--------	------	--------	--------	--------	----	---------	---------	---------	--------	---------	--------

3/8" SQUARE DRIVE (Continued)

20603 \$0.65													
20614 \$0.65													
20621 \$0.60													
20629 \$0.90													
20642 \$0.85													
20637 \$0.90													
20646 \$0.90	20647 \$1.00	20648 \$1.10		20649 \$1.15		20650 \$1.20							

* Inside Hex. Taper

1/2" SQUARE DRIVE (Continued)

20668 \$0.60	20669 \$0.70	20670 \$0.70	20671 \$0.75	20672 \$0.85	20673 \$0.90	20674 \$0.90	20675 \$1.00	20676 \$1.10	20678 \$1.10	20679 \$1.25			
20691 \$0.75	20692 \$0.75	20693 \$0.75	20694 \$0.75	20695 \$0.90	20696 \$0.95		20697 \$1.00	20698 \$1.10					
20706 \$0.60	20707 \$0.70	20708 \$0.70	20709 \$0.75		20710 \$0.90		20711 \$1.00	20712 \$1.10	20713 \$1.10				
20721 \$0.75	20722 \$0.75	20723 \$0.75	20724 \$0.75	20725 \$0.90	20726 \$0.95	20727 \$1.00	20728 \$1.00	20729 \$1.10	20730 \$1.15	20731 \$1.20	20732 \$1.30		
20739 \$1.30		20740 \$1.35	20741 \$1.45		20742 \$1.60		20743 \$1.60		20744 \$1.80				
20749 \$1.20		20750 \$1.30	20751 \$1.35		20752 \$1.45		20753 \$1.50	20754 \$1.60	20755 \$1.65				
20762 \$1.00		20763 \$1.10	20764 \$1.20		20765 \$1.30		20766 \$1.40						

1/2" SQUARE DRIVE UNIVERSAL SOCKETS (Continued)


20875 \$3.45	20876 \$3.75	20877 \$3.75	20878 \$3.95	20879 \$4.25	20880 \$5.45								
20886 \$2.25													

3/8" SQUARE DRIVE UNIVERSAL SOCKETS (Continued)

20869 \$2.35													
-----------------	--	--	--	--	--	--	--	--	--	--	--	--	--

Thor

SOCKET WRENCH SHANKS



1/4" HEXAGON SHANK

Square Drive	Length	Number	Price
1/4"	2 1/8"	73923*	\$1.60
9/32"	2 1/8"	73924*	1.60
3/8"	2 1/8"	73925*	1.60

*With 1/8" Diam. Guide Shoulder

7/16" HEXAGON SHANK

3/8"	1 1/8"	20513	\$1.05
3/8"	2 3/4"	20514	1.00
3/8"	5"	20515	1.10
3/8"	8"	20516	1.25
3/8"	12"	20517	1.45
3/8"	18"	20518	2.05
1/2"	1 1/2"	20519	1.65
1/2"	2 3/4"	20520	1.20
1/2"	5"	20521	1.40
1/2"	8"	20522	1.60
1/2"	12"	20523	1.75
1/2"	18"	20524	2.35
1/2"	20"	20525	3.50
1/2"	22"	20526	3.50

SOCKET EXTENSIONS



1/4" SQUARE DRIVE

Length	Number	Price
2"	20889	\$0.65
4"	20890	.85
6"	20891	1.00

3/8" SQUARE DRIVE

3"	20892	\$1.10
6"	20893	1.35
12"	20894	1.65

1/2" SQUARE DRIVE

2"	20895	\$0.95
5"	20896	1.30
10"	20897	1.65
20"	20898	1.95

UNIVERSAL JOINTS



Square Drive	Length	Number	Price
3/8"	1 3/8"	20887	\$2.50
1/2"	2-25/64"	20888	2.65

Thor

Silver Line

SAWS




Steel Carrying Case Fur-
nished With Silver Line Saws.

SPECIFICATIONS

Code	T6*	T7	T8	T10	T12
Blade Size.....	6 1/4"	7 1/4"	8 1/4"	10"	12"
Max. Depth of Cut.....	2 1/32"	2 1/2"	2 15/16"	3 5/8"	4 7/16"
45° Depth of Cut.....	1 3/8"	1 7/8"	2 5/32"	2 5/8"	3 1/4"
Weight, Lbs.....	13 1/2	17 1/4	18	35	36 1/2
Shipping Wt., Lbs.....	18*	34	37	60	62
Speed R.P.M.....	5000	4200	4200	2750	2750
Price.....	\$65.00*	\$125.00	\$145.00	\$190.00	\$225.00

*Furnished standard without carrying case.
(Price with steel carrying case [Code T6C], \$69.95. Shipping weight, 30 lbs.)
All Silver Line Saws are equipped with one combination blade, 10-feet of 3-conductor cable with 2-prong plug and ground connector, blade nut wrench, lubricant and steel carrying case. (T6 is furnished standard without carrying case, see note above.)

22



1 LONG SHAFT MO-
TOR MOUNTING—
full ball bearing sup-
port where it's
needed most.

2 DIRECT GEAR
DRIVE — no power-
wasting worm gears!

3 SAFETY LOCK
SWITCH—Saw can-
not be started ac-
cidentally.

4 PROTECTED DEPTH AND BEVEL
SCALES—always accurate.

5 FINGER TIP ADJUSTMENT—set
depth, bevel or rip guides instantly.
They lock securely.

6 CONVENIENT HANDLES. Natural
saw-grip behind the center of gravity.

7 ACCESSIBLE BRUSH HOLDERS, easy
to inspect and service.

8 AMPLE VENTILATION above and be-
low commutator housing.

9 WIDE SAFETY BASE—the only basis
for REAL balance in a portable saw.

10 UNIQUE RIP GUIDE can be firmly
set for any width of material.

11 SAW DUST BLOWER integral with
ventilating system. Cutting line always
visible.

12 REINFORCED ALUMINUM HOUS-
INGS. Safe from accidental damage.

13 POWERFUL MOTOR designed to
stand up under full-load cutting day
in and day out.

14 AUTOMATIC TELESCOPING BLADE
GUARD for complete protection.

15 EASY BLADE CHANGE—five second
operation; just remove hex, cap screw.

16 POSITIVE 90° STOP—when released,
saw automatically squares itself at 90°
after bevel cutting—no guesswork.


17 OVERSIZE SWITCHES—fully insulated
positive protection against electrical
failure.

Silver Line "6"



Depth of Cut, 2 1/32"
Price, \$65.00*
*Without carrying case.
(Price with steel carrying case, \$69.95.)

Silver Line "7"



Depth of Cut, 2 1/2"
Price, \$125.00

Silver Line "8"




Depth of Cut, 2 15/16"
Price, \$145.00

Silver Line "10"



Depth of Cut, 3 5/8"
Price, \$190.00

Silver Line "12"








Depth of Cut, 4 7/16"
Price, \$225.00

SAW BLADES and ABRASIVE DISCS



Thor

		6"	7"	8"	10"	12"			
COMBINATION BLADE	 For ripping and cross-cutting	6 1/4" 73863 \$2.25	7 1/4" 73875 \$2.50	8 1/4" 73881 \$2.65	10" 73894 \$3.65	12" 73899 \$4.85			
CUT-OFF BLADE	 For cross cut work	6 1/4" 73065 \$2.25	7 1/4" 73876 \$2.50	8 1/4" 73883 \$2.65	10" 73895 \$3.65	12" 73900 \$4.85			
MITRE BLADE	 Hollow ground, smooth cutting	6 1/4" 73867 \$3.25	7 1/4" 73877 \$4.50	8" 73885 \$4.45	10" 73896 \$7.95				
METAL CUTTING BLADE	 For non-ferrous metal	5 7/8" 73874 \$6.05		8" 73888 \$6.55					
RIP BLADE	 For rough ripping				10" 73898 \$3.65	12" 73901 \$4.85			
ICE SCORING BLADE	 Special design	6 1/4" 75344 \$2.25	7 1/4" 75345 \$2.50	8 1/4" 75346 \$2.65					
FLOORING BLADE	 Cuts through nails	6 1/4" 73873 \$2.25	7 1/4" 73878 \$2.50	8" 73886 \$2.65	10" 73897 \$3.65				
FINE TOOTH BLADE	 For soft wall board	6 1/4" 73869 \$2.25	7" 73879 \$2.50	8" 73887 \$2.65					
FRICTION BLADE	 For light gauge iron sheets	6 1/4" 73871 \$4.85		8" 73884 \$6.05					
CARBIDE TIPPED BLADE	 *For abrasive composition materials.	6" 22315 \$16.45	7" 22313 \$17.50	8" 22314 \$19.50	*Cemesto board, transite and other asbestos cement boards, and all kinds of wood.				
DIAMOND EDGE BLADE	For fast cutting of tile, glass, brick, concrete, etc. Unbreakable. For use only with Thor water feed attachment. *Blades recommended for general use.	STANDARD DUTY	6"x.032" 22485 \$9.50	7"x.040" 22488 \$12.20	8"x.040" 22491 \$13.60	10"x.040" 22494 \$17.80	12"x.050" 22497 \$26.10		
			HEAVY DUTY	6"x.040" 22486* \$10.80	7"x.050" 22489* \$16.40	8"x.050" 22492* \$17.80	10"x.050" 22495 \$21.10	12"x.064" 22498 \$30.00	
				EXTRA HEAVY DUTY	6"x.050" 22487 \$13.60	7"x.064" 22490 \$20.30	8"x.064" 22493 \$21.10	10"x.064" 22496* \$26.10	12"x.075" 22499* \$42.40

ABRASIVE DISCS

Application:		Alloy Steels	Concrete	Marble	Cast Iron	Tile	Asbestos Cement Sheets	Granite	Crab Orchard Stone
Disc Size	Price								
6 1/4"x1/8"	\$1.55	73938	73939	73940	73941	73942	73943		
6 1/4"x3/16"	1.90		73944	73945					
7 1/8"x1/8"	1.90	73946	73947	73948	73949	73950	73951		
7 1/8"x3/16"	2.50		73952						
8"x1/8"	2.20	73953	73954	73955	73956	73957	73958		
8"x1/4"	2.75		73959						
9 15/16"x1/8"	3.10	73966	73967	73968	73969	73970	73971		
11 15/16"x1/8"	4.20	73972	73973	73974	73975	73976	73977		

QUANTITY PRICES—Applying on single order for one type or an assortment: Up to 11—List Price; 12 to 24—10%; 25 to 99—20%; 100 and over—30%.

WATER FEED ATTACHMENT

For use with Thor Diamond Edge Blades, also may be used with Thor Abrasive Discs. Fastens easily to swivel base of saw. Equipped with perforated fork tube that shoots water against both sides of blade, and 12 feet of hose with standard coupling for water faucet or water extension hose.

No. 79534 (Fits T6, T7, T8).....\$9.50
No. 80876 (Fits T10, T12).....9.50

SAW LUBRICANTS



Number	Quantity	Price
70065	2 oz. tube.....	\$0.40
73798	8 oz. tube.....	.60
21382	2 lb. can.....	1.20
75975	8 lb. can.....	4.50

Thor




U-100 ELECTRIC HAMMER

with

*Sling Shot
Drive*

Shock-proof rubber yoke drives the piston in powerful hammer action. It whips the piston with sling-shot action . . . acting as a power accumulator to increase the speed of the piston on the forward stroke . . . then as a shock absorber on the recoil. There's no metal connection between the piston and the gear train and motor. And thus no shock to gear, motor, or operator. Here's enormous power, easy to handle!




IN STONE—The Thor-Nado hammer is designed for fast, economical drilling, chiseling, demolition, in stone, concrete, asphalt, brick and composition materials, and for cleaning out mortar, web cutting, removing form marks and similar work.



IN WOOD—Cutting, gouging, and shaping in wood can be done efficiently with the U-100 and proper Thor wood chisels.



IN METAL—Chipping, scaling, removing rust, paint, weld spatter, and similar accumulations . . . more jobs where the U-100 saves hard labor, time and costs.



U-100

\$130⁰⁰

Code No.	U-100
Capacity in concrete	1 1/8" Star Drill
Blows per minute	1600
Weight	14 lbs.
Shipping Weight	32 lbs.
	(With Carrying Case)
Length Overall	13 1/2"
Shank Offset	1 5/16"

Type Nozzle—
Standard: to take .497" round by 1.75" long shank
Optional: to take .432" hexagon by 1.75" long shank
Extra (\$9.00): Rawl-Chuck

PRICE **\$130.00**

EQUIPMENT: 1 No. 61076 Taper Shank Holder; 1 Ejector Pin; 1 extra Sling-shot Yoke; 1 Dust Shield; Metal Carrying Case; momentary grip switch with lock; seven feet of 3-conductor cable with 2-prong plug and ground connector.



No. 68098 Carrying Case.....\$9.40




No. 61076 Holder for Taper Shank Tools (Holder fits in standard round Nozzle)\$5.40



No. 68104 Turning Wrench for straight shank tools\$0.90



No. 69359 Dust Shield \$0.40



No. 68085 "Sling-Shot" Yoke \$0.75

U-100 HAMMER ACCESSORIES

Thor

STAR DRILLS						
Point Diam.	Drilling Depth	Number	Price each in lots of			
			1	4	6	12
1/4"	5"	70336	\$1.20	\$	\$1.10	\$1.05
1/4"	5"	70337	1.20		1.10	1.05
1/4"	5"	70445	1.65		1.55	1.45
1/4"	5"	70338	1.20		1.10	1.05
1/4"	9"	70345	1.65		1.55	1.45
1/4"	12"	70446	1.80		1.65	1.60
1/4"	5"	70339	1.20		1.10	1.05
1/4"	9"	78645	1.65		1.55	1.45
1/4"	12"	70353	1.80		1.65	1.60
1/4"	18"	78646	2.15			
1/4"	5"	70340	1.20		1.10	1.05
1/4"	9"	70346	1.65		1.55	1.45
1/4"	12"	70354	1.80		1.65	1.60
1/4"	18"	70359	2.15			
1/4"	24"	70364	2.55			
1/4"	5"	70447	1.20		1.10	1.05
1/4"	9"	70347	1.65		1.55	1.45
1/4"	5"	70341	1.20		1.10	1.05
1/4"	9"	70348	1.65		1.55	1.45
1/4"	12"	70355	1.80		1.65	1.60
1/4"	18"	70360	2.15			
1/4"	24"	70365	2.55			
1/4"	9"	70349	1.85		1.70	1.65
1/4"	5"	70342	1.45		1.30	1.25
1/4"	9"	70350	1.85		1.70	1.65
1/4"	12"	70356	2.05		1.85	1.80
1/4"	18"	70361	2.35			
1/4"	24"	70366	2.75			
1/4"	5"	70343	1.55		1.50	1.45
1/4"	9"	70351	2.10		1.95	1.80
1/4"	12"	70357	2.15		2.00	1.85
1/4"	18"	70362	2.55			
1/4"	24"	70367	2.95			
1/4"	5"	70344	1.70	1.60		1.55
1/4"	9"	70352	2.20	2.10		1.95
1/4"	12"	70358	2.35	2.25		2.20
1/4"	18"	70363	2.70			
1/4"	24"	70368	3.15			
1/4"	5"	74842	2.60	2.40		2.35
1/4"	9"	74843	2.90	2.75		2.65
1/4"	12"	74844	3.15	2.90		2.80
1/4"	18"	74845	3.30			
1/4"	24"	74846	3.35			

CARBIDE TIPPED, STAR DRILLS						
Point Diameter	Overall Length 4"	Price Each	Catalog Number and Price Overall Length 6"	Price Each	Overall Length 12"	Price Each
1/4"	22806	\$8.85				
1/4"	22807	9.35				
1/4"	22808	9.55	22809	\$ 9.80		
1/4"			22810	10.20		
1/4"			22811	10.75	22812	\$12.95
1/4"			22813	11.85	22814	13.95
1/4"			22815	12.95	22816	15.70
1/4"			22817	13.85	22818	16.50
1/4"			22819	14.85	22820	17.45
1/4"			22821	15.85	22822	18.55
1/4"			22823	16.70	22824	21.30
1/4"			22825	19.25	22826	24.75
1/4"			22827	23.65	22828	30.25

STANDARD CHISELS

Description	Length	Number	Price
Chisel—Str. Shank	5"	71263	\$1.55
	9"	71264	2.00
	12"	71265	2.20
Chisel Hex. Shank	5"	71266	1.65
	9"	71267	2.00
	12"	71268	2.20
Bull Point Straight Shank	5"	71269	1.70
	9"	71270	2.00
	12"	71271	2.20

SPECIAL CHISELS

STRAIGHT SHANK TOOLS

Description	Number	Price
Mortar Chisel	68103	\$2.95
Bush Hammer (Head 1 1/2" Sq.)	68106	6.10
Scaling Chisel (2" Blade)	68411	3.20
Scaling Chisel (1 1/2" Blade)	68412	3.05

HEXAGON SHANK TOOLS

Web Cutting Tool	68408	4.25
Flat Wood Chisel (2 1/8" Blade)	68409	4.25
Wood Gouge	68410	4.25



STAR DRILL



STANDARD CHISEL



BULL POINT



MORTAR CHISEL




BUSH HAMMER



SCALING CHISEL



WEB CUTTING TOOL



FLAT WOOD CHISEL



WOOD GOUGE



UIN
\$80⁰⁰

Thor

Silver Line

SHEET METAL NIBBLER

Will do any work within its rated capacity that can be done with a portable power shear and in addition will cut regular and irregular shapes, follow line or contour accurately, cut plain or corrugated stock and cut tubes as small as 1 1/2" in diameter.

SPECIFICATIONS

Code Number	UIN
Capacity:	No. 20 Gauge in Mild Sheet Steel No. 16 Gauge in Soft Sheet Aluminum
Minimum Cutting Radius	1"
Length Overall	9"
Diameter of Body	2 1/2"
Weight	3 3/4 lbs.
Shipping Weight	6 lbs.
PRICE	\$80.00

EQUIPMENT includes 1 extra cutting punch; adjusting wrench, wrench for clamp screw; seven feet of 3-conductor rubber cable and 2-prong plug with ground connector.

Thor

Silver Line

BELT SANDER

- EXCLUSIVE direct gear drive minimizes friction losses, delivers as much as 20% extra power to the belt.

Without Vacuum Dust Collector..... **\$150⁰⁰**

With Vacuum Dust Collector..... **\$178⁰⁰**



- Superior Ventilating System
- Quick-acting Belt Release
- Accurate Belt-centering Device

ASK FOR CIRCULAR JE-1131

4 1/2" BELT SANDER

Code T45
 Belt Size 4 1/2" wide x 26" long
 Belt Speed 1800 ft. per min.
 Size 6 3/4" x 14 1/2" x 9 1/4" high
 Weight 20 lbs., 12 oz.
 Shipping Weight 26 lbs.
 PRICE **\$150.00**

4 1/2" BELT SANDER

With Vacuum Dust Collector
 Code T45V
 Belt Size 4 1/2" x 26" long
 Belt Speed 1800 ft. per min.
 Size 6 3/4" x 14 1/2" x 9 1/4" high
 Weight 22 lbs., 6 oz.
 Shipping Weight 27 lbs.
 PRICE **\$178.00**

26

EQUIPPED with grip handle with momentary trigger switch; one medium grade belt; 10 feet of 3-conductor cable with 2-prong plug and ground connector. CODE T45V equipped with vacuum dust collector complete.

BELTS FOR THOR 4 1/2" BELT SANDERS

FOR WOOD

Grade	Cat. No.	Price
3	21192	\$0.63
2 1/2	21193	.60
2	21194	.58
1 1/2	21195	.56
1	21196	.54
1/2	21197	.53
1/0	21198	.51
2/0	21199	.50
3/0	21200	.50

FOR METAL

Grade	Cat. No.	Price
24	21201	\$0.67
30	21202	.65
36	21203	.64
40	21204	.60
50	21205	.58
60	21206	.57
80	21207	.55
100	21208	.54
120	21209	.54
150	21210	.54
180	21211	.54
240	21212	.54
320	21213	.54

FOR STONE

Grade	Cat. No.	Price
24	21214	\$0.67
30	21215	.65
36	21216	.64
40	21217	.60
50	21218	.58
60	21219	.55
80	21220	.54
100	21221	.54
120	21222	.54
150	21223	.54
180	21224	.54
220	21225	.54
320	21226	.54

FOR REMOVING VARNISH

3	21227	\$0.67	2	21229	\$0.64	1	21231	\$0.58
2 1/2	21228	.65	1 1/2	21230	.60	1/2	21232	.57

FABRIC BELT FOR POLISHING

Grade	Cat. No.	Price
±926	21233	\$5.94

SPECIAL RECOMMENDATIONS

MARBLE — Use type "C", Grade No. 40 for leveling off rough surfaces, shaping, fitting; No. 60 for removing scratches left by No. 40; Nos. 150, 220 and 320 for honing.

CAST STONE—Use type "C", Nos. 24 and 40 for grinding and leveling off surfaces; No. 60 for smoothing; No. 150 for honing.

NATURAL STONE—(including Indiana limestone). Use type "C", Nos. 24 and 40 for grinding, cutting bevels, leveling off surfaces; No. 60 for removing scratches, smoothing down.

SLATE—Use type "C", Nos. 24, 60 or 150 to desired finish.

Silver Line DISC SANDERS

Thor



7"*
**STANDARD
DUTY**
EL82
\$73⁰⁰

*Can be equipped with 4" Cup Wheel and Guard. Specify EL72, price \$80.00

- 50% More Power delivered to the disc—at the right speed—for cleaner, faster work.
- Equipped with rubber "bump-er" tool rest to protect motor and housings.
- Spindle Lock for easy disc change.



7"*
**HEAVY
DUTY**
EN82
\$82⁰⁰

*Can be equipped with 6" Cup Wheel. Specify EN72, price \$95.00 (see page 29).



9"
**HEAVY
DUTY**
EN87
\$85⁰⁰



THOR DISC TRIMMER

Cuts larger discs (up to 9") down to smaller sizes (to 4" minimum). Salvages used discs for service with smaller pads. Cat. No. 74368.
Price **\$13.65**

All ball bearing construction with special features designed to give long, dependable service—spiral tooth gears; switch lock for continuous or intermittent operation.

EQUIPPED with 5/8" threaded spindle with lock; momentary trigger switch and lock; removable side handle for use on either side; rubber tool guard; flexible rubber pad, box of three assorted sanding discs; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: Suspension hook in place of rubber guard on EN82 and EN87, if specified.

	7" Standard Duty	7" Heavy Duty	9" Heavy Duty
Code No.	EL82	EN82	EN87
Speed R.P.M.	4500	4500	4500
Weight	8 1/2 lbs.	14 1/4 lbs.	14 1/4 lbs.
Shipping Wt.	13 lbs.	21 lbs.	21 lbs.
Length	13 1/2"	17"	17"
PRICE	\$73.00	\$82.00	\$85.00

SANDING DISCS

7/8" Hole Standard. Also available with 1/2" hole or 5/8" hole at no extra charge.

Closed Grain for Metal or Wood Sanding

Grade	7" Diameter Number	Price	9" Diameter Number	Price	Grade	7" Diameter Number	Price	9" Diameter Number	Price
*16	72775	\$0.46	72797	\$0.62	80	72781	\$0.30	72803	\$0.40
24	72776	.36	72798	.48	100	72782	.30	72804	.40
30	72777	.36	72799	.48	120	72783	.30	72805	.40
36	72778	.36	72800	.48	150	72784	.30	72806	.40
50	72779	.33	72801	.44	180	72785	.30	72807	.40
60	72780	.31	72802	.42					

Open Grain for Wood Sanding

Grade	7" Diameter Number	Price	9" Diameter Number	Price	Grade	7" Diameter Number	Price	9" Diameter Number	Price
*16	72786	\$0.46	72808	\$0.62	30	72788	\$0.36	72810	\$0.48
24	72787	.36	72809	.48	36	72789	.36	72811	.48


*No. 16 Discs are packed 10 to a box. All other discs packed 25 to a box.

BACKING PADS

7" Rubber Backing Pad, Catalog No. 74139, Price	\$3.50
9" Rubber Backing Pad, Catalog No. 74140, Price	5.50
7" KOOLBACK Pad, Price	5.00
Flexible (No. 21261); Medium (No. 21262); Rigid (No. 21263)	
9" KOOLBACK Pad, Price	7.00
Flexible (No. 21264); Medium (No. 21265); Rigid (No. 21266)	

Thor

BALL BEARING BENCH GRINDERS



6", 7", 8", 10"
HEAVY DUTY

- Complete Ball Bearing Construction
- Perfectly Balanced—quiet, smooth-running
- Designed for maximum convenience and service

Suited for all-around service in grinding, buffing, and wire wheel work. All ball bearings are oversize and dust tight, requiring only annual greasing attention. Adjustable tool rests.

WITH AC MOTORS, SINGLE PHASE

115 or 220 volts, 50 or 60 cycles, as specified.

	6"	6"	7"	8"	10"
	Standard Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty
Code No.	B634	B6S	B7S	B8S	B10
Wheel Size	6"x1/2"	6"x3/4"	7"x1"	8"x1"	10"x1"
Motor Rating	1/4 H.P.	1/3 H.P.	1/2 H.P.	1/2 H.P.	1 H.P.
Spindle Thread	1/2"	1/2"	3/8"	3/8"	3/4"
R.P.M. (60 cycle)	3450	3450	3450	3450	1750
R.P.M. (50 cycle)	2850	2850	2850	2850	1425
Weight, Lbs.	35	58 1/2	69	71	137
Shipping Wt., Lbs.	45	69	81	83	153
Length Overall	14"	19"	20"	20"	24"
Height Overall	9"	11 1/4"	11 3/4"	12 1/4"	15 1/4"
Width Overall	7 1/2"	9 1/4"	11"	11"	14"
Bench Space (Base)	7 1/2"x7 1/2"	10"x6 5/8"	10 9/16"x6 5/8"	10 9/16"x6 5/8"	13 1/2"x9 5/8"
PRICE	\$42.00	\$63.00	\$88.00	\$96.00	\$150.00



6" Standard Duty



Standard Type EYE SHIELD
Shatterproof Glass
Cat. No. 64482
Per Pair, \$3.75



Illuminated Type EYE SHIELD
Shatterproof Glass
Cat. No. 74367
Price Each, \$9.00

ADDITIONAL MOTOR TYPES

Grinder Size	Three Phase	25 Cycle
	A.C., 50 or 60 cycles, 220 volts	A.C., single phase, 115 or 220 volts, as specified
6" Heavy Duty	\$ 80.00	\$ 75.00
7" Heavy Duty	95.00	100.00
8" Heavy Duty	110.00	110.00
10" Heavy Duty	150.00	

EQUIPMENT. All Grinders equipped with two wheel guards, two adjustable tool rests, two grinding wheels (one coarse, one fine), toggle switch, 10 feet of 3-conductor cable with 2-prong plug and ground connector.

MEDIUM GRADE GRINDING WHEELS, VITRIFIED

Wheel Size	Cat. No.	Price	Wheel Size	Cat. No.	Price
6"x1/2"x1/2" hole	72307	\$1.70	8"x1"x5/8" hole	72372	\$4.65
6"x3/4"x1/2" hole	72316	1.95	10"x1"x3/4" hole	72404	6.55
7"x1"x5/8" hole	72354	2.50			

STANDARD DUTY WIRE BRUSHES, ARBOR TYPE

Brush Size	Wire Gauge		Price
	30	33	
6"x1"x1/2" hole	73062	73068	\$2.30
7"x1"x5/8" hole	73063	73069	2.50
8"x1 1/8"x5/8" hole	73064	73070	3.00
10"x1 1/2"x3/4" hole	73065	73071	4.80

CLOTH BUFFING WHEELS

Wheel Size	Cat. No.	Price Each	Price Each, Pkg. of 5
6"x1/2"x1/2" hole	64419	\$1.00	\$0.90
6"x1/2"x5/8" hole	64420	1.00	.90



BENCH GRINDER PEDESTAL

For 6", 7" and 8"
Bench Grinders
Code BGS

\$32.00

Height 31 1/4"
Base 14"x14"
Weight 56 1/2 lbs.
Shipping Wt. 62 lbs.
Equipped with detachable water cup; 2 each attachment bolts, nuts and washers. Base has bolt holes for rigid attachment to floor.

WRITE FOR COMPLETE LISTINGS OF OVER 500 GRINDING WHEELS AND WIRE BRUSHES IN ALL SIZES AND TYPES

Silver Line HEAVY DUTY PORTABLE GRINDERS

Thor

4" EL60
\$77⁵⁰




5" EL62
\$90⁰⁰



6" EN62
\$112⁰⁰



7" R.A. \$95⁰⁰
EN71



6" CUP
\$95⁰⁰
EN72

Completely ball bearing machines with helical gearing, momentary switch with locking pin for continuous operation and other modern features of design for long, dependable operation.

	4"	5"	6"	6" CUP	7" R. A.
Code	EL60	EL62	EN62*	EN72**	EN71
Wheel Size	4"x3/4"	5"x3/4"	6"x1"	6" Fl. Cup	7"
Spindle Thread	1/2"x13	1/2"x13	5/8"x11	5/8"x11	5/8"x11
Speed R.P.M.	6,000	4,500	4,000	4,500	5,500
Weight, lbs.	10	10 1/4	15 1/4	14 1/4	14 1/4
Shipping Wt., lbs.	15	15	23	22	22
Length Overall	18 3/4"	18 3/4"	23 3/4"	17"	17"
PRICE	\$77.50	\$90.00	\$112.00	\$95.00	\$95.00

EQUIPPED with general purpose grinding wheel and wheel guard; rubber tool guard with EL60, EL62 and EN72, suspension hook with EN62; EN72 equipped with detachable side handle; momentary trigger switch and lock; seven feet of 3-conductor cable with 2-prong plug and ground connector. EN71 equipped with 7" Guard, Backing plate, Spacing washer, Clamp nut and wrench for depressed center wheel. No wheel furnished. **EN72 can be furnished with same equipment as EN71 in place of standard equipment if specified. Optional: EN62—rubber tool guard in place of suspension hook, if specified; EN72—suspension hook in place of rubber tool guard, if specified.

*FOR TUCK POINTING—6" Grinder can be equipped with 8" guard and 8" cutoff type wheel, specify Code EN64, price \$112.00.

GRINDING WHEELS

STRAIGHT WHEELS (General Purpose Vitrified)

Wheel Size	Cat. No.	Price
4"x 3/4" x 1/2" hole	72263	\$1.23
5"x 3/4" x 1/2" hole	72286	2.10
6"x 1" x 5/8" hole	72333	2.25

CUP WHEELS (General Purpose Bond)

Threaded, 5/8"x11		
6"x 2" x 5/8" hole	72458	\$7.45
STRAIGHT CUP		
6"x 2" x 5/8" hole	72467	7.45
FLARED CUP		

WIRE BRUSHES

STRAIGHT WIRE BRUSHES

Standard Duty Arbor Hole Adaptor Type		
Brush Size	30 GA.	33 GA.
4"x 3/4" x 1/2" hole	73061	73067
6"x 1" x 5/8" hole	73062	73068
		Price
		\$1.80
		2.30

CUP WIRE BRUSHES

General Purpose, 5/8"x11 Threaded Arbor Hole		
Diameter	Wire Size	Cat. No.
6 inches	.020	73079
6 inches	.012	73078
		Price
		\$5.00
		4.60

WRITE FOR COMPLETE LISTINGS OF OVER 500 GRINDING
WHEELS AND WIRE BRUSHES IN ALL SIZES AND TYPES

Thor

Silver Line POLISHERS

THOR POWER TOOL CAR POLISHES



THOR "CAR FINISH"—Finest on market for long-lasting protection of new and old cars. Use only 2½ ounces to beautify and protect average car!

1 QUART "CAR FINISH," Catalog No. 22654. Price.....\$4.50
1 GALLON "CAR FINISH," Catalog No. 22655. Price.....\$16.00

CAR CLEANERS

Removes road grime. Recommended for use with "Car Finish" to remove previous polishes, glazes and waxes.

No. 1 POLISH—for cars easy to clean. Cat. No. 22012. One Gallon. Price \$2.85
No. 2 POLISH—for cars hard to clean. Cat. No. 22013. One Gallon. Price \$3.50

CAR WAX

For finest luster, in one pound metal container. Cat. No. 22045. Price.....\$1.35



RUBBER BACKING PADS

Tapered back flexible pad (for use with or without felt pad), No. 22483.....Price, \$3.50



PNEUMATIC PAD

Catalog No. 66720.....Price, \$11.95



LAMBSWOOL BONNET Drawstring Type

Catalog No. 74329 (for use with combination flexible pad and felt pad). Price, each.....\$2.15
Price each, quantities of six.....1.98

Catalog No. 81738 (for use with flexible pad only). Price, each.....\$2.15
Price each, quantities of six.....1.98

LAMBSWOOL PAD


Catalog No. 61112.....Price, \$2.00
Price Each, Quantity of Six.....\$1.50

FELT CUSHION PAD

Catalog No. 61111.....Price, \$1.25

Correct power, speed, gearing and weight distribution for effortless cleaning and polishing. Frictionless ball bearing and pin roller bearings, spiral bevel gears, extra sturdy construction throughout with RESERVE POWER for longer lasting service.

7"
STANDARD
DUTY
EL92
\$75⁰⁰



	7" Std. Duty	7" Hvy. Duty
Code.....	EL92	EN92
Spindle Thread.....	5/8"x11	5/8"x11
Speed.....	1400 R.P.M.	1400 R.P.M.
Weight.....	9 lbs.	15¼ lbs.
Shipping Wt.....	14 lbs.	20 lbs.
Length Overall.....	14¼"	17¾"
PRICE.....	\$75.00	\$83.00

EQUIPPED with rubber backing pad; nut; rubber tool guard; drawstring polishing bonnet; removable side handle for use on either side of tool; momentary trigger switch and lock; seven feet of 3-conductor cable with 2-prong plug and ground connector.



7"
HEAVY DUTY
EN92
\$83⁰⁰

VALVE REFACERS

Thor

WET TYPE REFACER WITH FOUR-PURPOSE MICROMETER BUTT FIXTURE

Model
100

\$359⁵⁰

Four-purpose Butt Fixture permits precision grinding (micrometer fed) of butt-ends of valve stems, tappets, rocker arms and also precision dresses butt grinding wheel.

EQUIPMENT

- 1 Collet, 9/32" to 9/16" capacity (Optional, 1/2" to 11/16")
- 1 Offset Grinding Wheel, No. 73534
- 1 Cup Grinding Wheel, No. 73533
- 1 Micrometer Feed Butt Grinder Fixture
- 1 Wheel dressing stand and dresser
- *1 Extra dressing fixture for 90° flat valves
- 1 Shaded lamp with swivel fixture
- 1 1 pt. can concentrated Thor coolant
- 1 Splash guard
- 7 ft. 3-conductor cable with 2-prong plug and ground connector

*When specified.

SPECIFICATIONS

Base.....	16" x 24"
Weight.....	255 lbs.
Shipping Weight.....	290 lbs.
PRICE	\$359.50

Extra heavy construction, automatic bearing compensation at critical points of wear. Sliding heads feature smooth-riding three-point suspension on hardened and ground slide rods for extra long and accurate service. Double-Grip Collet is hardened, ground and internally lapped, gear driven by its own individual motor. New

Speed Chuck permits even larger butt-end valves to be admitted and released with only one turn of the new 2 1/4" hand wheel.

EXTRA COLLETS

1/4" to 7/16", Catalog No. 80469.....	\$14.00
9/32" to 9/16", Catalog No. 74499.....	9.50
1/2" to 11/16", Catalog No. 74500.....	11.90

Model
99

\$290⁰⁰

STREAMLINED WET TYPE REFACER EQUIPMENT

- 1 Collet, 9/32" to 9/16" capacity (Optional 1/2" to 11/16")
- 1 Offset grinding wheel, No. 73534
- 1 Wheel Dressing Stand and Dresser
- *1 Extra dressing fixture for 90° flat valves
- 1 Shaded lamp with swivel fixture
- 1 1 pt. can concentrated Thor coolant
- 1 Splash guard
- 7 ft. 3-conductor cable with 2-prong plug and ground connector

*When specified.

SPECIFICATIONS

Base.....	16" x 24"
Weight.....	245 lbs.
Shipping Weight.....	280 lbs.
PRICE	\$290.00

EXTRA EQUIPMENT

Attachment for grinding rocker arms and tappets on refacer wheel, Cat. No. 78699. Price, \$18.50
ASSEMBLY 99-100 for converting Model 99 to Model 100 Valve Refacer. Price.....\$82.50



No. 78699
Attachment

Motors on Thor Valve Refacers standard: 110 volt, 60 cycle, 1 phase; optional, 220 volt, 60 cycle, 1 phase.

Thor

VALVE SHOPS



CABINET ONLY
Catalog No. 74328.....Price \$67.75

SERIES 100 SHOPS

Series 100 Valve Shops include Model 100 Valve Refacer, fitted cabinet equipped with casters, No. SG Heavy Duty Valve Seat Grinder, No. 74241 Wheel Dresser, two wheel holders, No. 74666 Valve Refacer Cover and, where indicated, seat grinding wheels and pilots as listed at center of page.

Equipment	2 Roller Bearing Wheel Holders	
	8 Wheels 5 Pilots	No Wheels or Pilots
Shop No.	222	202
Price	\$558.00	\$535.00

Equipment	2 Plain Bearing Wheel Holders	
	8 Wheels 5 Pilots	No Wheels or Pilots
Shop No.	111	101
Price	\$545.00	\$520.00

WHEELS and PILOTS

furnished with Thor Valve Shops where indicated

1 1/2" 45° Finishing Wheel, No. 74159
 1 5/8" 45° Finishing Wheel, No. 74160
 1 3/4" 45° Finishing Wheel, No. 74161
 1 7/8" 45° Finishing Wheel, No. 74162
 1 1/2" 30° Finishing Wheel, No. 74163
 1 3/4" 30° Finishing Wheel, No. 74164
 1 5/8" 45° Roughing Wheel, No. 74165
 1 3/4" 45° Roughing Wheel, No. 74166
 5/16" Expanding Pilot, No. 75734
 11/32" Expanding Pilot, No. 75735
 3/3" Expanding Pilot, No. 75736
 1 1/32" Plug Pilot (V8-85), No. 75745

(No. 80984 Pilot Wrench Furnished with Above)



SERIES 99 SHOPS

Series 99 Valve Shops include Model 99 Valve Refacer, fitted cabinet equipped with casters, No. SG Heavy Duty Valve Seat Grinder, No. 74241 Wheel Dresser, two wheel holders, No. 74666 Valve Refacer Cover and, where indicated, seat grinding wheels and pilots as listed at center of page.

Equipment	2 Roller Bearing Wheel Holders	
	8 Wheels 5 Pilots	No Wheels or Pilots
Shop No.	9922	9902
Price	\$495.00	\$470.00

Equipment	2 Plain Bearing Wheel Holders	
	8 Wheels 5 Pilots	No Wheels or Pilots
Shop No.	9911	9901
Price	\$480.00	\$455.00

Silver Line

Thor

VALVE SEAT GRINDERS

SEE VALVE SEAT KITS ON NEXT PAGE

1/2" straight hexagon spindle takes Thor heavy duty wheel holders for driving up to 2 1/2" wheels. 55° angle head allows free access to back valve seats, makes for easier handling on V-type engines.

EQUIPPED with 7 ft. 3-conductor cable with 2-prong plug and ground connector.

Code No.	SG	SGY
Speed, R.P.M.	12,000	10,000
Weight, lbs.	5 1/4	5 1/4
Shipping Wt. lbs.	8	8
Length Overall	10 7/8"	10 7/8"
Spindle Offset	1"	1"
PRICE	\$52.50	\$60.00

HEAVY DUTY \$52.50



Thor Valve Seat Grinders are engineered and designed for use with Thor Wheel Holders, Wheels and Pilots to produce factory-smooth, factory-true, factory concentric finish on valve seats.

Splined spindle takes Thor extra heavy duty wheel holders for driving up to 4" wheels. (Adaptor with 1/2" straight hexagon drive for heavy duty wheel holders available at no extra charge when specified.)

EQUIPPED with 7 ft. 3-conductor cable with 2-prong plug and ground connector.

Code No.	SGH	SGHY
Speed, R.P.M.	8,000	10,000
Weight	6 lbs.	6 lbs.
Shipping Wt.	8 1/4 lbs.	8 1/4 lbs.
Length Overall	12 1/2"	12 1/2"
Spindle Offset	1"	1"
PRICE	\$65.00	\$65.00

EXTRA HEAVY DUTY \$65.00



WHEEL HOLDERS FOR THOR VALVE SEAT GRINDERS



PLAIN BEARING, for use with Thor heavy duty drivers. Catalog No. 74145, price, \$3.95 each.



ROLLER BEARING, for use with Thor heavy duty drivers. Catalog No. 74146, price, \$10.85 each.



SHORT ROLLER BEARING, for use with Thor heavy duty drivers. Catalog No. 74351, price, \$10.00 each.




BALL BEARING, for use with Thor extra heavy duty driver. Catalog No. 81078, price, \$17.50 each.

Thor

VALVE SEAT KITS

VALVE SEAT GRINDING EQUIPMENT



Ball Type
PILOT WRENCH
For 3/4" stem pilot
No. 80984
\$4.50



Heavy Duty
WHEEL DRESSER
Up to 3 1/2" Wheel
No. 74241
\$24.50



Extra Heavy Duty
WHEEL DRESSER
Up to 6" Wheel
No. 75652
\$89.50



FLEXIBLE SHAFT DRIVE
(For use with Electric Drills)
1/4" Shank
1/2" Str. Hexagon Drive
No. 76099 \$2.50



HEX BALL ADAPTOR
No. 74244
\$2.05



Thor Valve Seat Kits include SG Heavy Duty Valve Seat Grinder, two Wheel Holders as indicated, No. 74241 Wheel Dresser, Wheels and Pilots where indicated and No. 74243 fitted Metal Box.

HEAVY DUTY KITS

(with SG Heavy Duty Valve Seat Grinders)

Equip- ment	2 Roller Bearing Wheel Holders		2 Plain Bearing Wheel Holders	
	8 Wheels 5 Pilots	No Wheels or Pilots	8 Wheels 5 Pilots	No Wheels or Pilots
Kit No.	22	2	11	1
Shipping Wt. Lbs.	39	35	39	35
Price	\$135.00	\$108.00	\$118.50	\$93.50
Wheels furnished with No. 22 and No. 11 Kits				
1 1/2" 45° Finishing Wheel, No. 74159			1 1/2" 30° Finishing Wheel, No. 74163	
1 5/8" 45° Finishing Wheel, No. 74160			1 3/4" 30° Finishing Wheel, No. 74164	
1 3/4" 45° Finishing Wheel, No. 74161			1 5/8" 45° Roughing Wheel, No. 74165	
1 7/8" 45° Finishing Wheel, No. 74162			1 3/4" 45° Roughing Wheel, No. 74166	
Pilots furnished with No. 22 and No. 11 Kits				
5/16" Expanding Pilot, No. 75734			1 1/32" Plug Pilot (V8-85), No. 75745	
1 1/32" Expanding Pilot, No. 75735			Pilot Wrench, No. 80984	
3/8" Expanding Pilot, No. 75736				

22HD HEAVY DUTY KIT — \$170.00

- 1 SG Heavy Duty 55° Grinder
- 1 No. 74243 Metal Kit Box
- 1 No. 74241 Wheel Dresser
- 2 No. 74145 Plain Bearing Wheel Holders
- 3 No. 78392 5/16" Plug Pilots
(Standard +.001, +.002, +.003)
- 3 No. 77654 1 1/32" Plug Pilots
(Standard +.001, +.002, +.003)
- 3 No. 78225 3/8" Plug Pilots
(Standard +.001, +.002, +.003)
- 3 No. 78396 7/16" Plug Pilots
(Standard +.001, +.002, +.003)
- 1 No. 75745 1 1/32" Plug Pilot (V8-85)
- 1 No. 80984 Pilot Wrench

Net Wt. 40 Lbs.

7 45° Hard Seat Wheels

- 1 1/2" No. 21234
- 1 5/8" No. 21238
- 1 3/4" No. 21242
- 1 7/8" No. 21246
- 2 7/8" No. 21254
- 2 1/4" No. 21258
- 2 1/2" No. 21330

7 45° Soft Seat Wheels

- 1 1/2" No. 74168
- 1 5/8" No. 74165
- 1 3/4" No. 74166
- 1 7/8" No. 74185
- 2 7/8" No. 74197
- 2 1/4" No. 74205
- 2 1/2" No. 74221

2 30° Soft Seat Wheels

- 1 5/8" No. 74175
- 1 3/4" No. 74180

Shipping Wt. 44 Lbs.

No. 3 EXTRA HEAVY DUTY KIT — \$180.00

- 1 SGH Extra Heavy Duty Grinder
- 2 No. 81078 Ball Bearing Wheel Holders

Net Wt. 46 Lbs.

- 1 No. 75652 Extra Heavy Duty Wheel Dresser
- 1 No. 74243 Metal Kit Box

(No Wheels or Pilots Furnished)

Shipping Wt. 52 Lbs.

SPECIAL KITS

Contents of the following Kits have been checked with the manufacturer for suitability in servicing the specified equipment. Additional equipment available to adapt these Kits to general use.

Number	Description	Price	Write for Bulletin Number
22KF	Kaiser-Frazer	\$121.00	E-828
11E-STU	Studebaker	155.00	JE-1246
22E-STU	Studebaker	170.00	JE-1246
11P-STU	Studebaker	197.00	JE-1246
22P-STU	Studebaker	212.00	JE-1246
22B&S	Briggs and Stratton Engines	151.70	7646
23JD	John Deere Tractors	210.00	7228
11-OL	Oliver Tractors	149.00	JE-1183
	All Make Cars, Trucks, Tractors		8379

VALVE SHOP ACCESSORIES

Thor

PILOTS SEAT GRINDING WHEELS

PILOT WRENCH

Catalog No. 80984 (for use with 3/8" stem pilots using 74145, 74146, 76351 and 76365 wheel holders).
Price\$3.50

EXPANDING PILOTS

HEAVY DUTY 3/8" Diameter Shank

For use with Heavy Duty Wheel Holders
Nos. 74145 and 74146

Size	Number	A	B	Price
9/32	75733	5/16	2 1/8	\$4.95
1/8	75734	5/16	2 1/8	4.95
8/32	83828	6	3 5/8	4.95
11/32	75735	6 1/2	3 7/32	4.95
*11/32	76349	4 1/2	1 1/8	4.95
3/8	75736	5 3/4	3 1/8	4.95
25/64	83829	5 1/4	3	4.95
13/32	75737	6 1/2	3 1/8	4.95
15/32	75738	6 3/4	3 1/8	4.95
1 1/8	75739	6 3/4	3 1/8	4.95
1 1/4	75740	7	3 1/8	5.50
1 1/2	75741	7	3 1/8	6.05
1 3/4	75742	7 1/4	3 1/8	6.90

*Short K-F Pilot for use with
No. 76351 Wheel Holder

EXTRA HEAVY DUTY 9/16" Diameter Shank

For use with Extra Heavy Duty Wheel
Holder No. 75654

Size	Number	A	B	Price
1 1/8	75663	8 1/4	3 3/4	\$6.05
1 1/4	75664	8 3/4	3 3/4	6.90
.627	*75747	11 3/8	5 3/4	6.90
1 1/2	75665	8 3/4	3 3/4	7.15
1 3/4	75666	8 3/4	3 3/4	8.45

**Electromotive

PLUG PILOTS

HEAVY DUTY 3/8" Diameter Shank

For use with Heavy Duty Wheel Holders
Nos. 74145 and 74146

Furnished in standard sizes indicated and in
oversizes plus .001, .002, .003 and .004.

Size	Cat. No.	"A" Overall Length	"B" Shank Length	Price
1/4"	76503	5 3/4"	4"	\$2.00
3/8"	78042	5 1/4"	2 5/8"	2.00
1/2"	78360	5 1/2"	2 1/8"	2.00
5/8"	78361	6 1/4"	2 7/8"	2.00
3/4"	78638	5 7/8"	2 1/2"	2.00
11/32"	77654	6 1/2"	2 3/8"	2.00
11/32"	78393	6"	2 3/8"	2.00
11/32"	79008	6 1/2"	3 1/8"	2.00
.3452"	78227	6"	2 3/8"	2.00
3/8"	77474	7"	3"	2.00
3/8"	78225	6 1/4"	2 3/4"	2.00
3/8"	78394	5 1/2"	2 1/2"	2.00
3/8"	78420	8"	3"	2.00
3/8"	78422	7 1/4"	2 3/4"	2.00
3/8"	78423	6 1/4"	2 1/4"	2.00
.3960"	78226	6"	2 1/2"	2.00
1 1/8"	78426	8 1/2"	3"	2.00
1 1/8"	78434	9 1/4"	3 3/4"	2.25
1 1/8"	78536	8 1/2"	3 1/2"	2.25
.592"	75742	5 1/2"	3"	4.00
.850"	75744	4 3/8"	3"	4.00
1 1/2"	75745	4 3/4"	3"	4.00

For use with **HEAVY DUTY** Wheel Holders, 1 1/8" x 11 Thread,
Nos. 74145, 74146 and 76351

Diam- eter	Price All Wheels	45°			30°			15° Narrow- ing
		Roughing		Finish- ing	Roughing		Finish- ing	
		For Soft Seats	For Hard Seats		For Soft Seats	For Hard Seats		
1 1/8"	\$1.70	*21428	*22017	*21427				
1 1/4"	1.70	*21430	*22018	*21429	*21432	*22023	*21431	*21433
1 1/2"	1.70	*21435	*22019	*21434	*21437	*22024	*21436	*21438
1 3/8"	1.70	*21440	*22020	*21439	*21442	*22025	*21441	*21443
1 1/2"	1.70	*21445	*22021	*21444	*21447	*22026	*21446	*21448
1 1/2"	1.70	*21450	*22022	*21449	*21452	*22027	*21451	*21453
1 1/2"	1.70	74168	21234	74159	74169	21235	74163	74224
1 1/2"	1.70	74171	21236	74170	74173	21237	74172	74225
1 1/2"	1.70	74165	21238	74160	74175	21239	74174	74225
1 1/2"	1.70	74177	21240	74176	74179	21241	74178	74226
1 1/2"	1.70	74166	21242	74161	74180	21243	74164	74226
1 1/2"	1.70	74182	21244	74181	74184	21245	74183	74227
1 1/2"	1.70	74185	21246	74182	74187	21247	74186	74227
1 1/2"	1.70	74189	21248	74188	74191	21249	74190	21302
2"	1.70	74249	21250	74248	74251	21251	74250	21302
2 1/8"	2.10	74193	21252	74192	74195	21253	74194	21303
2 1/8"	2.10	74197	21254	74196	74199	21255	74198	21304
2 1/8"	2.10	74201	21256	74200	74203	21257	74202	21305
2 1/8"	2.10	74205	21258	74204	74207	21259	74206	21306
2 1/8"	2.10	74209	21324	74208	74211	21325	74210	21307
2 1/8"	2.10	74213	21326	74212	74215	21327	74214	21308
2 1/8"	2.10	74217	21328	74216	74219	21329	74218	21309
2 1/8"	2.10	74221	21330	74220	74223	21331	74222	21310
2 1/8"	2.75		21332			21333		
2 3/8"	2.75	75980	21334	75981	75982	21335	75983	21311
2 3/8"	2.75	75984	21336	75985	75986	21337	75987	21312
2 3/8"	2.75	75988	21338	75989		21339		21313
2 3/8"	2.75	75990	21340	75991	75992	21341	75993	21314
2 3/8"	2.75	75994	21342	75995	75996	21343	75997	21315
3"	3.50	75998	21344	75999	76000	21345	76001	21316
3 1/8"	3.50	76002	21346	76003	76004	21347	76005	21317
3 1/8"	3.50	76006	21348	76007	76008	21349	76009	21318
3 1/2"	3.50	76010	21350	76011	76012	21351	76013	21319

*1 1/2" Length, all others 3/4" Length

NOTE: 15° Wheels for International Trucks: 2 3/8" 15° Roughing Wheel, Cat. No. 22035, Price \$2.10
2 3/8" 15° Finishing Wheel, Cat. No. 22036, Price \$2.10

For use with **EXTRA HEAVY DUTY** Wheel Holders, 7/8" x 14 Thread, No. 75654

Diam- eter	Price	45°			30°			15° Nar- row- ing
		Roughing		Finish- ing	Roughing		Fin- ish- ing	
		For Soft Seats	For Hard Seats		For Soft Seats	For Hard Seats		
2 1/8"	\$3.00	75557	22219	75556	75559	22220	75558	
2 1/8"	3.00	75561	22221	75560	75563	22222	75562	22211
2 3/8"	3.00	75565	22223	75564	75567	22224	75566	22212
2 3/8"	3.00	75569	22225	75568	75571	22226	75570	22213
3"	3.00	75573	22227	75572	75575	22228	75574	22214
3 1/8"	3.25	75577	22229	75576	75579	22230	75578	22216
3 1/8"	3.25	75581	22231	75580	75583	22232	75582	22215
3 1/8"	3.25	75585	22233	75584	75587	22234	75586	22217
3 1/2"	3.50	75589	22235	75588	75591	22236	75590	22218
3 1/2"	3.50	75593	22237	75592	75595	22238	75594	21401
3 3/4"	3.50	75597	22239	75596	75599	22240	75598	21402
4	3.75	75601		75600	75603		75602	21403
4 1/8"	4.25	75605		75604	75607		75606	21404
4 1/8"	4.25	75609		75608	75611		75610	21405
4 1/8"	4.25	75613		75612	75615		75614	21406
4 1/2"	4.25	75617		75616	75619		75618	21407
4 3/4"	4.50	75621		75620	75623		75622	21408
5"	4.50	75625		75624	75627		75626	21409
5 1/8"	5.00	75629		75628	75631		75630	21410
5 1/8"	5.25	75633		75632	75635		75634	21411
5 3/8"	5.25	75637		75636	75639		75638	21412
5 1/2"	5.50	75641		75640	75643		75642	21413
5 3/4"	5.75	75645		75644	75647		75646	21414
6"	6.00	75649		75648	75651		75650	21415

Wheels under 2 1/2" diameter are vitrified; all 2 1/2" and over are resinoid bonded.


SEE THOR VALVE SEAT GRINDING GUIDE No. 8379

For Wheel and Pilot Recommendations for all makes of cars, trucks, buses, tractors, combines, road machinery, motorcycles, stock motors, marine motors and diesel engines.



VALVE SHOP ACCESSORIES

VALVE GUIDE CLEANERS REAMER TYPE



Size	Number	Price
9/32"	74228	\$1.10
5/16"	74229	1.10
11/32"	74230	1.10
3/8"	74231	1.10
13/32"	74232	1.10
7/16"	74233	1.10
15/32"	74234	1.45
1/2"	74235	1.45
9/16"	74236	1.45
.592**	74237	1.55
.830***	74240	1.80
1 1/32"†	74239	1.85

*Ford A&B

**V8-60 †V8-85

BRUSH TYPE



Size	Number	Price
5/16"	73081	\$0.74
11/32"	73082	.74
3/8"	73083	.74
13/32"	73084	.74
7/16"	73085	.74
1/2"	73086	.74
9/16"	73087	.74
5/8"	73088	.74
19/32"	73089	.74
1 1/32"*	73090	.74

*V8-85



DIAL INDICATOR GAUGES

HEAVY DUTY—Mounts on Thor Heavy Duty Pilots. Adjustable for seats from 1 1/8" to 3 1/2". Dial graduated in .001".

Cat. No. 82457, price.....\$22.50

EXTRA HEAVY DUTY—Mounts on Thor Extra Heavy Duty Pilots. Adjustable for seats from 2 9/16" to 6". Dial graduated in .001".

Cat. No. 75653, price.....\$24.50

WHEEL DRESSING NIBS

For 99 or 100 Valve Refacer.

Cat. No. 74448, price.....\$5.00

For No. 74241 Valve Seat Wheel Dresser.

Cat. No. 74327, price.....\$5.00

For No. 75652 Valve Seat Wheel Dresser.

Cat. No. 75667, price.....\$6.50

VALVE REFACTOR CABINET

As illustrated on page 32, heavy gauge steel construction with masonite table surface, swivel casters. 36" long x 20" wide x 33" high. No. 74328. Price.....\$67.75

THOR COOLANT

THOR COOLANT is a concentrated soluble oil. Dilute with 50 parts of water to one of oil. Special formula keeps grinding wheels free cutting.

No. 20316, 1 Pint Can (makes 6 gallons).

Price.....\$0.75

No. 20317, 1 Gallon Can (makes 50 gallons).

Price.....\$4.95

VALVE REFACTOR COVER

Made of sturdy pyroxolin material, waterproof, cut to cover entire Model 99 or 100 unit.

Cat. No. 74666, price.....\$5.50

VALVE REFACTOR GRINDING WHEELS

Application	Description	Size	Cat. No.	Price
Valve Refacing	Gen'l Purpose Offset	4"x 1" x 5/8" hole	73534	\$2.70
Butt Grinding	Gen'l Purpose Cup	4"x 1" x 5/8" hole	73533	2.40
Stellite Valve Refacing	Offset Wheel	4"x 1" x 5/8" hole	73535	2.45
90° Valve Refacing	Double Recessed Wheel	4"x 3/4" x 5/8" hole	74247	2.25



CARBON CLEANING BRUSHES

1/4" Shanks chuck into Electric Drill for use in removing carbon deposits on cylinders, valve seats and combustion chambers. Also excellent for removing burrs, paint, rust, etc.

No. 72640
Each.....\$0.80



1" Diameter
Black Tempered
Straight Wire
.028 Wire Size

No. 72641
Each.....\$1.00



1 1/4" Diameter
Spec. Analysis
Crimped Wire
.020 Wire Size

No. 72642
Each.....\$1.30



1 1/4" Diameter
Crimped
Music Wire
.020 Wire Size

No. 72643
Each.....\$1.25



3/4" Diameter
Crimped
Music Wire
.018 Wire Size

No. 72644
Each.....\$1.40



1 1/2" Diameter
Crimped
Music Wire
.018 Wire Size

No. 72645
Each.....\$1.60



3" Diameter
Flared
Music Wire
.020 Wire Size



No. 72646
Each.....\$1.60




1 1/8" Diameter
Spec. Analysis
Spiral Twist
.020 Wire Size

BODY and FENDER AIR HAMMER


Thor



Yoke No.
77285



Yoke No.
77286



Yoke No.
77287

COMPLETE KIT

includes Thor Air Hammer, five yokes, four dollies, two dolly pins, one ripping chisel, one goo scraping chisel, one chisel adaptor and 25 feet of air hose and fittings. Complete equipment for reconditioning all turret tops, hoods, bodies, doors and fenders.

Shipping Weight, 73 lbs.

\$148.50

UTILITY KIT

includes Thor Air Hammer, three yokes (Nos. 77285, 77286, 77287), three dollies, two dolly pins and 25 feet of air hose and fittings. Handles most body shop jobs.

Shipping Weight, 48 lbs.


\$110.00

AUXILIARY KIT


converts Utility Kit into Complete Kit. Includes two yokes (Nos. 77288, 77289), one dolly, one ripping chisel, one goo scraping chisel and one chisel adaptor.

Shipping Weight, 25 lbs.

\$44.00



Yoke No.
77288



Yoke No.
77289

EASY TO OPERATE

BALL SWIVEL ACTION on both upper and lower dollies. Always aligns perfectly. Even inexperienced operators do perfect work first time.

PUSH BUTTON "ON-OFF" air control. Works like an electric switch. Leaves both hands free to manipulate hammer and work.

INDEPENDENT NEEDLE VALVE, with knurled nut control, regulates speed and power of the hammer from dead stop to full power.

SENSITIVE RATCHET CONTROL guides hammer to exact clamping position.

POSITIVE RATCHET LOCK, set or released by flip of the finger, holds hammer firmly locked in position.

RIGID YOKE LOCKING device permits quick changes of yokes, prevents wear and loose-fitting yokes.



Thor

MULTIMATIC AIR TOOL KIT

Eight Complete Tools in One Compact Kit
ANY TOOL OPERATES FROM 3 H.P. COMPRESSOR



1/4" PISTOL GRIP DRILL
Cat. No. G-1A.....\$58.00
(G-2A Button Throttle Model, \$56.00)



1/2" RIGHT ANGLE DRILL
Cat. No. G-3A.....\$77.00



RIGHT ANGLE HOLE SAW
Cat. No. G-4A.....\$80.00



4" HEAVY DUTY GRINDER
Cat. No. G-5A.....\$66.00



4" HEAVY DUTY WIRE BRUSH
Cat. No. G-6A.....\$65.00



7" DISC SANDER POLISHER
Cat. No. G-7A.....\$77.00



7" POLISHER
Cat. No. G-8A.....\$77.00




Equipped complete as illustrated with one air motor unit, handles, head units and accessories assembling either a 1/4" drill (button throttle or pistol grip), 1/2" right angle drill, right angle hole saw, 4" heavy duty grinder, 4" heavy duty wire brush, 7" disc sander, or 7" polisher. (Tools also available individually as illustrated at left).

Kit Complete Code G-9A.....**\$156.00**
Shipping Weight.....29 lbs.

38





FACTORY BRANCH REPAIR SERVICE

For Thor tool users and distributors, Thor operates completely equipped factory branches in principal cities . . . manned by factory trained tool engineers . . . well stocked with genuine Thor parts, to give you immediate repair service on all Thor power tools. These factory branches bring *faster* repair service—plus the added advantages of repair *economy* and new tool satisfaction . . . every tool repaired carries the same guarantee as a new tool! LET THE MEN WHO BUILT YOUR THOR TOOL SERVICE IT! Be sure worn parts are replaced with genuine Thor parts!

CATALOG SHEETS, MANUALS, PARTS LISTS

For the conscientious tool buyer who desires additional information not shown in the catalog, or who wishes to replace lost instruction manuals or parts lists, extra catalog sheets, manuals and parts lists are available at all Thor branches.

GUARANTEE

All THOR Tools and Parts are guaranteed against any defect in material or workmanship. THOR will replace parts which, upon examination at THOR factory service branch (or factory), indicate that they are defective. The complete Tool or Part must be returned to a THOR factory branch (or THOR factory) transportation charges prepaid. No replacement will be made if repairs to the Tool or Part have been attempted by anyone excepting the above service stations.

THOR POWER TOOL COMPANY

FACTORIES: AURORA, ILL. LOS ANGELES, CALIF.
NEWCASTLE-ON-TYNE, ENGLAND

EXPORT DIVISION

330 W. 42nd St., New York 36, N. Y.—Cable Address THORTOOLS
LONDON, ENGLAND TORONTO, CANADA JOHANNESBURG, SO. AFRICA
HERRAMIENTAS THOR DE MEXICO, S.A. DE C.V.
MEXICO, D.F., MEXICO

"THOR TOOL HEMISPHERE, INC."
São Paulo, Brazil

"THOR TOOL CONTINENTAL, INC."
Antwerp, Belgium

FACTORY BRANCHES

BIRMINGHAM 4, ALA.
1411—3rd Ave., N.

BOSTON 15, MASS.
78 Brookline Ave.

BUFFALO 23, N. Y.
735 Military Road

CHICAGO 7, ILL.
1405 W. Washington Blvd.

CINCINNATI 12, O.
3726-28 Floral Ave.

CLEVELAND 3, O.
E. 40th & Payne Ave.

DENVER 4, COLO.
1040 Speer Blvd.

DETROIT 3, MICH.
15605 Woodrow Wilson

HOUSTON 11, TEXAS
7241 Harrisburg Blvd.
(P. O. Box 9384)

LOS ANGELES 22, CAL.
6200 E. Slauson Ave.

MILWAUKEE 3, WIS.
1816 W. State St.

NEWARK 7, NEW JERSEY
1 Tichenor Lane
Corner of Parkhurst St.

NEW YORK
Long Island City
32-34 Greenpoint Ave.

PHILADELPHIA 30, PA.
1701 Fairmount Ave.

PITTSBURGH 21, PA.
204 Thomas St.

ST. LOUIS 8, MO.
4044 Forest Park Blvd.

ST. PAUL 2, MINN.
220 W. 7th St.

SALT LAKE CITY 1, UTAH
146 W. South Second St.

SAN FRANCISCO 3, CAL.
315 S. Van Ness Ave.

SEATTLE 22, WASH.
611 E. Pike St.

TORONTO, ONT., CAN.
1909 Davenport Rd.

