

#### INTRODUCTION

The Council Tool Co. was established in 1886. Its purpose was and still is to make the best quality product it knows how to make, by combining good materials and workmanship.

We forge only American steel and we drive American hickory handles in all our cutting and striking tools. Our production folks are all North Carolina craftsmen who take pride in their skills and the work of their hands. Our Company has always been owner-managed and its major stockholders are on the plant floor every day.

Today our products are sold and used in all of the 50 states. Council Tools are marketed under several labels. Among these are Railsplitter, Copperhead, Velvicut, Classic, Rawhide, Weedax, and Council Professional Quality. They are distributed through hardware wholesalers, mass merchandisers, contractor and industrial supply houses, and mine supply companies. Our tools are used by farmers, homeowners, factories, contractors, professional craftsmen and many others.

This catalogue will interest you we hope, and help you to know our products better. Let us know if you have a question. We hope you will become either a new or larger Council customer.

If you are a recipient of this catalogue, you have an invitation to visit us here. Many of you have never heard of Lake Waccamaw, let alone its location. That's why we included a map in this catalogue. If you are passing this way, call and drop by.

THE COUNCIL TOOL COMPANY

#### **CONTENTS**

Copperhead Tools	3
Classic Axes	5
Velvicut Axes	7
Railsplitter Axes	9
Special Axes	11
Striking Tools: Sledge Hammers Tradesman's Hammers	13 15
Railsplitter Mauls & Wedges	17
Professional Quality Bars	19
Grizzly-Bars	21
Shrubbing Tools: Ditch Bank Blades Bush Hooks	23 25
Forestry Tools	27
Rawhide	29
Tips on Tools	31
Location Map	31

BE CAREFUL—ALWAYS WEAR EYE PROTECTION.


# COUNCIL COPPERHEAD TOOLS

ALWAYS WEAR EYE PROTECTION



Copperhead Tools are produced from drop forged heads, bonded with epoxy to fiberglass handles. The finest in every respect, these professional grade tools feature the following: ■ Drop forged heads from American steel ■ Fully polished and heat treated ■ Power driven fiberglass handles secured with epoxy ■ Packed in flat cartons for easy, clean storage.





# CLASSIC AXES

ALWAYS WEAR EYE PROTECTION



The new Council Classics are our very best. For the discriminating user and professional who demand the very finest quality axe available. ■ Forged blue bevels ■ Fully polished head

- Heat treated "A" grade handle is flame sealed, power driven, wood and steel wedged.
- Sharp edge, ready for use.



THE COUNCIL TOOL COMPANY, INC. LAKE WACCAMAW, NORTH CAROLINA U.S.A. 28450 DIAL (919) 646-3011 FAX (919) 646-4414

■ Member American Hardware Mfg. Assoc. and Hand Tools Institute



### **CLASSIC AXES**

PATTERNS WEIGHTS & HANDLES

ALWAYS WEAR EYE PROTECTION



Catalog No.	Weight	Handle
35JC36C	31/2	36" curved
35JC36S	31/2	36" straight

#### **JERSEY**



35DC36C 3½ 36" curved 35DC36S 3½ 36" straight

#### **DAYTON**

35MC36C

31/2

36" curved



#### **MICHIGAN**

35-2WC

31/2

36" straight



**WESTERN DOUBLE BIT** 

# COUNCI VELVICUT AXES

ALWAYS WEAR EYE PROTECTION



Velvicuts are premium grade axes. Used by professionals, their features include: ■ Heads drop forged from American steel ■ Fully polished ■ Heat treated bit ■ Baked black finish ■ Flame sealed "A" grade American hickory handle is power-driven, wood and steel wedged.



:OUNCil	VELVICU	T AXES	PATTER WEIGHT	NS S & HANDLES
	ALWAYS WEAR EYE P			
Grand Markett		Catalog No. 35JV36C 35JV36S 40JV36C 40JV36S	Weight 31/2 31/2 4 4	Handle 36" curved 36" straigh 36" curved 36" straigh
	JERSEY			
<b>Cotton</b>	DAYTON	35DV36C 40DV36C 40DV36S 50DV36C 50DV36S	3½ 4 4 5 5	36" curved 36" curved 36" straigh 36" curved 36" straigh
		35MV36C	3½	36" curved
(Gase) Vehicut	MICHIGAN			
		35-2MV	3½	36" straigh
(By Whical	DOUBLE BIT			

35-2WV

36" straight

31/2



**WESTERN DOUBLE BIT** 

### COUNCI RAILSPLITTER AXES

ALWAYS WEAR EYE PROTECTION



#### CHECK THESE FEATURES FOUND IN ALL RAILSPLITTERS

■ Popularly priced ■ Available in all popular weights and patterns ■ Drop forged ■ Made from special bar quality American steel ■ Hand ground ■ Fully heat treated bit ■ Baked red finish ■ Polished edge is sharp, ready to cut ■ American hickory handle is flame sealed, power driven, wood wedged ■ Packed in flat cartons for clean, easy storage and shipment.



THE COUNCIL TOOL COMPANY, INC. LAKE WACCAMAW, NORTH CAROLINA U.S.A. 28450 DIAL (919) 646-3011 FAX (919) 646-4414

■ Member American Hardware Mfg. Assoc. and Hand Tools Institute

COUNCI RAILSPLITTER AXES PATTERNS WEIGHTS & HANDLES

ALWAYS WEAR EYE PROTECTION

lines 12	JERSEY	Catalog No. 35JR32C 35JR36C 35JR36S 40JR36C 40JR36S	Weight  31/2  31/2  31/2  4  4	Handle 32" curved 36" curved 36" straight 36" curved 36" straight
	DAYTON	22HR 22CP 22BR 35DR36C 35DR36S 40DR36C 40DR36S 50DR36C 50DR36S 60DR36C 60DR36S	2½ 2½ 2½ 3½ 3½ 4 4 5 5 6	19" curved 28" curved 28" curved 36" curved 36" straight 36" curved 36" straight 36" curved 36" straight 36" curved 36" straight
	MICHIGAN	125HU 35MR32C 35MR36C	1½ 3½ 3½ 3½	14" curved 32" curved 36" curved
	MICHIGAN DOUBLE BIT	25-2CR 35-2MR	2½ 3½	28" straight 36" straight
	WESTERN DOUBLE BIT	35-2WR	3½	36″ straight
	PULASKI	38P36	3¾	36" straight

# SPECIAL AXES MINER'S FIREMAN'S EL LOBO RAFTING

ALWAYS WEAR EYE PROTECTION



Council Special Axes are produced for certain specific uses and applications. Its unique bit design makes El Lobo the most distinctive sport axe on the market today. Fireman's axes are made in pick and flat head types—both with "A" grade handles. Miner's Axes are available in both Dayton and Jersey patterns. Rafting Axes are made only in Dayton pattern. All are Drop forged ■ Made of American steel and hickory ■ Fully heat treated ■ Hand ground and polished ■ Power wedged and handled ■ Packed in flat cartons for easy, clean storage.



THE COUNCIL TOOL COMPANY, INC. LAKE WACCAMAW, NORTH CAROLINA U.S.A. 28450 DIAL (919) 646-3011 FAX (919) 646-4414

■ Member American Hardware Mfg. Assoc. and Hand Tools Institute

COUNCILSPECIAL		PATTER WEIGHT	NS S & HANDLES
PICKHEAD FIREMAN	Catalog No.	<b>Weight</b> 6	<b>Handle</b> 36" curved
FLATHEAD FIREMAN	60F	6	36″ curved
DAYTON MINE	35MD20 35MD26 40MD20 40MD26	3½ 3½ 4 4	20" straight 26" straight 20" straight 26" straight
JERSEY MINE	35MJ20 35MJ26	3½ 3½	20″ straight 26″ straight
HOOKEROON	150 Has Riveted H	1½ Head	36″ curved
DAYTON RAFTING	40D28 50D28	4 5	28" straight 28" straight
EL LOBO	17EL18 17ELS18 (w/sh	1¾ eath) 1¾	18" curved 18" curved
COAL PICK	3PI36	3	36" straight

# COUNCIE STRIKING TOOLS SLEDGE HAMMERS

ALWAYS WEAR EYE PROTECTION



You will find these features in all Council Professional Quality Sledges. ■ Drop forged from American special bar quality steel ■ Faces are machined ■ Fully heat treated for case and core striking face and body ■ Baked black finish with ground bevels ■ "A" grade American hickory handle, flame sealed ■ Handle and wedge driven hydraulically ■ Packed in flat cartons for clean, easy storage and shipping.



# COUNCIL

### **SLEDGE HAMMERS**

Catalog No.

PATTERNS WEIGHTS & HANDLES

Handle

ALWAYS WEAR EYE PROTECTION



32" 40DF 4 6 36" 60DF 36" 80DF 8 36" 100DF 10 36" 120DF 12 36" 160DF 16 36" 200DF 20


Weight

SLEDGE

### Triple S Handling—Simple, Sure, Safe


All Council sledges, mauls, and heavy hammers are forged with a double tapered eye.

In the handling operation, the head is power-driven onto the handle, and the handle then is wood-wedged. Next a hollow round-steel wedge is driven into the handle which wedges in all directions, locking the steel wedge in place, and locking the head on the handle. The Triple-S method—Simple, Sure, Safe.









### **FORGING**













### **HEAT TREAT FOR CASE AND CORE**

#### **Before Heat Treatment**




#### **After Heat Treatment**



An ideal situation in a striking tool such as a sledge is to have a hard face or "case" and a softer, tough, body or "core". The two sketches above picture this on Council 8 lb. sledges, sawed in half and etched. The one on the left is prior to heat-treatment, the one on the right is after. The case is 3/16" to 1/4" thick.

# COUNCIL STRIKING TOOLS TRADESMAN'S HAMMERS

ALWAYS WEAR EYE PROTECTION




Tradesman's Hammers are all professional quality. ■ Drop forged ■ Made of American special bar quality steel ■ Machined faces ■ Fully heat treated for hard face and tough core ■ Baked black finish with polished face and bevel ■ Triple S handling ■ Packed in cartons.






### TRADESMAN'S HAMMERS

ALWAYS WEAR EYE PROTECTION





48BP

15 "

48 oz.

# COUNT RAILSPLITTER MAULS AND WEDGES

ALWAYS WEAR EYE PROTECTION



#### NOTICE THESE IMPORTANT FEATURES

■ Railsplitter Mauls are popularly priced ■ Made from American special bar quality steel ■ Drop forged ■ Hand ground ■ Heat treated ■ Have baked red finish ■ Have machined heads ■ Available in sledge or axe-eye types ■ Have American hickory handles ■ Wood and steel wedged ■ Packed in flat cartons for clean, easy storage.



THE COUNCIL TOOL COMPANY, INC. LAKE WACCAMAW, NORTH CAROLINA U.S.A. 28450 DIAL (919) 646-3011 FAX (919) 646-4414

■ Member American Hardware Mfg. Assoc. and Hand Tools Institute



ALWAYS WEAR EYE PROTECTION

#### **HEAD WEIGHTS AND HANDLES**





4W 5W

WEDGE


### **HOW MAULS ARE FORGED**





#### **PROFESSIONAL QUALITY**

ALWAYS WEAR EYE PROTECTION



■ Council bars are made from special bar quality hi-carbon American steel. ■ Bar ends, points, and claws are hammer or press forged, and the tapered handle sections are roll forged. ■ Heads on TB-6 bars are upset forged. ■ All are professional quality, designed to give long, dependable service.





ALWAYS WEAR EYE PROTECTION

#### **PINCH POINT**

#### **WEDGE POINT**

#### **CROWBAR OR LINING BAR**

Catalog No. Pinch Point	Catalog No. Wedge Point	Wt.	Stock	Length		Catalog No. Wedge Point	Wt.	Stock	Length
60PP		6	7/8"	36	180PP	180WP	18	1-1/4"	60
100PP	100WP	10	1"	48	220PP	220WP	22	1-3/8"	64
120PP	120WP	12	1-1/8"	51	260PP	260WP	26	1-1/2"	66

#### **SLATE BAR**

#### **POST HOLE BAR**

Catalog No.	Weight	Stock	Length	Catalog No.	Weight	Stock	Length
40SB	10	1″	48	TB-6	17	1"	72
45SB	12	1"	54				
50SB	14	1"	60				

#### SAN ANGELO BAR—PENCIL POINT

#### CONSTRUCTOR BAR—DIAMOND POINT

Catalog No.	Weight	Stock	Length	Catalog No.	Weight	Stock	Length
140SA	14	1″	60	140CO	14	1"	60
170SA	17	1"	72	170CO	17	1"	72

#### TELEGRAPH BAR—PENCIL POINT

### STRIPPING BAR WITH CLAW

Catalog No.	Weight	Stock	Length (	Catalog No.	Weight	Stock	Length
170TE	. 17	1-1/8"	72	8742C	8	7/8"	42
280TE	28	1-1/8"	96	1048C	12	1"	48

#### SHINGLE RIPPER


Catalog No.	Weight	Stock	Length
24075	2	3/4"	26"

### COUNCIL

### GRIZZLY-BARS

PROFESSIONAL QUALITY

ALWAYS WEAR EYE PROTECTION




Council Grizzly-Bars are the latest additions to our professional quality line of bars. ■ Forged from American steel ■ A variety of patterns and sizes ■ Packed in cartons for easy storage and shipment.



PATTERNS AND SIZES

ALWAYS WEAR EYE PROTECTION

	Catalog No. 50012 62518 75024 75030 75036 87536 10048	Length 12" 18" 24" 30" 36" 36" 48"	Stock 1/2" 5/8" 3/4" 3/4" 7/8" 1"
WRECKING BAR			
UTILITY BAR	114UT	14"	1/4"x1-3/8"
SPRY BAR	11050	10″	1/2″
STANDARD NAIL PULLER	10162	10½″	5/8″
DOUBLE END NAIL PULLER	10262	10½″	5/8″
COMBINATION TOOL	15062	15″	5/8″
RIPPING CHISEL	17075	18″	3/4″
OFFSET RIPPING CHISEL	18075	18″	3/4″



#### **GRIZZLY—BAR DISPLAY RACK (#GBD70)**

36 selected bars forged from American steel. Rack fits on 1/4" pegboard. Shipping weight approximately 70 pounds.

Catalog No.	Description	Length	Stock
114UT	Utility Bar	14"	1/4" x 1-3/8"
62518	Wrecking Bar	18"	5/8" hex
75024	Wrecking Bar	24"	3/4" hex
11050	Spry Bar	10"	1/2" hex
10162	Standard Nail Puller	101/2"	5/8" hex
10262	Double End Nail Puller	101/2"	5/8" hex
15062	Comb. Nail Puller	15"	5/8" hex
17075	Ripping Chisel	18"	3/4" hex
18075	Offset Ripping Chisel	18"	3/4" hex

### SHRUBBING TOOLS DITCH BANK BLADES

ALWAYS WEAR EYE PROTECTION



Council Ditch Blades are the standard by which all others are judged. Here is why. ■ Blanked from high carbon hot rolled American strip steel 
Oil quenched in clamps for uniform hardness and straightness ■ Drawn or tempered for best edge-holding and toughness ■ Machine ground for uniform edge ■ Flame sealed American hickory handles ■ Flat carton packing for easy, clean storage 
Bolted or riveted models available.





### DITCH BANK BLADES

**BLADE TYPES** & HANDLES

ALWAYS WEAR EYE PROTECTION



#### **BOLTED DITCH BLADE**

Catalog No. 640C

Blade 16" long Handle 40"

.109" thick



#### RIVETED DITCH BLADE

1636 1642 16" long .109" thick

36"

40"



#### RIVETED DITCH BLADE

1436

14" long .109" thick 36"



1230

12" long .109" thick

30"



#### **WEEDAX**

**RP115** 

blade 11-1/2" long .109" thick 26"

# SHRUBBING TOOLS BUSH HOOKS

ALWAYS WEAR EYE PROTECTION



Council Tool developed the double-edged, axe-eye type Bush Hook. They are the best made and here is why. ■ Drop forged, not simply blanked out ■ Made from American steel ■ Blade is hand ground ■ Oil quenched and tempered ■ Baked red finish ■ Cutting edge is hand polished and sharp ■ American hickory handle, power driven and wedged ■ Packed for easy, clean storage and shipment 
Available riveted or bolted through handle, special order.



ALWAYS WEAR EYE PROTECTION



#### **DOUBLE-EDGE HOOK**

Blade Catalog No. Length

12"

Handle 36"

212



#### SINGLE-EDGE HOOK

122S

12"

36" straight 36" curved

122C

12"

# COUNCIL FORESTRY TOOLS

ALWAYS WEAR EYE PROTECTION



■ Council forestry tools were originally designed with the help of forestry professionals ■ Made of quality materials by Carolina Craftsmen who take pride in their work, they have been widely used for decades in fire suppression and reforestation.



HEAD TYPES & HANDLES

ALWAYS WEAR EYE PROTECTION



#### **FIRE SWATTER**

Catalog No.

FS15

Handle

1-3/8" x 5'



#### **FIRE RAKE**

LW12

52" or 60"





**KBC** 

OST

pipe and "T"

pipe and "T"

### RAWHIDE TOOLS PROMOTIONAL TOOLS

ALWAYS WEAR EYE PROTECTION



Rawhide Tools are promotionally priced and represent good value. All handled tools are fitted with American hickory.



RAWHID	E TOOLS	TYPES AND SIZES	
ALWAYS WEAR EYE PE	ROTECTION		
	Catalog No. R2	Weight 2 3	<b>Handle</b> 10" 10"
The transfer of the second	R3 R4	4	10"
DRILL HAMMER			
	R20	2	15″
	R30 R40	3 4	15″ 15″
ENGINEEER HAMMER			.0
	R400	4	32"
	R600	6	36" 36"
	R800 R1000	8 10	36"
	R1200 R1600	12 16	36" 36"
SLEDGE HAMMER	R2000	20	36"
	R60M R80M	6 8	36" 36"
MALI	TIOOW	O	00
MAUL			
	R3D2C	31/2	32"
AXE			
	R25CM-1 R30CM	2½ 3	36″
The state of the s	R50CM	5	*
CUTTER MATTOCK			
The same of the sa	R25PM-1 R50PM	2½ 5	36″ *
PICK MATTOCK			
FICK MATTOCK			
	R50PC	5	*
	R60PC R70PC	6 7	*
OLAV BIOV	3. 3		
CLAY PICK			
	R35G	31/2	
GRUB HOE			
GRUD HUE			

#### A FEW TIPS ON TOOLS

Council Edge Tools are sharp when you buy them. They work best if you keep them sharp. The best way to keep a cutting edge sharp is with a flat-file. You can use a stone after the file if you wish.

Faces on striking tools can also be maintained best with a flat-file. Maintain the convex face and chamfer as it originally was.

Prevent rust by wiping or spraying metal parts with light oil during long periods of storage.

Should you need to replace a wood handle, clean the eye thoroughly. Fit the new handle with a rasp or sandpaper as necessary. Be sure handle is dry. To insure dryness, store overnight in a warm, dry room. Be sure handle is driven tight in head, then drive wood wedge as far as possible. Saw flush with head. Replace steel wedges as necessary.

Always wear safety goggles when using edge and striking tools.


Be sure that by-standers are in a safe location. This is especially true for children.

Do not strike a hardened tool with another hardened tool.

Do not use an axe as a wedge.

Do not use a tool with loose or broken handle.

#### **LOCATION MAP**



# Manufacturers of Quality Tools • for more than 100 Years

