HARDWARE CATALOG NO. 25

ATKINS BORG-WARNER

Silver Steel

SAWS · FILES · KNIVES and Accessories










ATKINS SAW DIVISION . BORG-WARNER CORPORATION

GREENVILLE, MISSISSIPPI







# ATKINS SAW DIVISION BORG-WARNER Corporation

# SAWS · FILES · KNIVES and Accessories

#### HOME OFFICE

402 S. ILLINOIS STREET, INDIANAPOLIS, INDIANA

#### BRANCHES

LOS ANGELES
2202 South Hill Street

SOUTH SAN FRANCISCO 317 Corey Way

CHICAGO 111 North Des Plaines PHILADELPHIA 5600 Tulip Street

CHATTANOOGA 2400 Rossville Boulevard

PORTLAND 14, OREGON 337 N. E. 10th Avenue

HARDWARE CATALOG NO. 25

# ATKINS COMPLETE LINE OF QUALITY HAND SAWS

# Only ATKINS gives you these famous QUALITY FEATURES:

#### O SILVER STEEL

Based on metallurgical discoveries and specifications developed throughout a century of saw manufacturing progress.

#### **O PERFECTION HANDLE**

A natural grip with no wrist strain. You get more cuts . . . truer, straighter cuts . . . with less effort.

#### **O BWA COATING**

Insures long-lasting, lustrous finishes. Fingerprints wipe right off! Stock damage from rust or salt air is eliminated. Oil and grease free.



Silver Steel construction. Taper ground. Apple-stained, hardwood Perfection Handle trimmed with nickeled screws and medallion. High gloss Damaskeen finish, ribbon edge. BWA coated. The oldtimer's favorite!

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
20"	10	-	11/2"	51/4"	15 oz.
26"	8	_	21/8"	63/4"	1 lb9 oz.



A heavy-duty, narrow point saw used extensively in the oil fields, in dock-pier work, and wherever rough-cut sawing is required.

**Silver Steel** construction. Taper Ground with Hang-up Hole. With 11 ply laminated handle trimmed with nickeled screws and medallion. High gloss polish. BWA coated.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
26"	8, 10	51/2	13/4"	65/16"	1 lb11 oz.



Made for those who want only the finest. The combined experience of generations of craftsmen is embodied in the design, balance, and quality of this distinguished saw.

Silver Steel construction. Taper Ground. Needs little set for fast, free, easy cutting. American Black Walnut Perfection Handle, trimmed with nickeled screws and medallion. Mirror finish, ribbon edge. BWA coated.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
26"	8, 10, 12	51/2	13/4"	65/16"	1 lb13 oz.



Preferred by experienced carpenters and craftsmen who appreciate high quality tools. A Fast Seller!

Silver Steel construction. Taper Ground. Apple stained, full-carved, hardwood Perfection Handle trimmed with nickeled screws and medallion. High gloss Damaskeen finish, ribbon edge. BWA coated.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
16"	10	-	13/16"	4%16"	11 oz.
20"	10	_	11/2"	51/4"	15 oz.
26"	8, 10, 11	51/2	13/4"	65/16"	1 lb11 oz.




Atkins new Stainless Steel can be re-sharpened—and stays sharp *longer*. Beautifully burnished, cross-stripe pattern—a finish that can't be dulled by time or weather. Weatherproof handle of butyrate plastic or 11-ply marine plywood can't warp, swell or split. Atkins 500 Stainless Steel is a truly superior saw for the professional or amateur craftsman.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
26"	8, 10	_	13/4"	65/16"	1 lb13 oz.



# ATKINS COMPLETE LINE OF HAND SAWS



ATKINS TAPER GRIND

Atkins Taper Grinding is precision controlled to produce a gradual tapered thickness from the cutting edge to the back of the blade. Resembling an inverted wedge, the blade follows easily into the kerf. Excessive set is not required; there is no buckling or bending of the blade.

Atkins Taper Grind should not be confused with saws ground an even thickness at the tooth edge and simply dubbed off thinner at the back.



A popular priced, rugged saw for carpenters and home craftsmen.

Special Steel construction. Taper Ground. Hang up Hole. Cherry stained, carved hardwood, Perfection Handle, nickeled screws and medallion. High polish. BWA coated.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
16"	10	_	13/16"	49/16"	11 oz.
20"	10	_	11/2"	51/4"	1 lb2 oz.
26"	8, 10	51/2	13/4"	65/16"	1 lb12 oz.



A quality saw at lowest price. Special Steel construction. Taper Ground. Clear finish, carved wood, Perfection Handle with nickeled screws and medallion. Set and filed. High polish. BWA coated.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
16"	10	_	13/16"	4%16"	10 oz.
20"	10	_	11/2"	51/4"	1 lb.
26"	8	51/2	1 5/8"	61/4"	1 lb10 oz.



The ideal saw for home craftsmen, apartment dwellers, and youthful carpenters. Perfectly sized and balanced. Fits a woman's hand—does a man sized job. You'll find it hard to keep this saw in stock!

Special Steel construction. Taper Ground. Coffee-stained, hardwood, Perfection Handle trimmed with nickeled screws and medallion. Polished finish. BWA coated.

Length	Cut-Off Points	Rip Points	Width Paint	Width Butt	Weight
20"	10	_	11/2"	51/4"	17 oz.



A serviceable saw, competitively priced. A good mover! Special Steel construction. Taper Ground. Clear finish, carved wood Perfection Handle with nickeled screws and medallion. High polish. BWA coated. Set and filed.

Length	Cut-Off Points	Width Point	Width Butt	Weight
26"	8, 10	1 5/8 "	61/4"	1 lb10 oz.



A rugged, low-priced saw with built-in Atkins quality. Special Steel construction. Selected wood Perfection Handle, trimmed with three screws and a medallion. Sharp, set teeth. An ideal, competitive saw, priced for the home owner, well suited for all 'round use.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
26"	8, 10	_	15/8"	61/4"	1 lb10 oz.

YOU CAN'T GO WRONG WITH THE COMPLETE ATKINS LINE OF HAND SAWS. THE COMPLETE ATKINS LINE ALSO INCLUDES: COMPASS AND KEYHOLE SAWS, HACKSAW FRAMES AND BLADES, BACK AND MITRE BOX SAWS, PRUNING SAWS, CIRCULAR SAW BLADES, FILES AND SAW TOOLS.

In keeping with the Borg-Warner Corporation policy of continuous improvement and progress, Atkins Saw Division reserves the right to make changes without notice.



#### ATKINS COMPASS, KEYHOLE AND NEST-OF-SAWS

# Silver Steel

ATKINS Silver Steel is based on metallurgical discoveries and specifications developed throughout a century of saw manufacturing progress. Scientifically analyzed and specially processed with modern techniques, it conforms to the highest standards of sawsmith skill and experience.

Hardened and tempered for long-life durability, keen-cutting qualities, and finest finish, ATKINS Silver Steel is the time-proved choice of sawing experts throughout the world.

#### NO. 9-COMPASS SAW



The favorite compass saw of plumbers and electricians. Heavy duty blade permits cutting of light metal as well as wood.

Silver Steel construction. Hardwood handle with thumb screw blade fastener facilitates rapid interchange of blades. Trimmed with nickeled screw. Polished finish.

Length	Points	Weight
12"	9	1/2 lb.
14"	9	1/2 lb.

#### NO. 10—COMPASS SAW



For carpenters and craftsmen who want the finest in wood cutting compass saws. A good stock item.

Silver Steel construction. Hardwood handle with thumb screw blade fastener for interchange of blades. Trimmed with nickeled screw. Polished finish.

Length	Points	Weight
12"	8	1/2 lb.
14"	8	½ lb.

#### NO. 37—COMPASS SAW



Patented pistol grip, yellow Tenite handle has index finger hole for firm grip, "aimed control" in cutting. This saw is a favorite of home craftsmen. A good mover!

Silver Steel construction. Handle trimmed with nickeled screws. Polished finish.

Length	Points	Weight
12"	8	½ lb.
14"	8	½ lb.

#### NO. 38—COMPASS SAW



Combination light metal and wood cutting compass saw.

Silver Steel construction. Patented "aimed control" pistol grip, yellow Tenite handle with thumb screw blade fastener. Polished finish.

Length	Points	Weigh
12"	9	1/2 lb.
14"	9	1/2 lb.

#### NO. 8—COMPASS SAW



A low cost quality saw for home owners. A fast moving item.

Special Steel construction. Hardwood handle trimmed with nickeled screws. Polished finish.

Length	Points	Weight
12"	8	1/2 lb.
14"	8	1/2 lb.

NOTE: The weights shown are approximate, to the nearest 1/4 lb.



# ATKINS SAW DIVISION BORG-WARNER CORPORATION

#### ATKINS COMPASS, KEYHOLE AND NEST-OF-SAWS

#### NO. 6-KEYHOLE SAW



A sturdy blade, professional saw that will give years of service. Silver Steel construction. Hardwood handle trimmed with nickeled screw and medallion. Polished finish.

Length	Points	Weight
10"	10	1/4 lb.

#### NO. 4—NEST-OF-SAWS



A multi-purpose saw set for craftsmen and home owners. 14" nail, 12" compass and 10" keyhole blades are quickly interchangeable for general utility work.

Silver Steel construction. Hardwood handle; nickeled screw and thumb screw blade fastener. Polished finish. Weight per set-1 lb.

#### NO. 39—KEYHOLE SAW



Same superior quality blade as the No. 6 but with the patented "aimed control" pistol grip, yellow Tenite handle.

Silver Steel construction. Handle trimmed with nickeled screws. Polished finish.

Length	Points	Weight
10"	10	1/4 lb.

#### NO. 36—NEST-OF-SAWS



Blades of this set are the same as in No. 4, but set is furnished with the patented "aimed control" pistol grip, yellow Tenite handle.

Silver Steel construction. Handle trimmed with nickeled screw and thumb screw blade fastener. Weight per set-3/4 lb.

#### ATKINS SPECIAL PURPOSE SAWS

#### NO. 1-MITRE BOX SAW



The preferred saw of professional carpenters and mitre box manufacturers.

Silver Steel construction. Hardwood handle trimmed with nickeled screws and medallion. Polished finish. BWA coated.

Length Width Under Back		Points	Weight
22"	4"	15	3 lb.
24"	4"	11	31/4 lb.
26"	4"	11	31/2 lb.
28"	5"	11	4 lb.
30"	6"	11	4½ lb.

#### NO. 3-BACK SAW



A high quality back saw that should be part of every home workshop. A good stock item.

Special Steel construction. Hardwood handle trimmed with nickeled screws. Polished finish.

Length	Width Under Back	Points	Weight
10"	21/2"	14	1 lb.
12"	3"	14	1½ lb.
14"	31/2"	14	13/4 lb.

NO. 24—CABLE SAW



This is the favorite saw of electricians or anyone requiring a saw capable of cutting wood and soft metals.

Silver Steel construction. Double edged blade with 8 point edge for metal cutting, 15 point for cutting cable insulation or wood. Hardwood handle trimmed with nickeled screws. Polished finish.

Length	Width Point	Width Butt	Weight
12"	2"	23/4"	1 lb.

#### NO. 10—PLUMBERS SAW



For cutting lead, soil and gas pipe, sheet metal, and wood where nails are encountered.

Silver Steel construction. Hand saw type hardwood handle trimmed with nickeled screws and medallion. Polished finish.

Length	Width Point	Width Butt	Points	Weight
16"	1"	43/4"	8	1 lb.

NOTE: The weights shown are approximate, to the nearest 1/4 lb.

In keeping with the Borg-Warner Corporation policy of continuous improvement and progress, Atkins Saw Division reserves the right to make changes without notice.



# TKINS SAW DIVISION BORG-WARNER CORPORATION

#### ATKINS SPECIAL PURPOSE SAWS

NO. 56-COPING SAW



A wide throat coping saw capable of handling cuts up to  $6\frac{1}{2}$  in depth.

Silver Steel construction. Spring steel, rounded edge frame. Adjustable angle blade. Hardwood, straight type handle. Polished finish.

Length	Blade Length	Blade Width	Points	Weight
121/2"	65/8"	1/8"	15	½ lb.

NO. 45—COPING SAW



An inexpensive, quality saw with throat opening for cuts up to  $4\frac{1}{2}''$ . Special Steel construction. Spring steel rounded edge frame. Adjustable angle blade. Hardwood, straight type handle. Polished finish.

Length	Blade Length	Blade Width	Points	Weight
12"	65/8"	1/8 "	15	1/2 lb.

NO. 50-COPING SAW



The most popular coping saw for carpenters and home craftsmen. Throat opening permits cuts up to  $4\frac{1}{2}$ ". A fast moving item!

Silver Steel construction. Spring steel rounded edge frame. Adjustable angle blade. Hardwood, straight type handle. Polished finish.

Length	Blade Length	Blade Width	Points	Weight
121/2"	65/8"	1/8 "	15	3/4 lb.

NO. 100-COPING SAW



A low cost practical coping saw used extensively in school shops, and by home owners with occasional usage requirements. Throat opening permits 5" cut.

Special Steel construction. Round rod type, one piece frame and handle. Polished finish.

Length	Blade Length	Blade Width	Points	Weight
93/4"	6"	1/16"	16	1/4 lb.

#### ATKINS HACKSAW FRAMES

#### NO. 10-ATKINS' FINEST HACKSAW FRAME



Corrosion-proof, polished nickel frame with 3\%" throat, adjustable for 10" or 12" blades. Yellow plastic handle. Blade holding bolts are adjustable to four positions. Front bolt is equipped with safety clip and rear bolt has wing nut and locking nut. Each frame is individually packed and equipped with ATKINS blue lacquered steel blade. Weight, 1\(\frac{1}{4}\) lbs.

#### NO. 15-ATKINS' NEW TUBULAR FRAME



Fine looking, well balanced frame of tubular steel, featuring the popular knuckle-guard design and blue acetate handle. Frame is polished chrome on nickel with 4" throat, adjustable for 10" and 12" blades. Blade bolts have safety clip and star-wheel locking nut. Adjustable thumb rest for 2-hand use. Individually packed and equipped with ATKINS blue lacquered steel blade. Weight, 1¾ lbs.

# NO. 111—MEDIUM PRICED POPULAR FRAME FOR GENERAL USE



Sturdy, bright nickel frame with 3" throat. Adjusts for 10" or 12" blade in four positions. Blue handle is open pistol grip design. Blade holding bolt is equipped with large wing nut tightener and starwheel locking nut.

Individually packed and equipped with ATKINS blue lacquered steel blade. A fine hacksaw frame for home use. Weight,  $1\frac{1}{2}$  lbs.

#### NO. 199-ATKINS ECONOMY FRAME



Designed for the hobbyist with only occasional need for a hacksaw. Sturdy, polished nickel frame has pistol grip, blue plastic handle, 4" throat and adjusts for 8, 10 and 12" blades. Complete with ATKINS Standard Blade.

NOTE: The weights shown are approximate, to the nearest 1/4 lb.

In keeping with the Borg-Warner Corporation policy of continuous improvement and progress, Atkins Saw Division reserves the right to make changes without notice.



# TKINS SAW DIVISION BORG-WARNER CORPORATION

#### ATKINS HAND HACKSAW BLADES

ATKINS Hacksaw Blades are available in Raker and Wave Set tooth patterns. Number of teeth per inch (T) ranges from 14 to 32 depending on the type of blade and the set; 14 T and 18 T (coarse), 24 T (medium) and 32 T (fine). 18 T is the most commonly used tooth size for general purpose work. Coarse tooth blades are preferred for soft materials such as aluminum, copper and brass where there is a chance of tooth clogging. Finer tooth blades are best for cutting steel and other hard materials. More cutting points in contact with the material reduces the chance of tooth breakage and enables better finished surfaces.

Raker Set teeth are made with the first tooth straight, second tooth bent to the left, third tooth bent right and this pattern repeated. The bent teeth govern the width of the cut (kerf), while the straight teeth "rake" the cut of chips.

Wave Set teeth are patterned with short sections of teeth bent alternately in opposite directions to give a wavy line appearance to the over-all tooth edge of the blade. The Wave Set is used to prevent binding when small sections are being cut.

43/4 lb.

Per Inch 100 Blade

41/2 lb.

32

32

#### TUNGSTEN\_HIGH SPEED\_ALL HARD

# ATKINS 1812 SILVER STEEL HIGH SPEED TUNGSTEN Made in U.S.A.

For cutting hard, extra tough steels and highly abrasive materials, these Silver Steel blades are unexcelled. They cut easier and hold cutting edges longer; should not be confused with cheap, short-life blades.

Furnished in Raker Set and Wave Set teeth.

#### RAKER SET

Stock No.	Lengin	Widin	ness	Per Inch	100 Blades
1412-H	12"	1/2"	.025"	14	4¾ lb.
1810	10"	1/2"	.025"	18	4¼ lb.
1812	12"	1/2"	.025"	18	4¾ lb.
		WAVE	SET		
2410	10"	1/2"	.025"	24	41/4 lb.
2412	12"	1/2"	.025"	24	4¾ lb.
3210	10"	1/2"	.025"	32	41/4 lb.

.025

#### SILVER STREAK—HIGH SPEED—FLEXIBLE BACK



Remarkable new ATKINS blade outlasts ordinary blades 2 to 1. Designed for cutting all common metals. Keener, more durable cutting edge is result of controlled heat treating of high speed steel . . . exclusive with ATKINS. Flexible back permits blade to twist with minimum risk of breakage. Furnished in Raker Set and Wave Set.

#### RAKER SET

Atkins Stock No.	Length	Width	Thick- ness	Teeth Per Inch	Weight 100 Blades
MF 1810	10"	1/2"	.025"	18	31/2 lb.
MF 1812	12"	1/2"	.025"	18	4½ lb.
		WAVE	SET		
MF 2410	10"	1/2"	.025"	24	31/2 lb.
MF 2412	12"	1/2"	.025"	24	4½ lb.
MF 3210	10"	1/2"	.025"	32	3½ lb.
ME 2212	19"	14."	025"	20	41/ IL

#### SILVER STREAK-HIGH SPEED-ALL HARD

12

3212

Atkins

MH 3212



The same high quality blade as described above except that blade is hardened throughout. Cuts all common metals easily and quickly . . . lasts twice as long as ordinary blades. Furnished in Raker Set or Wave Set teeth.

#### RAKER SET

Thick-

.025

MH 1412-H	12"	1/2"	.025"	14	41/2 lb.
MH 1810	10"	1/2"	.025"	18	31/2 lb.
MH 1812	12"	1/2"	.025"	18	4½ lb.
		WAVE	SET		
MH 2410	10"	1/2"	.025"	24	3½ lb.
MH 2412	12"	1/2"	.025"	24	4½ lb.
MH 3210	10"	1/2"	.025"	32	31/2 lb.

1/2

#### STANDARD\_FLEXIBLE BACK\_HARD EDGE



You'll find it hard to keep these blades in stock! An inexpensive blade, heat treated and carefully made to give easy, clean cutting and excellent service. Priced to compete with blades that are simply cold steel stamped.

Furnished in Raker Set and Wave Set teeth.

12

## RAKER SET

Teeth

32

4 lb.

Stock No.	zeng		ness	Per Inch	100 Blades
304	12"	1/2"	.025"	14	4 lb.
300	10"	1/2"	.025"	18	31/4 lb.
300	12"	1/2"	.025"	18	4 lb.
		WAVE	SET		
310	10"	1/2"	.025"	24	31/4 lb.
310	12"	1/2"	.025"	24	4 lb.
315	10"	1/2"	.025"	32	31/4 lb.

.025

1/2

NOTE: The weights shown are approximate, to the nearest ¼ lb.



# ATKINS SAW DIVISION BORG-WARNER CORPORATION

315

## **ATKINS, Borg-Warner PRUNING SAWS**

#### NO. 20-CURVED PRUNER



A favorite in the citrus groves and vineyards where fast cutting of thin limbs is necessary. Women love this pruner.

Silver Steel construction. Flat ground. Hardwood, new style handle trimmed with nickeled screws. Polished finish.

Length	Cut-Off Points	Width Point	Width Butt	Weight
14"	7	1/4"	11/2"	1/2 lb

#### NO. 22—CURVED PRUNER



A professional's pruner with rip tooth design for heavy limb cutting. Cuts on the pull. A good pruner for the farm or ranch.

Silver Steel construction. Flat ground. Hardwood, special pattern handle with large hand hole, trimmed with nickeled screws. Polished finish.

Length	Cut-Off Points	Width Point	Width Butt	Weight
18"	6	11/8"	31/8"	1 lb
22"	6	11/8"	31/8"	1 lb

#### NO. 17-FOREST PRUNER



A professional saw with extra large peg teeth for clean, easy cutting.

Silver Steel construction. Flat ground. Plywood handle, trimmed with nickeled screws. Polished finish.

Length	Cut-Off Points	Width Point	Width Butt	Weight
26"	41/2	11/2"	31/2"	11/4 lb

#### NO. 120—CURVED PRUNER



Used in fruit tree pruning. Peg tooth design permits fine cutting with little danger of raking.

Silver Steel construction. Flat ground. Hardwood handle trimmed with nickeled screws. Polished finish.

Length	Cut-Off Points	Width Point	Width Butt	Weight
14"	8	1/4"	13/4"	1/2 lb

#### NO. 23-LONG HANDLE PRUNER



For close branch trimming requiring long reach. Length 25" overall.

Silver Steel construction. Flat ground. Hardwood handle trimmed with nickeled screws. Polished finish.

Length	Cut-Off Points	Width Point	Width Butt	Weight
14"	51/2	5/8"	21/4"	1/2 lb

#### NO. 24—FOLDING PRUNER



A fast cutting, small branch pruner. Folds safe. Great for the tool box.

Silver Steel construction. Flat ground. Hardwood handle with stop rivet and wing nut. Polished finish. Folds to 13".

Length	Cut-Off Points	Width Point	Width Butt	Weight
10"	61/2	3/16"	2"	1/2 lb

#### NO. 18-FOLDING PRUNER



Fine tooth pruner with sure grip handle. Folds for pocket carrying and tool box storage.

Silver Steel construction. Flat ground. Hardwood handle with stop rivet and wing nut. Polished finish. Folds to 14".

Length	Cut-Off Points	Width Point	Width Butt	Weight
12"	8	1/2"	17/8"	1/2 lb

NOTE: The weights shown are approximate, to the nearest  $\frac{1}{4}$  lb.

FORM NO. H-111-59



## **ATKINS, Borg-Warner PRUNING SAWS**

#### NO. 3-DUPLEX PRUNER



Dual purpose, light weight pruning saws with fine peg teeth on one edge for small branches, small Tuttle teeth on other edge for large limbs. Every home owner should have one. A good mover.

No. 3 Pruner has **Silver Steel** construction. Flat ground, Natural finish, hardwood handle, trimmed with nickeled screws. Polished finish.

Length	Cut-Off Points	Width Point	Width Butt	Weight
18"	8	3/4"	23/4"	3/4 lb

#### NO. 40-TUTTLE TOOTH PRUNER



Same style as No. 41 Pruner but with the famous, fast-cutting Tuttle Tooth design. A handy all-purpose saw for camping and summer cottage use.

Silver Steel construction. Flat ground. Natural finish hardwood, special pattern plywood handle, trimmed with nickeled screws. Polished finish.

Length	Width Point	Width Butt	Weight
24"	11/2"	53/4"	1½ lb
20"	11/8"	5"	11/4 lb

#### NO. 16-POLE TREE PRUNER



Puts branches within reach for safety pruning. Fits standard clothes pole or garden tool handle.

Silver Steel construction. Flat ground. Cast aluminum socket for pole, with 5/16" bolt and wing nut. Polished finish.

Length	Cut-Off Points	Width Point	Width Butt	Weight
16"	8	3/4"	21/4"	11/4 lb

#### NO. 432-PISTOL GRIP SAW SET



A popular priced pistol grip set of sturdy construction. Easy to operate, an adjustable, direct reading, graduated wheel shows anvil setting for 5 to 11 point saws. Plunger and anvil made of high grade tool steel. Black lacquer finish. Weight—¾ lb.

#### SF-1-SILVER FLASH PRUNER



Smaller teeth but of same design as No. SF-3-14. Quick detachable pistol grip handle. Blade fits Atkins No. 16 Pole Pruner Socket.

Silver Steel construction. Flat ground. Hardwood plywood handle with nickeled rivet and wing nut. Polished finish. Furnished with Atkins No. 36 filing gauge.

Length	Width Point	Width Butt	Weight
16"	13/8"	3"	1 lb

#### NO. SF 3-14—SILVER FLASH PRUNER



We believe this to be the finest pruning saw made. Has extra large teeth and gullets for speed cutting of large limbs. Preferred by utilities and tree surgeons everywhere.

Silver Steel construction. Flat ground. Hardwood plywood handle trimmed with nickeled screws. Polished finish. Furnished with Atkins No. 35 filing gauge.

Length	Width Point	Width Butt	Weight
26"	13/8"	35/8"	11/4 lb

#### SILVER FLASH FILING GAUGES



Designed particularly for Atkins Silver Flash pruning saws. Precision made raker guides insure correct fitting and gauging with every sharpening.

# CORRECT GAUGES FOR ATKINS SILVER FLASH SAWS

SF-3-14—Gauge No. 35 SF-1 —Gauge No. 36 SF-3 —Gauge No. 35 SF-6 —Gauge No. 38

#### NO. 395-LEVER GRIP SAW SET



Lever saw set has a revolving anvil with indicator dial, insuring the required bevel and length of saw teeth from 4 to 16 to the inch. Hardened anvil and plunger. Finely tempered spring steel. Nickel plated finish. Weight—1 lb.

NOTE: The weights shown are approximate, to the nearest  $\frac{1}{4}$  lb.

In keeping with the Borg-Warner Corporation policy of continuous improvement and progress, Atkins Saw Division reserves the right to make changes without notice.



# BORG-WARNER CORPORATION

## ATKINS KITCHEN AND BUTCHER SAWS

#### SILVER STEEL

ATKINS SILVER STEEL is based on metallurgical discoveries and specifications developed throughout a century of saw manufacturing progress. Scientifically analyzed and specifically processed with modern techniques, it conforms to the highest standards of sawsmith skill and experience.

Hardened and tempered for long-life, durability, keen-cutting qualities and finest finish, ATKINS SILVER STEEL is the time-proved choice of sawing experts throughout the world.

#### No. 188-KITCHEN SAW



This is the perfect meat saw for home and kitchen use. The frame is made of  $\frac{1}{2}$  " x  $\frac{3}{16}$ " round edge steel, and fitted with a polished and tempered 14" x  $\frac{1}{2}$ " blade. The saw has a natural finished hardwood handle. (Packed 6 to the box; shipping weight 5 lbs.)

Blade			Frame		
Length	Width	Points	Width	Thickness	Weight
14"	1/2"	13	1/2"	3/16"	3/4 lb.

#### No. 177-BUTCHER SAW



A medium priced, high quality saw proved ideal for farm butchering. Well-balanced frame is made for 2 lengths of blades. Round edge, polished steel  $\frac{3}{4}$ " x  $\frac{1}{4}$ ". Hardwood handle trimmed with nickeled screws. Special steel blade  $\frac{5}{8}$ " wide. Frame measures 5" underback. (Packed 2 to the box.)

Blade			Frame		
Length	Width	Points	Width	Thickness	Weight
18"	5/8 "	11	3/4"	1/4"	2 lbs.
24"	5/8 "	11	3/4 "	1/4 "	2½ lbs.

#### **BUTCHER SAW BLADES**



Coiled stock to permit economical replacement of butcher's band saw blades.

ATKINS SILVER STEEL blades are available in 25 foot boxed coils. Polished finish.

For specific replacement requirements, ATKINS SILVER STEEL blades are cut to length and punched.

Width	Points	Gauge	Weight
5/8"	11	24	1 1/4 lb.
3/4"	11	23	1 3/4 lb.



#### No. 05-BUTCHER SAW PUNCH



Really a "must" for users of butcher saw frames who wish to economize by buying unpunched or coiled blades.

Malleable iron frame with steel screw and crossbar. Tool steel die and punch. Punches 11/64" diameter hole. (Packed 1 in a box; shipping weight ½ lb.

#### SKIP-TOOTH HARD EDGE BUTCHER BAND SAW



ATKINS famous skip-tooth, round gullet pattern gives fast, nonclog cutting on butcher band saw machines.

ATKINS SILVER STEEL construction. Cut to length and welded for specific machine requirements. Four and 6-tooth spacings available in ½" width, and 4-tooth spacing in \%" width—all 25 gauge.

NOTE: The weights shown are approximate, to the nearest 1/4 lb,

		,

## **ATKINS, Borg-Warner CROSSCUT ACCESSORIES**

#### NO. 28—CROSSCUT HANDLE



No. 28 is 83/4 inches long. Lacquered selected grade beech stock. High tensile strength, malleable loop extends throughout handle and screws into malleable socket on end. Capacity 4 inches. A strong serviceable handle. Weight per pair 11/2 lb.

#### NO. 10—CROSSCUT HANDLE



No. 10 is  $9\frac{3}{8}$  inches long. Lacquered selected beech stock, fits the hand comfortably. Cast steel socket and washer. Loop of high tensile strength, cold drawn steel. Spot electric welded. Capacity  $4\frac{1}{4}$  inches. Weight per pair,  $1\frac{1}{4}$  lb.

#### NO. 202-SUPPLEMENTARY HANDLE



No. 202 for one man saws is made of grade "A" hardwood stock, smoothly sanded. Ferrule steel socket and washer. Machine steel bolt has locked rivet feature, preventing rivet from becoming detached. Weight, ¼ lb.

#### NO. 590-DOCKING SAW



A rugged, skew back saw for rough, fast sawing around docks, car shops, farms, and mines.

Silver Steel construction. Taper ground. Cast aluminum handle riveted to blade. Peg tooth design—4½ points per inch.

Length	Width Point	Width Butt	Weight
30"	21/2"	61/2"	3 lb

#### NO. 22—CROSSCUT HANDLE



No. 22 is 13¾ inches long, of seasoned hickory, lacquered. Extra strong. Easily adjusted. Extra heavy malleable castings. Machine made ⅓ steel bolt, extra large Big Bolt Pattern. Large wings prevent castings from slipping. Blue trimmed. Weight per pair, 2 lb.

#### NO. 2-ONE-MAN HANDLE



No. 2 is made of selected hardwood, thoroughly seasoned and kiln dried. Grip is comfortable and large enough for gloved hand. Fully lacquered. Slit only; bored for 2 screws and 1 medallion when specified. Weight, ½ lb.

#### **ATKINS KNIVES**

#### NO. 12-CANE KNIFE



A nicely balanced, firm grip knife with medium hook.

Silver Steel construction. Hardwood handle (9" or 15" lengths) rivet fastened to blade. Polished finish.

	Blo	de		
Length	Length	Width	Gauge	Weight
203/4"	12"	53/4"	19	1 lb

#### NO. 18—CANE KNIFE



Same style and specifications as Atkins No. 12 Cane Knife, but with non-glare black finish.

Silver Steel construction. Hardwood handle (9" or 15" lengths) rivet fastened to blade.

	Bla	ide		
Length	Length	Width	Gauge	Weight
203/4"	12"	53/4"	19	1 lb

#### NO. 5-A-DITCH BANK BLADE



A double edge short blade knife well suited for close quarter cutting along irrigation ditches, culverts, canals, etc.

Silver Steel construction. Hardwood handle with bolted plate blade fastener. Polished finish.

	Blade					
No.	Length	Width	Gauge	Handle	Weight	
5-A	163/4"	5"	13	40"	4 lb	
5-B	163/4"	5"	13	None	13/4 lb	

#### NO. 6-A-DITCH BANK BLADE



Same style and specifications as No. 5-A Ditch Bank Blade, but with non-glare black finish.

Silver Steel construction. Hardwood handle with bolted plate blade fastener.

	Blo	ide			
No.	Length	Width	Gauge	Handle	Weight
6-A	163/4"	5"	13	40"	4 lb
6-B	163/4"	5"	13	None	13/4 lb

NOTE: The weights shown are approximate, to the nearest  $\frac{1}{4}$  lb.

In keeping with the Borg-Warner Corporation policy of continuous improvement and progress, Atkins Saw Division reserves the right to make changes without notice.



## ATKINS, Borg-Warner SAW TOOLS AND ACCESSORIES

#### NO. 395-LEVER SAW SET




Lever saw set has a revolving anvil with indicator dial, insuring the required bevel and length of saw teeth from 4 to 16 to the inch. Hardened anvil and plunger. Finely tempered spring steel. Nickel plated finish. Weight—1 lb.

#### NO. 432-PISTOL GRIP SAW SET



A popular priced pistol grip set of sturdy construction. Easy to operate, an adjustable, direct reading, graduated wheel shows anvil setting for 5 to 11 point saws. Plunger and anvil made of high grade tool steel. Black lacquer finish. Weight—34 lb.

#### NO. 30-WALL SCRAPER



#### ATKINS SAW SCREWS

These nickeled screws are perfectly made and will fit the holes bored for them in any Atkins saw handle; also saws of other makes.

#### NO. 10-EAGLE MEDALLION



27/32" diam.; weight, 41/4 lb. per gross.

#### NO. 1-OVAL HEAD

1/2" diam.; weight, 31/4 lb. per gross.

#### NO. 3-CIRCULAR AND BAND SAW SET



Set is a malleable iron casting with hardened tool steel hammer and anvil. Designed to set rip and cutoff saws 3" to 10" in diameter, with  $\frac{1}{2}$ ",  $\frac{5}{8}$ ", and  $\frac{3}{4}$ " holes, and band saws  $\frac{3}{16}$ " to 1 inch wide. Base has a counter-sunk hole for fastening to bench or can be clamped in a vise.

Lacquered blue. Complete with 1 base, 1 circular bracket, 1 band saw guide and 1 bushing. Weight—1½ lb.

#### NO. 1-A-SPEED SAW FILER



This precision tool makes it possible for any one to do accurate saw filing on hand or rip teeth. Easily fits over the teeth and guides the file regardless of point size. Two positive adjustments set and hold the correct pitch and angle. Each filer comes complete with file and instructions.

The No. 1-A Speed Saw Filers are packed in an attractive, attention-compelling counter display containing ½ dozen. Weight, ½ lb.

#### NO. 3-A-SAW VISE



Clamps on any board or bench. Sturdy for long service. Saw is held between strong steel channel section and eccentric rod. Grease and oil resistant, chatter-free fibre insert is riveted in four places to channel section, giving double grip on saw. Filing space is  $10\frac{1}{2}$ " long. Weight,  $2\frac{1}{4}$  lb.

#### NO. 2-A-"SPEED" SAW FILING CLAMP



Grips the entire length of saw—30 inches. All steel. Gripping edges are ground and hold saw true—no vibration. Also holds band saws. Can be attached and removed from bench in 15 seconds. Weight,  $4\frac{1}{2}$  lb.

#### NO. 5-EXCELSIOR CROSSCUT SAW TOOL



No. 5 is a high grade saw tool, jointer, and raker gauge with hardened steel plates that rest on points of teeth; a setting block and tooth set gauge, for light or heavy set. Weight, 1½ lb.

LITHO IN U. S. A.

NOTE: The weights shown are approximate, to the nearest  $\frac{1}{4}$  lb.

FORM NO. H-113-59



Atkins Mechanic-Kut Circular Saws are packaged with extra bushings for optional arbor sizes: As an example, on saws of 6, 7 and 8" diameters, the hole size is 5%" with a ½" bushing furnished. On 10" diameter saws, when ordered with 3¼" hole, a 5%" bushing is furnished.

This policy of providing optional bushings eliminates necessity of duplicate inventories and reduces the possibility of error in the customer's specification.

#### NO. 6-A-RIP & COMBINATION

Specially tensioned for narrow kerf and even edges. Teeth are set and hand-filed for rip or crosscut. Flat ground, heat-treated.



Diameter	Gauge	Teeth	Hole
6 "	18	20	1/2"-5/8"
61/2"	18	20	1/2"-5/8"-3/4"
7 "	18	24	1/2"-5/8"-3/4"
8 "	16	30	1/2"-5/8"-3/4"
9 "	16	30	1/2"-5/8"-3/4"
10 "	16	36	5/8"-3/4"

#### NO. A-8-CUT-OFF SAW

This saw has precision set teeth, bevel filed for smooth, easy-feed cutting across the grain.



Diameter	Gauge	Teeth	Hole
6 "	18	100	1/2"-5/8"
61/2"	18	100	1/2"-5/8"-3/4"
7 "	18	100	1/2"-5/8"-3/4"
8 "	16	100	1/2"-5/8"-3/4"
9 "	16	100	1/2"-5/8"
10 "	16	100-150	5/8"-3/4"

Atkins Mechanic-Kut Circular Saws are priced competitively, and are made to exacting standards for long-life service and complete customer satisfaction. Specifications of setting and filing are rigidly maintained. Mechanic-Kut saws cut true and clean without the wavy streaks, burning, or out-of-line cutting commonly found in saws of inferior grades.

#### NO. A-44—COMBINATION SAW

Favorite of home craftsmen, this saw is set and filed to rip or crosscut. This is a good stock item.



Diameter	Gauge	Teeth	Hole
6 "	18	40 No. 44	1/2"-5/8"
61/2"	18	40 No. 44	1/2"-5/8"-3/4"
7 "	18	44 No. 44	1/2"-5/8"-3/4"
8 "	16	44 No. 44	1/2"-5/8"-3/4"
9 "	16	44 No. 44	1/2"-5/8"
10 "	16	44 No. 44	5/8"-3/4"

#### NO. A-80-PLYWOOD SAW

Finest specialty saw made for professional or home use. Cuts plywood or solid wood with glue-joint smoothness. Mirror steel polish reduces heat; teeth stay sharp longer. Expansion slots eliminate noise.



Diameter	Gauge	Hole
8"	16	½" with ½" Bush.

FORM H-109/60



#### NO. A-37-MITRE SAW

This is one of the finest saws made for mitre cutting to smooth, exacting surface requirements. A durable saw that rips, crosscuts and mitres with ease. Set and filed.



Diameter	Gauge	Hole
6 "	18	1/2"-5/8"
61/2"	18	1/2"-5/8"
7 "	18	1/2"-5/8"
8 "	16	1/2"-5/8"
9 "	16	1/2"-5/8"
10 "	16	5/8"-3/4"

#### NO. A-37 H—HOLLOW GROUND MITRE SAW

Hollow ground for clearance, this saw will perform steadily without danger of heating. The same superior cutting found in the No. A-37 is thus assured for long production runs.



Diameter	Gauge	Hole 1/2"—5/8"	
61/2"	15 x 18 x 15		
7 "	14 x 17 x 14	1/2"-5/8"	
8 "	14 x 17 x 14	1/2"-5/8"	
9 "	14 x 17 x 14	1/2"-5/8"	
10 "	14 x 17 x 14	5/8" — 3/4"	

#### NO. 3—DADO SET

Six cutter blades easily interchanged enable groove cutting in 9 different widths;  $\frac{1}{8}$ ",  $\frac{1}{4}$ ",  $\frac{3}{8}$ ",  $\frac{1}{2}$ ",  $\frac{9}{16}$ ",  $\frac{5}{8}$ ",  $\frac{11}{16}$ ", and  $\frac{13}{16}$ ".

Outside cutters of the set are alternately beveled for side clearance and easy feed. Inside cutters are accurately swaged and jointed for smooth edge grooving, both with and across the grain.

This Dado Set offers optional groove to fit virtually all home craftsman and shop requirements. It should not be confused with lower priced "Dados" capable of only three width cuts.



#### 6" DIAMETER-5/8" HOLE

Includes:	
2—Outside Cutters	1/8" Gauge
1—Inside Cutter	1/4" Gauge
2—Inside Cutters	1/8" Gauge
1—Inside Cutter	1/16" Gauge

#### ATKINS CORDWOOD SAWS

Deep, round-bottomed tooth gullets of these saws enable fast free cutting of brush, stovewood, logs or heavy timbers. Resharpening is easier, teeth are stronger with less danger of stripping under heavy feed.

For farm and ranch use, these saws have proved themselves through years of service. Available in a full range of diameters and hole sizes for both horizontal and vertical applications.



Diameter	Gauge	Teeth	Hole
20"	13	52	13/8"
28"	10	70	13/8"
30"	10	76	13/8"
32"	10	80	13/8"






Atkins Mechanic-Kut Saws are available for use on power tools of leading manufacturers. Built to the manufacturer's exact specification in arbor shapes and sizes these saws facilitate customer ordering and stocking, plus affording the finest in cutting performance. The specific Arbor shape and each saw, by the manufacturer's Model Number is shown to enable rapid size selection and accurate ordering.


#### **BLACK & DECKER**

New Saw No.	Old Saw No.	Diameter	Туре	Gauge	Teeth Style	Hole
AU-1600	11520 or A-32870	61/8"	Comb.	18	20 No. 6A	11/8" rd.
AU-1620		61/2"	Comb.	18	20 No. 6A	5/8" rd.
AU-1621		61/2"	H.G. Mitre	15 x 18 x 15	No. 37	5/8" rd.
AU-1622		61/2"	X Cut	18	100 No. 8	5/8" rd.
AU-1720		71/4"	Comb.	17	24 No. 6A	5/8" rd.
AU-1722		71/4"	X Cut	18	100 No. 8	5/8" rd.
AU-1700	A-34366	73/8"	Comb.	17	24 No. 6A	11/8" rd.
AU-1702	A-34399 or 19773	73/8"	X Cut	17	100 No. 8	11/8" rd.
AU-1820		8 "	Comb.	16	30 No. 6A	5/8" rd.
AU-1821		8 "	H.G. Mitre	14 x 17 x 14	No. 37	5/8" rd.
AU-1822		8 "	X Cut	16	100 No. 8	5/8" rd.
AU-1800	A-33819 or 23161 or 11701	81/4"	Comb.	16	30 No. 6A	13/8" rd.



#### **SKILSAW**


Saw No.	Diameter	Туре	Gauge	Teeth Style	Hole
A-866	57/8"	Comb.	18	18 No. 6A	Diamond
A-376 or A-9539	57/8"	Comb.	18	40 No. 44	Diamond
A-13821	61/4"	X Cut	18	100 No. 8	5/8" rd.
A-18554	61/2"	H.G. Mitre	15 x 18 x 15	No. 37	5/8" rd.
A-18552	61/2"	X Cut	18	100 No. 8	5/8" rd.
A-16122	61/2"	Comb.	18	20 No. 6A	Universal
A-17988	61/2"	Comb.	18	20 No. 6A	5/8" rd.
A-13853	7 "	Comb.	18	24 No. 6A	5/8" rd.
A-13857	7 "	X Cut	18	100 No. 8	5/8" rd.
A-867	71/4"	Comb.	17	24 No. 6A	Universal
A-356	71/4"	X Cut	18	100 No. 8	Universal
A-377	71/4"	Comb.	17	44 No. 44	Universal
A-13854	71/2"	Comb.	17	24 No. 6A	5/8" rd.
A-871	8 "	Comb.	16	30 No. 6A	Universal
A-12616	8 "	Comb.	16	44 No. 44	5/8" rd.
A-12631	8 "	Mitre	16	No. 37	5/8" rd.
A-388 or A-10430	81/4"	Comb.	16	44 No. 44	Universal
A-13814	81/4"	Comb:	16	44 No. 44	5/8" rd.
A-868	81/4"	Comb.	16	30 No. 6A	Universal
A-12632	9 "	Mitre	16	No. 37	5/8" rd.
A-12633	10 "	Mitre	16	No. 37	5/8" rd.






#### STANLEY WORKS

Saw No.	Diameter	Type	Gauge	Teeth Style	Hole	Price
APH-6583	61/4"	X Cut	18	100 No. 8	3/4" x 5/8" rd.	
AP-6474 or AP-6581	61/4"	Comb.	18	20 No. 6A	3/4" x 5/8" rd.	
APH-6829	61/2"	X Cut	18	100 No. 8	3/4" x 5/8" rd.	
APH-6823	61/2"	Comb.	18	20 No. 6A	3/4" x 5/8" rd.	
APH-6831	61/2"	Comb.	18	40 No. 44	3/4" x 5/8" rd.	
APH-6658	7 "	X Cut	18	100 No. 8	3/4" x 5/8" rd.	
APH-6775	7 "	Comb.	18	24 No. 6A	3/4" x 5/8" rd.	
APH-6654	7 "	Comb.	18	44 No. 44	3/4" x 5/8" rd.	
APH-5792	71/2"	Comb.	17	24 No. 6A	3/4" x 5/8" rd.	
APH-5846-B	8 "	X Cut	16	100 No. 8	3/4" x 5/8" rd.	
APH-6776	8 "	Comb.	16	30 No. 6A	3/4" x 5/8" rd.	
APH-5849-B	8 "	Comb.	16	44 No. 44	3/4" x 5/8" rd.	
	9 "	Comb.	16	30 No. 6A	3/4" x 5/8" rd.	




#### MALL TOOL

Saw No.	Diameter	Type	Gauge	Teeth Style	Hole	Price
A-600	6 "	Comb.	18	40 No. 44	1/2" Square	
A-710	7 "	Comb.	18	24 No. 6A	½" Square	
A-725	71/4"	Comb.	17	44 No. 44	Universal	
A-727	71/4"	Comb.	17	24 No. 6A	Universal	
A-800	8 "	Comb.	16	30 No. 6A	Universal	




#### PORTER CABLE

Saw No.	Diameter	Туре	Gauge	Teeth Style	Hole	Price
B-6005-C	6 "	Comb.	18	20 No. 6A	5/8" rd.	
B-6255-C	61/4"	Comb.	18	20 No. 6A	5/8" rd.	
B-6505-C	61/2"	Comb.	18	40 No. 44	5/8" rd.	
BL-7255-C	71/4"	Comb.	17	24 No. 6A	5/8" rd.	
B-7505-C	71/2"	Comb.	17	24 No. 6A	5/8" rd.	
B-8005-C	8 "	Comb.	16	44 No. 44	5/8" rd.	
B-8255-C	81/4"	Comb.	16	30 No. 6A	5/8" rd.	



#### **CUMMINS**

Saw No.	Diameter	Туре	Gauge	Teeth Style	Hole	Price
A-700-066	63/8"	Comb.	18	20 No. 6A	1/2" Square	
A-700-001	8 "	Comb.	16	30 No. 6A	Universal	



In keeping with the Borg-Warner Corporation policy of continuous improvement and progress, Atkins Saw Division reserves the right to make changes without notice.



# **ATKINS, Borg-Warner**

For Cutting Hard and Soft Woods, Plastic, Masonite and Other Composition Materials

# MECHANIC-KUT Carbide-Tipped SAWS



### ATKINS QUALITY FEATURES Assure Outstanding Performance

**QUALITY STEEL** • Plates are especially developed by Atkins and Borg-Warner research teams for carbide blade use. Gives vise-like bonding with tungsten-carbide. Has high tensile strength for steadyduty long-life performance.

**HEAT TREATING** • Scientific hardening gives blades unusual toughness for long-run cutting operation. Controlled tempering enables fast feed cutting without loss of tension.

**BRAZING** • Blade tip recesses are machined to exact contours of carbide tips for perfect seating and bonding. Uniform brazing gives identical bonding strength to each tip.

**CARBIDE-TIP GRINDING** • Precision diamond ground and individually hand honed to give sharpest cutting edges. Taper ground on sides to meet critical clearance requirements. Tapering permits repeated grinding without loss of clearance.

Every Cut a True Cut...Less Waste!
 Perfectly Balanced...No Wobbling...No Snaking!
 Design Requires Less Teeth...The Saw Costs Less!



# ATKINS HARD CHROME MECHANIC-KUT CARBIDE-TIPPED SAWS

are made in diameters of 6", 61/2", 7", 8", 9" and 10", with a variety of arbor holes.

SAW DIAM.	NO. OF TEETH	GAUGE	KERF	5/8" ROUND HOLE With 1/2" Bushing	3/4" ROUND HOLE With %" Bushing
6"	8	.090	.125	x	
61/2"	8	.090	.125	X	
7"	8	.090	.125	x	
8"	8	.090	.125	x	
9"	8	.090	.125	x	
10"	8	.090	.125		X

The above sizes are carried in stock, ready for shipment. Each blade is backed by Atkins' name and reputation for quality.

IMPORTANT! The Atkins Carbide-Tipped Mechanic-Kut Circular Saw will give many more hours of cutting, between sharpenings, cleaner, more accurate cuts and longer blade life. Care must be taken, however, to avoid nails, lumber with hard knots and foreign matter in the wood. As in any carbide-tipped blade, striking foreign matter, while cutting, can result in breaking the carbide teeth away from the blade proper.

#### OTHER ATKINS CARBIDE-TIPPED SAW APPLICATIONS . . .

			MPO			
PLANER TOOTH SAW STANDARD TOOTH RIP	CELLOTEX	MASONITE	RUBBER	TRANSITE	ASPHALT BOARD	ASBESTOS BOARD
Cu Tru	x			x	x	x
OHBINAT SAW	x		x	x	x	x
COMBINATION TOOTH	x	x	x		x	x
SECMEN CROOVER	x	x			x	х
THIN RIM	x	x				
	X	×	x			

			LAST			
VINYL RESINS	UREA RESINS	POLYSTYRENE	PHENOLICS	METHYL METHACRYLATE	BUTYRATES	ACETATES
x	x	x	x	x	x	x
x	X	x	x	x	x	x
x	x	x	x	x	x	x
x	x	x	x	x	x	×

	x x	x	MAGNESIUM BRASS & BRONZE
+	x	x	TININIII V

METALS

X			X	X	X			TEAK
x			x	x	x			LIGNUM VITAE
x			x	x				VENEERED FACE PLYWOOD
x	X		x	x				PLYWOODS
x	X		x	x				LAMINATES
x	X	x	x	x	x	x	x	HARD & SOFT

WOODS

FORM NO. H-109B-60

LITHO IN U. S. A.



# ATKINS, Borg-Warner Silver Steel SAW FILES



#### REGULAR TAPER

A triangular file for all 60° angle tooth hand saws. Single cut, with set and cut edges for gullet filing.



Made primarily for sharpening Mill or Circular Saws, also planer knives, mowing machine knives, draw filing, lathe work, finish brass, bronze, etc.

# DOUBLE EXTRA SLIM

This is the smallest triangle in the Taper Files.



#### **BANDSAW BLUNT**

Made especially for sharpening bandsaws with round gullets. Single cut. For narrow gullet bands use Hand Saw Tapers.

#### **DOUBLE ENDERS**

Construction and use is similar to Regular Taper Files, except they are cut from middle to both ends, thus gaining use of full file length. Six handles supplied with each dozen files.

#### PIT SAW

Made for sharpening Pit and Frame Saws. Slightly Coarser cut than found on Mill Bastard Files of same length. One round side and one flat side.



Used in sharpening M tooth saws, circulars, buck, pulpwood, pruning saws, etc. Single cut only.



#### SLIM TAPER

Same construction and purpose as Regular, only Slim pattern.

# MILL—ONE OR TWO ROUND EDGES

Same as Mill Files except made with one or two round edges to prevent gullets in saws.



## GREAT AMERICAN CROSSCUT

Great American Crosscut Files originally designed for filing Great American Crosscut Saws. Suitable for a wide variety of saws. Rounded back to deepen the rounded gullets. Single cut only.



Created for the expert saw filer so that he can have a superior file for cross cut saws. Blunt shape; long lasting quality.



#### EXTRA SLIM TAPER

A taper file still slimmer than Slim Taper.

	4"		5	5" 51/2				6"		7"		3"
Kind	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick
Regular Taper							15/32		17/32		19/32	
Slim Taper	7/32		%2				11/32		13/32		15/32	
Extra Slim Taper	3/16		7/32		1/4		9/32		11/32		13/32	
Double Extra Slim Taper	5/32		3/16				7/32		1/4		5/16	
Bandsaw Blunt—Regular							29/64				37/64	
Bandsaw Blunt—Slim							5/16				29/64	
Double Enders							5/32		7/32		%2	
Pit Saw							3/8	7/32				
Cant Saw							17/32	13/64			11/16	17/64
Mill—Bastard Cut	7/16	5/64					5/8	7/64	11/16	1/8	13/16	5/32
Second Cut and Smooth Cut							5/8	7/64			13/16	5/32
Bastard—One Round Edge							5/8	764			13/16	5/32
Bastard—Two Round Edges							5/8	7/64			13/16	5/32
Great American Crosscut											11/16	9/32
Special Crosscut Saw							5/8	7/64	11/16	1/8	13/16	5/32

	9"		10	)"	12	"	14		16	
Kind	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick
Regular Taper			23/32							
Slim Taper			19/32							
Extra Slim Taper										
Double Extra Slim Taper										
Bandsaw Blunt—Regular										
Bandsaw Blunt—Slim										
Double Enders	11/32		3/8							
Pit Saw										
Cant Saw			13/16	5/16						
Mill—Bastard Cut			1	3/16	13/16	7/32	111/32	1/4	117/32	%32
Second Cut and Smooth Cut			1	3/16	13/16	7/32	111/32	1/4		
Bastard—One Round Edge			1	3/16	13/16	7/32				
Bastard—Two Round Edges			1	3/16						
Great American Crosscut			13/16	23/64						
Special Crosscut Saw			1	3/16						





# ATKINS, Borg-Warner Silver Steel MACHINIST FILES

#### FLAT

Used where rapid removal of material is desired. For machinists and other metal workers. Double cut in bastard, second and smooth cuts.

#### SQUARE

Square in cross section, double cut. For filing slots, keyways, and general surface filing. Tapers slightly to point.

#### PILLAR

Rectangle cross section, one safe or uncut edge. Machinists use them in filing slots, keyways, etc. Double cut in all lengths. Narrower than hand files.

#### HAND

Similar to Flat Files in use but are parallel in width and taper. Double cut and has one safe edge.

#### ROUND

Round as their name indicates, for filing round openings or concave surfaces. Tapers a little toward point.

#### WARDING

Locksmith's favorite for filing ward notches in keys and other lock repairs. A fine double cut file for narrow places too small for other files.

# **4**'

#### THREE SQUARE

Triangular in the cross section, double cut, have fairly sharp corners. Used for filing internal acute angles, clearing square corners and filing taps and cutters.

#### HALF ROUND

For quick removal of metal from either flat, convex or concave surfaces. Tapers toward point in both width and thickness.

#### KNIFE

A knife shaped file of double cut teeth used extensively by tool and die makers filing acute angles. Backs of files are safe. Cut backs are furnished as specials.

		4"		5"		y #1	8	3"		0"
Kind	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick
Flat—Bastard Cut	7/16	7/64	5/8	5/32			13/16	13/64	1	1/4
Flat—Second Cut and Smooth Cut	7/16	7/64	5/8	5/32			13/16	13/64	1	1/4
Hand—Bastard Cut, Second Cut, Smooth Cut			23/32	3/16			29/32	15/64	13/32	9/32
Three Square—Bastard, Second & Smooth Cut			1/2				19/32		23/32	
Square—Bastard Cut	5/32		7/32				5/16		3/8	
Square—Second Cut and Smooth Cut	5/32		7/32				5/16		3/8	
Round—Bastard Cut	5/32		7/32		1/4		5/16		3/8	
Round—Second Cut and Smooth Cut	5/32		7/32				5/16		3/8	
Half Round—Bastard Cut, Second Cut, Smooth Cut	7/16	1/8	5/8	11/64			13/16	15/64	1	9/32
Pillar—Bastard			7/16	7/32			9/16	%32	11/16	11/32
Pillar—Second Cut and Smooth Cut			7/16	7/32			9/16	9/32	11/16	11/32
Warding—Bastard Cut, Second Cut, Smooth Cut	15/32	3/64	5/8	5/64			51/64	7/64	31/32	1/8
Knife—Bastard Cut, Second Cut, Smooth Cut	15/32	3/32	11/16	1/8			7/8	11/64	11/16	1/4

		12"		14"		16"		8"	
Kind	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick	
Flat—Bastard Cut	13/16	19/64	123/64	11/32	117/32	25/64	143/64	27/64	
Flat—Second Cut and Smooth Cut	13/16	19/64	123/64	11/32	117/32	25/64			
Hand—Bastard Cut, Second Cut, Smooth Cut	117/64	5/16	17/16	11/32					
Three Square—Bastard, Second & Smooth Cut	27/32								
Square—Bastard Cut	1/2		5/8		3/4				
Square—Second Cut and Smooth Cut	1/2		5/8						
Round—Bastard Cut	1/2		5/8		3/4				
Round—Second Cut and Smooth Cut	1/2		5/8						
Half Round—Bastard Cut, Second Cut, Smooth Cut	13/16	11/32	113/32	13/32	119/32	15/32			
Pillar—Bastard	13/16	13/32							
Pillar—Second Cut and Smooth Cut									
Warding—Bastard Cut, Second Cut, Smooth Cut									
Knife—Bastard Cut, Second Cut, Smooth Cut									



# ATKINS, Borg-Warner Silver Steel SPECIAL FILES

#### HANDSAW SPECIAL

Triangular type file for handsaws and others having handsaw type teeth. Single cut.

# 4

# PULPWOOD OR WEB

Angles on these files are made to angles on pulpwood or Web Saws and are cut on all four faces.



Made expressly for filing inserted tooth or chisel point saws. Single cut, one side half round, the other flat. Has two safe edges, blunt in length.

#### **SKIP TOOTH BANDSAW**

A special six-sided single cut file for skip tooth bandsaws such as used in butcher shops and meat packing industry. They file the face of one tooth, gullet bottom and back of next tooth at one time, retaining original tooth shape. Blunt or Diamond Point.

#### AUGER BIT

For restoring original sharpness to bits. One end has both edges left safe, other end has safe sides.

#### "TOUCH POINT"

A dandy 6-inch file for dressing distributor points tipped with tungsten, iridium, etc. Double cut; chisel tip on file end. Tang end has spark plugthickness gauge. Packed in boxes or displayed on cards, one dozen each.

# IMPROVED DIAMOND

Excellent single cut file used in saw filing machines.

#### **■ WEED'S PATTERN**

A special regular extra slim blunt file with special round tang for use in metal ferruled handle. Single cut file that has cut edges to file gullets between saw teeth. Four handles in each box of one dozen files.

	5	5"		51/2"		6"		W
Kind	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick
Handsaw Special							1/4	
Improved Diamond Point—No. 471					5/16			
No. 502					3/8			
No. 476					13/32			
No. 473					5/8			
No. 538					3/4			
No. 474							3/8	
No. 526							5/8	
No. 513							3/4	
Inserted Tooth								
Skip Tooth Bandsaw	7/32				7/32			
Pulpwood or Web Saw	25/32	1/4	27/32	1/4	29/32	17/64		
Weed's Pattern	15/64		15/64		%2			
"Touch Point"					5/16	1/32		
Auger Bit							11/32	1/16

		8"		10	10"	
Kind	Wi	de	Thick	Wide	Thick	
Handsaw Special	3)	16				
	3	4				
	5,	16				
Improved Diamond Point—No. 471						
No. 502						
No. 476						
No. 473						
No. 538						
No. 474						
No. 526						
No. 513						
Inserted Tooth	13,	16	5/16	1	11/32	
Skip Tooth Bandsaw						
Pulpwood or Web Saw						
Weed's Pattern						



# ATKINS, Borg-Warner Silver Steel RASPS

## HALF ROUND CABINET RASPS

For cabinet makers and woodworkers of all kinds.

# HALF ROUND WOOD RASPS

For woodworkers, wheelwrights, plumbers, etc. One half round and one flat side, tapering to point.

#### FLAT WOOD RASPS

Flat on both sides, tapering to point. Used for same purposes as Half Round Wood Rasps.

# HALF ROUND SHOE RASPS—UTILITY FILE

Made in half round sections. Half of each side file cut and half rasp cut.

#### HORSE RASP PLAIN— HALF FILE

Double ended file with rasp teeth on one side and file teeth on other.

#### HORSE RASP TANGED

These rasps are same as Plain Horse Rasps in construction of teeth, but tanged.

	6	"	8	<i>"</i>	9	·"	10	)"	12	2"
Kind	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick
Half Round Cabinet Rasps—Second Cut and Smooth Cut	11/16	3/16	7/8	1/4			11/8	%32	15/16	11/32
Half Round Wood Rasps—Bastard Cut	5/8	11/64	13/16	15/64			1	%2	13/16	11/32
Half Round Wood Rasps—Smooth Cut			13/16	15/64			1	%2	13/16	11/32
Flat Wood Rasps—Bastard Cut			13/16	13/64			1	1/4	13/16	19/64
Flat Wood Rasps—Smooth Cut							1	1/4	13/16	1%4
Half Round Shoe Rasps—Utility File			7/8	1/4	63/64	1%4	11/16	5/16		
Horse Rasp Plain—Half File—Regular									111/32	11/32
Horse Rasp Plain—Half File—Slim										
Horse Rasp Tanged—Regular									11/2	3/8
Horse Rasp Tanged—Thin										

	14"		16"		18"		20"	
Kind	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick
Half Round Cabinet Rasps—Second Cut and Smooth Cut	117/32	3/8						
Half Round Wood Rasps—Bastard Cut	113/32	13/32	11%32	15/32				
Half Round Wood Rasps—Smooth Cut								
Flat Wood Rasps—Bastard Cut	123/64	11/32	117/32	25/64				
Flat Wood Rasps—Smooth Cut								
Half Round Shoe Rasps—Utility File								
Horse Rasp Plain—Half File—Regular	11/2	3/8	111/16	7/16				
Horse Rasp Plain—Half File—Slim			111/16	7/16	1%	13/32	13/4	7/16
Horse Rasp Tanged—Regular	111/16	7/16	1 1/8	15/32				
Horse Rasp Tanged—Thin	111/16	11/32						

# ATKINS, Borg-Warner Silver Steel SPECIAL PURPOSE FILES

#### FLAT LONG ANGLE LATHE

A fast, free cutting file for lathe work. Long angle single cut leaves a smooth surface. Both edges are safe.

#### LEAD FLOAT

A very coarse file for lead, and similar soft metals. Rectangular and half round, tapering slightly in width and thickness. Flat side has 15° angle; back has 5° angle.

#### FLAT FOUNDRY

Used for snagging castings, filing spurs, burrs, fins on castings. Also narrow edges and sharp corners on dies. Double Cut Bastard Teeth.

#### HALF ROUND FOUNDRY

For same purpose as Flat Foundry Files with added advantage of one round back for filing concave surfaces. Double Cut Bastard Teeth.

#### ALUMINUM TYPE A

A special tooth for filing aluminum and noted for its effective freedom from clogging. Double cut. Fast free and easy to use. A light stroke does it.

#### BRASS

This is a special double cut tooth for brass filing. Has a long overcut and short upcut that minimizes clogging.

		6"		8"		0"	12"		14"	
Kind	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick
Flat Long Angle Lathe					1	1/4	13/16	1%4	123/64	11/32
Lead Float—Flat and Half Round			13/16	13/64	1	1/4	13/16	19/64		
Flat Foundry			13/16	13/64	1	1/4	13/16	19/64	123/64	11/32
Half Round Foundry			13/16	15/64	1	%2	13/16	11/32	113/16	13/32
Aluminum Type A—Flat	5/8	5/32	13/16	13/64	1	1/4	13/16	1964	123/64	11/32
Aluminum Type A—Half Round	17/32	%4	23/32	13/64	29/32	1/4	13/16	11/32	113/32	13/32
Brass			13/16	13/64	1	1/4	13/16	1%4		



# ATKINS, Borg-Warner Silver Steel PLANER MILLED TOOTH FILES

# FLEXIBLE (WITHOUT TANG)

Made on newly designed and improved machinery, these files are ideally fitted for smooth, rapid work on Cast Iron, Bronze, Lead, Babbitt, Aluminum, Zinc, Plastics and any of the steels up to the hardness of commercial annealed tool steel. Tooth profile is scientifically determined for the right pitch and rake to avoid pinning up and to give the smoothest finish. Made in Standard, Fine and Smooth Cuts.

# RIGID PILLAR (WITH TANG)

Useful in sharp corners and narrow slots. Cut on sides only. Safe edges. Made in Standard, Fine and Smooth Cuts.

#### RIGID SQUARE

Cut on all four sides and useful for working in holes, narrow corners and keyways. Made in Standard. Fine and Smooth Cuts.

# RIGID HALF ROUND MOULDING

Moulding Files have teeth on inside or concave surface only. Used on convex surfaces. Rigid construction. Made in Standard, Fine and Smooth Cuts.

## NO. 25 ADJUSTABLE FLAT FILE HOLDER

Atkins No. 25 is a 14" adjustable aluminum flat file holder. Very sturdy construction.

#### **RIGID FLAT (WITH TANG)**

The Rigid Type Milled Tooth Files are recommended for Flat Surfaces on which a straight, even pressure stroke is required. Made in Standard, Smooth and Fine Cuts.

# RIGID HALF ROUND SHELL (WITHOUT TANG)

With teeth on convex side only, Shell Files are designed for use in concave surfaces. Files have hole in each end for fastening to holder. Rigid construction. Available in Standard, Fine and Smooth Cuts.

#### RIGID HALF ROUND

Flat on one side and convex on the other, this file is adapted for use on flat or concave surfaces. Made in three degrees of coarseness—Standard, Fine and Smooth.

#### RIGID HALF OVAL

Meet the occasional need for files with a flatter curvature on the back than the Half Round. Made in Standard, Fine and Smooth Cuts.

#### RIGID FLAT BABBITT

This file is exactly like the Flat File in shape, dimensions and weight, but has fewer teeth per inch, thus being coarser than the Standard Cut. Designed for the softer metals.

#### RIGID FLAT UTILITY

This file is also like the regular Flat File in general appearance, but has Standard Cut teeth on one side and Smooth Cut teeth on the other.

		8"		10"		12"		<i>"</i>
Kind	Wide	Thick	Wide	Thick	Wide	Thick	Wide	Thick
Flexible (without Tang)	13/16	5/32	1	11/64	13/16	3/16	111/32	3/16
Rigid Half Round Shell (without Tang)	7/8	1/8	13/16	1/8	11/4	1/8	1 7/16	1/8
Rigid Half Round Moulding	7/8	1/8	13/16	1/8	11/4	1/8	1 7/16	1/8
Rigid Flat (with Tang)	13/16	3/16	1	7/32	11/8	9/32	123/64	5/16
Rigid Flat Babbitt	13/16	3/16	1	7/32	11/8	9/32	123/64	5/16
Rigid Flat Utility	13/16	3/16	1	7/32	11/8	9/32	123/64	5/16
Rigid Half Round	47/64	1/4	57/64	19/64	11/8	25/64	11764	13/32
Rigid Half Oval	11/4	19/64	11/4	19/64	11/4	19/64	11/4	19/64
Rigid Pillar (with Tang)	17/32	1/4	21/32	5/16	25/32	3/8	29/32	27/64
Rigid Square	17/64		11/32		15/32		19/32	

# ATKINS, Borg-Warner Silver Steel CHAIN SAW FILES

#### CHAIN SAW ROUND BLUNT

Specially designed to file Atkins Chamfer Chain as well as all types of round-cutter chains. Extremely high quality,

#### CHAIN SAW SPECIAL CROSS CUT FILES

Used for jointing and rounding off depth gauges. Blunt shape. Long lasting. High quality.

#### **CHAIN SAW SQUARE BLUNT**

Best all around file made for filing square chisel type chains of all types and gauges.

#### CHAIN SAW HALF ROUND BLUNT

New type special dual purpose design for precision filing of Atkins Chamfer or round-cutter type Chains. The flat side permits sharpening to razor edge. Ideal for special filing. Used for jointing depth gauges.

	5"	7	H	8	N
Wide	Thick	Wide	Thick	Wide	Thick
				3/8	
				5/16	
				1/4	
				3/16	
		11/16	1/8		
				13/16	5/32
7/32					
				1/4	
			11/16	11/16 1/8	3/8 5/16 1/4 3/16 11/16 1/8 13/16



# ATKINS, Borg-Warner Silver Steel FILES

#### HOW TO ORDER

Give complete information as follows:

Quantity wanted

Cut

Kind of files

Length, inches

#### **Explanation of File Terms**

CUT: Tooth pattern as illustrated in the various styles described at right.

**DIFFERENT CLASSIFICATIONS:** Rough, coarse, bastard, second cut, smooth and dead smooth, beginning at the coarsest down to the very finest.

**LENGTH:** The distance between point and heel, not including the tang.

TANG: The pointed part which is inserted in the handle.

POINT: The end opposite tang.

BACK: Is the round side of the half-round, cabinet, pit saw and similar files.

**SAFE:** Means that the side, back or edge, to whichever it refers, is smooth, having no teeth.

**BLUNT FILE:** Is a file that is the same width and thickness from heel to point.

**TAPER FILE:** Is a file having tapering sides, to distinguish it from the blunt file.

**SET:** Is blunting the sharp edges or corners of file blanks before and after the overcut to prevent weakness of the teeth.

#### SINGLE CUT







**Bastard Cut** 

Second Cut

Smooth Cu

A single row of parallel teeth running at an angle across the face the full length of the file.

#### DOUBLE CUT







**Bastard Cut** 

Second Cut

Smooth Cut

A double row of teeth, one crossing the other, and both running at an angle across the face the full length of the file. One row of teeth is a little finer than the other. Used on machinists' files, etc.

#### RASP CUT







Bastard Wood Rasp

Second Cut Cabinet

Smooth Cabine

Rasp cut is entirely different from either the single or double cut. Each tooth is separately formed. Used on wood rasps, cabinet rasps, shoe rasps, horse rasps, etc.

#### HOW ATKINS FILES ARE PACKED

Atkins Silver Steel Files up to and including 10-inch (with few exceptions) are packed one dozen in a smart blue box with attractive blue and white top and end label.

Files 12 inches and over are packed and labeled in same manner except one-half dozen to box.

The 14" Regular Flexible Milled Tooth Files (one-half dozen to box) are contained in windowed individual envelopes.

## See Atkins Price List for Weights and Packing Data

In keeping with the Borg-Warner Corporation policy of continuous improvement and progress, Atkins Saw Division reserves the right to make changes without notice.



# IT'S A NATURAL!

... for every power mower owner ... for every gardener



# NEW ATKINS Silver Steel gardener's file



- Keeps Rotary Mowers and Garden Tools Sharp
- An Irresistible Buy at Only 98 Cents\*

More than just an impulse item—the new Atkins Silver Steel Gardener's File is an indispensable tool for every home owner!

Display it prominently with mowers, trimmers, hoes, hatchets, sickles, shears . . . mention it every time you sell an edged tool. At the low, low price

of 98 cents, your customers will be sold on sight. Atkins Gardener's Files are individually packaged in attractive plastic holders and boxed, one dozen to a box. Order now and order plenty... because you'll find these files the fastest moving summer items in your store!

\*Suggested retail price



VILLIANS SHEEL

## ATKINS SAW DIVISION

BORG-WARNER CORPORATION
INDIANAPOLIS 9, INDIANA







MECHANIC-KUT

# hard chrome, double-duty PLYWOOD SAW

LESS HEAT · LESS NOISE

MORE CUTS BETWEEN

SHARPENINGS

Here it is at last! ATKINS "A-80" is the coolest-running and best performing plywood saw ever made . . . and the only workshop saw capable of cutting up to 1¼" plywood as well as solid wood up to 3" thickness! ATKINS "A-80" is available only in 8" diameter. It is 16 gauge, with 80 special filed teeth and has a 5/8" hole bushed to ½".

Here are the features that make ATKINS "A-80" the finest specialty saw you can offer professional or amateur craftsmen:

- Mirror-smooth, hard chrome finish and precision-cut expansion slots reduce heat and
- Special side clearance grinding and heavy beveled filed teeth assure faster, cleaner cuts ... glue-joint cuts that need no finishing
- Extra high tempering of alloy steel assures more cuts between sharpenings . . . longer
- Attractive new package has a fully descriptive label to help you gain quick customer acceptance and recognition of the superior qualities of this fine new saw







## ATKINS SAW DIVISION **BORG-WARNER CORPORATION** INDIANAPOLIS 25, INDIANA

Branches: Philadelphia, Chicago, Los Angeles, San Francisco, Chattanooga, Portland, Ore. Export Sales: Borg-Warner International, 36 S. Wabash, Chicago 3

•
•





MECHANIC-KUT

# hard chrome, PLYWOOD SAW double-duty

LESS HEAT · LESS NOISE

MORE CUTS BETWEEN

SHARPENINGS

Here it is at last! ATKINS "A-80" is the coolest-running and best performing plywood saw ever made . . . and the only workshop saw capable of cutting up to 1¼" plywood as well as solid wood up to 3" thickness! ATKINS "A-80" is available only in 8" diameter. It is 16 gauge, with 80 special filed teeth and has a 5/8" hole bushed to ½".

Here are the features that make ATKINS "A-80" the finest specialty saw you can offer professional or amateur craftsmen:

- Mirror-smooth, hard chrome finish and precision-cut expansion slots reduce heat and
- Special side clearance grinding and heavy beveled filed teeth assure faster, cleaner cuts ... glue-joint cuts that need no finishing
- Extra high tempering of alloy steel assures more cuts between sharpenings . . . longer
- Attractive new package has a fully descriptive label to help you gain quick customer acceptance and recognition of the superior qualities of this fine new saw







## ATKINS SAW DIVISION **BORG-WARNER CORPORATION** INDIANAPOLIS 25, INDIANA

Branches: Philadelphia, Chicago, Los Angeles, San Francisco, Chattanooga, Portland, Ore. Export Sales: Borg-Warner International, 36 S. Wabash, Chicago 3

		•
		•
		•
		•

companion line to ATKINS famous Silver Steel Tungsten Blades

Biggest Hacksaw Blade Improvement in 50 Years!...Out-cut and Outlast Ordinary Blades as much as 2 to 1

Here's a hacksaw blade that will give your customer more for his money than any other blade on the market! During more than 3 years of testing . . . and actual service in professional shops . . . Atkins new Silver Streak High-Speed blades have out-cut and outlasted ordinary hack blades as much as 2 to 1.

Introduction of high speed steel and improved metallurgical control is the secret . . . giving Silver

Streak the keenest, most durable cutting edge ever developed for general metal-cutting needs. The new ATKINS Silver Streak line is indeed a fitting companion to ATKINS famous Silver Steel Tungsten blades. Both names, Silver Streak and Silver Steel represent the industry's highest achievements in hack blade metallurgy. They are sales-building items you can display proudly and profitably, side by side, in ATKINS new full-line display described below.





For Fast Turnover...Fast Profit...get this New

# Silver Strenk

PORG-WARNER

**Net Shipping** 

Weight—20 lbs.

# FULL LINE HACKSAW DISPLAY

Display No. **4977** for Wall or Pegboard

This handsome, compact unit is the only full line hacksaw display ever offered by an American Manufacturer! See color illustration on preceding page.

1. Holds one No. 10 and two each of Atkins No. 111 and No. 199 hacksaw frames complete with blades;

2. Rotating center rack carries 150 assorted Silver Streak, Silver Steel (tungsten) and Standard Atkins blades per quantity listing at right;

3. Panels describe blades and tell customer how to select the right blade for the job. Price space is provided.


Value of Frames and Blades . \$71.16

Value of Display . . . . . . 10.06

TOTAL VALUE . . . . . 81.22

Regular Dealer Cost . . . 59.83

YOU PAY ONLY . . . . . 49.77





Also available

Display No. **4293** for counter use only.

Consists of the rotating section of No. 4977 Display complete with the same selection of 150 blades. This display has its own top panel and a special base as shown.

QUANTITY LIST OF BLADES

#### Silver Streak

10 - MF-1812

10 - MF-2412 1 - MF-3212

10 - MF-1810

10 - MF-2410

1 - MF-3210

#### Silver Steel

2 - 1812

2 - 2412

1 - 3212

2 - 1810

2 - 2410

1 - 3210

#### Standard

20 - 300-12 20 - 310-12

9 - 315-12

20 - 300-10

20 - 310-10

9 - 315-10

Total 150 Blades

Your Silver Streak full line hacksaw display is available immediately from your ATKINS Wholesaler. Call him

today . . . Put this Money-Maker to work for YOU, right away!

HARDWARE CATALOG NO. 25

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### HAND SAWS

No.	Length		Cut-off Points	Rip Points	No Per Box	Suggested Retail Price	Dealer Price
400	26"	8	, 10, 12	5-1/2	1	\$10.95	\$7.30
500	26"	8	, 10		1	10.95	7.30
65	16"		10		6	6.95	4.64
	20"		10		6 4 4	9.25	6.17
	26"	8	, 10, *11,	5-1/2	4	9.75	6.50
51	20**-*22**		10		4	7.95	5.30
	26''		8			8.75	5.84
54	26''	8,	10	5-1/2	4	8.25	5.50
58	16"		10		6	6.40	4.27
	20"		10		4	7.00	4.67
	26"	8,	10	5-1/2	4	7.55	5.04
75	20"	-,	10		1	4.90	3.27
A-2	26"	8,	10		6	5.95	3.97
A-1	16''		10		6	3.25	2.17
	20''		10			4.25	2.84
	26'!		8	*5-1/2	6	4.75	3.17
A100	26"	8,	10		6	3.25	2.17
Sald :	full have late						


Sold in full box lots only.

O DISCONTINUED WHEN STOCK IS EXHAUSTED

#### COMPASS, KEYHOLE AND NEST-OF-SAWS

No.	Type	Length	Points	No. Per Box	Suggested Retail Price	Dealer Price
9	Compass	12"	9	6	\$2.85	\$1.91
	·	14"	9	6	3.10	2.07
	Blades only	12"	9	12	1.45.	.97
		14"	9	12	1.65	1.11
10	Compass	12"	8	6	2.75	1.84
		14"	8	6	2.95	1.97
	Blades only	12"	8 8 8	12	1.30	.87
		14"	8	12	1.50	1.00
37	Compass	12"	8	6	2.75	1.84
		14"	8	6	2.95	1.97
	Blades only	12"	8 8 8	12	1.30	•87
		14"	8	12	1.50	1.00
38	Compass	12"	9	6	2.85	1.91
		14"	9	6	3.10	2.07
	Blades only	12"	9	12	1.45	.97
		14''	9	12	1.65	1.11
8	Compass	12"	8	6	1.40	.93
		14"	8 8 8	6	1.50	1.00
	Blades only	12"	8	12	•76	•51
		14"	8	12	-84	•56
Sold	in full box lots only	V.				

Sold in full box lots only.





#### COMPASS, KEYHOLE AND NEST-OF-SAWS (Cont.)

No.	Туре	Length	Points	No. Per Box	Suggested Retail Price	Dealer Price
6	Keyhole	10"	10	6	\$1.75	\$1.17
	Blades only	10"	10	12	1.00	•67
(5)	Keyhole	10"	10	6	1.36	.91
<u>(5)</u>	Keyhole	10"	10	6	1.75	1.17
	Blades only	10"	10	12	1.00	•67
4	Nest (complete)			3	5.00	3.33
	Keyhole Blade only	10"	10	12	1.00	•67
	Nail Blade only	14"	15	12	1.60	1.07
	Compass Blade only	12"	8	12	1.26	.84
	Handle and Screws only			12	1.14	•76
36	Nest (complete)			3	5.00	3.33
	Keyhole Blade only	10"	10	12	1.00	•67
	Nail Blade only	14"	15	12	1.60	1.07
	Compass Blades only	12"	8	12	1.26	.84
	Handle and Screws only	_	4	12	1.14	•76

#### **SPECIAL PURPOSE SAWS**

No.	Туре	Length	Points	No. Per Box	Suggested Retail Price	Dealer Price
1	Mitre	22", 24",	11	4	\$16.30	\$10.87
		24"	11	4	16.90	11.28
		26''	11	4	17.60	11.73
		28''	11	4	18.90	12.60
		30"	11	4	21.20	14.13
3	Back	10"	14	4	4.00	2.67
		12"	14	4	4.40	2.93
		14"	14	4	4.95	3.30
(25	Dovetail	10"	1.7	4	4.40	2.93
24	Cable	12''	8, 15	4	3.80	2.53
(100	Flooring	18"	•	4	7.20	4.80
10	Plumbers	16"	8	4	6.00	4.00
56	Coping	6-5/8"	15	6	1.60	1.07
50	Coping	6-5/8"	15	6	1.40	•93
45	Coping	65/8"	15	12	•90	.60
<b>=</b> 100	Coping	6"	16	12	.32	.21
40,50,	56					
& 45	Coping Blade only	6-5/8"	15	144	.05	•03
60	Coping Blade only	6''	15	144	•05	•03
<b>=</b> 100	Coping Blade only	6"	16	144	•05	.03

■ DENOTES CHANGE

HARDWARE CATALOG NO. 25

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### HAND SAWS


No.	Length	Cut-off Points	Rip Points	No Per Box	Suggested Retail Price	Dealer Price
400	26"	8, 10, 12	5-1/2	1	\$10.95	\$7.30
500	26"	8, 10		1	10.95	7.30
65	16"	10		6	6.95	4.64
	20"	10		4	9.25	6.17
	26"	8, 10, *11,	5-1/2	4	9.75	6.50
51	20"-*22"	10		4	7.95	5.30
	26"	8		4	8.75	5.84
54	26''	8, 10	5-1/2	4	8.25	5.50
58	16"	10		6	6.40	4.27
	20"	10		4	7.00	4.67
	26''	8, 10	5-1/2	4	7.55	5.04
75	20"	10		1	4.90	3.27
A-2	26"	8, 10		6	5.95	3.97
A-1	16"	10		6	3.25	2.17
	20''	10		6	4.25	2.84
	26'!	8	*5-1/2	6	4.75	3.17
A100	26"	8, 10		6	3.25	2.17

Sold in full box lots only.

O DISCONTINUED WHEN STOCK IS EXHAUSTED

#### COMPASS, KEYHOLE AND NEST-OF-SAWS

No.	$T_{ype}$	Length	Points	No. Per Box	Suggested Retail Price	Dealer Price
9	Compass	12'' 14''	9	6	\$2.85 3.10	\$1.91 2.07
	Blades only	12" 14"	9	12 12	1.45.	.97
10	Compass	12" 14"	8	6	2.75	1.84
	Blades only	12" 14"	8 8 8	12 12	1.30	.87 1.00
37	Compass	12'' 14''	8	6	2.75 2.95	1.84 1.97
	Blades only.	12" 14"	8 8 8	12 12	1.30	•87 1.00
38	Compass	12"	9	6	2.85	1.91
	Blades only	14" 12" 14"	9	6 12 12	3.10 1.45 1.65	2.07 •97 1.11
8	Compass	12"	8	6	1.40	.93
	Blades only	14" 12" 14"	8 8 8	6 12 12	1.50 •76 •84	1.00 •51 •56
Sold	in full box lots only		· ·	12	•04	•30







#### COMPASS, KEYHOLE AND NEST-OF-SAWS (Cont.)

No.	Туре	Length	Points	No. Per Box	Suggested Retail Price	Dealer Price
6	Keyhole	10"	10	6	\$1.75	\$1.17
	Blades only	10"	10	12	1.00	•67
(5)	Keyhole	10"	10	6	1.36	.91
( <u>5</u> )	Keyhole	10"	10	6	1.75	1.17
	Blades only	10"	10	12	1.00	•67
4	Nest (complete)			3	5.00	3.33
	Keyhole Blade only	10"	10	12	1.00	•67
	Nail Blade only	14"	15	12	1.60	1.07
	Compass Blade only	12"	8	12	1.26	.84
	Handle and Screws only			12	1.14	•76
36	Nest (complete)			3	5.00	3.33
	Keyhole Blade only	10"	10	12	1.00	•67
	Nail Blade only	14"	15	12	1.60	1.07
	Compass Blades only	12"	8	12	1.26	.84
	Handle and Screws only		7	12	1.14	•76

#### **SPECIAL PURPOSE SAWS**

No.	Туре	Length	Points	No. Per Box	Suggested Retail Price	Dealer Price
1	Mitre	22'' 24''	11	4	\$16.30	\$10.87
		24''	11	4	16.90	11.28
		26''	11	4	17.60	11.73
		28''	11	4	18.90	12.60
		30"	11	4	21.20	14.13
3	Back	10"	14	4	4.00	2.67
		12"	14	4	4.40	2.93
		14"	14	4	4.95	3.30
25	DovetaiD	10"	17	4	4.40	2.93
24	Cable	12"	8, 15	4	3.80	2.53
(100	Flooring)	18"		4	7.20	4.80
10	Plumbers	16"	8	4	6.00	4.00
56	Coping	6-5/8"	15	6	1.60	1.07
50	Coping	6-5/8"	15	6	1.40	•93
45	Coping	65/8"	15	12	•90	•60
<b>=</b> 100	Coping	6"	16	12	.32	.21
40,50,	56					
& 45	Coping Blade only	6-5/8"	15	144	.05	•03
60	Coping Blade only	6''	15	144	•05	•03
<b>=</b> 100	Coping Blade only	6"	16	144	•05	.03

■ DENOTES CHANGE

#### **PRUNING SAWS**

No.		Length	No. Per Box	Suggested Retail Price	Dealer Price
*4	Pruner or Plumbers	18" 20"	4	\$5.85 6.00	\$3.91 4.00
16	(Complete) Blade Only Socket Only	16"	12 12	7.25 4.85 2.40	4.84 3.24 1.60
17		26"	4	5.15	3.43
18		12"	6	4.50	3.00
20		14"	6	4.15	2.77
22		18" 22"	4	3.90 4.05	2.59 2.69
23		14"	6	4.00	2.67
24		10"	6	4.15	2.77
40		20°° 24°°	6	8.00 9.65	5.33 6.44
4		26"	4	10.95	7.30
120		14"	6	4.85	3.24
SF-1		16"	6	5.95	3.97
SF-3-	14	26"	6	8.50	5.65

\* NEW ITEM

#### **PRUNING SAW ACCESSORIES**

No.	Length	No. Per Box	Suggested Retail Price	Dealer Price
(3/4" Coiled	Blades) 25' Co	il 1	\$8.40	\$5.60
<b>395</b>	Lever Grip Saw Set	1	4.50	3.00
<b>432</b>	Pistol Grip Saw Ser	1	4.00	2.66
<b>35, 36, 38</b>	Filing Gauges	1	2.00	1.33
<b>22</b>	Pruning Saw Handles	12	1.20	.80
3	Pruning Saw Handles	12	1.50	1.00
m 11	Pruning Saw Handles	12	1.20	.80
<b>17</b>	Pruning Saw Handles	12	1.50	1.00
<b>18. 24</b>	Pruning Saw Handles	12	1.20	.80
<b>20, 120</b>	Pruning Saw Handles	12	1.00	.66
<b>2</b> 3	Pruning Saw Handles	12	1.20	.80
<b>40, 41 - 4</b>	Pruning Saw Handles	12	1.50	1.00
<b>1</b> , 6	Pruning Saw Handles	12	1.20	.80
■ SF-3-14,	Pruning Saw Handles	12	1.50	1.00

Sold In Full Box Lots Only

#### Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana



#### **SAW TOOLS**

No.	Suggested Retail Price	De aler Price
■ 1A-Speed Saw Filer	\$5.00	\$3.33
■ 2A-Filing Clamp	10.00	6.66
■ 3A-Saw Vise	8.00	5.33
(5) Hand Saw Jointer	1.50	1.00
■ 3-Circular Saw Set	7.00	4.67

#### **METAL CUTTING HAND SAWS**

(Not Shown in Catalog)

No	Set	Length	Points	No. Per Box	Suggested Retail Price	Dealer Price
<b>2</b> 1	Regular	18"	15	3	\$6.40	\$4.27
<b>1</b> 79	Regular	24"	13	4	5.60	3.73
(78)	Undulated	22"	18	4	6.30	4.20



HARDWARE CATALOG NO. 25

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### SILVER STEEL TUNGSTEN HAND HACKSAW BLADES

#### Tungsten-High Speed-All Hard

Order By Code No.	Atkins Stock Number	Length	Width	Thickness	Teeth Per Inch	Wt. Lbs. 100 Blades	Туре	Suggested Retail Price Per 100 Blades	Dealer Price Per 100 Blades
1503020	1412-H	12''	1/2"	.025"	14	4 3/4	Raker	\$93.06	\$61.49
1503005	1810	10"	1/2"	.025"	18	41/4	Raker	78.54	51.92
1503025	1812	12"	1/2"	.025"	18	43/4	Raker	93.06	61.49
1503010	2410	10"	1/2"	.025''	24	4 1/4	Wave	78.54	51.92
1503030	2412	12"	1/2"	.025''	24	43/4	Wave	93.06	61.49
1503015	3210	10"	1/2"	.025"	32	41/4	Wave	78.54	51.92
1503035	3212	12''	1/2"	.025"	32	43/4	Wave	93.06	61.49

#### \* SILVER STREAK ALL HARD HAND HACKSAW BLADES

#### Silver Streak-High Speed-All Hard

Order By Code No.	Atkins Stock Number	Length	Width	Thickness	Teeth Per Inch	Wt. Lbs. 100 Blades	Туре	Suggested Retail Price Per 100 Blades	Dealer Price Per 100 Blades
1513020	MH1412-H	12"	1/2"	.025"	14	41/2	Raker	\$78.21	\$52.36
1513005	MH1810	10"	1/2"	.025"	18	31/2	Raker	65.45	43.78
1513025	MH1812	12"	1/2"	.025"	18	41/2	Raker	78.21	52.36
1513010	MH2410 .	10"	1/2"	.025"	24	31/2	Wave	65.45	43.78
1513030	MH2412	12"	1/2"	.025"	24	41/2	Wave	78.21	52.36
1513015	MH3210	10"	1/2"	.025"	32	31/2	Wave	65.45	43.78
1513035	MH3212	12''	1/2"	.025"	32	41/2	Wave	78.21	52.36

#### \* SILVER STREAK HARD EDGE HAND HACKSAW BLADES

#### Silver Streak—High Speed—Flexible Back

Order By Code No.	Atkins Stock Number	Length	Width	Thickness	Teeth Per Inch	Wt. Lbs.	Туре	Suggested Retail Price Per 100 Blades	Dealer Price Per 100 Blades
1510020	MF1412-H	12"	1/2"	.025"	14	41/2	Raker	\$78.21	\$52.36
1510005	MF1810	10"	1/2"	.025"	18	31/2	Raker	65.45	43.78
1510025	MF1812	12"	1/2"	.025"	18	41/2	Raker	78.21	52.36
1510010	MF2410	10"	1/2"	.025"	24	31/2	Wave	65.45	43.78
1510030	MF2412	12"	1/2"	.025"	24	41/2	Wave	78.21	52.36
1510015	MF3210	10"	1/2"	.025"	32	31/2	Wave	65.45	43.78
1510035	MF3212	12"	1/2"	.025"	32	41/2	Wave	78.21	52.36

#### STANDARD HAND HACKSAW BLADES-Hard Edge Alloy Steel

#### Standard—Flexible Back—Hard Edge

Order By Code No.	Atkins Stock Number	Length	Width	Thickness	Teeth Per Inch	Wt. Lbs. 100 Blades	Туре	Suggested Retail Price Per 100 Blades	Dealer Price Per 100 Blades
1521155	304	12''	1/2"	.025"	14	4	Raker	\$20.46	\$13.75
1521005	300	10"	1/2"	.025''	18	31/4	Raker	16.72	11.22
1521125	300	12''	1/2"	.025"	18	4	Raker	20.46	13.75
1521040	310	10"	1/2"	.025''	24	3 1/4	Wave	16.72	11.22
1521160	310	12"	1/2"	.025"	24	4	Wave	20.46	13.75
1521085	315	. 10"	1/2"	.025''	32	31/4	Wave	16.72	11.22
1521200	315	12''	1/2"	.025"	32	4	Wave	20.46	13.75

All Hand Blades Packed 100 to a Box—Sold In Full Box Lots Only.

Cancelling 2-16-59 Effective 2-1-60

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana





#### HAND HACKSAW BLADE ASSORTMENT

NET	PRICES	PFR.	<b>ASSORTMENT</b>
14 - 1	FRICES	L	ASSOLV LINE IN L

NE	I PRICES PER ASSURTMENT
Suggested	Dealer Price
Retail Price	Price
\$9.31	\$6.15
7.82	5.24
9.48	6.37
43.63	28.83
36.55	24.46
36.55	24.46
	\$9.31  7.82  9.48  43.63

#### HACKSAW FRAMES

No.	Type	Blade	No. Per Box	Suggested Retail Price	Dealer Price
10	Adjustable	10"	1	\$3.90	\$2.60
15	Tubular	10"	1	3.50	2.33
<b>=</b> 111	Adjustable	10"	1	2.18	1.45
*199	Adjustable	10"	6	.99	.66

<sup>■</sup> DENOTES CHANGE

<sup>\*</sup> NEW ITEM



HARDWARE CATALOG NO. 25

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

# TWO-MAN CROSSCUT SAWS DISCONTINUED

#### **DOCKING SAW**

No.	Type	P	Length	Suggested Retail Price	Dealer Price
590	Docking		30"	8.35	6.25



Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### **CROSSCUT SAW HANDLES**

No.	Туре	Length	Suggested Retail Price	Dealer Price
<b>1</b> 0	Two.Man	9-3/8"	\$2.60 per pr.	\$1.73 per pr.
<b>22</b>	Two-Man	13-3/4"	3.00 per pr.	2.00 per pr.
28	Two-Man	8-3/4"	3.30 per pr.	2.20 per pr.
389	One-Man Bored		1.98	1.32
	Unbored		1.94	1.29
2	One-Man Bored		2.00	1.33
_	Unbored		1.90	1.27
<b>202</b>	Supplementary		.90	.60

Note: All Two-Man Crosscut Saw Handles are packed 10 pair per carton. Prices shown are for full carton lots. For less than full carton quantities add .02 per pair to Dealer prices shown. Add .01 per pair for broken boxes.

#### **CROSSCUT SAW TOOLS**

No.	Туре	Suggested Retail Price	Dealer Price
(6)	Tooth Set Gauge	\$2.40	\$1.60
(6)	Excelsior Saw Tool	6.00	4.00
(1)	Criterion Saw Set	3.60	2.40
$\circ$	Chaneling Set Block	1.00	•67
$\Box$	Excelsior Set Gauge	•50	•33
4	Setting Hammer	3.90	2.60
3	Setting Hammer	2.90	1.93

#### \* CORN KNIVES

	Blade		No. Per	Suggested	Dealer
Length	Length	Gauge	Box	Retail Price	Price
21-1/2"	15''	14 Bright	6	\$1.70	\$1.13
21-1/2"	15''	14 Black	6	1.50	1.00
	21-1/2"	Length Length 21-1/2'' 15''	Length Length Gauge 21-1/2'' 15'' 14 Bright	Length         Gauge         Box           21-1/2''         15''         14 Bright         6	Length Length Gauge Box Retail Price 21-1/2'' 15'' 14 Bright 6 \$1.70

#### **CANE KNIVES**

12	20-3/4"	12"	19	\$2.40	\$1.60
18	20-3/4"	12''	19	2.00	1.33

Regular with 9" Handles - For 15" Handles add .15 to Wholesale Price.

#### **DITCH BANK BLADES**

No.		Blade Length	Gauge		
5-A	40" Handle	16-3/4"	13	\$5.30	\$3.53
5-B	No Handle	16-3/4"	13	3.40	2.27
6-A	40" Handle	16-3/4"	13	5.00	3.33
6-B	No Handle	16-3/4"	13	2.90	1.95
•	Handlas for shows			1.40	.93

O DISCONTINUED AFTER STOCK IS EXHAUSTED



HARDWARE CATALOG NO. 25

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### COILED BUTCHER SAW BLADES

■ Silver Steel - 25' Coils	Suggested Retail Price Per Coil	Dealer Price Per Coil
5/8"	\$6.30	\$4.20
3/4"	6.80	4.55
O Special Steel- 25' Coils		
3/4''	6.00	4.00

#### BUTCHER AND KITCHEN SAWS

No.	\$	No Per Box	Suggested Resale Price	Dealer Price
177 - 18"	Butcher Saw	2	\$4.00	\$2.66
24"	Butcher Saw	2	4.40	2.93
188 - 14"	Kitchen Saw	6	2.00	1.33
05	Butcher Saw Punch	1	3.00	2.00

#### BUTCHER AND KITCHEN SAW BLADES

Silver Steel - Cut to Length - 1/2", 5/8" widths - with holes each end.

Lengths	Suggested Retail Price	Dealer Price		
14" x 1/2"	.50	.33		
18" x 5/8"	.60	.40		
■ 24" x 5/8"	.80	.53		

#### SAW TOOLS-HANDLES AND ACCESSORIES

			Suggested	Dealer
١	١٥.		Retail Price	Price
3	95	Lever Saw Set	\$4.50	\$3.00
4	32	Pistol Grip Set	4.00	2.66
	30	Wallscrapers 3-1/2" x 5"	1.20	.80
		Saw Screws	.12	.08
	10	Saw Screws	.20	.13
0	20	Saw Screws	.18	.12
		Saw Screws	.18	.12



Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### HANDLES (Not Shown in Catalog)

N	0.		uggested Resale	Dealers Price
6	5 20"	Hand Saw - Bored	\$2.40	\$1.60
	26"			2.00
5	1 20"			1.33
	26"	Hand Saw - Bored	2.60	1.73
# #500W-5	4 26"	Hand Saw - Bored	2.50	1.67
40	0 26"		6.00	4.00
5	8 20"		1.50	1.00
	26"		2.00	1.33
	1 26"		1.50	1.00
2	1 18"	' - 24'' Metal-Bored	1.50	1.00
59		Wood-Docking	2.00	1.33
		Metal-Docking	3.00	2.00
		' - 30'' Mitre-Bored	2.00	1.33
0		' - 14" - 16" Back Saw-Bored	1.80	1.20
		Back Saw-Bored	1.80	1.20
		' - 14" Back Saw-Bored	2.00	1.33
O Al	L4 12"	Back Saw-Bored	1.70	1.13
0		npass Saw-Bored	1.00	.66
9-1		npass Saw-Bored	1.20	.80
36-3		ite Compass Saw-Bored	1.20	.80
38-3	19			

#### **■ CORDWOOD SAWS**

Diam.	Hole	Weight	Suggested Retail Price	Dealer Price
20"	1-3/8"	7#	\$12.75	\$ 8.50
(24")	1-3/8"	13#	16.80	11.20
(26")	1-3/8"	16#	18.75	12.50
28"	1-3/8"	21#	21.45	14.30
30"	1 - 3/8"	25#	23.60	15.75
32''	1-3/8"	27#	28.05	18.70



HARDWARE CATALOG NO. 25

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### ATKINS MECHANIC-KUT CIRCULAR SAWS

No variation from these specifications. This list covers Saws Set and Filed only, does not include Swaged Rip Saws.

Dia.	Center Hole	Cutoff # A-8 Tooth	Nail or Flooring	Rip # A-2	F #37	Comb lat Grow #6-A	o. und #44	Sug. Ret. Pr.	Dir. Pr.	Whol. Pr.	Comb. Hollow Ground #37	Sug. Ret. Pr.	Dir. Pr.	Whol Pr.
5-7/8	13/16 Diamond					18	40							
6	5/8 x 1/2, Round 1/2 Square	100	*60		37	20 20	40 40							
6-1/8	1-1/8 Round					20								
6-1/4	5/8 Round 5/8 x 1/2 Round 1/2 Square 3/4 x 5/8 Round	*100 *100 *	*60	SUBST		20 20 20		2.40	1.60					
6-3/8	1/2 Square			TITUT		20								
6-1/2	. 5/8 × 1/2, Round ‡13/16 Universal 3/4 × 5/8 Round	*100 *100		E #6	37	20 20 20	40				37			
7	1/2 Square 5/8 x 1/2, Round 3/4 x 5/8 Round	100 *100	*80	A COME	37	24 24 24	44 * 44				37			
7-1/4	5/8 x 12 Round ‡13/16 Universal	*100 *100		BINATION		24 24	44	2.70   1	1.80			4.80	3.20	
7-3/8	1-1/8 Round	100		O Z		24								
7-1/2	3/4 x 5/8 Round			10		24								
8	5/8 x 1/2 Round ‡13/16 Universal 3/4 x 5/8 Round	100	*80	ОТН	37	30 30 30	*44			-	37	5.60	3.73	
8-1/4	5/8 x 1/2 Round ‡13/16 Universal 1-3/8 Round	*100				30 30 30	* 44 44	3.10	2.07					
9	5/8 x 1/2 Round 3/4 x 5/8 Round	100			37	30 30	44	3.70	2.47		37	7.90	5.27	
0	3/4 x 5/8 Round	100-150			37	36	44	4.20	2.80		37	10.60	7.06	

<sup>‡</sup> Universal Hole will fit 13/16" square and Diamond Holes.

#### No. 3 MECHANIC KUT DADO SET


Diameter	Width	Hole	Suggested Resale Price	Dealer Price	Wholesale Price
6 "	1/8" to 13/16"	5/8"	\$18.95	\$13.26	

#### ATKINS MECHANIC KUT CIRCULAR SAWS

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana



STANDARD TOOTH PROFILES ATKINS MECHANIC-KUT CIRCULAR SAWS





#### ATKINS MECHANIC KUT CIRCULAR SAWS

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### ATKINS MECHANIC KUT CIRCULAR SAWS

#### ATKINS SAWS

Type Tooth	Diameter
No. A-8 Cut-off	6", 7", 8", 9", 10"
No. A-44 Combination	6", 6-1/2", 7", 8", 9", 10"
No. 6A Combination	6", 6-1/2", 7", 8", 9", 10"
No. A-37 Novelty	6", 6-1/2", 7", 8", 9", 10"
No. 8 Nail or Flooring	6", 6-1/4", 7", 8"
Diameter	Hole
6"	1/2", 5/8", 1/2" Square
6-1/2"	1/2", 5/8" **3/4", *Universal
7"	1/2", 5/8", 3/4", 1/2" Square
8"	*1/2", 5/8", **3/4", *Universal
9"	1/2", 5/8", 3/4"
10"	5/8", 3/4"
NO. A-37-H - HOLLOW	GROUND MITRE
6-1/2"	1/2", 5/8"
7"	1/2", 5/8"
8"	1/2", 5/8"
9"	**1/2", 5/8"
10"	5/8", 3/4"
NO. 3 DADO	SET
6"	13/16" Thick, 5/8" Hole

NO. A-88 - PLYWOOD SAWS - DISCONTINUED

#### FOR BLACK AND DECKER MACHINES

	FOR	BLACK AND I	DECKER MA	CHINE?	
New Saw No.	Old Saw No.	Diameter	Туре	Teeth Style	Hole
A-U-1600	A-32870	6-1/8"	Comb.	20 No. 6A	1-1/8" Round
A-U-1620		6-1/2"	Comb.	20 No. 6A	5/811 Round
A-U-1621		6-1/2"	H. G. Mitre	No. 37	5/8" Round
⊕A-U-1622		6-1/2"	Xcut	100 No. 8	5/811 Round
A-U-1720		7-1/4"	Comb.	24 No. 6A	5/8" Round
⊕A-U-1722		7-1/4"	Xcut	100 No. 8	5/811 Round
U-1700	A-34366	7-3/811	Comb.	24 No. 6A	1-1/8" Round
U-1702	A-34399	7-3/8"	Xcut	100 No. 8	1-1/8" Round
A-U-1820		811	Comb.	30 No. 6A	5/811 Round
A-U-1821		8''	H. G. Mitre	No. 37	5/811 Round
A-U-1822		8''	Xcut	100 No. 8	5/811 Round
U-1800	A-33819 or 11701	8 -1/4"	Comb.	30 No. 6A	1-3/8" Round
		FOR CUMMINS	MACHINES		
A-700-066		6-3/8"	Comb.	20 No. 6A	1/2" Square
A-700-001		8"	Comb.	30 No. 6A	*Universal
		6-3/8" Saws for Ma:	xaw No. 700		
		8" Saws for Ma	xaw No. 800-90	5	
	FOR	PORTABLE EL	ECTRIC TO	OL	
		6-1/4"	Comb.	20 No. 6A	1/2" Square

<sup>\*</sup> Universal Hole will fit 13/16" Square and Diamond Holes.

⊕ NEW ITEM

5/8" Round

20 No. 6A

<sup>\*</sup> Universal Hole will fit 13/16" Square and Diamond Hole.

<sup>\*\*</sup> Not carried in stock.

#### ATKINS MECHANIC KUT CIRCULAR SAWS



#### Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### FOR STANLEY MACHINES

New Saw No.	Diameter	Туре	Teeth Style	Hole Size
	6-1/4"	Comb.	20 No. 6A	3/4" × 5/8"
AP-6774	6-1/4"	Xcut	100 No. 8	3/4" x 5/8"
⊕APH-6583	6-1/2"	Comb.	20 No. 6A	3/4" x 5/8"
APH-6823	6-1/2"	Comb.	40 No. 44	3/4" x 5/8"
APH-6831		Xcut	100 No. 8	3/4" x 5/8"
⊕APH-6829	6-1/2"	Comb.	24 No. 6A	3/4" x 5/8"
APH-6775	7"	Comb.	44 No. 44	3/4" x 5/8"
⊕APH-6654	7"		100 No. 8	3/4" x 5/8"
⊕APH-6658	7"	Xcut	24 No. 6A	3/4" x 5/8"
AP-5792	7-1/2"	Comb.	30 No. 6A	3/4" x 5/8"
APH-6776	8"	Comb.	44 No. 44	3/4" x 5/8"
⊕APH-5849-B	8"	Comb.	100 No. 8	3/4" x 5/8"
⊕APH-5846-B	8"	Xcut		3/4 × 3/0
	FOR	PORTER CABLE MA	ACHINES	
B-6005-C	6"	Comb.	20 No. 6A	5/8" Round
⊕B-6005-CC	6"	Xcut	100 No. 8	5/8" Round
B-6255-C	6-1/4"	Comb.	20 No. 6A	5/8" Round
⊕B-6255-CC	6-1/4"	Xcut	100 No. 8	5/8" Round
ФВ-6505-C	6-1/2"	Comb.	40 No. 44	5/8" Round
	6-1/2"	Xcut	100 No. 8	5/8" Round
⊕B-6505-CC	6-1/2"	H. G. Mitre	No. 37	5/8" Round
⊕B-6505-P	7"	Xcut	100 No. 8	5/8" Round
ФВ-7005-CC	7"	H. G. Mitre	No. 37	5/8" Round
⊕B-7005-P	7-1/4"	Comb.	24 No. 6A	5/8" Round
BL-7255-C		X cut	100 No. 8	5/8" Round
⊕BL-7255-CC	7-1/4"	Comb.	24 No. 6A	5/8" Round
B-7505-C	7-1/2"		44 No. 44	5/8" Round
⊕B-8005-C	8"	Comb.	100 No. 8	5/8" Round
⊕B-8005-CC	8"	Xcut	No. 37	5/8" Round
⊕B-8005-P	8"	H. G. Mitre	30 No. 6A	5/8" Round
B-8255-C	8-1/4"	Comb.	100 No. 8	5/8" Round
⊕B-8255-CC	8-1/4"	X cut		3/ 0 K00110
		OR SKILSAW MACHI		0: 1
A-866	5-7/8"	Comb.	18 No. 6A	Diamond
A-376	5-7/8"	Comb.	40 No. 44	Diamond
⊕A-13821	6-1/4"	Xcut	100 No. 8	5/8" Round
A-16122	6-1/2"	Comb.	20 No. 6A	*Universal
A-17988	6-1/2"	Comb.	20 No. 6A	5/8" Round
⊕A-18552	6-1/2"	Xcut	100 No. 8	5/8" Round
A-18554	6-1/2"	H. G. Mitre	No. 37	5/8" Round
⊕A-13857	7"	Xcut	100 No. 8	5/8" Round
⊕A-13853	7"	Comb.	24 No. 6A	5/8" Round
A-867	7-1/4"	Comb.	24 No. 6A	*Universal
A-377	7-1/4"	Comb.	44 No. 44	*Universal
⊕A-356	7-1/4"	Xcut	100 No. 8	*Universal
⊕A-13854	7-1/2"	Comb.	24 No. 6A	5/8" Round
A-871	8"	Comb.	30 No. 6A	*Universal
⊕A-12616	8"	Comb.	44 No. 44	5/8" Round
⊕A-12631	8"	Mitre	No. 37	5/8" Round
A-388	8-1/4"	Comb.	44 No. 44	*Universal
A-868	8-1/4"	Comb.	30 No. 6A	*Universal
⊕A-13814	8-1/4"	Comb.	44 No. 44	5/8" Round
⊕A-12632	9"	Mitre	No. 37	5/8" Round
⊕A-12633	10"	Mitre	No. 37	5/8" Round
		MALL TOOL MACE	HINES	
			44 No. 44	1/2" Square
A-600	6"	Comb.		1/2" Square
A-710	7"	Comb.	24 No. 6A	
	7-1/4"	Comb.	24 No. 6A	*Universal
A .725	7-1/4"	Comb.	44 No. 44	*Universal
A-725	8"	Comb.	30 No. 6A	*Universal
A-800	0	Comb.		

\* Universal Hole will fit 13/16" Square and Diamond Holes.

D NEW ITEM



Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana


#### ■ CARBIDE TIPPED CIRCULAR SAWS, A-QUALITY

# CHROME PLATED #CW-80 TEETH SQUARE FACE AND SQUARE TOP HAND FEED ONLY

Saw Dia. Gauges		No. of Teeth		Suggested	Dealer	
Catalog No.	Plate	Kerf	Carried in Stock	Hole	Resale Price	Price
6" - CF	.090	.125	8	5/8" x 1/2" Rd.	\$11.95	\$8.37
6½"- CF	.090	.125	8	5/8" x 1/2" Rd.	11.95	8.37
7" - CF	.090	.125	8	5/8" x 1/2" Rd.	11.95	8.37
8" - CF	.090	.125	8	5/8" x 1/2" Rd.	12.95	9.07
9" - CF	.090	.125	8	5/8" x 1/2" Rd.	14.95	10.47
10" - CF	.090	.125	8	3/4" x 5/8" Rd.	16.95	11.87

## \* A80 - CIRCULAR PLYWOOD SAW, A-QUALITY HARD CHROME PLATED

Saw Dia.	Gauge	Teeth	Hole	Suggested Resale Price	Dealer Price
- Jaw Dia.	Gadge				
8**	16	80	5/8" x 1/2"	\$7.95	\$5.33





HARDWARE CATALOG NO. 25

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### SAW FILES

TAPER					TAPER DOUBLE CUT			
In-	Taper	Slim	Ext. Slim	Dbl. Ext. Slim	Taper	Slim	Ext. Slim	Dbl. Ext. Slim
4"		3.47	3.47	3.47				
5"		3.73	3.73	3.73				
5-1/2"			4.53					
6"	5.60	4.80	4.80	4.80	6.00	5.33	5.33	5.33
7**	6.93	5.73	5.73	5.73	7.73	6.40	6.40	6.40
8**	8.67	6.93	6.93	6.93	,,,,	7.73	7.73	7.73
10"	12.93	9.73	••••			7170	7.70	7.70

In-	BANDSAW	BLUNT	CANTSAW	DOUBLE ENDER
	Regular	Slim	(Also Safe Ba	ck)
6" 7"	7.60	6.27	8.93	5.73
8**	10.80	8.53	10.13 10.53	5.73 6.27
10"			14.40	7.87 Also 9" - 7.07

#### MILL

In-	Bastard	Second Cut	Smooth	Bastard (1) RE	Bastard (2) RE
4" 6" 7"	4.93 5.33 6.00	5.73 6.53	6.27 7.33	6.27	7.07
8 <b>"</b> 10 <b>"</b>	6.53 8.53	7.87 10.13	8.67 11.20	7.73 10.13	8.67 11.20
12" 14" 16"	12.00 16.93 23.47	13.60 19.33	14.93 20.80	13.33	

Items below line are packed 1/2 dozen per box

	D	п	55	c		т
-	n	U	22	C	U	

In-	Great American	Special	
6" 7"	10.13	6.27	
		6.93	
8"	12.40	7.73	
10"	15.20	10.80	

----

7" x 1/4"	E 40
8" x 3/16"	5.49
	7.86
8" x 1/4"	7.19
8" × 5/16"	6.65

HAND SAW

Sold in full box lots only.

QUANTITY DISCOUNT

5 doz or more less 10%



Atkins Saw Division Borg-Warner Corporation Indianapolis , Indiana

#### MACHINISTS FILES

IAI	101	111	CIP	13	Г	LES

FLAT					
In.	Bastard	Second Cut	Smooth		
4"	6.27	7.33	7.87		
6"	7.33	8.00	8.93		
8"	8.93	10.13	11.07		
10"	11.73	13.47	14.53		
12"	16.13	18.27	20.13		
14"	22.13	25.47	27.87		
16"	29.47	33.47	36.93		

HAND					
Bastard	Second Cut	Smooth	Įn.		
7.33 8.93	8.53 10.53	9.33 11.20	4" 6" 8"		
12.40 17.87 24.93	14.53 20.40 28.87	15.60 22.53 30.27	10" 12" 14" 16"		

HALF ROUND					
In.	Bastard	Second Cut	Smooth		
4**	8.00	9,33	10.13		
6"	10.13	11.33	11.87		
8**	12.40	13.87	14.80		
10"	15.20	16.80	17.87		
12"	19.60	21.73	23.20		
14"	25.73	28.27	30.40		
16"	34.13		40.13		

SQUARE					
Bastard	Second Cut	Smooth	Įn.		
6.27	7.73	8.13	4"		
7.73	8.53	9.20	6"		
9.20	10.53	11.73	8"		
12.40	14.13	15.20	10"		
16.93	19.20	21.33	12'		
23.20	26.67	29.07	14"		
31.20			16'		

	ROUND						
In-	Bastard	Second Cut	Smooth				
4**	5.20	5.87	6.53				
6"	5.87	6.67	7.60				
7**	6.53						
8**	7.20	8.13	8.93				
10"	9,33	10.53	11.73				
12"	12.40	14.27	15.60				
14"	17.87	20.40	21.73				
16"	24.40						

THREE SQUARE						
Bastard	Second Cut	Smooth	ln.			
			4"			
10.13	11.33	11.87	4" 6" 7"			
12.40	13.87	14.80	7" 8"			
15.20	16.80	17.87	10"			
19.60			12"			
			14"			

PILLAR						
In.	Bastard	Second Cut	Smooth			
4''						
4'' 6'' 8''	7.33	8.53	9.33			
8"	8.93	10.53	11.33			
10"	12.40	14.53	15.60			
12"	17.87					
14"	24.93					

WARDING					
Bastard	Second Cut	Smooth	In.		
6,67	8.00	8.93	4"		
8.13	9.87	10.53	6"		
10.53	12.40	13.73	8''		
14.53	16.80	18.27	10'		
20.40			12'		
			14"		

#### KNIFE

In.	Bastard	Second Cut	Smooth	In-
4**	8,93	10.13	10,53	4**
6"	11.47	12.40	13.20	6"
8"	14.13	15.20	15.87	8"
10"	16.80	19.20	20.40	10"

Items below line are packed 1/2 doz. per box. Sold in full box lots only.

QUANTITY DISCOUNT 5 doz. or more less 10%



HARDWARE CATALOG NO. 25

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### SPECIAL PURPOSE FILES

#### BANDSAW

In-	Skiptooth Blunt	Skiptooth Diamond Point	Taper No. 3	Taper Slim No. 456	ln.
5"	10.80	11.07			5"
6"	11.47	11.87	7.60	6.27	6"
7**	- 4		8.93	7.33	7"

No. 3 recommended for saws with (3) teeth, No. 456 for saws with 4, 5, and 6 teeth.

In.	PLANER KNIFE	CABINET HALF ROUND	In. PUL	PWOOD OR WEB SAW	In.	AUGER
8" 10"	10.53 14.27	16.80	5" 5-1/2"	8.53 9.33	7"	6.67
12"		31.20	6"	10.13		

LONG ANGLE LATHE			CURLED CHIP		LEAD FLOAT		BRASS
In.		Flat	Half Round	Square	Flat	Hf. Rd.	Hf. Rd.
8"		9.87	13.73	12.00	10.53	14.13	20.00
10" 12" 14"	14.27 19.60 26.53	12.93 17.87 24.00	16.67 21.60 28.27	15.20 20.80 28.00	14.27	17.87 23.47	22.53 26.53

ALUMINUM TYPE			FOU	NDRY	TOUCH POINT		
In-	"A" Flat	"A" Hf. Rd.	Flat	Hf. Rd.	Overall Length	Boxed	Carded
6"	8.93	17.60	0.00	10.40	5-1/4"	2.13	2.27
10"	11.73	20.00	8.93 11.73	12.40			
12"	18.27	26.53	16.13	19.60			
14"			22.13	25.73			

#### RASPS

HORSE RASP					WOOD RASP			
In.	Plain	Plain Slim	Tanged	Tanged Thin	Hf. Rd. Bastard	Hf. Rd. Smooth	Round	
6" 8" 10"					13.87 17.07 23.20	* 23.20 31.87	17.07 21.87 29.73	
12" 14" 16" 18"	14.13 19.73 27.20	24.00 28.67	25.60 35.73	24.40	31.87 42.13 55.73	42.13	38.67 50.27	

CABINET RASP			SHOE RASP HALF RD.	WOOD RASP	
. In-	Second Cut	Smooth	(4-in-Hand)	Flat Bastard	In-
6" 8"	17.07 21.73	26,27	11,20	16.00	6" 8"
10'' 12'' 14''	29.73 38.67 50.27	35.20 45.47	15.20 (Also 9" 13.60)	21.73 29.73 39.20	10" 12" 14"

#### GARDNERS FILE

Length 6-1/2"
Number per box - 12, weight 3 lbs., 10 oz.

Items below line are packed 1/2 doz. per box. Sold in full box lots only.

Dealer price per doz 8.00 Suggested resale price per file - 98¢ QUANTITY DISCOUNT

5 doz. or more less 10%

17



Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### PLANER MILLED TOOTH FILES

FLEXIBLE	FLAT

Standard	Fine	Smooth	Standard	Fine	Smooth	Babbit	Utility
29,47	35.47		28.13	32,53	35,60	36.13	32.27
36.93	43.07		34.40	39.47	42.27	42.27	38.53
44.40 50.27	50.40 57.87	52.67 60.93	41.33 48.67	46.67 54.27	48.93 56.80	50.93 55.47	45.20 52.67
	29.47 36.93 44.40	29.47 35.47 36.93 43.07 44.40 50.40	29.47 35.47 36.93 43.07 44.40 50.40 52.67	29.47 35.47 28.13 36.93 43.07 34.40 44.40 50.40 52.67 41.33	29.47 35.47 28.13 32.53 36.93 43.07 34.40 39.47 44.40 50.40 52.67 41.33 46.67	29.47     35.47     28.13     32.53     35.60       36.93     43.07     34.40     39.47     42.27       44.40     50.40     52.67     41.33     46.67     48.93	29.47     35.47     28.13     32.53     35.60     36.13       36.93     43.07     34.40     39.47     42.27     42.27       44.40     50.40     52.67     41.33     46.67     48.93     50.93

	HALF ROUND		PILLAR	SQUARE	SHEL	.L
	Standard	Fine	Standard	Standard	Standard	Fine
8"	32.93	37.33	30.80	29.47	32,93	
10''	38.80	44.00	37.60	36.00	38.80	
12"	46.27	51.20	45.73	43.33	46.27	
14"	54.13	59.33			54.13	59.33

#### MOULDING

	Standard
8"	32.93
10"	38.80
12"	46.27
14"	54.13

Adjustable Flexible File Holder No. 25

For use with 12" and 14" files 56.13

Items below line are packed 1/2 doz. per box. Sold in full box lots only.

QUANTITY DISCOUNT - applies to milled tooth only 3 doz. or more less 10%

#### CHAIN SAW FILES

C-J - 20	8" × 3/16	Round Blunt	8.93
C-J - 11	8" x 1/4"	Round Blunt	8.93
C-J - 9	8" × 5/16	Round Blunt	9.47
C-J - 10	8" x 3/8	Round Blunt	10.13
C-J - 8	7" Special	Crosscut - 1 Round Edge	8.13
C-J - 12	8" Special	Crosscut - 1 Round Edge	9.36
C-J - 13	7" Special	Crosscut - 2 Round Edge	8.27
C-J - 14	8" Special	Crosscut • 2 Round Edge	9.33
C-J - 15	6" x 7/32	Square Blunt	7.60
C-J - 21	8" x 7/32	Round Blunt	8.93
C-J - 22	8" × 9/32	Round Blunt	9.20

QUANTITY DISCOUNT - Chain Saw Files 5 doz. or more less 10%



HARDWARE CATALOG NO. 25

Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### SPECIAL PURPOSE FILES

#### BANDSAW

In-	Skiptooth Blunt	Skiptooth Diamond Point	Taper No. 3	Taper Slim No. 456	In-
5"	10.80 11.47	11.07 11.87	7.60	6.27	5" 6"
7**	1 1 9 49 7	11107	8.93	7.33	7"

No. 3 recommended for saws with (3) teeth, No. 456 for saws with 4, 5, and 6 teeth.

In.	PLANER KNIFE	CABINET HALF ROUND	In. PUL	PWOOD OR WEB SAW	In.	AUGER
8" 10"	10.53 14.27	16.80	5" 5-1/2"	8.53 9.33	7"	6.67
12"		31.20	6"	10.13		

LONG ANGLE LATHE			CURLED CHI		LEAD	BRASS	
In.		Flat	Half Round	Square	Flat	Hf. Rd.	Hf. Rd.
8"		9.87	13.73	12.00	10.53	14.13	20.00
10" 12" 14"	14.27 19.60 26.53	12.93 17.87 24.00	16.67 21.60 28.27	15.20 20.80 28.00	14.27 19.60	17.87 23.47	22.53 26.53

ALUMINUM TYPE			FOU	NDRY	TOUCH POINT		
In-	"A" Flat	"A" Hf. Rd.	Flat	Hf. Rd.	Overall Length	Boxed	Carded
6"	8.93 11.73	17.60 20.00	8.93	12.40	5-1/4"	2.13	2.27
10" 12" 14"	14.13 18.27	22.53 26.53	11.73 16.13 22.13	15.20 19.60 25.73			

#### RASPS

HORSE RASP					WOOD RASP			
In-	Plain	Plain Slim	Tanged	Tanged Thin	Hf. Rd. Bastard	Hf. Rd. Smooth	Round	
6" 8" 10"					13.87 17.07 23.20	* 23.20 31.87	17.07 21.87	
12" 14" 16" 18"	14.13 19.73 27.20	24.00 28.67	25.60 35.73	24.40	31.87 42.13 55.73	42.13	29.73 38.67 50.27	

CABINET RASP			SHOE RASP HALF RD.	WOOD RASP		
. In-	Second Cut	Smooth	(4-in-Hand)	Flat Bastard	In.	
6" 8"	17.07 21.73	26.27	11.20	16.00	6'' 8''	
10" 12" 14"	29.73 38.67 50.27	35.20 45.47	15.20 (Also 9" 13.60)	21.73 29.73 39.20	10" 12" 14"	

#### GARDNERS FILE

Length 6-1/2"
Number per box - 12, weight 3 lbs., 10 oz.

Items below line are packed 1/2 doz. per box. Sold in full box lots only.

Dealer price per doz. 8.00 Suggested resale price per file - 98¢ QUANTITY DISCOUNT

5 doz. or more less 10%

17



Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

#### PLANER MILLED TOOTH FILES

1	LAINEIN	MILLED	100	1 1 1 1	

	Standard	Fine	Smooth	Standard	Fine	Smooth	Babbit	Utility
8"	29.47	35.47		28.13	32.53	35.60	36.13	32.27
10"	36.93	43.07		34.40	39.47	42.27	42.27	38.53
12"	44.40	50.40	52.67	41.33	46.67	48.93	50.93	45.20
14"	50.27	57.87	60.93	48.67	54.27	56.80	55.47	52.67

	HALF	ROUND	PILLAR	SQUARE	SHEL	-L
	Standard	Fine	Standard	Standard	Standard	Fine
8"	32.93	37.33	30.80	29.47	32.93	
10"	38.80	44.00	37.60	36.00	38.80	
12"	46.27	51.20	45.73	43.33	46.27	
14"	54.13	59.33			54.13	59.33
4	34.13	37.33			34.13	

#### MOULDING

FLEXIBLE

	Standard
8"	32,93
10"	38.80
12"	46.27
14"	54.13

Adjustable Flexible File Holder No. 25

FLAT

For use with 12" and 14" files 56.13

Items below line are packed 1/2 doz. per box. Sold in full box lots only.

QUANTITY DISCOUNT - applies to milled tooth only 3 doz. or more less 10%

#### CHAIN SAW FILES

C-J - 20	8" x 3/16	Round Blunt	8.93
C-J - 11	8" x 1/4"	Round Blunt	8.93
C-J - 9	8" x 5/16	Round Blunt	9.47
C-J - 10	8" x 3/8	Round Blunt	10.13
C-J - 8	7" Special	Crosscut • 1 Round Edge	8.13
C-J - 12	8" Special	Crosscut - 1 Round Edge	9.36
C-J - 13	7" Special	Crosscut - 2 Round Edge	8.27
C-J - 14	8" Special	Crosscut - 2 Round Edge	9.33
C-J - 15	6" x 7/32	Square Blunt	7.60
C-J - 21	8" x 7/32	Round Blunt	8.93
C-J - 22	8" × 9/32	Round Blunt	9.20

QUANTITY DISCOUNT - Chain Saw Files 5 doz. or more less 10%

Continued

#### SILVER STEEL FILES





Atkins Saw Division Borg-Warner Corporation Indianapolis 9, Indiana

# APPROXIMATE FILE WEIGHTS ATKINS SILVER STEEL FILES POUNDS AND OUNCES PER DOZEN

POUNDS AND DUNCES PER DOZEN	IN REGULAR CARDBOARD BOXES	VALCUE

TYPE	4,,	41/2"	2,,	51/2	9	1	, , ,	6,,6	10,,	12,,	14"	15,,	16"	18,	20,,
Aluminum Type A Flat					1-10		3-10		7-	11- 9	18.8				
Aluminum Type A Half Rd.					1-4		2-11		6-3	9-14	16-				
Auger Bit						6.									
Bandsaw Blunt					2. 6		4-12								
Bandsaw Blunt Slim					1-2		3- 1								
Bandsaw Skiptooth Blunt			-		-13										
Bandsaw Skiptooth Diamond Pt.			-10%		-123/4										
Bandsaw Taper					2-	2-6									
Bandsaw Taper Slim					-15	1-1									
Brass Flat							3-10		7.	11-9					
Brass Half Round							2-11		6-3	9- 8					
Cabinet Files							2-13		4-13	ě					
Cabinet Rasps					9 -1		2-13		4-13	8. 6	13-11				
Cabinet Rasps Round					-12		1-12		3. 4	6-12	12.				
Cantsaw					1.5		2-13		5.6						
Crosscut Great American							3-6		-9						
Crosscut Special					1.3	2-	2-14		5. 5						
Double Ender (with Handle)	, ¥ <u>.</u>				-12	-12	1.5	1-15	2-6						
Double Extra Slim Taper	·	. 4	• 5		. 7	Ξ	-								
Extra Slim Taper	4	. 5	- 7	6.	=	1. 2	2-								
Flat Foundry, Flat Bastard	6.		,	•	1-10		3-10		7- 7-	11.9	18.8		27- 1	36- 8	
Loonary, Hall Na. Dasi.							1				2				

HARDWARE CATALOG NO. 25

#### SILVER STEEL FILES



Atkins Saw Division Borg-Warner Corporation Indianapolis , Indiana

1.   1.   1.   1.   1.   1.   1.   1.								L	LENGTHS							
it ments and the series of the	TYPE	4	41/2		51/2	9	7	***	6,,6	10.	12"	14"	15"	16.,	18,,	20,,
1. 2   1. 5	Talf Round	01.				1.7		3- 2		5-13	9-14	16-		22-12		
Sucouth  L. 1	Hand	!				2- 4		4-11		8-14	14- 5	21- 5		31-8		
1. 2   1. 5	Hand Finishing Smooth										14- 5	21- 5				
645/8) 647/8) 645/8) 64	Handsaw Blunt Slim					1- 2										
13-12 17-10 26-11  17-6 26- 36- 36- 25-15  17-6 26- 36- 36- 25-15  17-6 26- 36- 36- 36- 36- 36- 36- 36- 36- 36- 3	Handsaw Blunt Ex. slim				=	-13%	1-5/2									
17-6   26-   36-   25-15     17-6   26-   36-   36-     23-4   36-   36-     25-4   36-   36-     25-4   36-   36-     25-4   36-     25-4   36-     25-4   36-     25-4   36-     25-4   36-     25-4   36-     25-4   36-     25-4   36-     25-4   36-     25-4   36-     25-4   36-     25-6   36-     25-6   36-     25-7   36-     25-8   36-     25-9   36-     25-9   36-     25-10	Horse Kasp, plain one-										13-12	17-10		26-11		
984 reg. 9864 reg. 9864 reg. 9864 rhin 665/8) 665/8)  - 7  - 1.  - 2. 3  - 4. 3  - 3. 10  - 7.  - 11. 9  - 18. 8  - 13. 2.  - 2. 14  - 19. 8  - 11. 2  - 2. 14  - 19. 8  - 11. 2  - 2. 14  - 2. 2  - 10. 3  - 2. 14  - 2. 14  - 2. 14  - 3. 15  - 3. 15  - 3. 15  - 4. 1  - 4. 1  - 4. 1  - 4. 1  - 4. 1  - 4. 1  - 4. 1  - 4. 1  - 4. 1  - 5. 1  - 6  - 1. 2  - 1. 3  - 1. 15  - 1. 10  - 1.	Horse Rose plain one															
6x5/8) 6x3/4)  - 7  - 1  - 2 - 3  - 3 - 13  5 - 64  6x3/4)  - 7  - 1 - 2 - 3  - 4 - 3  - 1 - 2 - 3  - 4 - 3  - 1 - 9  - 1 - 9  - 1 - 3  - 1 - 9  - 1 - 9  - 1 - 9  - 1 - 3  - 1 - 1  - 2 - 3  - 4 - 3  - 1 - 9  - 1 - 9  - 1 - 3  - 1 - 1  - 2 - 3  - 4 - 3  - 1 - 9  - 1 - 3  - 1 - 1  - 2 - 3  - 4 - 3  - 1 - 9  - 1 - 1 - 9  - 1 - 3  - 1 - 1  - 2 - 3  - 4 - 3  - 1 - 9  - 1 - 1 - 9  - 1 - 1 - 1  - 2 - 1  - 2 - 1  - 2 - 1  - 3 - 1  - 4 - 1  - 1 - 1  - 4 - 1  - 1 - 2  - 2 - 1  - 3 - 4  - 3 - 1  - 3 - 4  - 4 - 1  - 1 - 9  - 1 - 1  - 1 - 1	half file, slim														25-15	33- 4
6x3/4)  5. 634  -7  1. 2. 3  4. 3  7. 11. 9  18. 8  rd.  -6  1. 3  1. 15  2. 11  3. 10  7. 11. 9  18. 8  7. 11. 9  18. 8  7. 11. 9  18. 8  7. 11. 9  18. 8  7. 11. 9  18. 8  7. 11. 9  18. 8  7. 11. 9  18. 8  7. 11. 9  19. 8  19. 8  19. 8  10. 10	Horse Rasp, tanged, reg. Horse Rasp, tanged, thin										17. 6	26-		36•		
- 7	mproved Taper (6x5/8) mproved Taper (6x3/4)					3-13										
7.    1.9    8.8   1-4.   -6    -3    -15    2.11    5.4   9.1    3.2   1-5    -3    -15    2.11    5.4   9.1    3.2   1-7    -15    -15    2.11    5.4   9.1    3.2    20.10   1-8    -2    -2    2.9    5.4    8.15   1-9    -13    -2    2.9    5.4    8.15   1-13    -6    -7    -7    -7    -7    -7    -7    -7   1-14    -15    -11    -7    -7    -7    -7    -7   1-15    -11    -7    -7    -7    -7    -7    -7   1-15    -1    -1    -7    -7    -7    -7    -7   1-1    -1    -1    -7    -7    -7    -7    -7   1-1    -1    -1    -7    -7    -7    -7    -7   1-1    -1    -7	Knife	. 7				÷		2- 3		4-3						
1-6										,	:					
-6 1-3 1-15 2-11 5-4 9-1 13-2 20-10  -6 1-3 2- 2-14 5-5 9-5  1-2 2-14 5-5 9-5  1-2 2-14 5-5 9-5  1-2 2-10 5-4 8-15  1-2 2-10 5-4 8-15  1-13 3-9 6-13 11-9  1-13 3-9 6-13 11-9  1-6 3-13 5-1  -4 -12 1-12 3-4 6-12 12- 19-8  1-6 -14 1-15 3-13 8-8 15- 25-  2-3 4-4 9- 15-12	_athe, long angle							3-10			11.0	20				
Light Sp. 1-15 2-11 5-4 9-1 13-2 20-10 d. edge d. edges 1-2 2-10 5-4 8-15 2-10 5-4 8-15 2-10 5-4 8-15 2-10 5-4 8-15 2-10 5-4 8-15 2-10 5-4 8-15 2-10 5-1 8-12 2-13 5-1 2-10 6-14 9-12 12-10 6-14 9-15-12 2-13 8-18 15-12 25-13 15-12 2-13 15-12 1	ead Float, half rd.							e		5-14	-01					
nt dedge	1137	4					1.15	2.11		5. 4	9.	13. 2		20-10		
6. edge 6. edge 7. 2 2-10 7. 4 8-15 1.13 1.13 1.14 1.15 1.15 1.15 1.15 1.11 2.11 2.11 2.11	Aill Blunt					· ·	2-	2-14		5.	9- 5					
1-13 3-9 5- 8-12  (nife	Aill, 1 rd. edge					1. 2		2-10		5- 4	8-15					
1-13 3-9 6-13 11-9 1-6 3- 1-6 3- 1-7 1-6 3- 1-8 2-13 5-1 1-9 1-12 1-12 1-12 1-12 1-12 1-12 1-12 1	Aill, 2 rd. edges					1.2		2- 9		. <del>,</del>	8-12					
sp. halfrd.  - 4 - 12 1-3 1-12 3-4 6-12 12- 19-8  - 5 - 7 - 9 - 15 1-11 2-11 4-14 9-  - 14 1-15 3-13 8-8 15-  - 2-3 4-4 9- 15-12	illar					1-13		3- 9		6-13	11.9					
sp, halfrd.  -12 1-3 1-12 3-4 6-12 12- 19-8  4-1 5-10 6-14  per  -15 -11 2-11 4-14 9-  -14 1-15 3-13 8-8 15-  2-3 4-4 9- 15-12	Pitsaw Planer Knife					1. 6		3-		5						
sp. halfrd.  sp. halfrd.  -12 1-3 1-12 3-4 6-12 12- 19-8  4-1 5-10 6-14  per  -15 -11 2-11 4-14 9-  -14 1-15 3-13 8-8 15-  2-3 4-4 9- 15-12																
sp, halfrd.  5 - 7 - 915  11 211 4-14 9.  - 4 - 1 510 614  - 14 9  2-3 4-4 9- 1512	punos					-12	1- 3	1-12		3. 4	6-12	12-		19.8		
per . 5 . 7 . 915 1-11 2-11 4-14 9 414 1-15 3-13 8-8 15- 25- Slunt 2- 3 4- 4 9- 15-12	Shoe Rasp, halfrd.							4	5-10	6-14						
Slunt414 1-15 3-13 8-8 15- 25-	Slim Taper			6.		-15	Ξ	2-11		4-14	8					
3lunt 2-3 4-4 9-	Square	- 4				-14		1-15		3-13	80	15-		25-	36-	
	Square Blunt							2-3		4-4	%	15-12				
							:									

#### SILVER STEEL FILES



Atkins Saw Division Borg-Warner Corporation Indianapolis , Indiana

								LE	LENGIHS						
TYPE	4	4½"	2,,	51/2	9	7		6	01	12"	14"	15,,	16"	18",	20
Taper, regular					2-	3- 2	4-4		7.8						
Three Square					1-13		4-4		7-8	11-6					
Warding	.5				-12		1.9		2-14						
Web Saw			2.3	2-7	3.										
Web Saw, rd. gullet					<u>.</u>										
Wood File Flat							3-10			11- 9	18-8				
Wood File half rd.							3.3		5-14	9-14	-91				
Wood Rasp, flat							3.9		7.	11-10	18-11		26-8		
Wood Rasps, halfrd.					1.8		3- 4		-9	10- 6	16-12		24- 2		
Wood Rasps, round					-12		1-12		3- 4	6-12	12.				


Figures before dash (-) indicate lbs. Figures after dash (-) indicate ounces. The above approximate weights (not guaranteed) are of our most frequently ordered regular items. NOTE

3/4 lb. per doz.	1 3/8 lb. per doz.	2 lb. per doz.	3 lb. per doz.	1 1/2 lb. per doz.	2 3/4 lb. per doz.	1 1/2 lb. per doz.	2 3/4 lb. per doz.	3/4 lb. per doz.	1 1/4 lb. per doz.	l lb. per doz.	2 lb. per doz.
CJ - 20 8" x 3/16" Round Blunt	CJ - 11 8" x 1/4 Round Blunt	CJ - 9 8" x 5/16 Round Blunt	CJ - 10 8" x 3/8 Round Blunt	CJ - 8 7" Special Crosscut 1 R.E.	CJ - 12 8" Special Crosscut 1 R.E.	CJ - 13 7" Special Crosscut 2 R.E.	CJ - 14 8" Special Crosscut 2 R.E.	CJ - 15 6" x 7/32 Square Blunt	CJ - 19 8" Special Square Chisel	CJ - 21 8" x 7/32 Round Blunt	CJ - 22 8" x 9/32 Round Blunt

3 5/8 lb. per doz.

Gardners File

Digital submitted on the submitted of th



builds things <u>better</u> for your customers ... builds MORE PROFIT for <u>you</u>!



# Atkins Guaranteed Saws

### · Saw Tools · Files · Knives

ATKINS makes a man proud of his work and proud of his tools. It's the kind of satisfaction that leaps from friend to friend . . . bringing new customers to your store . . . building steady repeat business and fast turnover! Fast turnover at full profit because world-famous ATKINS quality is easy to sell, it stays sold . . . and it wins loyal customers for all hardware needs. Call your ATKINS Distributor today! He has complete stocks to fill your needs promptly.

Our
SECOND CENTURY
of Service to the
Hardware Trade



#### ATKINS SAW DIVISION, Borg-Warner Corporation

GREENVILLE, MISSISSIPPI



Branches:

LOS ANGELES • SAN FRANCISCO
CHICAGO • GREENSBORO, N. C.
PHILADELPHIA • PORTLAND, ORE.

Export:
BORG-WARNER INTERNATIONAL
36 S. WABASH
CHICAGO 3