



H-65
Hardware
Catalog

DISSTON



PORTER

DISSTON DIVISION
H. K. PORTER COMPANY (CANADA) LTD.

Index

	PAGE		
Back Saws.....	2	Hedge Trimmer.....	5
Brick Trowels.....	6	Keyhole Saws.....	3
Butcher Saws.....	3	Kitchen Saws.....	3
Butcher Saw Blades.....	3	Levels.....	16
Cabinet Scrapers.....	2	Level Merchandiser.....	8
Carlson Steel Tape Rules.....	14-15	Mitre Box Saws.....	2
Cementer's Trowels.....	6	Nests of Saws.....	3
Chisels, Wood Turning.....	13	Plastering Trowels.....	6
Circular Saws.....	11	Plywood Blade.....	12
Circular Saw Blades for Bench Machines.....	12	Pointing Trowels.....	6
Circular Saw Blades for Portable Electric Saws.....	12	Power Hack Saw Blades.....	4
Circular Saw Merchandiser.....	8	Power Tools.....	10-11
Compass Saws.....	3	Power Tool Merchandiser.....	9
Coping Saws.....	2	Power Tool Specification Table.....	11
Disschrome Circular Saw Blades.....	12-13	Pruning Saws.....	5
Docking Saws.....	7	Pruning Saw Shears.....	5
Dovetail Saws.....	2	Pulpwood Saw Blades.....	7
Drills.....	10	Rule Merchandiser.....	8
File Handles.....	2	Sabre Saws.....	10
Groovers or Dado Cutters.....	13	Sabre Saw Blades.....	12
Hack Saw Frames.....	4	Sander.....	10
Hack Saw Blade Merchandiser.....	9	Saw Screws.....	2
Hack Saw Blades.....	4	Saw Sets.....	7
Hand Pruning Shears.....	5	Tape, Electrical, Vinyl.....	15
Handsaws.....	1	Tool Centre Merchandiser.....	9
Handsaw Handles.....	2	Tree Pruners.....	5
Handsaw Merchandiser.....	8	Trowel Merchandiser.....	9
		Tubular Pulpwood Saw Frames.....	7




DISSTON DIVISION

H. K. PORTER COMPANY (CANADA) LTD.

DISSTON HARDWARE CATALOG


handsaws



D-7 Mediumweight Straight-back

Length	Points	Wt. Per Carton
22"	10	15 lbs.
24"	8	18 lbs.
26"	7, 8	20 lbs.


Packed two saws in corrugated container; 10 saws (5 containers of 2) per outer corrugated shipping carton.



D-8 Mediumweight Skew-back

Length	Points	Wt. Per Carton
20"	10	12 lbs.
22"	10, 11	15 lbs.
24"	8, 10	18 lbs.
26"	7, 8, 10, 11	20 lbs.
26" rip	5½	20 lbs.


Packed two saws in corrugated container; 10 saws (5 containers of 2) per outer corrugated shipping carton.



D-12 Mediumweight Straight-back

Length	Points	Wt. Per Carton
22"	11	15 lbs.
24"	8	18 lbs.
26"	7, 8	20 lbs.


Packed two saws in corrugated container; 10 saws (5 containers of 2) per outer corrugated shipping carton.



D-23 Lightweight Straight-back

Length	Points	Wt. Per Carton
22"	12	15 lbs.
24"	10	18 lbs.
26"	8	20 lbs.


Packed two saws in corrugated container; 10 saws (5 containers of 2) per outer corrugated shipping carton.



D-95 Lightweight Straight-back

Length	Points	Wt. Per Carton
26"	8, 10	20 lbs.
26" rip	5½	20 lbs.


Packed two saws in corrugated container; 10 saws (5 containers of 2) per outer corrugated shipping carton.



D-100 Lightweight Straight-back

Length	Points	Wt. Per Carton
22"	10	1½ lbs.
26"	8	2 lbs.


Individually Packed



K-1 Townsman Hand Saw

Length	Points	Wt. Per Carton
26"	8	20 lbs.


Packed 5 saws to shipping container



K-3 Countryside Hand Saw

Length	Points	Wt. Per Carton
20"	10	12 lbs.
22"	10	15 lbs.
24"	9	18 lbs.
26"	8	20 lbs.
26" rip	5½	20 lbs.


Packed two saws in corrugated container; 10 saws (5 containers of 2) per outer corrugated shipping carton.



K-4 Rancher Hand Saw

Length	Points	Wt. Per Carton
26"	8	20 lbs.
26" rip	5½	20 lbs.

Packed two saws in corrugated container; 10 saws (5 containers of 2) per outer corrugated shipping carton.




K-6 Metropolitan Hand Saw

Length	Points	Wt. Per Carton
22"	10	15 lbs.
24"	9	18 lbs.
26"	8	20 lbs.
26" rip	5½	20 lbs.

Packed two saws in corrugated container; 10 saws (5 containers of 2) per outer corrugated shipping carton.


handsaw handles



D-8 Weatherproof Finish Handle

Size	Wt. Per Doz.
20", 22", 24"	6 lbs.
26"	6 lbs.

Packed 12 handles in box




No. 66 Disston Hand Saw Handle

Size	Wt. Per Doz.
26"	6 3/4 lbs.

Packed 12 handles in box


saw screws



No. 1
No. 3

Packed 10 in box

cabinet scrapers




No. 20 Disston Cabinet Scraper

Size	Wt. Per 10
3" x 5"	1 1/2 lbs.

Packed 10 in box


back saws



K-1 Keystone Back Saw

Length	Wt. Per Doz.
10"	10 1/2 lbs.
12"	13 lbs.
14"	17 lbs.

Packed 4 saws in box



No. 4 Disston Back Saw

Length	Wt. Per Doz.
10"	13 1/2 lbs.
12"	18 3/4 lbs.
14"	22 lbs.

Packed 4 saws in box

mitre box saws




No. 4 Disston Mitre Box Saw

Length	Width		Wt. Per Doz.
	Under	Back	
20"	4"	4"	40 lbs.
22"	4"	4"	42 lbs.
24"	4"	4"	45 lbs.
26"	4"	4"	50 lbs.
28"	5"	5"	54 lbs.
30"	6"	6"	60 lbs.

Packed one saw in box

dovetail saws




No. 68 Disston Dovetail Saw

Length	Width		Wt. Per Doz.
	Under	Back	
8"	1 1/2"	1 1/2"	6 lbs.
10"	1 3/4"	1 3/4"	7 1/2 lbs.

Packed 2 saws in box


coping saws



No. 10 Disston Coping Saw

Length	Wt. Per Doz.
6 3/4"	6 1/2 lbs.

Packed 10 saws in box
Extra blades packed 12 in envelope;
144 in box




No. 15 Disston Coping Saw

Length	Wt. Per Doz.
6 5/8"	7 1/2 lbs.

Packed 10 saws in box
Blades packed 12 in envelope;
144 in box

file handles



No. 1
No. 2
No. 3
No. 4


Stronghold File Handles

Number	Length	Length of Files Used in Handles
1	4 1/4"	3" to 6"
2	4 3/8"	6" to 10"
3	4 7/8"	10" to 12"
4	5 3/8"	14" & 16"

Packed 10 of same size in box

DISSTON HARDWARE CATALOG


compass saws



No. 2 Disston Compass Saw

Length	Wt. Per 10 saws
12"	5½ lbs.
14"	6 lbs.


Packed 10 in box
Extra Blades or handles packed 10 in box



No. 4 Disston Compass Saw

Length	Weight Per 10 saws
12"	5½ lbs.
14"	6 lbs.


Packed 10 in box
Extra Blades or handles packed 10 in box



No. 402 Quaker City Compass Saw

Length	Wt. Per 10 saws
12"	4¾ lbs.
14"	5 lbs.

Packed 10 saws in box




K-302 Keystone Compass Saw

Length	Wt. Per 10 saws
12"	5 lbs.
14"	5¼ lbs.

Packed 10 in box
Extra Blades packed 10 in box

keyhole saws




No. 15 Disston Keyhole Saw

Length	Wt. per carton
10"	3¼ lbs.
12"	3½ lbs.

Packed 10 saws in box


nest of saws



No. 7 Disston Nest of Saws

Length	Blades	Wt. Per 5 Nests
10"	Keyhole Compass Nail	4 lbs.
14"		
14"		

Packed 5 nests in box



No. 101 Disston Nest of Saws

Strong plastic handle with 3 blades

Disston No. 101-MC 10 teeth per inch for cutting Plastic, Metal, Bone.

Disston No. 101-M 24 teeth per inch for cutting Plastic, Metal, Bone.


Disston No. 101-W 8 teeth per inch for cutting Wood, Masonite, Fibreboard.

Nest of saws mounted on display card

Packed 5 nests in carton

Extra blades packed 10 in box

butcher saws



K-070 Keystone Butcher Saw

Length	Wt. Per Doz.
18"	24 lbs.
20"	25 lbs.
22"	27 lbs.
24"	28 lbs.

Packed 4 saws in box

butcher saw blades

No. 070 Butcher Saw Blades

Length	Width	Wt. Per Sleeve
18"	¾"	1 lb.
20"	¾"	1¼ lbs.
22"	¾"	1½ lbs.
24"	¾"	1¾ lbs.


Packed 10 blades per sleeve

No. 50 Butcher Saw Blades

Width	Wt. Per 25' Coil	Wt. Per 50' Coil
5/8"	1½ lbs.	3 lbs.
¾"	1¾ lbs.	3½ lbs.
1"	2½ lbs.	5 lbs.

Packed one coil in box

kitchen saws




No. 16 Disston Kitchen Saw

Length	Wt. Per Carton
14"	12 lbs.

Packed 10 in box
Blades packed 10 in bag
100 to a package


hack saw frames



No. 388 Tubular Hack Saw Frame

Length	Depth of Frame	Wt. Per Carton
10" to 12"	4½"	22 lbs.

Individually boxed 10 boxes per carton




No. 338 Disston Hack Saw Frame

Length	Depth of Frame	Wt. Per Carton
10" to 12"	3"	40 lbs.

Packed individually in box

Packed 30 boxes to carton




No. 368 Disston Hack Saw Frame

Length	Depth of Frame	Wt. Per Carton
10" to 12"	3½"	17½ lbs.

Packed individually in box

Packed 10 boxes to carton




No. 328 Quaker City Hack Saw Frame

Length	Depth of Frame	Wt. Per Carton
10" to 12"	2⅞"	30 lbs.

Packed individually in box

Packed 30 envelopes to carton



No. 348 Disston Hack Saw Frame

Length	Depth of Frame	Wt. Per Carton
10" to 12"	3⅞"	45 lbs.

Packed individually in box

Packed 30 boxes to carton

hand hack saw blades



Duraflex

Number	Length	Teeth Per Inch	Thickness	Width	Weight 100 Blades Lbs. - Ozs.
F1018	10"	18	.025"	½"	3-12
F1024	10"	24	.025"	½"	3-12
F1032	10"	32	.025"	½"	3-12
F1214	12"	14	.025"	½"	4-4
F1218	12"	18	.025"	½"	4-4
F1224	12"	24	.025"	½"	4-4
F1232	12"	32	.025"	½"	4-4

Packed 100 blades to box



Disston Di-Mol

Number	Length	Teeth Per Inch	Thickness	Width	Weight 100 Blades Lbs. - Ozs.
D1018	10"	18	.025"	½"	3-15
D1024	10"	24	.025"	½"	3-15
D1032	10"	32	.025"	½"	3-15
D1214	12"	14	.025"	½"	4-10
D1218	12"	18	.025"	½"	4-10
D1224	12"	24	.025"	½"	4-10
D1232	12"	32	.025"	½"	4-10

Packed 100 blades per box

Heavy Duty Hand and Light Power Hack Saw Blades

Number	Length	Teeth Per Inch	Thickness	Width	Weight Per 100 Blades
D-1214-3	12"	14	.032"	¾"	12 lbs.
D-1218-3	12"	18	.032"	¾"	12 lbs.

Packed 10 blades per box


power hack saw blades

Disston Di-Mol

Number	Length	Teeth Per Inch	Thickness	Width	Weight 100 Blades Lbs. - Ozs.
D-1210-5	12"	10	.050"	1"	1-14
D-1214-5	12"	14	.050"	1"	1-14
D-1410-5	14"	10	.050"	1"	2-2
D-1414-5	14"	14	.050"	1"	2-2
D-1406-6	14"	6	.062"	1¼"	3-3
D-1410-6	14"	10	.062"	1¼"	3-3
D-1403-7	14"	3	.075"	1½"	4-10
D-1404-7	14"	4	.075"	1½"	4-10
D-1406-7	14"	6	.075"	1½"	4-10
D-1710-5	17"	10	.050"	1"	2-8
D-1714-5	17"	14	.050"	1"	2-8
D-1704-6	17"	4	.062"	1¼"	3-14
D-1710-6	17"	10	.062"	1¼"	3-14
D-1806-6	18"	6	.062"	1¼"	4-0
D-1810-6	18"	10	.062"	1¼"	4-0
D-1804-7	18"	4	.075"	1½"	5-14
D-1806-7	18"	6	.075"	1½"	5-14
D-1804-8	18"	4	.088"	1¾"	8-6
D-1806-8	18"	6	.088"	1¾"	8-6
D-2406-8	24"	6	.088"	1¾"	11-2
D-2403-0	24"	3	.100"	2"	14-3
D-2404-0	24"	4	.100"	2"	14-3

Blades packed 10 per box


pruning saws



No. 4 Disston Pruning Saw

Length 18" Wt. Per Doz. 11 lbs.


Packed 4 saws in box



No. 32 Disston Pruning Saw

Length 24" Wt. Per Carton 17 lbs.


Packed 2 in box
5 boxes to shipping carton



No. 38 Disston Pruning Saw

Length 12" Wt. Per Doz. 6½ lbs.


Packed 6 in box



No. 55 Disston Pruning Saw and Shear

Length 15" Wt. Per Doz. 25 lbs.

Packed 2 saws in box



No. K-40 Keystone Pruning Saw

Length 18" Wt. Per Doz. 9½ lbs.


Packed 4 saws in box



No. 50 Disston Pruning Saw

Length 14" Wt. Per Doz. 9 lbs.


Packed 6 saws in box



No. 166 Disston Pruning Saw

Length 14" Wt. Per Doz. 6 lbs.

Packed 6 saws in box




No. 114 Disston Pruning Saw

Length 15" Wt. Per Doz. 12 lbs.

Packed 2 saws in box

pruning saw shears



No. 155 Disston Pruning Saw Shear


Length 4" Wt. Per Doz. 18 lbs.

Packed 2 in box

The new DISSTON "DRAGON" The only Electric Shrubbery and Hedge Trimmer with a fixed all-position handle

Now Disston offers you a bright new, light new electric shrubbery and hedge trimmer. The Disston Dragon has exclusive features especially designed to speed shrub and hedge care with ease and safety. And it's engineered for the long service that builds customer satisfaction.


For complete line of lawn and garden tools see Disston garden tool catalog.



TECHNICAL FEATURES

- Blade length — 13½"
- Blade width — 2"
- Overall length — 25"
- 115 A.C.-D.C. Motor
- Durable Die-cast Housing
- Ball bearing motor
- Spiroid gear system
- Shipping weight 6 lbs.


brick trowels



No. 10 Disston "Philadelphia Pattern" Brick Trowel

Length	Wt. Per Doz.
10"	11½ lbs.
11"	13 lbs.


Packed 6 in carton



K-252 Disston Brick Trowel

Length	Wt. Per Doz.
10"	11 lbs.
11"	12½ lbs.

Packed 6 in carton




Q-110 Quaker City Brick Trowel

Length	Wt. Per Doz.
10"	6¼ lbs.

Packed 6 per carton

cementer's trowels




No. 68 Disston Cemente's Trowel

Length	Width	Length of Mounting	Wt. Per Doz.
12"	4"	10"	12 lbs.
14"	4"	11"	13 lbs.
16"	4"	13"	16 lbs.

Packed 6 in carton


pointing trowels



No. 15 Disston Pointing Trowel

Length	Wt. Per Doz.
5"	3½ lbs.
6"	4 lbs.

Packed 6 in carton




Q-115 Quaker City Pointing Trowel

Length	Wt. Per Doz.
5"	3½ lbs.

Packed 12 per carton


plastering trowels



No. 338 Disston "Seal of Quality" Flexolite Finishing Trowel

Length	Width	Length of Mounting	Wt. Per Doz.
11 "	4¾"	9½"	12 lbs.


Packed one in box



No. 38 Disston Finishing Trowel

Length	Width	Length of Mounting	Wt. Per Doz.
11 "	4¾"	9½"	12 lbs.


Packed 6 in carton



K-250 Disston Plastering Trowel

Length	Width	Length of Mounting	Wt. Per Doz.
11 "	4½"	9"	12 lbs.

Packed 6 in carton




Q-150 Quaker City Plastering Trowel

Length	Wt. Per Doz.
11"	8¼ lbs.


Packed 6 per carton

tubular pulpwood saw frames



Frames Only		Wt. Per Carton
Cat. No.	Length	
230B	30"	20 lbs.
236B	36"	22 lbs.

Packed 6 per carton




No. 224B General Purpose Saw
Complete with Blade

Length	Wt. Per Carton
24"	16 lbs.

Packed 6 in carton

pulpwood saw blades




No. 403 Disston Pulpwood Saw Blade

Length	Wt. Per Doz.
24"	2 lbs.
30"	2½ lbs.
36"	3 lbs.
42"	3½ lbs.

Packed 12 per sleeve

docking saws




No. 196 Disston Docking Saw

Length	Wt. Per Doz.
30"	36 lbs.

Packed 4 in carton

saw sets




No. 42 Disston Saw Set
(Previously #24)

Weight
1 lb.

For hand saws, back saws, web saws, narrow band saws, 18 gauge and thinner, 14 points to the inch and coarser.

Packed individually in box
Packed 30 boxes to shipping carton



No. 34 Disston Saw Set

Weight
1½ lbs.

For setting circular and cross-cut saws, 11 gauge and thinner, 6 or less teeth to the inch.

Packed individually in box
Packed 30 boxes to shipping carton




No. 432 Disston Saw Set
(Previously #K-32)

Weight
1 lb.

Economy model for hand saws, 11 points or less to the inch. Graduated wheel adjusts the anvil for 5 to 11 point saws.

Packed individually in box
Packed 30 boxes in shipping carton



Handsaw Merchandiser


- Space saving—single unit occupies 1½ square feet—displays 7 saws
- Sturdy metal construction
- Instant peg-board mounting
- Saws held securely
- Designed to blend with all other Disston merchandisers
- Available with assortment of saws



CR-62 Rule Merchandiser

- Only fast turnover models used
- Low investment
- FREE merchandiser with basic assortment
- Handy compact size, only 7" by 10"
- Attractively enamelled in red, white and green
- Easily mounted on peg-board—no hooks, screws, clips required
- Durable construction
- Each rule in special display box

Merchandiser FREE with purchase of 326, 328, 3210, 3310, 3312 and 416 rules



Level Merchandiser


- Space saving merchandiser requires only 4 square feet of wall space
- Instant peg board mounting without hooks or clips
- Sturdy metal construction
- Display panel enamelled in red, white and green
- Features only fast moving Disston levels
- Levels are "I" beam extruded magnesium or cast aluminum
- Levels feature dust and moisture proof adjustable vials



CS-63 Circular Saw Blade Merchandiser

- Space saving—occupies only 1¾ square feet
- Displays 14 popular blades
- Sturdy metal construction
- Instant peg-board mounting
- Blends with Disston family of merchandisers


Merchandiser purchased with a specified assortment of 8 circular saw blades which includes 2 FREE blades



TR61 Trowel Merchandiser


- Sturdy metal construction
- Modern design—Instantly mounts on peg board
- Compact—Displays complete assortment in area 2' x 2'
- Attractively coloured in DISSTON colours of red, white and green
- No special hooks required to display merchandise.
- Merchandise can be removed easily for examination by customer

Merchandiser purchased with specified assortment of 8 trowels which includes two FREE plastering trowels



Hack Saw Blade Merchandiser

- Sturdy metal construction
- Attractively colored
- Space-saving—display (less blades) only 7 in. x 3 in.
- Suits any type of store decor
- Designed for peg board mounting—no hooks or clips required
- Holds complete selection of blades
- FREE with purchase of either of two special hack saw blade assortments



TC63 or TC64 Tool Centre Merchandiser

- Compact—displays complete tool assortment in area only 3 feet by 2½ feet
- Instantly mounted on peg board—no hooks or clips required for display or merchandise
- Sturdy all-metal construction
- Attractively colored in Disston red, white and green
- Blends with any store fixtures


Merchandiser FREE with purchase of basic assortment of tools as shown. For complete details forward special reply card.



Power Tool Merchandiser

- Sturdy metal and vinyl construction
- Brightly colored in Disston colors of red, white and green
- Holds basic assortment of tools: Dirk Drill, Dagger Sabre Saw, Dot Drill, Discus Circular Saw, Dual Sander
- Designed for both counter, wall or window display
- Tool features appear right on the display
- A complete workshop of only five tools
- Your investment is an absolute minimum
- FREE with the purchase of a basic assortment of five tools

power tools




D-38 "Dial-A-Power" Drill

- Dial any drilling speed between 600 and 2,000 rpm without torque loss
- Drills wood, plastics, masonry, metals at correct drilling speed
- $\frac{3}{8}$ " geared chuck for all normal drilling requirements
- $\frac{1}{2}$ hp motor, 4.1 amp rating featuring thermostatic overheat protection
- Compact design for close work in corners, easier drill control




D-25 "Dirk" $\frac{1}{4}$ " Drill

- Features full sized hand grip for direct "in-line" drilling
- Stand-up pedestal base for better bit protection
- Full 3 amp motor connected through spiroid gear train
- Recessed geared chuck and compact design permit easy drilling in tight corners




D-1 "Dot" $\frac{1}{4}$ " Drill

- Economy priced drill for common drilling jobs
- Plenty of reserve power for occasional heavy-duty work
- Built-in level helps start holes true and keep them that way
- Bit storage in colorful shock-proof plastic handle
- 2.5 amp motor, 2,200 rpm




D-20 "Dagger" Sabre Saw

- A whole shopful of saws in one for use around the home
- Cuts straight, circles, bevels, notches, rafters
- For sawing wood, plastics, rubber, asphalt tile, steel plate, bronze, brass
- Makes plunge cuts without drilling a hole
- Features "Orbite" Action at 3600 strokes per minute
- Detachable "Life Saver" Cord and four blades supplied



D-23 "Dauntless" Sabre Saw


- Professional quality for tradesmen
- Cuts straight, circles, bevels, notches, rafters
- Ideal tool for plumbers, electricians, carpenters
- Operates at 3,800 strokes per minute
- Detachable "lock-in" cord
- Uses all needle and ball bearings



DS-1 "Dual" Sander


- Orbital or straight-line sanding action at the flip of a switch
- Positive timing belt prevents slipping
- Handle shaped for easy control, two position forward knob makes it easy to tailor the action.
- Flush sanding pad works into tight corners
- 4900 opm in orbital action, 5000 spm in straight line
- 20% more efficient than other sanders by actual test

POWER TOOL SPECIFICATION TABLE




D-600 "Discus" Circular Saw

- Rugged portable electric saw
- Trims doors, cuts beams, 2 x 4's, plywood, sheathing and panelling with ease
- Features Diss-Chrome 6 1/2" blade
- 10 amp, 1 1/3 horsepower motor has 6700 rpm speed
- Cuts 2 3/16" deep at 90°, 1 7/8" at 45° angle
- Self lubricating bronze bearings



D-650 "Defender" Circular Saw

- Professional quality, 6 1/2" circular saw
- Designed to meet continuous duty demands
- Full 10 ampere motor, using ball and needle bearings.
- Lever lock height adjustment
- Cuts 2 3/16" deep at 90°, 1 7/8" at 45° angle



D-725 "Divider" Circular Saw

- Most powerful 7 1/4" circular saw made
- 6700 rpm no load speed
- Heavy duty designs make it ideal for any job requiring stamina
- Approximately 2 hp motor using ball and needle bearings
- Cuts 2 3/16" deep at 90°, 2 5/16" at 45° angle

CIRCULAR SAWS	D-600 DISCUS	D-650 DEFENDER	D-725 DIVIDER
VOLTAGE	115 AC-DC to 60 cycles	115 AC-DC to 60 cycles	115 AC-DC to 60 cycles
AMPERAGE	10	10	13
HORSEPOWER (Approx. max.)	1 1/3	1 1/3	2
NO LOAD BLADE SPEED	6,700	6,700	6,700
BLADE SIZE	6 1/2"	6 1/2"	7 1/4"
DEPTH OF CUT 90°	2 3/16"	2 3/16"	2 3/16"
DEPTH OF CUT 45°	1 7/8"	1 7/8"	2 5/16"
HEIGHT ADJUSTMENT	Adjustable	Adjustable	Adjustable
BEVEL ADJUSTMENT	Lever Lock Adjustable Lever Lock	Lever Lock Adjustable Lever Lock	Lever Lock Adjustable Lever Lock
ARBOR SIZE	3/8" DIA.	3/8" DIA.	3/8" DIA.
CORD	Detachable 10' — 3 Wire	Detachable 10' — 3 Wire	Detachable 10' — 3 Wire
DRILLS	D-38 DIAL-A-POWER	D-25 DIRK	D-1 DOT
VOLTAGE	115 AC 60 cycles	115 AC-DC up to 60 cycles	115 AC
AMPERAGE	4.1	3.0	2.5
RPM	600 to 2,000	1,800	2,200
CHUCK	Geared	Recessed Geared	Geared
CHUCK CAPACITY	3/8"	1/4"	1/4"
GEARING	Spiroid	Spiroid	Helical
BEARINGS			
MOTOR	Full 1/3 HP	Universal AC-DC	60 cycles AC
FEATURES	Variable Speed	Recessed Chuck Stand-up Base	Built in Level Bit storage

SABRE SAWS	MODEL D-23 "DAUNTLESS"	MODEL D-20 "DAGGER"
VOLTAGE	115 AC-DC	115 AC-DC
AMPERAGE	3.0	2.75
STROKES PER MINUTE	3,800	3,600
LENGTH OF STROKES	3/4"	5/8"
WEIGHT	4 3/4 lbs.	4 3/4 lbs.
GEARING	HELICAL	HELICAL
MAX. DEPTH OF CUT	3 1/8"	3"
BLADE ACTION	ORBITE	ORBITE
CORD SET	10 ft. — 3 wire Detachable	10 ft. — 3 wire Detachable
BEARINGS	All Ball and Needle	1 Ball, Balance Self Lubricating
MOTOR	Universal AC-DC	Universal AC-DC
SWITCH	TRIGGER	TRIGGER
HANDLE	Hand-saw Type Black Shock Proof Plastic	Hand-saw Type Tangerine Shock-proof Plastic
BEVEL ADJUSTMENT	UP TO 45°	Up to 45°
HOUSINGS	Die Cast Aluminum Alloy	Die Cast Aluminum Alloy
FINISH	Diss — Glaze	Diss — Glaze
MISC. FEATURES	Pedestal Base	Pedestal Base

SANDER	DSI-1 "DUAL" SANDER
VOLTAGE	115 AC 60 cycles
AMPERAGE	2.25
STROKES PER MINUTE	5,000
STROKE DISTANCE	3/16"
ORBITS PER MINUTE	4,900
PAD SIZE	4 3/16" x 9"
SANDPAPER SHEET	4 1/2" x 11"
FEATURES	Dual Sanding Action Positive Timing Belt Dual Position Knob

DISSTON DELUXE CIRCULAR SAW BLADES FOR BENCH MACHINES & SOME PORTABLE ELECTRIC SAWS

PART NO.	BLADE DIAMETER	HOLE DIAMETER	PART NO.	BLADE DIAMETER	HOLE DIAMETER
CUT OFF—STYLE L					
D40	6"	5/8"-1/2"	D750	8"	5/8"-1/2"
D40	7"	5/8"-1/2"	D750	10"	3/4"-5/8"
D40	8"	5/8"-1/2"	D750	12"	3/4"-1"
D40	10"	3/4"-5/8"	COMBINATION—STYLE V		
D40	12"	3/4"-1"	D850	8"	5/8"-1/2"
RIP—STYLE A					
D110	6"	5/8"-1/2"	D850	10"	3/4"-5/8"
D110	7"	5/8"-1/2"	D850	12"	3/4"-1"
D110	8"	5/8"-1/2"	COMBINATION—HOLLOW GROUND (PLANER)—STYLE S		
D110	10"	3/4"-5/8"	D3200	6"	5/8"-1/2"
D110	12"	3/4"-1"	D3200	7"	5/8"-1/2"
COMBINATION—STYLE S					
D320	6"	5/8"-1/2"	D3200	8"	5/8"-1/2"
D320	7"	5/8"-1/2"	D3200	10"	3/4"-5/8"
D320	8"	3/4"	D3200	12"	3/4"-1"
D320	8"	5/8"-1/2"	<small>5/8"-1/2" and 3/4"-5/8" denotes bushed holes.</small>		
D320	10"	3/4"-5/8"	NON-FERROUS METAL SAWS		
D320	12"	3/4"-1"	D4M	4"	1/2"
COMBINATION—STYLE W					
D750	6"	5/8"-1/2"	D6M	6"	5/8"-1/2"
D750	7"	5/8"-1/2"	DADO SETS		
			K-15	5 1/2"	5/8"
			K-16	6"	5/8"
			K-16	6"	3/4"

DISSCHROME CIRCULAR SAW BLADES FOR PORTABLE ELECTRIC SAWS

PATTERN NO.	DIAMETER (INCHES)	HOLE SIZE	PATTERN NO.	DIAMETER (INCHES)	HOLE SIZE
CROSS-CUT—L STYLE TOOTH					
CL 6019	6"	1/2" Square	CW 6109	6 1/8"	1 1/8" Round
CL 6109	6 1/8"	1 1/8" Round	CW 6206	6 1/4"	5/8" Round
CL 6405	6 1/2"	5/8" Round	CW 6405	6 1/2"	5/8" Round
CL 7204	7 1/4"	1 3/16" Diamond	CW 7019	7"	1/2" Square
CL 7205	7 1/4"	5/8" Round	CW 7205	7 1/4"	5/8" Round
CL 8204	8 1/4"	1 3/16" Diamond	CW 7309	7 3/8"	1 1/8" Round
CL 8211	8 1/4"	1 3/8" Round	CW 8211	8 1/4"	1 3/8" Round
CL 9005	9"	5/8"-1/2" Round	FLOORING		
FINE TOOTH CROSS-CUT					
FT 8005	8"	5/8" to 1/2"	FL 7204	7 1/4"	1 3/16" Diamond
COMBINATION—S STYLE TOOTH					
CS 9005	9"	5/8"-1/2" Round	FL 7205	7 1/4"	5/8" Round
COMBINATION—V STYLE TOOTH					
CV 5704	5 7/8"	1 3/16" Diamond	PLANER—S STYLE HOLLOW GROUND		
CV 6019	6"	1/2" Square	PS 6109	6 1/8"	1 1/8" Round
CV 6404	6 1/2"	1 3/16" Diamond	PS 6405	6 1/2"	5/8" Round
CV 7204	7 1/4"	1 3/16" Diamond	PS 7204	7 1/4"	1 3/16" Diamond
CV 7219	7 1/4"	1 3/16" Square	PS 7205	7"	5/8" Round
CV 7406	7 1/2"	5/8" Round	PS 8004	8"	1 3/16" Diamond
CV 8204	8 1/4"	1 3/16" Diamond	PS 8205	8"	5/8" Round
CV 8419	8 1/2"	1 3/16" Square	PS 8211	8 1/4"	1 3/8" Round
CV 9211	9 1/4"	1 3/8" Round	PS 9005	9"	5/8"-1/2" Round
			RIP		
			RA 9005	9"	5/8"-1/2" Round

DISSCHROME CIRCULAR SAW BLADES FOR DISSTON PORTABLE ELECTRIC SAWS

FOR D600 & D650 SAWS

PATTERN NO.	DIAMETER (Inches)	BLADE STYLE
CL6405	6 1/2"	Cross-Cut
CW6405	6 1/2"	Combination
PS6405	6 1/2"	Planer


FOR D725 SAW

PATTERN NO.	DIAMETER (Inches)	BLADE STYLE
CL7205	7 1/4"	Cross-Cut
CW7205	7 1/4"	Combination
PS7205	7"	Planer
FL7205	7 1/4"	Fine Tooth Cross-Cut

REPLACEMENT BLADES FOR DISSTON SABRE SAWS


DISSTON BLADE NUMBER	DESCRIPTION
BP-6797	14T Metal Cutting
BP-6794	6T Wood Cutting
BP-6795	Knife-Cloth, Board
BP-6796	6T Metal Cutting
BP-6799	32T Metal Cutting
BP-6798	18T Metal Cutting
BP-6792	7T Wood Cutting
BP-6791	10T Wood Cutting
BP-6793	12T Taper Ground

SMOOTH CUTTING PLYWOOD BLADE



PART NUMBER	BLADE DIAMETER	HOLE DIAMETER
D-900	8"	5/8" Round
	10"	3/4" — 5/8" Round

groovers or dado cutters




K-15 Home Workshop Groover or Dado Cutter

Outside Diameter	Center Hole Diameter	Kerf Size	
		Inside	Outside
5 1/2"	1/2", 3/4"	3/32"	1/16"

A rugged, smooth-running groover or dado cutter of special design made by Disston for home workshop service. Supplied in sets of 2 outside and 6 inside cutters. Cuts 3/32" to 1/16" by 1/16".

Packed in sets (2 outside, 6 inside cutters)



K-16 Home Workshop Groover or Dado Cutter

Outside Diameter	Center Hole Diameter	Weight per Set
6"	3/4"	3 lbs. 2 oz.

Packed in sets (2 outside, 4 inside cutters)

Set comprises 2 outside cutters 1/8" thick and 4 inside cutters as follows:
 1—1/16" cutter, 2—1/8" cutter, 1—1/4" cutter
 Cuts 1/8" to 1 3/16" width of groove.

Wood Turning Chisels




Special steel blades, hardened to file hardness, ground and polished. Forged tangs fitted into hard wood handles. One set in a display box.

No. D-1-S Set Weight per set 5 1/2 lbs.
 6 3/4" blades, 16 3/4" long over all.

Contents of Set

1" Skew	1/2" Skew	3/4" Gouge
1/2" Gouge	1/4" Gouge	1/2" Round Nose
	1/2" Spear Point	1/2" Parting

DELUXE AND DISSCHROME CIRCULAR SAW BLADES FOR PORTABLE ELECTRIC SAWS



COMBINATIONS

Tooth Styles U, S, V, W



RIP
Style A Tooth



CUT-OFF
Style L Tooth



FLOORING
Style L Tooth



PLANER
Style S Tooth




NON-FERROUS
Metal and Plastic

DISSTON STEEL TAPE RULES

STAR CHIEF

Extra length
3/8" wide white tape



The heavy-duty steel tape that operates easily, lasts for years. Jet black markings on snow white tape—graduated in 1/8ths with stud markings every 16 inches. Tempered tool steel end hook has nail hole at zero mark. Crank folds flush into case when not in use. Ant-backlash. Sturdy non-scuff, die cast, chrome finish, "take-apart" case makes blade replacement easy. Square stand-up base.

STAR CHIEF			REPLACEMENT TAPES	
No.	Length	Weight per Doz.	No.	Weight per Doz.
525	25 ft.	7.44 lbs.	25W	3.5 lbs.
550	50 ft.	12 lbs.	50W	6.5 lbs.
5100	100 ft.	21 lbs.	100W	13 lbs.

Packaged in individual cartons, 10 cartons in a box.

NOTE: 5100 rule packed in individual cartons, 4 cartons in a box.

BIG CHIEF

3/4" wide white blade

Extra rigid blade designed for long overhead and reach-in measurements. Bold black markings on snow white blade. Graduated in 16ths with stud markings every 16 inches. Converts inches to feet at a glance. Swing Tip. Crack-proof, rust-proof blade surface and markings. Sturdy chrome plated case. The lightest 3/4" wide rule on the market. Stand-up base.



BIG CHIEF			REPLACEMENT BLADES	
No.	Length	Weight per Doz.	No.	Weight per Doz.
3310	10 ft.	4.0 lbs.	10X	2 lbs.
3312	12 ft.	4.25 lbs.	12X	2.125 lbs.

Packaged in individual cartons, 10 cartons in a box.

SUPER CHIEF

3/4" wide white blade

Longest 3/4" wide blade ever offered in a push-pull rule. Rigid blade permits one-man vertical measurements of sixteen feet. Bold black markings on snow white surface. Graduated in sixteenths. Swing tip. Quick blade change. Sturdy die-cast case with satin chrome finish. Stand-up base. Four assembly screws strengthen case. Smaller and thinner case size for convenience and comfort.



SUPER CHIEF			REPLACEMENT BLADES	
No.	Length	Weight per Doz.	No.	Weight per Doz.
416	16 ft.	5.5 lbs.	16W	2.75 lbs.

Packaged in individual cartons, 10 cartons in a box.

WHITE CHIEF

1/2" wide white blade

Graduated in 16ths and in 32nds for first 6". Stud marks every 16 inches. Swing Tip blade is rust-proof, crack-proof. Sturdy zinc die cast case with satin chrome plate. Two assembly screws for shock-proof durability. Stand-up base.



WHITE CHIEF			REPLACEMENT BLADES	
No.	Length	Weight per Doz.	No.	Weight per Doz.
326	6 ft.	3.0 lbs.	6W	1 lb.
328	8 ft.	3.5 lbs.	8W	1 lb.
3210	10 ft.	3.75 lbs.	10W	1.25 lbs.

Packaged in individual cartons, 10 cartons in a box.

CHIEF

1/2" wide etched blade

Identical to White Chief except blade has clear jet black markings etched onto satin lustre steel blade. Crack-proof markings permanently bonded. Graduated in 16ths and in 32nds for first 6". Stud markings every 16 inches. Die cast chrome plated case. Rule is ideal for use where grease and oil are factors.




CHIEF			REPLACEMENT BLADES	
No.	Length	Weight per Doz.	No.	Weight per Doz.
226	6 ft.	3.0 lbs.	6R	1 lb.
228	8 ft.	3.5 lbs.	8R	1 lb.
2210	10 ft.	3.62 lbs.	10R	1.25 lbs.

Packaged in individual cartons, 10 cartons in a box.

CHIEFTAIN

1/4" wide white blade

Mighty midget. Designed for flat, no-bulge convenience in pocket or handbag. Sturdy chrome plated case. Swing Tip. Blade graduated in 16ths and in 32nds for first 6"; in quarters and 8ths on the other. Case 1 1/2" square with stand-up base.



CHIEFTAIN			REPLACEMENT BLADES	
No.	Length	Weight per Box of 10	No.	Weight per Box of 10
76	6 ft.	1.5 lbs.	6S	.35 lb.
78	8 ft.	1.75 lbs.	8S	.40 lb.


Packaged in individual cartons, 10 in a box.

DISSTON POWER TAPES



Power Chief

No.	Length	Weight per Box of 10	Replacement Blades No.	Wt. per Box of 10
3410	10 ft. x 1/2"	3.6 lbs.	10W	1.06 lbs.
3412	12 ft. x 1/2"	4.0 lbs.	12W	1.09 lbs.
3510	10 ft. x 3/4"	4.8 lbs.	10X	1.44 lbs.
3512	12 ft. x 3/4"	5.3 lbs.	12X	1.69 lbs.



Power Chief


No.	Length	Weight per Box of 10	Replacement Blade No.	Wt. per Box of 10
4516	16 ft. x 3/4"	5.7	16W	2.75 lbs.

DISSTON POWER TAPE FEATURES

- Handy push button—no slides, trick bottoms.
- Unique double fulcrum spring control.
- Entire braking and control mechanism locked in one case half. Any user can take rule apart and re-assemble without losing parts.
- Strong chrome plated case—2 screw assembly.
- First 16' power return rule on the market.
- Minimum size for power rewind rule.
- Uses same blade as regular Disston rules.

REPLACEMENT INNERSPRINGS

Steel innersprings for quick, easy replacement in Disston-Carlson rules.



	For Use in Rule No.	Weight per Doz.
#1	226, 326	.75 lb.
#2	228	.75 lb.
#3	2210, 3210	1.0 lb.
#4	3310	1.25 lb.
#5	3312	1.25 lb.
#6	328	1.0 lb.
#7	76	.375 lb.
#8	78	.50 lb.

Copy Additions


	For Use in Rule No.	Weight per Doz.
#9	416	1.33 lb.
#11	3410	1.0 lb.
#12	3412	1.9 lb.
#13	3510	1.5 lb.
#14	3512	1.625 lb.
#16	4516	2.0 lb.



PORTER VINYL ELECTRICAL TAPE No. 107

The tape with superior electrical and moisture insulation properties. Porter Vinyl Electrical Tape adheres easily and has excellent conformability characteristics for tight, neat winding—resists scuffs and punctures.


Width	Length	Supplied	No. per Carton
1/2"	150'	Individually boxed	10
3/4"	20'	Individually cello. wrapped	10
3/4"	66'	Individually in plastic cutter-bar case	10



Professional Quality Extruded Magnesium


Catalog Number	Color	Length	Number of Vials
1024	Silver	24"	6
1028	Silver	28"	6
1048	Silver	48"	6

Individually packed




Quality Extruded Magnesium

Catalog Number	Color	Length	Number of Vials
624 (only two vial housings)	Green	24"	2
724	Red	24"	4
728	Red	28"	4
824	Silver	24"	6
828	Silver	28"	6




Aluminum Die Cast Level

Catalog Number	Color	Length	Number of Vials
24A	Blue	24"	6
30A	Blue	30"	6



Torpedo Pocket Level


Catalog Number	Color	Length	Number of Vials
9M	Blue	9"	3 (1-level, 1-45°, 1-90° plumb)




Line Level with Pocket Carrying Case

Catalog Number	Color	Length	Number of Vials
1	Chrome	3"	1

**DISSTON SAW & TOOL MANUAL AVAILABLE
FREE FOR YOUR CUSTOMERS**



- ★ **HANDY TIPS ON CARE AND USE OF TOOLS**
- ★ **EDUCATIONAL**
- ★ **WORKSHOP HINTS**



15
7
13
10
08
10
12
284

99

gauge
H.P.O.

DISSTON SALES OFFICES & WAREHOUSES

34 Albert Street
Moncton, New Brunswick

5625 Paré Street
Montreal 9, Quebec

72 Kincourt Street
Toronto 15, Ontario

410 Des Meurons Ave.
St. Boniface 6, Manitoba

240 - 11th Ave. S.W.
Calgary, Alberta

1100 West 6th Ave.
Vancouver, B.C.

DISSTON HEAD OFFICE

125 McDonald Blvd., Acton, Ont.



DISSTON DIVISION

H. K. PORTER COMPANY (CANADA) LTD.