



Table of Contents

	paye
Handsaws	2
Handsaw Accessories	
Handsaw Displays	5
Hacksaws	6
Hacksaws, Blades and Displays	
Teflon-S® Pruning Saws	
Pruning Saws	9
Bow Saws and Pole Tree Pruners	
Compass Saws	11
Nest of Saws and Key Hole Saws	12
Carded Nest of Saws and Coping Saws	13
Kitchen and Butcher Saws	14
Back, Utility and WallBoard Saws	
Teflon-S [®] Circular Saw Blades	
Diss-Chrome Circular Saws	17
Challenger, Keystone and Carbide Tipped	
Circular Saw Blades	18
Power Saw Blade Displays	19
Teflon-S [®] and Challenger Sabre Saw Blades	
Disston Sabre Saw Blades	
Challenger Hole Saws and Mandrels	
Tapes and Rules	
Replacement Blades	
Files	
Trowels	
Lawn Rakes	
Cordless Electric Lawn Care Products	
Barbeque Rotisserie, Scraper and Chisels	. 32

Fine Line Classification (FLC) numbers developed by the National Wholesale Hardware Association appear for all classes of products in this catalog and related price sheets. Numbers appear with the individual product or at the bottom of each page where the products on the page have the same FLC number.

Disston Division H. K. Porter Company, Inc. Porter Building Pittsburgh, Pennsylvania 15219 Disston Division
H. K. Porter Company, Inc.
Carlson Rules Works
P.O. Box P
1617 S. California Ave.
Monrovia, California 91016

Disston Division H. K. Porter Company, Inc. P. O. Box 3000 Danville, Virginia 24541

Disston Hand Saws



D-100

The world's finest handsaw. The crosscut blade is made of highest quality chrome nickel alloy steel—four gauge true taper ground, precision set and bevel filed for extended use. The aluminum handle provides strength. Good looks and comfort are built into the beautifully finished walnut hand grip.

Blade Length Inch	Points Per Inch	Case Weight Lbs.
26	8, 10	107/16
One in pkg	five in ca	se.



D-95

This highly polished handsaw is made of the finest Disston steel—precision set, filed and true taper ground. The attractive, walnut grain handle is fully carved.

Blade Length Inch	Points Per \	Case Weight Lbs.
Cross- cut 26	8, 10, 11, 12	03/
*Rip 26	51/2	$9^{3/16}$ $9^{3/16}$
One in pkg.,	five in case.	



D-23

This professional handsaw is used and endorsed by more carpenters than any other saw. The blade is made of highest quality chrome nickel alloy steel, full taper ground, bevel filed, hardened, tempered and highly polished for cutting ease. The handle is a beautifully finished hardwood.

Blade Length Inch	Points Per Inch	Case Weight Lbs.
Cross- cut 16 20 24	11 10 8, 10	8 ³ / ₄ 11 ¹¹ / ₁₆ 15
26 *Rip 26	7, 8, 9, 10, 11, 12 5½ ten in cas	187/ ₁₆ 187/ ₁₆



D-8

This saw with a heavy duty skew back will provide long service. The taper ground blade is made of hardened, tempered, highly polished steel. The weatherproof hardwood handle is naturally finished.

Blade Length Inch	Points Per Inch	Case Weight Lbs.
Cross- cut 20 22 26 *Rip 26	10 10 8, 10 5½	125/8 1215/16 19 19
Two in pkg.,	ten in cas	se.



D-7

Ideal for school and workshop use, this rugged, easy-cutting saw is carefully made from hardened, tempered steel. The blade is taper ground. The handle is made of solid hardwood.

Blade Length Inch	Points Per Inch	Case Weight Lbs.
Cross- cut 26 *Rip 26	8, 10 5½	18 ⁷ / ₁₆ 18 ⁷ / ₁₆
Two in pkg.,	ten in case	



M-1 Metropolitan

The cross-cut blade of the Metropolitan is made of high alloy steel, taper ground and polished. The teeth are bevel filed for easier cutting. The handle is carved from beautifully finished hardwood.

Blade	Points	Case
Length	Per	Weight
Inch	Inch	Lbs.
26	8, 10	18
Two in pkg.,	ten in case	е.



R-1 Rancher

The Rancher is designed for the frequent user. The polished blade is made of special saw steel, bevel filed for faster cuts. The hardwood handle is tightly secured with four screws (three screws on the 20 inch model).

Blade Length Inch	Points Per Inch	Case Weight Lbs.
Cross- cut 20 26 *Rip 26	10 8, 10 5½	11½ 18 18
Two in pkg.,	ten in case.	

Disston Hand Saws



C-1 Countryside

This sturdy cross-cut saw is used primarily around the farm, shop or home where occasional use of a saw is required. The blade is hardened, tempered, set and filed for long service. The handle is carved hardwood.

	Blade Length Inch	Points Per Inch	Case Weight Lbs.
-	16	10	83/4
	20	10	111/2
	26	8, 10	18
7	wo in pkg	ten in case	



T-1 Townsman

This cross-cut saw is designed for infrequent use. It is a high performance, economically-priced handsaw made of hardened, tempered and polished steel. This accurately set saw has a solid hardwood handle.

	ade ngth	Points Per	Case Weight
	nch	Inch	Lbs.
2	26	8	91/2
Five	in pkg		



Challenger II

This is the ideal extra saw for camp, cottage or home. An economically-priced general purpose saw, it is designed to take a beating. The new, heavy duty handle has a rich scroll design on both sides.

Blade Length Inch	Points Per Inch	Case Weigh Lbs.
20 26 Ten in pkg.	10	10 14
ren in prg.		



D-230SS

This professional handsaw has a Teflon-S® coated, full taper ground blade of finest steel. The teeth are bevel filed and precision set and sharpened. Walnut grain handle.

Blade Length Inch	Points Per Inch	Case Weight Lbs.
Cross- cut 26 *Rip 26	8, 10 5½	9 ³ / ₄ 9 ³ / ₄
One in pkg.	, five in cas	se.



220SS

This full length cross-cut handsaw is designed for all purpose cutting. The Teflon-coated blade cuts easily—even through green wood. The teeth are bevel filed and accurately set. The handle is hardwood.

Blade Length	Points Per	Case Weight
Inch	Inch	Lbs.
26	8, 10	18
Two in pkg.,	ten in cas	e.



218SS

This cross-cut saw is designed for the homeowner. The long service blade is coated with Teflon-S®, set and filed. The comfortable handle is made of carved hardwood.

Blade	Points	Case
Length	Per	Weigh
Inch	Inch	Lbs.
26 Two in pkg.,	8, 10	18



214SS

The economy leader of the Teflon saws, the 214SS has a hardened steel blade, set and filed, and a high impact plastic handle. It makes the luxury of Teflon available to the occasional user.

Blade Length Inch	Points Per Inch	Case Weight Lbs.
26	8, 10	18
Two in pkg.,	ten in case	э.



28 Toolbox Saw

This professional handsaw is designed for easy carrying in the toolbox. The hardened and tempered steel blade is file sharpened for smooth cutting and the comfortable handle is made from fully lacquered hardwood.

Blade Length Inch	Points Per Inch	Case Weight Lbs.
12	10	45/16
Six per box.		

Disston Handsaw Accessories



No. 24 Saw Set

This popular medium priced pistol grip type saw set is designed with an open top for a clear view of the work area. The plunger and handle are both made of hardened steel for extra durability. It is adjustable for a variety of different saws including hand and panel saws, back saws, butcher saw blades. band saws and small circular saws.

Catalog	Weight
Number	Package, Lbs.
24	1
e in a pkg.	FLC 2703



No. K-32 Saw Set

This well-constructed, popularly priced tool has a pistol grip and an open top for a good view of the work area. The plunger and anvil are made of hardened steel and a graduated wheel is provided which adjusts the anvil for 5 to 11 point saws.

Number	Package, Lbs.
K-32	1
One in a pkg.	FLC 2703



No. 2 Filing Clamp

This clamp can move forward and backward to any angle and still clamp easily into position with a thumb screw. To grip the saw blade firmly, pressure on the malleable iron lever is all that is needed. Jaws are 91/2 inches long.

Catalog Number	Weight Package, Lbs.
2	6

One in a pkg.

FLC 2703



No. 66 Universal Handle

Constructed of fine hardwood. the Universal saw handle is beautifully finished and designed to fit almost any hand saw. The handle is not preslotted or drilled. Six in a pkg., minimum order 1 package.

Catalog Number	Weight Package, Lbs.
66	63/4
Six in a pkg.	FLC 2520



Saw Screws

Strong heads and deeply cut thread. Polished Medallion heads are stamped Disston, U.S.A. Nickel-plated.

Catalog Number	Diameter Head Inch	Weight Package Ounce
Plain Head	1/2	4
Medallion H	lead	6

Ten in an envelope, ten envelopes in a pkg., nuts included. FLC 2520



D1300 Handsaw Display Pack


The D 1300 Handsaw Assortment is loaded for sales action. Disston has stocked this assortment with proven leaders spanning every price range. We offer a FREE, specially crafted, antique green, hardwood display rack. The rack is designed so that one saw is suspended with the blade face showing. This design feature teamed with our new Hang tags let your customer examine the quality features of the Disston Handsaw.

Each display also includes a Handsaw Guide Book which provides very helpful "trick-of-the-trade" plus some very informative facts about types of handsaws.

Quantity	Product	Length Inches	Points Per Inch
4	D-23	26	8 pt.
2	D-23	26	10 pt.
1	D-23	26	5½ pt.
2	R-1	26	8 pt.
	R-1	26	10 pt.
1	C-1	26	8 pt.
	C-1	26	10 pt.
1	214-SS	26	8 pt.

Package weight.......35 lbs. (approx.) Display Rack Dimensions.......25" width
31" height (with handsaws)
6" depth

FLC 2520



D57B Handsaw Display Pack

Revolving steel display stand (fits counter or wall, 47" high, 18" in diameter) and handsaws listed below; wt. per assortment 36 lbs. One assortment in 3 cartons.


Quantity	Number	Length Inches	Points Per Inch
1 3	D-95 D-23	26 26	8
1	D-23 D-23 D-23	26 26 26 24 26 26 26 26	5½ 10
1	D-8 M-1	26 26	8
1 1	R-1 C-1 T-1	26 26 26	8 8 8

Shipping weight—39 lbs.

Hang Tags

Our Hang Tags on D-Line, Rancher and Countryside hand saws explain the differences in terms of benefits to the consumer—they can read the tag and immediately relate to the features of the saw.





D626A Handsaw Display Pack

Two piece wire display is lightweight, easy to use on pegboard. Adjustable height, 10½" wide, 10" deep. Shipping weight 14¼ lbs. Holds six "top of the line" saws:

Quantity	Number	Length Inches	Points Per Inch
1	D-230SS	26	8
1	D-95	26	8
2	D-23	26	8
1	D-23	26	10
ī	D-7	26	8

K600 Handsaw Display Pack

Shipping weight-141/4 lbs.

Same two piece wire unit as D626 display, holds six high quality "home workshop" saws:

Quantity	Number	Length Inches	Points Per Inch
1 1 2 2	R-1 R-1 C-1 T-1	26 26 26 26	8 10 8 8
Shipping we	ight—13¾ lbs	S.	

Disston Hacksaws



398T Professional Tubular Hack Frame

Heavy duty tubular hack frame. Cuts flush with either horizontal or vertical surfaces. Blade storage inside tube. Accurate blade tension adjustment. Enclosed safety grip. Blade size 12". Free blade included.

Catalog Number Weight Package, Lbs. 398T 12

One per box, five boxes per case.



378 Professional Hacksaw Frame

Heavy duty bright, double chrome plated frame—non-slip, leather grained, polystyrene grip. High impact handle supported by steel inner core, secured by three bolts—frame adjustable to 10, and 12 in. blades, and four cutting positions. Blade included.

Catalog Number Weight Package, Lbs. 378 12

One per box, five boxes per case.



348 Homeowners' Hacksaw Frame

A moderately priced frame with a rugged, plated steel frame and polystyrene pistol grip handle. Adjustable for 10", and 12" blades. Wingnut allows adjustment to four blade positions. Free blade included.

Catalog Number Weight Package, Lbs. 348 9½

Five in pkg., minimum order 1 pkg.



388T Deluxe Tubular Hacksaw Frame

Highly polished chrome plated tubular steel frame, adjustable for 10" and 12" blades. Pistol grip handle. Adjusts to four cutting positions. Blade included.

Catalog Number Weight Package, Lbs. 388T 5

Five in pkg., minimum order 1 pkg.




368 Deluxe Hacksaw Frame

The sturdy, gleaming, nickel plated steel frame is fully adjustable for 10", 12" blades—adjustable to four positions. Heavy duty steel handle is faced with polystyrene, Blade included.

Catalog Number Weight Package, Lbs. 368

One per box, five boxes per case.



338 Economy Hacksaw Frame

An inexpensive hacksaw featuring a plated steel frame and pistol grip handle. Fits 10", and 12" blades. Four position blade adjustment. Free blade included.

Catalog Number Weight Package, Lbs. 7

Five in pkg., minimum order 1 pkg.

Disston Hacksaws, Blades and Displays



328 Hacksaw Frame

This promotionally priced hacksaw frame is adjustable to four cutting positions. Fits 8", 10", 12" blades. Pistol grip handle. Free blade included.

Catalog Number	Weight Package, Lbs.
328	10

Ten in pkg., minimum order 1 pkg.



328C Carded Hacksaw

Same as 328 Quaker City Hacksaw Frame but mounted on an eye catching self-sell card, ready for the pegboard or bin. Includes free extra 10" blade.

	Catalog Number	Weight Package, Lbs.
-	328-C	91/2

DISSTON () PARL --- FIRST ---

Ten in pkg., minimum order 1 pkg.



HF12 Hacksaw Display

The hack rack offers a full range of hacksaw frames from professional to economy. Display measures only 17" high and 28" wide.

Catalog Number	Quantity
388T 368 348	3
328	3
Catalog Number	Weight Package, Lbs.
HF12	19

Super-Safe High Speed Tungsten **Steel Hand Hack Blades**

Edge hardened only to give benefits of tungsten high speed steel, with a flexible shatterproof back, Recommended for heavy duty cutting.

Catalog Number	Length Inches	Teeth Per Inch
S1018	10	18
S1024	10	24
S1032	10	32
S1214	12	14
S1218	12	18
S1224	12	24
S1232	12	32

One hundred per pkg., minimum order 1 pkg. For display pouch, add "P" to catalog number. One hundred pouches—1 blade per pouch.

Di-Mol Molybdenum Steel **Hand Hack Blades**

An all hard blade made from selected special steel to resist breakage. Ideal for economical cutting of a full range of materials.

Catalog Number	Length Inches	Teeth Per Inch
D1018	10	18
D1024	10	24
D1032	10	32
D1214	12	14
D1218	12	18
D1224	12	24
D1232	12	32

One hundred per pkg., minimum order 1 pkg. For display pouch, add "P" to catalog number. One hundred pouches—1 blade per pouch.

High Speed Steel Hand Hack Blades

A premium blade of heat resisting steel designed for continuous cutting of hard alloys such as stainless and high chrome steels. Blades are all hard giving rigidity required for precision cutting.

Catalog Number	Length Inches	Teeth Per Inch
H1018	10	18
H1024	10	24
H1214	12	14
H1218	12	18
H1224	12	24
H1232	12	32

One hundred per pkg., minimum order 1 pkg. For display pouch, add "P" to catalog number. One hundred pouches—1 blade per pouch. All Disston Hand Hack Blades are 1/2" wide by

Duraflex Special Alloy Steel Hand Hack Blades

Made of special alloy steel, hardened on tooth edge only to give extra flexibility in awkward cutting situations.

Catalog Number	Length Inches	Per Inch
F1018	10	18
F1024 F1032	10 10	24 32
F1214	12	14
F1218 F1224	12 12	28 24
F1232	12	32

One hundred per pkg., minimum order 1 pkg. For display pouch, add "P" to catalog number. Fifty pouches—2 blades per pouch.

Shipping Weight All Hand Hack

Blades

10" Bulk 3 lbs. 13 oz. 12" Bulk 4 lbs. 6 oz. 10" Pouch 4 lbs. 2 oz. 12" Pouch 4 lbs. 14 oz.

Duraflex and Super-Safe Hand Hack Blade Assortment

This unbreakable blade assortment includes 20 high speed super-safe blades and 60 Duraflex alloy blades. Comes complete with a free metal display rack.

Catalog Number	Quantity	Length Blade, In.	Teeth Per In.
S1218P	10	12	18
S1024P	10	10	24
F1018P	10	10	18
F1024P	10	10	24
F1218P	20	12	18
F1224P	20	12	24
1-Free disp	lay		
Catalog Nun	nber		HB-80A
Weight Pack	age		$5\frac{1}{4}$ lbs.
One assortm	ent (80 bla	ades and dis	olay) in a



Duraflex Special Alloy Steel Hand Hack Blade Assortment

Shatter Proof and Flexible. 1/2 in wide, .025 in. thick. 50 pouches, 2 blades per pouch. Comes with free metal display

Catalog		Length	Teeth
Number	Quantity	Blade, In.	Per In.
F1018	10	10	18
F1024	20	10	24
F1032	10	10	32
F1218	30	12	18
F1224	20	12	24
F1232	10	12	32
-Free disp	olay		

Disston Teflon-S® Pruning Saws



No. 280SS Teflon-S® Coated Professional Limb Pruning Saw

Ideal for the professional user. Unique peg tooth design results in faster cutting and easier sharpening. Fully enclosed grip of laquered hardwood.

Catalog Number	Length Blade Inches	Teeth Per Inch	Weight Package Lbs.
280SS	24	4	31/2

One in pkg., minimum order one package.

FLC 1205



No. 250SS Teflon-S® Professional Full Length Pruning Saw

With single cutting edge designed for heavy cutting of large limbs and tough branches. Champion pattern teeth give quick clean cuts. Laminated Hardwood Handle.

Catalog	Length Blade	Weight Package
Number	Inches	Lbs.
250SS	24	21/2

One in pkg., 5 in case, minimum order 1 pkg. FLC 1205



No. 210SS Teflon-S® Double Edge Pruning Saw

For the homeowner. Champion Pattern coarse teeth cut larger limbs. 8 point fine tooth edge cuts small branches and twigs.

Catalog	Length Blade	Weight Package Lbs.
Number	Inches	LDS.
210SS	18	1 1/4

One in pkg., 5 in case, minimum order 1 pkg. FLC 1205




No. 260 SS Teflon-S® Folding Coated Camp Saw with Safety Handle

Positive locking in open and closed positions. For general outdoor use.

Catalog Number	Length Blade Inches	Teeth Per Inch	Weight Package
260SS	10	6	8 oz.
One in pkg., minin	num order 5 pkgs.		

FLC 2525



No. 290SS Teflon-S® Folding Pruning Saw

The curved single cutting edge of this saw permits accurate reach-in cuts of wet or greenwood. Teeth cut on pull stroke. Blade folds into handle for compact storage.

Catalog Number	Length Blade Inches	Teeth Per Inch	Weight Package Lbs.
290SS	12	8	1

One in pkg., 5 in case, minimum order 1 pkg. FLC 1205



No. 270SS Teflon-S® Lightweight Pruning Saw

Especially designed for close-in work as in orchards or groves. Knife type handle allows easy cutting of normally inaccessible branches. Teeth cut clean on the pull stroke.

Catalog Number	Length Blade Inches	Teeth Per Inch	Weight Package Lbs.
270SS	14	6	1

One in pkg., 5 in case, minimum order 1 pkg. FLC 1205

Disston Pruning Saws



Professional Full Length Pruning Saw

Our best full length Pruning Saw. Makes tough jobs easy. Carefully hardened and tempered polished steel blade for extra ruggedness and durability. Professional single cutting edge provides fast two-way fine cut action. Laminated wood handle is unbreakable.

Catalog	Length Blade Inches	Points Per Inch	Package Lbs.
D-27	26	6	31/2
Two in pkg.,	minimum	order 1 pkg.	FLC 120



No. 5 Double Edge Curved Pruning Saw

Makes tree pruning easy. This saw has a hardened and tempered, highly polished blade with cross-cut and rip teeth for fine or rough cut. Blade is curved for contour cutting. Attractive hardwood handle is fully weatherproofed.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
5	18	8 7	5

Five in pkg., minimum order 1 pkg. FLC 1205



No. 50 Heavy Duty Curved Pruning Saw

The heavy duty blade of this curved single cutting edge saw is 2" wide at the solid hardwood handle. Small teeth for easy cutting of wet or green wood. Cuts cleanly on the pull stroke.

Catalog Number	Length Blade Inches	Teeth Per Inch	Weight Package Lbs.
50	14	7	33/4
Five in pkg	., minimum	order 1 pkg	. FLC 1205



No. K40 Standard Double Edge Pruning Saw

This economical double cutting edge saw is lightweight, provides for maximum maneuverability. Coarse lumberman tooth edge; 8 points on back. The hardwood handle is completely weatherproofed.

Catalog Number	Length Blade Inches	Teeth	Weight Package Lbs.
K-40	18	Fine Cut	4

Five in pkg., minimum order 1 pkg. FLC 1205



Deluxe Full Length Pruning Saw

Larger Champion type teeth are designed for heavier, faster cutting. Designed to hold a keen cutting edge under constant day to day use. The unbreakable laminated wood handle gives a firm, comfortable grip.

Catalog Number	Length Blade Inches	Teeth	Weight Package Lbs.
32	24	Coarse Cut	31/2
Two in pkg	., minimu	ım order 1 pkg.	

FLC 1205

No. 4

Deluxe Double Edge Pruning Saw

This multi-purpose, quality saw has a hardened, tempered, tool steel blade, toothed on both edges. Lumberman pattern for rough cutting; 8 points on back for cutting small limbs. The comfortable hardwood handle is completely weather protected.

Catalog Number	Length Blade Inches	Teeth	Weight Package Lbs.
4	18	Fine Cut	41/2

Five in pkg., minimum order 1 pkg. FLC 1205



No. 169 Folding Camp Saw

Perfect compact saw for camping and scouting trips. Easily folds for storage. Entire blade is protected by hardwood handle. Safe to use and transport.

Catalog	Length Blade	Teeth Per	Weight Package
Number	Inches	Inch	Lbs.
169	101/2	5	5
Five in pkg	minimun	n order 1 pk	g.

FLC 2525



No. 166 Lightweight Curved Pruning Saw

This curved lightweight rough cut saw has teeth that are specially filed to cut on the pull stroke. Easy to grip knife-type handle.

Catalog Number	Blade Inches	Per	Package Lbs.
166	14	6	21/2
Five in pkg	, minimun	n order 1 pk	g.

FLC 1205

No. 33

Story of the second sec

Professional Curved Pruning Saw

The special saw steel blade of this saw has a concave cutting edge. Two cutting teeth and raker per section to clean the sawed area. Deep gullets. Our Tuttle Tooth cuts fast and clean on the pull stroke because the blade is precision set and bevel filed. The unbreakable laminated hardwood handle has a larger contoured hand hole for comfortable grip.

Catalog	Length Blade		Weight Package
Number	Inches	Teeth	Lbs.
33	26	Coarse Cut	91/4
Five in nkg	minimi	m order 1 pkg.	FLC 1205



No. 320 Challenger Quick Cut Pruning Saw

Economical single edge cutting blade, hardened and tempered Champion type teeth, ideal for rough, heavy work. Plastic hand saw handle designed for a firm and comfortable grip.

Catalog Number	Length Blade Inches	Teeth	Weight Package Lbs.
320	20	Coarse Cut	21/8
Two in pkg	., minimu	ım order 1 pkg.	

FLC 1205



No. 38 Folding Pruning Saw

Our best folding model. Compact space saver. Curved single cutting edge cuts evenly on the pull stroke. Extra long polished steel blade folds into a hardwood handle. A must for every gardener.

Catalog Number	Length Blade Inches	Teeth Per Inch	Weight Package Lbs.
20	1.2	7	23/

Five in pkg., minimum order 1 pkg.

FLC 1205



No. 44 Challenger Double Edge Pruning Saw

Low priced. The double-edged blade has eight point cross-cut teeth for light branches and coarse lumberman pattern teeth for heavy limbs. Hardwood handle.

Catalog Number	Length Blade Inches	Teeth	Weight Package Lbs.
44	14	Fine Cut Coarse Cut	4

Five in pkg., minimum order 1 pkg.

FLC 1205

Disston Bow Saws and Pole Tree Pruners



Bow Saws

Bow saws with Industrial Hard Teflon-S® coating. The ideal saw for pruning, camping, around the home, and general outdoor use.

The Industrial Hard Teflon-S® coating is a baked on finish that won't wear off, won't rust . . . actually outlasts the life of the blade. Blade zips through green and wet wood. No binding or sap buildup.

Special comfort grip handle on the Teflon coated models is coated with elastic plastisol for sure, non slip gripping. The Torsion-Bow insures proper blade tensioning. Quick action release facilitates blade removal or changing with a flip of the tension lever handle.

All Disston Bow Saws are constructed of heavy duty tubular steel frames, with double nickel chrome plating. Protective

blade sheath furnished.

Disston Bow Saws are available in the popular 21", 30", and 36" size for every homeowner and professional use. Choose either the Teflon-S®, or conventional blades—both with popular Nordik Raker Tooth style. Replacement blades for all 6 models.

Complete Bow Saws with	Teflon	Coated	Blades
Catalog Number	S21T	\$30T	\$36T
Blade Length (Inches)	21	30	36
Weight Ibs. box	1.4	2.6	3

Complete Bow Saws with	Stand	lard Bla	ades
Catalog Number	S21	S30	S36
Blade Length (Inches)	21	30	36
Weight Ibs. box	1.4	2.6	3

Replacement Blades—Teflon-S Coated


Catalog Number	B21T	B30T	B36T
Blade Length (Inches)	21	30	36
Weight lbs. box	2	3	5

Replacement Blades—Standard

Catalog Number	B21	B30	B36
Blade Length (Inches)	21	30	36
Weight lbs. box	2	3	5

Note: Bow Saws Packaged 5 per box, replacement blades packaged 10 per box. Minimum order 1 box.

FLC 2525



Display Merchandiser

BD6T

Popular Bow Saw Models 3-S21T; 2-S30T; 1-S36T Catalog Number

FLC 2525



No. 55 Pole Tree Pruning Saw and Shear

This professional quality tool has a curved saw blade made with beveled, hardened, and tempered steel. The saw cuts cleanly and smoothly on each draw stroke. Cuts up to 3/4 " limbs. 11/4" socket.

	Length	Teeth	Weight
Catalog	Blade	Per	Package
Number	Inches	Inch	Lbs.
55	15	8	4

Two in pkg., minimum order 1 pkg.

Saw Blade only

Catalog Number 55-B

Six in pkg., minimum order 1 pkg. FLC 1204



No. 114 Pole Tree Pruning Saw and Hook

This saw has a curved blade and a handy hook for removing branches. Each draw stroke produces a clean, deep cut. Socket 11/4" diameter.

Catalog Number	Length Blade Inches	Teeth Per Inch	Weight Package Lbs.
114	15	8	2

Two in pkg., minimum order 1 pkg.

Saw Blade only

Catalog Number 114-B

Six in pkg., minimum order 1 pkg.

FLC 1204



No. 155 Pole Tree Pruning Shear

The beveled, hardened and tempered steel blade of this shear holds a sharp cutting edge through long periods of use. The frame, hook and 11/4" socket are all constructed of sturdy malleable iron. This shear cuts 3/4" limbs with ease.

Catalog Number Weight Package, Lbs. 155 3

Two in pkg., minimum order 1 pkg.

FLC 1204



No. 8 Plumbers' Compass Saw

Polished blade made of special steel which is specially hardened and tempered for heavy duty use. Weatherproof hardwood handle is naturally finished. Wingnut and pin fastener for easy blade change and reverse blade use.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
8	12	8	21/2

Five in pkg., minimum order 1 pkg.

Blade only... Handle only...

Ten blades in pkg., 1 handle per pkg., minimum order 1 pkg. for both.



Length Blade Inches Points Per Inch Package Lbs. Catalog Numbe 44 12 14 10 10 Five in pkg., minimum order 1 pkg.

Sawing in small holes and cutting sharp

point, Polished, hardened and tempered

steel blade. Teeth bevel filed, Blade can be reversed. Weatherproofed and fin-

ished hardwood handle. Wingnut and pin

curves is an easy job with this saw be-

cause the toothing tapers to a sharp

No. 4 Compass Saw

for easy reversal of blades.

Blade only... Blade only... Handle only...

Ten blades in pkg., 1 handle in pkg., minimum order 1 pkg. for both.



No. 2 Compass Saw

This compass saw is expressly designed to relieve the strain of cutting difficult curves. The heavier blade is hardened and tempered steel. Bevel filed for faster cuts. Natural finish handle is weatherproofed, and has a comfortable open grip. Two screws for changeability.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
2	12	10	23/4

Five in pkg., minimum order 1 pkg.

Blade only... 12 Handle only...

Ten blades in pkg., 1 handle in pkg., minimum order 1 pkg. for both.



No. 6 Compass Saw

Features new high impact polystyrene handle with enclosed grip for safety and comfort. Bevel filed blade tapers to point for cutting sharp curves. Wingnut adjustment for easy blade reversal.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
6	12	10	2
6	14	10	21/16

Five in pkg., minimum order 1 pkg.



No. 100SS Teflon-S® Coated **Compass Saw**

Teflon-S® coated blades reduce binding, cut through tighter turns. Blade made of hardened and tempered steel, accurately set and filed. Enclosed safety grip handle of high impact polystyrene. Blades may be reversed.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
100SS	12	8	2
100SS	14	8	25/16

Five in pkg., minimum order 1 pkg.



No. K-304 Compass Saw

Reversible blade is made of hardened and tempered steel. Teeth are set and filed, Easy changing. The open grip handle is weatherproofed and constructed of sturdy hardwood. Wingnut and pin for reverse use.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
K-304	12	8	2½
K-304	14		2½

Five in pkg., minimum order 1 pkg.

Blade only... Blade only... Handle only...

Ten blades in pkg., 1 handle in pkg., minimum order 1 pkg. for each item.



No. K-302 Compass Saw

Economical. The steel of this blade is hardened and tempered and polished for maximum durability. Teeth are set and filed. Easy, comfortable gripping is provided in the weatherproofed square top hardwood handle. Two screws for changeability.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
K-302	12	8	23/4

Five in pkg., minimum order 1 pkg.

12 Blade only... Handle only.. 8 Ten blades in pkg., 1 handle in pkg., minimum order 1 pkg. for both.



No. 402 Compass Saw

This inexpensive compass saw has a blade of hardened and tempered steel for maximum durability. Blade securely held to weatherproof hardwood handle by two

Catalog	Length Blade Inches	Points Per Inch	Weight Package Lbs.
Number 402	12	8	25/16
Five in pkg.,	minimum o	rder 1 pkg	



No. 408 Compass Saw

Inexpensive compass saw with hardened and tempered blade. Attractive polystyrene handle features a fully enclosed grip for maximum comfort and safety.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
408	12	8	2

Five in pkg., minimum order 1 pkg.

Disston Nest of Saws and Keyhole Saws



No. 60 Nest of Saws

Here is a fine quality, handy set of saws. The blades, 18 in. Plumbers, 10 in. Keyhole and 12 in. Compass are hardened, tempered, ground and polished. Weatherproof handle. The square top of the handle permits easy reversing of blades.

Catalog Number		Weight Package, Lbs.	
No. 60 Complete Nest of Saws			1
Five in pkg., minimum	order 1 pkg.		
j	Size	Points Per	Weight Package
Item	Inches	Inch	Lbs.
Kaybola Blade	10	10	1



No. 7 Nest of Saws

Interchangeable workshop. The 14" strong nail cutting blade of this saw set is especially tempered for cutting nails embedded in wood, lead pipe, etc. Also includes 14" compass blade and 10" keyhole blade. Each is hardened, tempered, ground and polished for maximum strength and durability. The sturdy hardwood handle is weatherproofed and finished in an attractive natural tone. Blades are quickly interchanged.

Catalog Number		Weight Package, Lbs.	
No. 7 Nest of Saws		33	/4
Five in pkg., minimum	order 1 pkg.		
Item	Size Inches	Points Per Inch	Weight Package Lbs.
Keyhole Blade Compass Blade Nail Cutting Blade Handle	10 14 14	10 10 13	1 2 2 ½
All blades 10 in pkg., 1	handle in pkg.,	minimum order 1	l pkg. each item.



No. K-300 Nest of Saws

Consists of one 16" Pruning blade, one 14" Compass blade, one 10" Keyhole blade, all hardened, tempered and slotted for attachment to handle. The hardwood handle is naturally finished and weatherproofed, and has pin and wingnut for fast assembly.

Catalog Number	Weight Package, Lbs.	
No. K300 Complete Nest of Saws	41	/8
Five in pkg., minimum order 1 pkg.	D-i-t-	Waight
Size	Points Per	Weight Package

Item	Inches	Inch	Lbs.
Keyhole Blade Compass Blade Pruning Blade	10 14 16	10 8 8	1 2 3 1/ ₃

All blades 10 in pkg., 1 handle in pkg., minimum order 1 pkg. each item.



No. 15 Keyhole Saw

A high quality saw designed for intricate close inside work such as keyholes and frets. The blade is tapered to a sharp point and is bevel filed for faster cuts. Weatherproof hardwood handle finished in natural tone. Blade fastened by two screws for easy blade changing.

0 0			
Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
15 15	10 12	10 10	2 21/4
Five in pkg., minimum	order 1 pkg.		
Blade only	10 12	10 10	
Ten blades in pkg., min	imum order 1 p	kg. for each item.	



No. 12 Keyhole Saw

An economical saw with a blade of hardened and tempered steel. The blade is securely fastened to the weatherproof hardwood handle by two rivets.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
12	10	10	21/8

Five in pkg., minimum order 1 pkg.



No. 20 Keyhole Saw

An inexpensive saw for cutting close inside work. Blade of hardened and tempered steel. High impact polystyrene handle with fully enclosed grip.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
20	10	10	2

Five in pkg., minimum order 1 pkg.

Disston Carded Nest of Saws and Coping Saws



No. 101 Fully Adjustable Nest of Saws—Carded

Ideal for home use. This useful, handy saw set comes with three interchangeable blades, one for wood-cutting, one for fine tooth metal-cutting and one for coarse tooth metal or wood-cutting. Fine tooth blades can also be used on bone. The blade slips easily into the strong and attractive smooth plastic handle and can be locked securely in any of eight positions.

	Catalog Number	Weight Package, Lbs.
No.	101 Complete Nest of Saws	3 1/8

Five in pkg., minimum order 1 pkg.

Item	Length Blade Inches	Points Per Inch	Weight Package Lbs.	For Cutting
101-MC	12	11	3/4	Wood, Metal, Plastic, Bone
101-M	12	25	3/4 3/4	Metal, Plastic, Bone
101-W	12	8	1 1/4	Wood, Masonite, Fiberboard
Handle 10	11-H			

All blades 10 in pkg., 1 handle in pkg., minimum order 1 pkg. each item.

No. 200SS Nest of Saws-Carded

A combination saw kit designed for radius type cutting where binding is most apparent. The blades of this kit are coated with DuPont Teflon-S® which greatly reduces binding and cutting effort. This finish is permanently bonded to the blades and even if scratched or abraded, it is retained in the grain of the steel.
The Teflon-S® coating also reduces buildup on the teeth and prevents rust.

The kit includes one 12", 8 pt. cross-cut all purpose wood-cutting blade and one 12", 10 pt. fine tooth finish cut blade. The sturdy molded handle provides quick blade changing and adjusts to eight cutting positions.

-

Catalog Number	Length Blade Inches	Points Per Inch	Case Weight Lbs.
200SS	12	8 and 10	4
One kit per card, 5 kits	per case, minir	num order 1 case.	
Blade only	12 12	8 10	³ / ₄ ³ / ₄
Ten per pkg., minimum	order 1 pkg.		





No. 15 Coping Saw and 15C Carded Coping Saw

This saw has an extra deep nickel plated steel frame for increased cutting capabilities. Blade can be turned to any angle and is made of hardened and tempered spring steel. The bladetensioning hardwood handle is weatherproofed and beautifully finished. Fifteen points per inch.

Catalog Number	Length Blade Inches	Depth Frame Inches	Weight Package Lbs.
15	63/8	63/4	7
Ten in pkg.,	minimum	order 1 pkg.	

Also Available Carded, one complete frame and 5 extra blades per card. $15\text{-C} \qquad 6\% \qquad 6\% \qquad 8\%$

Ten in pkg., minimum order 1 pkg.

FLC 2523

Coping Saw Blades

6%" Pin End Fit #10 and #15 Frame

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
10/15	6%	15	2/3

12 dozen in pkg., minimum order 1 pkg.

FLC 2583



No. 10 Coping Saw and 10C Carded Coping Saw

This sturdy, yet economical saw cuts curves and sharp angles easily and quickly. Pins on stretchers turn the blade to any angle. Spring steel blade is hardened and tempered. The weatherproofed, hardwood handle is finished in a natural tone and serves as the blade tension adjuster. Fifteen points per inch.

Catalog Number	Length Blade Inches	Depth Frame Inches	Weight Package Lbs.
10	63/8	43/4	5

10 in pkg., minimum order 1 pkg.

Also Available Carded, one complete frame and 5 extra blades per card. $10\text{-C} \qquad 6\% \qquad 4\% \qquad 6\%$

10 cards in pkg., minimum order 1 pkg.

FLC 2523

Disston Specialty Saws



No. K-070 Butcher Saw

Strong, durable and moderately priced, this saw has a specially constructed flat steel frame with a brightly finished, hardened and tempered steel blade. To make blade tensioning easy, a wingnut adjustment is provided. Finished, weatherproofed hardwood handle.

Catalog Number	Blade Inches	Per	Package Lbs.
K-070	18	11	10
K-070	20	11	10%
K-070	22	11	$11\frac{3}{16}$
K-070	24	11	$11^{11}/_{16}$
K-070H	Handle only		

K-070 five in pkg., K-070H one in pkg., minimum order 1 pkg. for both.



No. 415-F Flintstone Brick Saw

Hard edge for continuous long life cutting of insulating brick. Teeth can be sharpened by grinding.

	Catalog Number	Length Blade Inches	Weight Package Lbs.
Blade with Handle Blade Only Handle Only	415 F 415 F-B 415 F-H	15 15	3½ 3¾
445 5 6 1 415 5 1	ton in nka	minimum order 1	nka for all

415 F five in pkg., 415 F-B ten in pkg., minimum order 1 pkg. for all. 415 F-H one in pkg. FLC 2520



No. 240 Metal Cutting Saw

This cross-cut saw is specially constructed for cutting non-ferrous metal. Special temper, thin back, true taper ground blade. Teeth are milled for accuracy in cutting and easy re-sharpening. The naturally finished and weatherproofed hardwood handle has a large hand hole for comfortable gripping.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Case Lbs.
240	20	15	111/2
Two in pkg., ten in o	ase, minimum orde	er 1 pkg.	EL C 2520



No. 17 Mine and Utility Saw

Strong and durable, the teeth of this saw are specially designed for fast cutting. The straight-back blade is ground, polished and fitted. Ideal for fast cutting of heavy lumber in mines, lumber and rail yards, and docks. The malleable iron handle has a comfortable grip with Parkerized finish.

Catalog Number	Length Blade Inches	Weight Package Lbs.
	20	10

Four in pkg., minimum order 1 pkg.

FLC 2520



No. 16 Kitchen Saw

This attractive all-purpose kitchen saw is strong and durable, yet remarkably light in weight. The frame is made of strong nickel plated steel and is securely attached to the colorful plastic handle.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
16	14	11	10

On individual display cards, ten in pkg., minimum order 1 pkg.

Kitchen Saw Blades Catalog Number	Length Blade Inches	Weight Package Lbs.
16-B	14	1/2
Ten blades in pkg., minimum o	rder 1 pkg.	FLC 3032



No. 400 Brick Saw

For cutting magnesia and other insulating brick for furnace lining. Teeth can be sharpened by filing.

	Catalog Number	Length Blade Inches	Package Lbs.
Blade with Handle Blade Only Handle Only	400 400-B 400-H	15 15	3½ 3¾
400 five in pkg., 400-B ten 400-H one in pkg.	in pkg., minir	mum order 1 pkg	f. for all. FLC 2520



No. 196 Docking Saw, Skew Back

This saw is designed expressly for rough use in shops, farms, lumber yards, ship and rail yards, and mines. The blade tapers three gauges for bind free cuts. Fleam teeth with wide bevel and accurate set. The malleable handle, attached with stainless rivets, provides a strong comfortable grip.

	atalog umber	Length Blade Inches	Points Per Inch	Package Lbs.
	196	30	41/2	12
Four in p	kg., minimu	um order 1 pkg.		FLC 2520



No. 2 Butcher Saw—Blade Punch

This handy tool punches perfect "/44" holes in butcher saw blades. The frame is constructed of malleable iron and the punch and die are both hardened steel.

Catalog Number	Weight Package, Lbs.
2	1/2

One in a pkg., minimum order 1 pkg.

Butcher Saw Blades—In Coils

Made from special steel, for hand frame use. Hardened and temred, set and sharpened. Bright finish

Catalog Number	Width, Inches	Feet in Coil	Weight Package, Lbs.
50 50 50 50 50 50 50	3/8 3/8 1/2 1/2 5/8 3/4 3/4	25 50 25 25 50 25 50 25	1 2 1 ¹ / ₄ 2 ¹ / ₂ 1 ¹ / ₂ 3 1 ³ / ₄ 3 ¹ / ₂
One coil in a pkg., mi	nimum order 1 pl	kg.	FLC 3032

Disston Back, Mitre, Utility and Wallboard Saws



No. 4 Mitre Box Saw

Professional quality saw for precise cutting, each saw cut-tested for accuracy. High alloy steel blade, milled teeth carefully set and bevel filed. Heavy steel back extends into the hardwood handle for greater efficiency in this professional saw. Naturally finished and weatherproofed, the comfortable handle grip is solidly connected to the blade for long, trouble-free use. Eleven points per inch.

Catalog Number	Length Blade Inches	Width Under Back, In.	Weight Package Lbs.
4	22	4	31/2
4	24	4	33/4
4	26	4	41/16
4	28	5	41/2
4	30	6	5

1 in pkg., minimum order 1 pkg.

FLC 2521



No. 4 Back Saw

Our best Back Saw. The blade of this professional quality saw is made from the finest hardened and tempered steel with bevel filed teeth for cutting across or diagonally to the grain. An extraheavy steel back gives great stiffness to the blade. Positive control is assured because blade and back extend well into handle, which has comfortable contoured grip and is made from weatherproofed hardwood.

	Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
	4	12	13	61/3
	4	14	13	71/3
1	Five in pkg.,	minimum	order 1 pkg	·

FLC 2521



No. 103C Utility Saw Carded

Ideal general purpose saw combination for home or apartment. Economical set comes with both wood and metal cutting blades. Compact handle with positive action lock screw holds blades securely during use.

Furnished with wood and metal cutting blades on attractive display card.

Catalog Number	Lgth. Blade In.	Pts. Per Inch	Pkg. Wt. Lbs.
103C			
Carded/2 blades	71/2	10&24	31/4
103HM			
Handle & Metal Blade	71/2	24	2
103HW	71/	1.0	
Handle & Wood Blade	71/2	10	2
103W	71/2	10	3/4
Wood Blade 103M	1 72	10	74
Metal Blade	71/2	24	3/4
			14
Ten in pkg., minimum ord	der 1 p	kg.	

FLC 2522



No. K-1 Back Saw

This saw is sturdy, yet economical—a must for every workshop. Has specially tempered steel blade supported by a stiff steel back. Teeth set and filed. Naturally finished, fully weatherproofed, hardwood handle has comfortable grip.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
K-1	12	13	4 ⁷ / ₁₆ 5 ² / ₃
K-1	14	13	

Five in pkg., minimum order 1 pkg.

FLC 2521



No. 68 Dovetail Saw

This saw is ideal for tenoning, dovetailing, model building and toy making. Round hardwood handle is in line with the back of the 25 gauge polished steel blade. A fine cutting instrument.

Catalog Number	Length Blade Inches	Points Per Inch	Weight Package Lbs.
68	10	15	1 1/4

Two in pkg., minimum order 1 pkg.

FLC 2521



No. 3 Wallboard Saw

Perfect for cutting drywall and other synthetic building materials. Features a heavy gauge steel file sharpened blade to insure fast easy cutting and a sharp point to insure easy penetration. The hardwood handle is epoxy bonded for durability.

Catalog Number Weight Package, Lbs. 3 15%

Ten in pkg., minimum order 1 pkg.

FLC 2522

Disston Has the Right Style for Every Job



Rip-Style "A"

For cutting with the grain only.



Crosscut—Style "L"

For cutting across the grain. Cut-Off (Style "L"). Used in squaring and trimming to size, smooth cutting.



Combination—Style "W"

Popular with building contractors. Coarse tooth spacing for easy feeding. Ideal for trimming roofers and all-purpose construction work. Cross cuts, rips, mitres.



Combination—Style "S"

Ideal home workshop saw for all-purpose combination jobs on bench and portable machines. Gives smooth, fine finish for rip, diagonal or cross grain cutting work.



Combination—Style "V"

Similar to Style "W", except finer tooth spacing for smoother cuts.



Special Purpose Plywood— Style "Q"

New special design for amazingly smooth, splinter-free plywood cuts. Hollow-ground, extra sharp.



Special Purpose Planer— Hollow Ground Style "S"

Designed for finishing work. Hollow-ground blade, allows cutting in any direction and produces extremely smooth cuts requiring no sanding.



Special Purpose Flooring

Extra durable, special steel and temper for rough work. Ideal for old, used lumber where nails may be encountered. Cuts in any direction.



Style UPL Plywood

A fine toothed design for an extra smooth finished cut in plywood.



Style MT Abrasive Cut-Off

Ideal for cutting both ferrous and non-ferrous metal tubing, sheets and bar stock.



Used for cutting tile, tile patio block, slate and concrete block.

Disston Teflon-S® Coated Circular Saw Blades



Now professional quality Disston circular saw blades with self lubricating—self healing Teflon-S® give precision cuts in less time. Disston Satin Slide™ Circular Saw Blades offer new cutting ease for the pro and home handy man. Less blade-to-wood friction means faster cuts, more feed and less motor power required. Each tooth is individually set and sharpened, full bevel filed to assure clean cuts, longest blade life. All Teflon-S® coated blades may be resharpened and set as required without effecting the smooth cutting action. Available in sizes and styles shown in chart. Attractive heavy gauge "Envelope Style" packaging provides maximum sell plus effective Point-Of-Purchase impact. Package doubles as permanent blade protection.

For Portable, Bench and Radial Arm Machines

Blade Style	Size Inches	of DT-16 Display
L Cut Off—Crosscut L Cut Off—Crosscut L Cut Off—Crosscut	7 ¹ / ₄ 8	1
V Combination	61/2	2
V Combination	8	2 2 1
W Combination	61/2	3 2 1
W Combination	8	1
S Combination	61/2	1
S Combination	8	1
A Rip	61/2	1 ,
A Rip	8	
Q Plywood	71/4	
Q Plywood	10	
S Planer Hollow Ground	71/4	
S Planer Hollow Ground	10	
	L Cut Off—Crosscut L Cut Off—Crosscut L Cut Off—Crosscut L Cut Off—Crosscut V Combination V Combination V Combination V Combination W Combination W Combination W Combination W Combination S Combinat	Inches Inches L Cut Off—Crosscut 6½2 Cut Off—Crosscut 7½4 L Cut Off—Crosscut 8 L Cut Off—Crosscut 10 V Combination 6½2 V Combination 8 V Combination 10 V Combination 6½2 V Combination 10 V Com

All $6\frac{1}{2}$ " and $7\frac{1}{4}$ " blades have universal arbor and $\frac{1}{8}$ - $\frac{1}{2}$ " bushing. 8" blades bushed $\frac{1}{8}$ - $\frac{1}{2}$ ". 10" blades bushed $\frac{3}{4}$ - $\frac{9}{8}$ ".

Contents

Disston Diss-Chrome Circular Saw Blades

Diss-Chrome Circular Saw Blades


Hard Chrome Plated for Longest Life

The top of the line, Disston Diss-Chrome blades provide the maximum in smooth cutting and long life. The exclusive plating process gives a hard chrome edge on the teeth and also keeps the blade face smooth for free cutting. Teeth are accurately set and sharpened to give professional cuts. Blade is finest saw steel, hardened, tempered and ground.

Available in all styles and sizes, most popular items with universal arbors. Individually skin packaged. Universal arbor provides ½" round, %" round and 1%,6" diamond.

Catalog Number	Diameter Inches	Arbor Hole, In.	Teeth			
	Style "L"	-Cut Off				
	Universal A	rbor Hole				
DL6004	6	Universal	100			
DL6404 DL7204	6½ 7¼	Universal Universal	100			
	Style "L"					
	Round Art					
CL4000 CL7005	4	1/2	.88			
CL7005 CL8005	7 8	*5/8-1/2 *5/8-1/2	100			
CL8006	8	3/4	100			
CL9005 CL10005	9 10	*5/8-1/2 5/8	100 100			
CL10006	10	*3/4-5/8	100			
CL12008	12	* 1-3/4	100			
Style		Tooth Cut C	Off			
DETCOOA	Universal A	Universal	150			
DFT6004 DFT6404	6 6½	Universal	150			
DFT7204	71/4	Universal	150			
Style		Tooth Cut C	Off			
	Round Art					
FT8005 FT10005	8 10	*5/8 - 1/2 5/8	150 150			
FT12008	12	* 1-3/4	150			
	Style "L"-					
	Universal A					
DFL6004 DFL6404	6 6½	Universal Universal	60 60			
DFL7204	71/4	Universal	70			
	Style "A	''—Rip				
	Universal A	rbor Hole				
DA6004	6	Universal	36			
DA6404 DA7204	6½ 7¼	Universal Universal	36 36			
DATEG	Style "A					
	Round Arbor Hole					
RA7005	7	*5/8-1/2	36			
RA8005 RA8006	8	*5/8 - 1/2 3/4	36 36			
RA9005	9	*5/8-1/2	36			
RA10005	10	5/8	36			
RA10006 RA12008	10 12	*3/4-5/8 * 1-3/4	36 36			
	out bushing.	_ , _				





Diameter Inches	Arbor Hole, In.	Teeth
		10
71/4	Universal	10
vle "S"-C	ombination	
	or Hole	
6	*5/8 - 1/2 *5/- 1/-	10 10
8	*5/8-1/2	12
9	*5/8-1/2	14 16
10	*3/4-5/8	16
12	* 1-3/4	18
		10
		10 10
71/4	Universal	10
7	*5/8 - 1/2 *5/9 - 1/2	10 12
9	*5/8-1/2	14
10	5/8 *3/4 = 5/9	16 16
12	* 1-3/4	18
61/2		20 20
7 1/4	Universal	24
yle ''W''—(Combination	
	½ Sq.	20 20
61/2	5/8	20
7	*5/8 - 1/2 *3/4 - 5/0	24
71/4	5/8	24
71/2	*3/4-5/8	24 30
81/4	5/8	30
81/4	1 3/8	30 36
10	5/0	36
10	*3/4-5/8	36 40
		40
	Inches	Inches

*With knockout bushing.				
Universal Arbor provides and $^{13}\!/_{16}"$ diamond.	1/2"	round;	5/8"	round

Catalog Number	Diameter Inches	Arber Hole, In.	Teeth
St			
DV6004 DV6404 DV7204 DV8204	6 6½ 7¼ 8¼	Universal Universal Universal Universal	44 44 44
St			
CV7005 CV8005 CV10005 CV10006 CV12008	7 8 10 10 12	*5/8-1/2 *5/8-1/2 5/8 *3/4-5/8 * 1-3/4	44 44 44 44
DQ6404 DQ7204			60 72
CQ8005 CQ9005 CQ10005	8 9 10	*5/8 - 1/2 *5/8 - 1/2 5/8	80 90 100
No			
NF6005 *With knock	6	*5/8-1/2	168
	Number St DV6004 DV6404 DV7204 DV8204 St CV7005 CV8005 CV10006 CV12008 DQ6404 DQ7204 CQ8005 CQ9005 CQ10005 No	Number Inches Style ''Y'' — C Universal A	Number Inches Hole, In.



Diss-Chrome Dado Heads

All Disston DISS-CHROME Dado Heads are made of special steel. They are made of special steel. They produce smooth, square bottom grooves, across or diagonal to the grain. Each set is carefully finished and accurately fitted.

Set consists of two outside saws 1/8" thick, one inside chipper 1/16" thick, one inside chipper 1/4" thick and two inside chippers 1/8" thick.

Catalog Number	Diameter Inches	Arbor Hole, In.	Wt. Set. Lbs.
3	6 8	*5/8 *5/8	51/2
*Available b	ushed to ½" t per pkg., m	on special a	application ler 1 pkg.

Disston Circular Saw Blades



Challenger Circular Saw Blades

High quality-economical blade, Ideal for general use or for work bench backup. Each Challenger blade is hardened and tempered and carefully sharpened. Polymerized to keep blades from rusting. Universal arbor holes fit all bench and portable machines. Available in popular sizes and styles. Individually skin packaged.

Style "A"—Rip				
Catalog	Diameter	Teeth		
Number UA6004 UA6404 UA7004	6 6 ¹ / ₂ 7 7 ¹ / ₄	36 36 36		
UA7204 UA8004	8	36 36		
Style	"L"-Cut Off			
UL6004 UL6404 UL7004 UL7204 UL8004	6 6½ 7 7¼ 8	100 100 100 100 100		
Style "S	''-Combinat			
US6404 US7204 US8004	6½ 7¼ 8	10 10 12		
Style "V	"'—Combinat	ion		
UV6004 UV6404 UV7004 UV7204 UV8004	6 6½ 7 7¼ 8	44 44 44 44		
Style "W	/''—Combiná	tion		
UW6004 UW6404 UW7004 UW7204 UW8004	6 6½ 7 7¼ 8	20 20 24 24 30		
Fine 7	Tooth Plywood			
UPL6004 UPL6404 UPL7004 UPL7204 UPL8004 *Universal Arb				
$\frac{13}{16}$ " round and $\frac{13}{16}$ " diamond.				

Diameter Inches
Diamotor mono
6
61/2
7

6 6½ 7

MT60C MT64C MT70C

Keystone Circular Saw Blades Sizes starting at 14" Diameter

Designed especially for construction contractors and all allied industries. For bench and radial arm saws. Saws are first line quality tensioned for standard speeds. Blades are hardened, tempered, ground and polished. Teeth accurately set and sharpened. Individually packaged.

	Style	"A"-Rip	
Diameter Inches	Gauge	Teeth	Arbor Hole, In.
14 16 18	13 13 12	36 36 36	1 1 1
	Style "	L''-Cut Off	
14 14 16 16 18	13 13 13 13 12 12	80 100 80 100 80 100	1 1 1 1 1
5	ityle ''S''	—Combination	
14 16	13 13	18 Sections 90 Teeth 20 Sections 100 Teeth	1
5	tyle ''U'	'—Combination	
14	13	22 Sections 66 Teeth	1
16	13	24 Sections	1
18	12	72 Teeth 26 Sections 78 Teeth	1
Style "S	''-Hollo	w Ground Com	bination
	1-14-11	18 Sections 90 Teeth	1
16 1	1-14-11	20 Sections 100 Teeth	1



Carbide Tipped Circular Saw Blade

Professional Quality for Carpenters and Craftsmen Unexcelled in Performance and Quality Maintains Edge in All Abrasive Materials

| Catalog Number | Diam. | No. in | No. of | No.

C	arbide Tipp	ed Blades	
Catalog Number	Diameter Inches	Arbor	No. of Teeth
CV7005C	7	1/2-5/8	18
CV8005C	8	1/2-5/8	18
CV9005C	9	1/2-5/8	20
CV10005C	10	5/8	20
CV12008C	12	1	20



Disston Power Saw Blades Displays

DT 16 Teflon-S® Coated Circular Saw Blade Assortment

Smooth, Bind-free cuts... Everytime

Wire Display Unit for counter or pegboard organizes your stock of Satin Slide Circular Saw Blades . . . Display includes 16 of the most popular blade sizes and styles for portable bench and radial arm machines.

-DL-7204T, 2-DV-6404T.

-DV-7204T, 2—DV-0404T, -DV-6404T, 2—DW-7204T,

-CW-8005T, 1—DS-6404T,

-DS-7204T, 1-CS-8005T,

-DA-7204T.

Catalog Number......DT-16



FLC 2582

DC-20A Diss-Chrome Circular Blade Display

Display includes:

-DL-6004, 2—DW-6004, 1—CS-6005, -DQ-6404, 2—DW-6404, 1—DV-6404,

1—CL-7005, 1—CS-7005, 1—CW-7005, 2—DW-7204, 1—DQ-7204, 2—DL-7204,

-DFL-7204, 1—CW-8005, 1—PS-8005,

-CQ-8005. Size is 24" high, 8" wide

and 12" deep. Shipping wt. 18 lbs.

Catalog Number......DC-20A



FLC 2582

UC-21 Challenger Saw Display Circular

This compact sturdy wall or counter display organizes your stock of Challenger saw blades and makes saw blades and makes selection easy. All blades feature universal arbor. Display size is 24" high, 8" wide and 12" deep. Shipping wt. 18 lbs. Display includes:

-UL-6004, 1—UL-6404, 1—UL-7004, -UL-7204, 1—UL-8004, 2—UW-6004,

-UW-6404, 2—UW-7004, 2—UW-7204, -UW-8004, 1—UV-7004, 1—UV-7204,

-UV-8004, 1---UV-6004, 2----UV-6404. Catalog Number.....UC-21



SB-55T Satin Slide Sabre 🚨 **Blade Display**

Teflon-S Coated Sabre Saw Blades

Accurate, Bind-free even in tight turns.

Holds 55 most popular Teflon-S coated blades. Free, lightweight wire units hang conveniently from pegboard, has 5 posts for easy product inventory. Ten each BP-6794T,BP-6789T,fifteen each BP-6791T, BP-6792T, five BP-6793T

Catalog Number SB-55T



Sabre Blade Display

FREE, all metal, self-standing or peg-board hanging display racks. All blades are in Disston's color-coded display pack, denoting a wood-cutting or metal-cutting blade. These small units will fit almost anywhere.

SB-48 DISPLAY ASSORTMENT

Forty-eight blades of nine popular styles. Ten each #6792, #6791; Eight #6789; Four each #6798, #6799; Three each #6793, #6780, #6785, #6796. Overall display dimensions approx. 14½ " wide, 13" high. A compact profit-maker!

SB-67 DISPLAY ASSORTMENT

Sixty-seven blades of twenty sixy-seven blades of twenty styles, Six each #6791, #6792, #6798, #6799; Four each #6779, #6784, #6781; Three each #6797, #6786, #6783, #6793, #6785; Two each #6787, #6788, #6789, #6794, #6795, #6796, #6780, #6782. A complete sabre saw sales department measuring only 17" wide, 203/4" high.



FLC 2583

SB60C CHALLENGER SABRE BLADE RACK

A complete assortment of all Challenger blades 60 cards-120 blades. Ten each SW208, SW210, SW212, SM224, SM232; five each SW206, SM218. For pegboard hanging only.



FLC 2583

538A Diss-Chrome **Blade Center**

This award winning display is designed to do its own complete job of selling. Attractive packaging, plus the quality Disston name, invites constant attention and multiple sales.

Display Contains . . .

32 Diss-Chrome Circular Saw Blades, a complete assortment of 48 Disston Sabre Saw Blades, 80 popular Disston Super-Safe and Duraflex Hand Hacksaw Blades, 8 quality Disston Hacksaw Frames, 2 FREE D-100 26" 8 Pt. handsaws. Display is 5'8" tall, takes up less than 2 sq. ft. of floor space. Goods and display shipped separately, total shipping wt. 77 lbs.

Catalog Number......538A

C-555A Challenger **Blade Center**

Disston's new C-55A Blade Center holds a complete line of 55 Challenger Circular Saw Blades in the see-thru pack, 48 sabre saw blades that fit all popular makes of sabre saws, 160 Duraflex and Super-Safe Hacksaw blades and 8 quality Disston Hacksaw frames. Award winning display rack is free. Goods and display shipped separately, total shipping wt. 85 lbs.



FLC 2582

Disston Teflon S[®] and Challenger Sabre Saw Blades

Disston Teflon-S® Coated Sabre Blades


Turn Tighter—Cut Smoother—these Satin Slide™ Sabre Saw woodcutting blades glide through tightest turns with ease. Following pattern lines is a cinch due to remarkably smooth, bind-free cutting with Teflon-S. Smoother corner finishing, easier plunge cuts are among the many advantages of these blades.

Blades Stay Clean—Teflon-S burnishes to a harder, smoother finish which resists wood impurity build-up.

Won't Rust—self lubricating, self healing Teflon coating lasts for life of blade. Accidental marks are covered as blade burnishes.

Blade Resists Breakage—reduced friction helps prevent blades from jamming in work or snapping from undue strain.

1/4" Universal Shank Sabre Saw Blades - Wood, Plastic, Composition Cutting Blades



Packaged 25 cards per box

1/2" Shank Reciprocating Saw Blades Wood, Plastic, Composition Cutting Blades



Catalog Number	Size	Teeth	Suggested Application	
Coarse BP6764T BP6766T	6 10	4	Fast Cut Fast Cut	
Fine BP6765T BP6767T	6 10	10 10	Finish Cut Finish Cut	



Challenger Sabre Saw Blades

1/4" Universal Shank Wood, Plastic, Composition Cutting Blades

Disston Challenger Sabre Saw Blades are made of high quality, flame hardened steel for break resistance, longer tooth life, and clean, accurate cutting. Available in a new complete line of wood and metal cutting blades in coarse, medium, and fine tooth styles, (additional extra fine tooth style is for woodcutting) to meet all home workshop cutting applications.

Designed for use in all popular makes of sabre saws... the power saw most widely used by home craftsman. Precision engineered for specific material cutting applications, and conveniently packaged in "two packs" to ensure consumers take along that needed spare.

	Cat. No.	Per Inch	Type of Cut	Material
	Coarse SW206	6	Coarse	Wet or Green Wood, Plaster- board
	Medium SW208	8	Medium	Dry Wood, Hardwood, Masonite, etc.
	Fine SW210	10	Fine	Hardwood, Masonite, etc.
	SW212	12	Extra Fine	Scrollwork, Plywood, Laminates
Metal Cutting				

motar outling				
	Cat. No.	Teeth Per Inch	Type of Cut	Material
	Heavy SM218	18	Coarse	Heavy Gauge Metal; Conduit & Tubing
	Light SM224	24	Medium	Light Tubing; Sheet less than
	SM232	32	Fine	18 gauge Very Light Metal Sheet; Trim

Packaged 25 cards per box.





Handy-Pak Catalog Number HP-3

One of the most popular sabre saw blade units is Disston's HANDY-PAK. Each visual packed unit contains two of the most popular wood blades, one for finish, the other for rough cutting and one all-purpose metal cutting blade.

0	Catalog Number	Teeth Per In.	Length In.	Application
	AP6776 BP6776 BP6778	10 6 18	3 4 3	Wood Finish Cut Wood Rough Cut Metal—All Purpose

Packaged one each of three blades per card. Packed 25 cards per box.

Disston Sabre Saw Blades

1/4" Universal Shank Sabre Saw Blades

Wood, Plastic, Composition Cutting Blades



Catalog Number	Blade Shape	Teeth Per In.	Length In.	Materials To Be Cut	Recommended Type of Cut	
Coarse BP6789 BP6783	A	5 5	3 4	Nail-free woods. Hardwoods; wet or greenwoods.	Fast; rough; easy-turning; ripping. Fast; rough cut; bevel filed; taper ground.	
Medium BP6787 BP6792	A	7 7	3 3	Hardwoods; composition board. Hardwoods; wet or greenwoods.	Fast; medium finish cutting. Medium finish; general cutting;	
BP6779	A	7	3	Hardwoods; wet or greenwoods.	bevel filed. Fast; medium cut, scrollwork; bevel filed and taper ground.	
Fine'						
BP6788 BP6791	A A	10 10	3	Hardwoods; composition board. Hardwoods; composition board.	Fast; finish cut; scrollwork. Very fast; finish cut; scrollwork; bevel filed.	
BP6784*	Α	10	3	Transite; laminates; asbestos siding; nail-embedded woods.	Very fast; finish cut; scrollwork; bevel filed and taper ground.	
BP6793	Α	12	3	Formica; laminates; linoleum tile; masonite; plastics; plywood; rubber tile.	Smooth; very fast; extra fine cut in wood; bevel filed and taper ground.	
Coarse BP6794	В	6	4	Hardwoods; wet or greenwoods.	Fast; rough; straight; bevel filed.	
Fine BP6785*	В	10	4	Laminates; nail-embedded woods.	Very fast; straight finish cut; bevel filed and taper ground.	ms
Flush Cut BP6786	С	7	3	Molding baseboards trim.	Flush cut; bevel filed.	
/letal Cutti	ng Blad	es—*Ma	ade from	High Speed Steel for Extra Lo	ong Life	Ann Ann
Heavy BP6796	В	6	3	Plate ¼" to ½", heavy wall tubing,	General purposes radius cuts.	
BP6781	В	6	4	laminates. Plate ¼" to ½", heavy wall tubing, laminates.	Fast; straight cut; taper ground.	
Light BP6797	В	14	3	Sheet 1/8"-1/4" medium wall tubing,	General purpose radius cuts.	111
BP6798	В	18	3	laminates. Sheet less than 1/8" light wall tubing,	General purpose radius cuts.	
BP6799	В	32	3	laminates. Steel less than $\frac{1}{16}$ ", thin wall tubing.	Straight; fine cut.	
Heavy BP6780	А	6	4	Plate ¼" to ½", heavy wall tubing, laminates.	Fast; smooth; bind-free radial cutting; beyel filed and taper ground.	
BP6782	Α	10	4	Plate ½" to ¾", heavy wall tubing, laminates.	Fast; smooth; bind-free; fine cut; bevel filed and taper ground.	MIN
D.	rpose K	nife				
special Pu				O the desired boards loo	ther; cork; paper; rubber; rubber tile;	
BP6795			21/8"	styrofoam; thin plastics.	ther, cork, paper, rubber, rubber the,	


1/2 " Universal Shank Reciprocating Saw Blades

Wood, Plastic, Composition Cutting Blades—All teeth are alternate set for fast, quick-cleaning cuts.



Catalog Number	Blade Shape	Teeth Per In.	Length In.	Recommended For Use On:	
Coarse BP6764	Ē	4	6	Nail-free woods; fastest roughing in; straight cut.	
BP6766 BP6759	E E	6 6	10 12	Fast cutting; siding. Hardwood; fast; wet or greenwood; pruning bevel filed.	
Medium BP6768	E	7	12	Hardwood; very fast, wet or greenwood; medium finish cut; bevel filed.	
Fine BP6765 BP6767 BP6769	E E E	10 10 10	6 10 12	Siding; wallboards; fast; fine cut; nail-embedded woods. Plasterboard composition; fast; fine cut; asbestos; siding. Hardwood; masonite; wallboard; fast; fine cut; bevel filed.	ara-
Coarse BP6762	D	5	3	Fast cutting; easy turning; scrollwork.	
Medium BP6760	D	7	3	Fast; medium finish cut; scrollwork.	
Fine BP6761	D	10	3	Fast; fine cut; scrollwork; wallboards.	
Flush Cut BP6763	F	7	3	Flush cut; fast; medium finish cut for trim, molding and baseboard.	
letal Cuttin	g Blades-	-Made fro	om High S	Speed Steel for Extra Long Life	
Heavy BP6770 BP6771 BP6772	E E E	10 14 18	8 6 6	Cast iron, steel or copper pipe to 4" dia.; metal decking materials. Metal heavier than ½" thick; angles bar stock; hard rubber and fibre. Heavy gauge sheet metal.	man.
Heavy BP6773	D	18	4	Heavy gauge metal conduit and tubing; radial cutting.	
Light BP6774 BP6775	D D	24 32	4 4	Sheet metal lighter than 18 gauge; trim; tubing; radial cutting. Very light gauge metals, trim.	O

Disston Challenger Hole Saws, Band Saws and Mandrels



Challenger Hole Saws and Mandrels

Challenger Hole Saws properly used, will make clean round holes in both hard and soft caterials . . . using slow speeds when cutting hard materials and faster speeds when cutting wood, plastics and other soft material. In soft materials the saw should be withdrawn frequently to free the chips faster.

When starting a hole, always use a center punch to locate the pilot drill. Exert enough pressure to keep the teeth cutting evenly without overloading the drill. Blanks remaining in the saw can be pushed out with a nail through the slots in the side or the holes in the back of the saw. Challenger Mandrels have removable pilot drills which can easily be removed or replaced by loosening the socket set screw.

Challenger Hole Saws must be held on a mandrel. All saws except the HS005 (which has a built in mandrel) are quickly replaceable and are interchangeable on mandrels HSM01 and HSM02. All mandrels have a ¼" shank. Challenger Hole Saws are also slotted to fit mandrels of other manufacturers which are similar to the HSM01 and HSM02.

Catalog Number	Size	Mandrel Number
HS005 HS007 HS009 HS011 HS012 HS014 HS016 HS020	5/8 7/8 1 ½ 1 3/8 1 ½ 1 3/4 2 2 ½	Built in Mandrel HSM01 HSM02 HSM02 HSM02 HSM02 HSM02 HSM02 HSM02

FLC 2615

Professional Quality Hole Saws



FLC 2615

High speed tool steel saw edge. Silver brazed seam. All Disston hole saws have pin drive interchangeable arbors. Cut 11/8" in. deep; 6 teeth per in.

Hole Saw E	Blades Only
Catalog	Diameter
Number DH9	Inches
DH10	5/8
DH11 DH12	9/16 5/8 11/16 3/4
DH12 DH13	13/16 7/8
DH14	7/8
DH15 DH16	1 15/16
DH17	1½6 1½8
DH19	13/16
DH20 DH21	1 ½ 1 ½ 1 ½
DH22	1 3/6
DH23 DH24	1 ⁷ / ₁₆ 1 ¹ / ₂
DH25	19/16
DH26 DH27	19/16 15/8 111/16
DH28	
DH29 DH30	1 13/16 1 7/8
DH32	2 ¹ / ₁₆
DH34	21/8
DH36	2½ 25/16
DH37 DH38	23/0
DH40 DH41	2½ 2½ 2½
DH42	
DH44 DH46	2 ^{7/8} 2 ³ / ₄ 2 ⁷ / ₈
DH48	3
DH50 DH52	3½ 3¼
DH54	33/8
DH56 DH58	3½ 3%
DH60 DH62	3 ³ / ₄ 3 ⁷ / ₈
DH64	4
DH66 DH68	4½ 4½
DH70	1.3/2
DH72 DH76	41/2
DH80	5 1/4 5 1/4
DH84	51/4

Arbors with 1/2 inch Pilot Drills

No. DA24—For use with Nos. DH9 through DH19 saws, follows through Nos. DH16 through DH19 saws; ½ in. shank,½-20 thread; Wt. each, .18 lbs.

No. DA44—For use with Nos. DH9 through DH19 saws, follows through Nos. DH14 through DH19 saws; $\frac{7}{16}$ in. hex shank, $\frac{1}{2}$ -20 thread; Wt. each .25 lb.

No. DA45P—For use with Nos. DH20 through DH96 saws, follows through Nos. DH23 through DH96; γ_{16} in. hex shank, $\frac{\pi}{8}$ -18 thread; Wt. each 57 lb.

No. DA55P—For use with Nos. DH20 through Nos. DH96 saws, follows through Nos. DH23 through DH96; $\frac{5}{6}$ in. hex shank; $\frac{9}{6}$ -18 thread; Wt. each .60 lb.

One in pkg., minimum order 1 pkg. on all Arbors.

Arbor Extensions

No. DAE12—12 in. long; for Nos. DA44, DA45 and DA45P arbors; Wt. each .88 lb.

One in pkg., minimum order 1 pkg. on all Arbor Extensions.

Drill and Pilots

No. DPD1—Fits No. DA24 arbor; Wt. each .05

No. DPD2—Fits Nos. DA44, DA45, DA45P and DA55P arbors; Wt. each .07 lb. One in pkg., minimum order $1~{\rm pkg.}$ on all Drills and Pilots.

Morse Taper Adapters

No. DMT24—No. 2MT, 7_{16} in. hex shank, fits Nos. DA44, DA45 and DA45P arbors; Wt. each .20 lb.
No. DMT34—No. 3MT, 7_{16} in. hex shank, fits Nos. DA44, DA45 and DA45P arbors; Wt. each .70 lb.

No. DMT35—No. 3MT, % in. hex shank, fits No. DA55P arbor; Wt. each .60 lb.

One in pkg., minimum order 1 pkg. on all Morse Taper Adapters.



FLC 2583

Wood Band Saws

Disston-Porter wood band saws are expressly made for use in standard work shop machines. They are set, sharpened, joined and ready to use; no preliminary preparation is required.

Catalog Number	Length	Width, Inches
D511 D511 D511 D511 D65 D65 D66 D611 D611	5' 11" 5' 11" 5' 11" 6' 5" 6' 6" 6' 11" 7' 9½" 7' 9½" 7' 9½"	1/8 3/16 1/4 3/8 1/2 1/4 1/4 1/4 3/8 3/16 1/4 3/8

One in a pkg., minimum order 1 pkg. Wt., approx. ½ lbs. per pkg.

Note—Other sizes and lengths available on special order only.

Portable Electric Band Saw Blade

Made from hardened and tempered stock, milled teeth. For use on portable electric band saws. 44% " long, ½" wide, .020" thick. Available in 8, 10, 14, 18 tooth rake set, and 24 tooth wavey set.

Package—3 bands per box.

FLC 2583

Teflon Band Saw Blades

New Teflon-S® coated band saw blades provide production advantages in tight corners. 30% tighter circles may be cut without wood discoloration. Less binding in turns means less breakage, less downtime for blade replacement.

Cat.	Lgth.	Width In.	Thick- ness In.	Roll Chip Raker Set Teeth per In.
D511T D511T D511T D79T D79T D79T	5′11″ 5′11″ 7′9½″ 7′9½″ 7′9½″	3/8 1/2	.025 .025 .025 .025 .025	4,6 3,4,6 3,4,6 4,6 3,4,6 3,4,6
One in	anka	minimi	um orde	r 1 nkg

One in a pkg., minimum ord Wt. approx. $\frac{1}{2}$ lbs. per pkg.



22

DH96

One in pkg., minimum order 1 pkg.

Disston Precision Rule

Disston Sure-Lock Power Rule

Disston Precision Rule

• Smooth Operating Action


· Comfort Styling

Rugged Construction

· Free Belt Clip

 Exclusive Swing Tip Allows Greater Accuracy

Two Color Blade



Long Life Ura Clade Blade

The Disston Precision Rule has a comfort tested triple chromed case. Self-lubricating guides give smooth action. A positive screw assembly allows durable long lasting operation. Long-life Ure-Clad blade with bold red and black markings will withstand continual wear and tear, won't blister or peel.

Catalog Number	Blade Specifications	Weight Carton Pounds	Replacement Blade Number
226 S	½" x 6' Etched	1.8	6R
228 S	1/2" x 8' Etched	1.9	8R
2210 S	1/2" x 10' Etched	2.1	10R
2212 S	1/2" x 12' Etched	2.2	12R
216 S	½" x 16' Etched	3.9	16R
3206 S	1/2" x 6' W/Y*	2.1	6W
3208 S	1/2" x 8' W/Y	2.3	8W
3210 S	1/2" x 10' W/Y	2.4	10W
3212 S	½" x 12' W/Y	2.6	12W
3310 S	3/4" x 10' W/Y	3.0	10X
3312 S	3/4" x 12' W/Y	3.2	12X
416 S	3/4" x 16' W/Y	3.9	16X

Pocket Rule

The Disston Pocket Rule is slimline designed for carrying in pocket or purse. Long-life Ure-Clad blade has 16ths and 32nds on one side of the first six inches and 4ths and 8ths on the other.



Catalog Number	Blade Specifications	Weight Carton Pounds	Replacement Blade Number
76 S	1/4" x 6' W/Y*	1.5	6S
78 S	1/4" x 8' W/Y	1.8	8S

W/Y—White or yellow face.
*For yellow blade specify prefix letter "Y". All rules carded. Packaged one to a display card—6 to a carton.

Disston Sure-Lock Power Rule

Positive Locking System

Smooth Power Return



Long Life Ura Clade Blade

Positive "Sure-Lock" system assures that the blade is locked at the precise point where it is set. A simple flick of the thumb locks or unlocks the blade. Precision power return mechanism assures that the blade retracts quickly

and smoothly.
Other features include Disston's exclusive "swing-tip," Long-life Ure-Clad blade and bold red and black ma kings on the blade.

Catalog Number	Blade Specifications	Weight Carton Pounds	Replacement Blade Number
3408 SL	½" x 8' W/Y*	2.6	8W
3410 SL	½" x 10' W/Y	2.8	10W
3412 SL	½" x 12' W/Y	3.0	12W
3510 SL	3/4" x 10' W/Y	3.4	10X
3512 SL	3/4" x 12' W/Y	3.8	12X
4516 SL	3/4" x 16' W/Y	4.3	16X

W/Y-White or yellow face.

*For Yellow blade specify prefix letter ''Y.'' All rules carded. Packaged one to a display card—6 to a carton.

Displays



Free attractive display is only 12'' wide and $9\frac{1}{2}''$ high. The display, designed for pegboard, contains a fast moving assortment of "Sure Lock" locking rules or Precision rules.

Catalog Number	Size	Quantity
SL-300	Sure Lock Displa	ay .
3408 SL	½" x 8'	2
3410 SL	½" x 10'	2
3412 SL	½" x 12'	2
3510 SL	3/4" x 10' 3/4" x 12'	2 2 2 2 2 2
3512 SL	3/4" x 12'	2
4516 SL	3/4" x 16'	2
S-200	Precision Rule D	isplay
3208 S	½" x 8'	
3210 S	½" x 10'	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
3212 S	½" x 12'	2
3310 S	3/4" x 10'	2
3312 S	3/4" x 12'	2
416 S	3/4" x 10' 3/4" x 12' 3/4" x 16'	2

Disston Precision Specialty Rules

	Wt. Pkg. Lbs.	Blade Specification	Replaceme Blade No.
Engineers			
328STE 3210STE	1.8 1.9	8 ft. x $\frac{1}{2}$ " white faced 10 ft. x $\frac{1}{2}$ " white faced	8WTE 1OWTE
Diameter			
221SP 321SP	1.8 1.8	Dia. 6 ft. x $\frac{1}{2}$ " etched Dia. 6 ft. x $\frac{1}{2}$ " white faced	1P 1WP
Right Hand	1		TOWEN
3210SRH	2.1	R.H. 10 ft. x ½" white faced	10WRH
Metric and Inch			
226SME 228SME	1.8 1.9	6 ft. x $\frac{1}{2}$ " etched 8 ft. x $\frac{1}{2}$ " etched	6ME 8ME
2210SME	2.1	10 ft. x ½ " etched 12 ft. x ½ " etched	10ME 12ME
2212SME 2310SME	2.2 3.0	10 ft. x 3/4 " etched	10RME
2312SME	3.2	12 ft. x ¾" etched 6 ft. x ½" white faced	12RME 6WME
326SME 328SME	1.8 2.1	8 ft v 1/2 " white faced	8WME
3210SME	2.1 2.2	10 ft. x ½ " white faced 12 ft. x ½ " white faced	10WME 12WME
3212SME 3310SME	3.0	10 ft. x 3/4 " white faced	10XME
3312SME	3.2	12 ft. x ¾ " white faced	12XME
Metric			
22SM	2.1	2 Meters x ½" etched	2M
23SM 24SM	2.1 2.3	2½ Meters x ½" etched 3 Meters x ½" etched	3M 4M
25SM	2.5	31/2 Meters x 1/2" etched	5M 2WM
32SM 33SM	2.1 2.1	2 Meters x $\frac{1}{2}$ " white faced 2½ Meters x $\frac{1}{2}$ " white faced	3WM
34SM	2.3	3 Meters x $\frac{1}{2}$ white faced 3 $\frac{1}{2}$ Meters x $\frac{1}{2}$ white faced	4WM 5WM
35SM	2.5	3/2 Meters x /2 writte raceu	344141
Decimal			
328SD 3210SD	2.1 2.2	8 ft. x ½" white faced 10 ft. x ½" white faced	10WD
Architects			
76SA	1.5	6 ft. x 1/4" white faced	6SAR

Disston Contractor's Tape

The Disston heavy-duty steel Contractor's Tape has a chrome finish with original "take-apart" case that allows easy cleaning and blade replacement. The crank folds flush into the case when not in use.

The blade is graduated in 8ths on both edges with easy to read black markings. There are stud markings every sixteen inches. The tempered tool steel end hook has a nail hole at the zero mark.
Extra heavy-duty blade.



Catalog Number	Blade Specifications	Weight Pkg. Lbs.	Replacement Blade No.
525	3/8" x 25' W/Y*	1.3	25W
550	3/8" x 50' W/Y	2.0	50W
5100	3/8" x 100' W/Y	3.5	100W

W/Y—White or yellow face *For yellow blade specify prefix letter "Y." All rules carded. In individual display packs—two to a package. Minimum order one package.



Long Tape for Home Craftsman

This small, lightweight tape has a sturdy die cast chrome-finish "take apart" case with a square stand-up base. The tempered tool steel end hook has a nail hole at the zero mark.

The blade is graduated in black, in 8ths on both edges, with stud markings every 16 inches. Blade standard gauge thickness

67LT Long Tape Display

Wire display designed for pegboard with 8 tapes

Catalog Number	Blade Specifications	Weight Package Pounds	Replacement Blade Number
425	3/8" x 25' White Faced	1.3	25 WC
450	3/8" x 50' White Faced	1.3	50 WC
4100	3/8" x 100' White Faced	2.0	100WC
425R	3/8" x 25' Etched	1.3	25 RC
450R	3/8" x 50' Etched	1.3	50 RC
4100R	3/8" x 100' Etched	2.0	100RC

In individual display packs—two to a package. Minimum order one package.

Catalog Number	Size	Quantity
67LT	3/8 x 50	4
4100	3/8 x 100	2
550	3/8 x 100 3/8 x 50	2



Utility Rule

The Disston Utility Rule is the heavy usage rule at an economy price. Its rugged die-cast case is designed for handling comfort under continuous usage. Positive screw assembly and pushpull return means dependable performance and long-life under tough working conditions. The Long-Life Ure-Clad blade and bold black markings on a bright yellow blade make the Utility Rule one of the easiest rules in the industry to use and maintain.

Utility Pocket Rule

The Utility Pocket Rule is the most inexpensive quality rule you can buy. Its rugged, high-impact Delrin case stands up where lesser rules fail. Its slimline design makes it a natural for pocket or purse. The Pocket Rule comes with the consumer preferred Long-Life Ure-Clad blade—easy to read black markings on a bright yellow blade.

Catalog Number	Blade Specifications	Wt./Carton (Lbs.)
806 U	1/2" x 6' Y	1.6
808 U	1/2" x 8' Y	1.8
810 U	½" x 10' Y	1.9
812 U	½" x 12' Y	2.1

Y—Yellow Face. All rules carded. Packaged one to a display card. 6 per carton.

Catalog Number	Blade Specifications	Wt./Carton	(Lbs.)
Utility Pocket Rule			

176 U 1/4" x 6' Y Packaged one per card—6 per carton.

Disston Measuring Stick

Here's a steel tape measuring rule that can't get lost . . . one that's always on the spot . . . and comes in convenient sizes you can tailor to fit your needs. It's as simple as can be, CUT TO DESIRED LENGTH—REMOVE PAPER BACKING—AND PRESS INTO PLACE. The Measuring Stick has so many uses . . . every customer in your store will want more than one.



Individual Packs

MS-46W 1/2" x 6'

MS-612W

3/4" x 12' Packaging 12 per Package



MS-100

Merchandiser
Contents—12 Each
½" x 6'
Measuring Stick
Dimensions
11½" wide
18¼" high



Disston Replacement Blades and Folding Rules

Replacement Blades

Disston offers individually blister-packed replacement blades for Stanley, Lufkin, Evans and all other brands of rules. These tough long-life blades will stand up under the hardest use. Tie one in a knot! It will snap right back to its original shape.

Long-Life Ure-Clad Blade

A tough urethane coating makes Disston blades the most abrasion resistant available. (They resist most oils, acids and alkalies.) They are easy to read—imprinted in bold black and red on white or yellow. Swing tip for accurate inside reading.


Durable rule blades from Disston—they measure up to Disston's

high standard of quality.

(All white—yellow face blades in sections A, B & C are two color printed—red and black)

Important: When ordering from sections A, B & C specify whether you wish white or yellow finish.

ľ	white or yell	ow finish.				
	Blade Number	Size	Finish			
Α	A Fits Sure-Lock, Precision and Utility					
	6W	1/2" x 6'	White-Yellow White-Yellow			
	8W 10W	1/2" x 8' 1/2" x 10'	White-Yellow			
	12W	1/2" × 6' 1/2" × 8' 1/2" × 10' 1/2" × 12'	White-Yellow			
В	Fits Sure-Lock and	Precision				
	10X 12X	3/4" x 10' 3/4" x 12'	White-Yellow White-Yellow			
	12X 16X	3/4" x 16'	White-Yellow			
C	Fits Sure-Lock, Pre	cision and Utility				
	6R	1/2" x 6' 1/2" x 8' 1/2" x 10' 1/2" x 12' 1/2" x 16'	Satin Etched			
	8R	½" x 8'	Satin Etched Satin Etched			
	10R 12R 16R	½" x 12'	Satin Etched			
	16R	½" x 16'	Satin Etched			
D	Fits Pocket Rule		Mile it - Mellen			
	6S 8S	1/4" x 6' 1/4" x 8'	White-Yellow White-Yellow			
	108	1/4" x 10'	White-Yellow			
E	Fits Contractor's T	ape				
	25W	3/8" x 25' 3/8" x 50' 3/8" x 100'	White Contractor			
	50W 100W	3/8" x 50' 3/8" x 100'	White Contractor White Contractor			
_		/8 X 100				
г	Fits Long Tape	3/8" x 25'	White Long Tape			
	25WC 50WC	3/8" x 25' 3/8" x 50'	White Long Tape			
_	100WC	36" x 100'	White Long Tape			
G	25RC 50RC	%" x 25' %" x 50' %" x 100' %" x 25' %" x 50'	Satin Etched Long Tape Satin Etched Long Tape Satin Etched Long Tape			
	100RC	⅓″ x 100′	Satin Etched Long Tape			
Н	Fits Metric					
	2M 3M	½" x 2 meters	Satin Etched Satin Etched			
	4M	1/2" x 3 meters	Satin Etched			
	5 M	½" x 3½ meters	Satin Etched White			
1	2WM 3WM	1/2" x 2 meters	White			
	4WM	½" x 2 meters ½" x 2½ meters ½" x 3 ½ meters ½" x 3½ meters ½" x 2 meters ½" x 2 meters ½" x 3 meters ½" x 3 meters ½" x 3½ meters	White			
	5WM	½" X 3½ meters	White			
J	Fits Diameter	1/ // w 6/ Diameter	Satin Etched			
	1 P 1 W P	½" x 6' Diameter ½" x 6' Diameter	White			
K	Fits Metric-Inch					
•	6ME	1/2" x 6' 1/2" x 8' 1/2" x 10' 1/2" x 12' 34" x 12' 1/2" x 6' 1/2" x 6' 1/2" x 10' 1/2" x 10' 1/2" x 12' 34" x 10' 34" x 10'	Satin Metric-Inch			
	8ME 10ME	½" x 8'	Satin Metric-Inch Satin Metric-Inch			
	12ME	½" x 12'	Satin Metric-Inch			
	10RME	3/4" × 10'	Satin Metric-Inch Satin Metric-Inch			
-	12RME 6WME	1/2" x 6'	White Metric-Inch			
_	8WME	1/2" x 8'	White Metric-Inch			
	10WME 12WME	½" x 10'	White Metric-Inch White Metric-Inch			
	10XME	1/2" × 10' 1/2" × 12' 3/4" × 10' 3/4" × 12'	White Metric-Inch			
	10XME 12XME	3/4" x 12'	White Metric-Inch			
M	Fits Decimal					
	8WD 10WD	½" x 8' ½" x 10'	White Decimal White Decimal			
		Winte Beelina				
N Fits Engineer's 8WTE ½" x 8' White Engineer		White Engineers				
8WTE ½" x 8' White Engineers 10WTE ½" x 10' White Engineers						
0	Fits Right Hand					
	10WRH ½" x 10' White Right-Hand					
P Fits Architect's						
	6SAR	1/4" x 6'	White Architects			



Folding Rules

Disston offers three lines of Folding Rules to suit every need from the professional to the occasional user.

Professional Folding Extension Rules with—

- King size steel ball lock joints that are brass plated and lifetime lubricated.
- · Brass plated metal parts.
- Extra-thick straight grained hardwood blade with clear, tough plastic coating.
- Six inch brass slide built in.
- 16th inch graduations on both sides; stud markings every sixteen inches.

Catalog Number	Length	Package Weight	
WR-306X	6'	21/4 lbs.	

Six in package, individually carded.

Journeyman Folding Rules with-

- · Steel ball lock joints that are life-time lubricated.
- Brass strike plates and tips.
- Straight grained hardwood blade with clear plastic coating.
- 16th inch graduations on both sides; stud markings every sixteen inches.

Catalog Number	Length	Package Weight
WR-206	6'	1½ lbs. (Reg. Marking) 1½ lbs. (Inside Marking)
WR-206F	6'	1½ lbs. (Inside Marking)

Six in package, individually carded.

Hobbyist Folding Rules with-

- · Long lasting coil spring joints.
- Brass strike plates and tips.
- · Seasoned hardwood blade.

Catalog Number	Length	Package Weight
WR-106	6′	3 lbs. (Reg. Marking)
WR-106F	6′	3 lbs. (Inside Marking)

Twelve in package, individually carded.

Disston American Pattern Files

INSTITUTE U.S.A.

Cant Saw Files

Available in 6, 8 and 10 inches



Great American Cross Cut Files

Available in 6, 8 and 10 inches



Available in 6, 8 and 10 inches



Hand Bastard Files

Available in 6, 8, 10, 12 and 14 inches

Hand Second Cut Files

Available in 6, 8, 10, 12 and 14 inches

Hand Smooth Files

Available in 6, 8, 10, 12 and 14 inches

No. 533 Round Blunt Chain Saw Files

Available in 8 inches 3/16" diameter

No. 535 Round Blunt Chain Saw Files

Available in 8 inches 1/4" diameter

No. 537 Round Blunt Chain Saw Files

Available in 8 inches 5/16" diameter

() = Coleston u s

No. 538 Round Blunt Chain Saw Files

Available in 8 inches 3/8" diameter



Flat Bastard Files

Available in 4, 6, 8, 10, 12, 14, 16 and 18 inches

Flat Second Cut Files

Available in 4, 6, 8, 10, 12, 14 and 16 inches

Flat Smooth Files

Available in 4, 6, 8, 10, 12, 14 and 16 inches

DATE OF THE PROPERTY OF THE PR

Half Round Bastard Files

Available in 4, 6, 8, 10, 12, 14 and 16 inches

Half Round Second Cut Files

Available in 4, 6, 8, 10, 12 and 14 inches

Half Round Smooth Files

Available in 4, 6, 8, 10, 12, 14 and 16 inches



Knife Bastard Files

Available in 4, 6, 8 and 10 inches

Knife Second Cut Files

Available in 4, 6, 8 and 10 inches

Knife Smooth Files

Available in 4, 6, 8 and 10 inches



Mill Bastard Files

Available in 4, 6, 8, 10, 12, 14 and 16 inches

Mill Second Cut Files

Available in 4, 6, 8, 10, 12 and 14 inches

Mill Smooth Files

Available in 4, 6, 8, 10, 12 and 14 inches



Mill Bastard Files, 2 Round Edges

Available in 6, 8 and 10 inches



Pillar Bastard Files

Available in 6, 8, 10 and 12 inches

Pillar Second Cut Files

Available in 6, 8 and 10 inches

Pillar Smooth Files

Available in 6, 8 and 10 inches



Round Bastard Files

Available in 4, 6, 8, 10, 12, 14 and 16 inches

Round Second Cut Files

Available in 4, 6, 8, 10, 12 and 14 inches

Round Smooth Files

Available in 4, 6, 8, 10, 12 and 14 inches

Disston American Pattern Files

Square Bastard Files

Available in 4, 6, 8, 10, 12, 14 and 16 inches

Square Second Cut Files

Available in 4, 6, 8, 10, 12 and 14 inches

Square Smooth Files

Available in 4, 6, 8, 10, 12 and 14 inches



Regular Taper Files

Available in 6, 7, 8 and 10 inches



Slim Taper Files

Available in 4, 5, 6, 7, 8 and 10 inches



Extra Slim Taper Files

Available in 4, 5, 6, 7 and 8 inches

Double Extra Slim Taper Files

Available in 4, 5, 6, 7 and 8 inches



Three Square Bastard Files

Available in 6, 8, 10 and 12 inches

Three Square Second Cut Files

Available in 6, 8 and 10 inches

Three Square Smooth Files

Available in 6, 8 and 10 inches

Warding Bastard Files

Available in 4, 6, 8, 10 and 12 inches

Warding Second Cut Files

Available in 4, 6, 8 and 10 inches

Warding Smooth Files

Available in 4, 6, 8 and 10 inches



Cabinet Second Cut Rasps

Available in 6, 8, 10, 12 and 14 inches

Cabinet Smooth Rasps

Available in 8, 10 and 12 inches



Flat Wood Rasps

Available in 8, 10, 12 and 14 inches



Half Round Wood Rasps

Available in 6, 8, 10, 12, 14 and 16 inches

Half Round Wood Rasps, Smooth

Available in 8, 10 and 12 inches

Packaged 6 or 12 files to the box. Consult your price list.



Hardwood File Handles

Disston file handles are made from select hardwoods, smoothly finished for a comfortable grip. Spiral spring ferrule grips all tang sizes securely.

Number	Length Inches	For Files, In.	Weight Pkg., Lbs.
1	41/4	3 to 6	3/4
2	49/16	6 to 10	11/B
3	41/8	10 to 12	1 3/4
4	53/8	14 to 16	2
Twelve in p	kg., minim	um order 1	okg.

Assortment of 12	Weight Package, Lbs.		
1 and 4 (2 each) 2 and 3 (4 each)	11/2		
Assortment of 12 in a 1 pkg.	pkg., minimum order		

Carded Workshop Files and Handles

Disston has taken the most popular styles and sizes of American Pattern files and durable hardwood handles and presented them in fast moving individual packs.

Each card shows the consumer the proper file to select for every home workshop application. All famous Disston quality files are made in the U.S.A. from forged steel, precision cut, with specially heat treated tangs.

Carded Files

File Catalog Number	Description	Length Inches	Fits Handle Number
MB10C	Mill Bastard	10	2 2 2 2
MB8C	Mill Bastard	8	2
MB6C	Mill Bastard	6 8	2
RB8C	Round	8	2
RB6C	Round	6	1
ST6C	Slim Taper	6	1
ST6XC	Extra Slim		
	Taper	6	1
ST6XXC	Double Extra		
	Slim Taper	6	1
HG8C	Household	8	Included
535C	Chain Saw 1/4"		
	Round Blunt	8	1

Carded File Handles

Handle Catalog Number	Description
1C	For 3" to 6" Files
2C	For 6" to 10" Files



Brick Trowels

Taper ground from heel to point and from center to edges for flexibility. Post at right angle to blade; handle set for correct lift and balance.

Blade, post and tang forged from one piece of steel; hardened, tempered and polished. 6 in. lacquered hickory handle, heavy nickel-plated steel ferrule, 1% in. long. Tang securely locks handle on trowel.

No. 5 London Pattern

Length, Inches	Width, Inches	Weight Pkg., Lbs.
10	41/4	53/4
11	45/8	61/8
12	5	61/2
Six in pkg.	minimum	order 1 pkg.

FLC 2711



No. 10 Philadelphia

Pattern

Length, Inches		Weight
9	45/8 47/8	5 3/8 5 3/4
11	53/8	61/2
12 Six in pkg	5½	6%

Six in pkg., minimum order 1 pkg. FLC 2711



No. 30 Wide Heel Pattern

Length, Inches	Width, Inches	Weight Pkg., Lbs.
10	5 ³ / ₄	61/8 67/8
12	61/8	71/2
Six in pkg.,	minimum	order 1 pkg.



No. K252 Philadelphia Pattern

Hardened, tempered and polished steel blade. Tang securely locks handle.

Lacquered hardwood handle, 51/2 in. long. Nickel-plated steel

ferrule. Length, Inches	Width, Inches	Weight Pkg., Lbs.
9	45/8	5
10 11	4% 5%	5½ 5½
Six in pkg	minimum o	order 1 pkg.

FLC 2711



No. 32 Boston Pattern

Heavy blade, post at right angle to blade; handle set for correct lift and balance. Blade, post and tang forged from one piece of steel, hardened, tempered, ground and polished.

Lacquered hickory handle, 5 in. long; nickel-plated steel ferrule.

Length, Inches	Width, Inches	Weight Pkg., Lbs	s.
8	4	41/2	_
Six in pkg., FLC 2711	minimum	order 1 pkg.	18

No. 15

FLC 2711

Blade, post and tang forged from one piece of steel, hardened, tempered, taper ground and polished. Hardwood handle 4% in. long, lacquered; strong nickel-plated steel ferrule, 1 in. long.

	Length, Inches	Width, Inches	Weight Pkg., Lbs.
•	4 5	2 ³ / ₁₆ 2 ¹ / ₂	1 ½ 1 ¾
	6	23/4	2
S	Six in pkg.,	minimum	order 1 pkg.



Finishing Trowels

Specially treated malleable iron mounting with ten countersunk rivets. Perfectly balanced 24 gauge steel blade, hardened, tempered and polished; specially ground flexible blade. Flat thumb rests; basswood handle, smooth finish. Tang through handle, threaded to receive hexagon nut and washer.

No. 28 Regular Pattern Handle

•	Idildic		
	Length, Inches	Width,	Weight
	Inches	Inches	Pkg., Lbs.
	101/2	41/2	61/8
	11	43/4	61/2
	111/2	43/4	61/8
-	Six in pkg.,	minimum	order 1 pkg.



FLC 2711

No. 38 California Pattern Handle

Length, Inches	Width, Inches	Weight Pkg., Lbs.
101/2	41/2	61/8
11	43/4	61/2
111/2	43/4	6%
Six in nka	minimum	order 1 nkg





Flexolite Finishing Trowels

Heat treated aluminum alloy mounting gives lightweight and perfect balance; fastened to blade with ten countersunk rivets.

Hardened, tempered, polished 24 gauge steel blade, specially ground for flexibility. Basswood handle, smooth finish. Tang extends through handle, end is threaded for hexagon nut and washer.

No. 328 Regular Pattern Handle

Length, Inches	Width, Inches	Weight Each, Lbs
101/2	41/2	15/16
11	43/4	1
111/2	43/4	11/16
One in nkg.	minimum	order 1 pkg



FLC 2711

No. 338 California Pattern Handle

Length, Inches	Width, Inches	Weight Each, Lbs.
10½	4½ 4¾	15/16 1
111/2	43/4	11/16
One in pkg.,	minimum	order 1 pkg.



FLC 2711

Plastering Trowel No. K250 Regular Pattern Handle

Special steel, hardened, tempered and polished; 22 gauge. Specially treated malleable iron mounting. Flat thumb rest. Smooth finish basswood handle. Tang through handle, threaded on end for hexagon nut and washer.

Length, Inches	Width, Inches	Weight Pkg., Lbs
10½	41/2	6
11	41/2	61/4
$11\frac{1}{2}$	41/2	61/2
Six in pkg	minimum	order 1 pkg.



Cement Trowel No. 68 Regular Pattern Handle

Long, strong mounting of specially treated malleable iron. Hardened, tempered, polished steel blade, flexible; 23 gauge. Flat thumb rest; countersunk rivets.


Smooth finish basswood handle; through tang is threaded for hexagon nut and washer.

Length, Inches	Width, Inches	Weight Pkg., Lbs.
12	4	6
14	4	61/2
16	4	8
Six in pkg	minimum	order 1 pkg.



FLC 2711

Disston Lawn Rakes and Lopping Shears



Catalog Weight Number Tines Handle Per Pkg. Packaging D-24B 33 lbs. 12 heads & handles per pkg.

FLC 1290



rake. Oil-tempered spring steel gives years of service at a popular price.

Weight Tines Handle Per Pkg. Catalog Number Packaging 12 heads & handles 22 48" 32 lbs. D-22S

FLC 1290



D-18B Deluxe Lawn Rake

Ideal for the lady gardener, or the children. Light in weight for easy handling, with 18 spring steel tines, pro-portioned 54" hardwood handle. Clears an 18" path.

Catalog Weight Number Tines Handle Per Pkg. Packaging 12 heads D-18B 18 54" 29 lbs & handles per pkg.

FLC 1290




D-6B Shrub Rake

A small hand rake with 6 spring steel tines especially designed for raking around shrubs and bushes, balanced with a 36" handle. Compact 6" width for close-in work.

Weight Per Pkg. Tines Handle Packaging 12 heads with handles packed separately 17 lbs. 36

FLC 1332



7A Professional Lopping Shears

For heavy duty work. These smooth action shears have powerful long solid steel handles and drop forged steel hook and blade, hardened and heat-treated for extra toughness. Forged stop prevents dangerous faulty closing. Tangs and flared handles form a rugged single unit construction.

Catalog Number Overall Inches 281/4

Five in pkg., minimum order 1 pkg.

FLC 1203

5A Deluxe Lopping Shear

Durable chrome plated tubular and contoured wooden handles provide strength and comfort without excessive weight. Steel Blade is hardened and tempered, with forged stop for safe closing.

Catalog Number Weight Overall Package, Lbs. Inches 5A

Five in pkg., minimum order 1 pkg.

FLC 1203

Disston Cordless Electric Lawn Care Products



Cordless Electric Grass Shear

This lightweight compact unit is designed for easy trimming along edges, under fences and around walls. Its non-stick coated alloy steel blades of fully hardened tempered steel cut a powerful 6,000 strokes per minute; and, its nickel cadmium batteries are completely rechargeable. This unit comes complete with hanging bracket and UL approved recharger unit.

Catalog Number	Product Dimensions	Display Pack Dimensions
EGS-1	10½"-L	15"-L
	4½"-H	5 1/8"-H

Weight-28 ounces

Packaged—One in a display package Four units per shipper FLC 1223



EGS-HD2 **Heavy Duty Cordless Electric Grass Shear**

This unit delivers 50% more trimming time than our standard model. Its housing is made of high impact, chrome-plated plastic. Lightweight and compact in design, its non-stick alloy steel blades cut a powerful 6000 strokes per minute. The EGS-HD2 comes complete with UL approved recharger and a wall hanging bracket

Catalog	Product	Display Pack
Number	Dimensions	Dimensions
EGS-HD2	10½"-L 4½"-H 3½"-W	15"-L 55%"-H 55%"-W

Weight—28 ounces 3 1/4 "-W Packaged-One in a display package Four units per shipper FLC 1223



EGS-P5 **Cordless Electric Grass Shear**

An economically priced grass shear that is designed for easy trimming around the yard. It's non-stick blades are made of fully hardened tempered steel and cut a powerful 4,000 strokes per minute. The nickel cadmium batteries can be completely recharged. This unit comes complete with UL approved recharger.

Catalog Number	Product Dimensions	Display Pack Dimensions
EGS-P5	103/4"-L	15"-L
	41/8"-H	5 5/8 "-H
	31/4 "-W	5 5/8 "-W

Packaged—One in a display package Four units per shipper

Weight

FLC 1223

CEHT-1 **Cordless Electric Hedge Trimmer**

With its cordless convenience, this trimmer boasts a full 14" double edged, non-stick coated blade. Its fully rechargeable batteries deliver 2,200 powerful strokes per minute. All controls are conveniently located in the handle. This unit comes complete with recharger.

Catalog Number	Product Dimensions
EGS-CEHT-1	30"-L 8"-H
	71/2"-W

Weight- 6 pounds Packaged—One in a display package Four units per shipper

FLC 1200



CEST-2 Cordless Electric Shrub Trimmer

This new innovation is the perfect answer to shaping and trimming shrubs and bushes. Low in cost, light in weight, it delivers 35-45 minutes of trimming on one overnight charge. The thirteen inch double edge blade of alloy steel is coated with a low friction, non stick material for smooth cutting. All controls are conveniently located in the handle. Comes complete with recharger.

Catalog Number	Product Dimensions
CEST-2	21"-L
	61/4"-H 25/6"-W

Weight 3 pounds

FLC 1200

Rechargeable Batteries

The built-in rechargeable batteries are a long life power source. They may be re-charged over and over again, each time delivering reliable full power performance.

Safety Lock

All Disston Cordless Electric Lawn Care Products have safety locks to help prevent accidental starting.

Replacement Blades

Complete blade assembly consisting of blades, lubricant and mounting screws packaged on an attractive blister pack card.

No. 1571909 . . . fits EGS-1, EGS-UR2 and EGS-HD2.

Packed 6 per carton-weight 3 pounds.

No. 1571912 . . . fits EGS-P5. Packed 6 per carton—weight 3 pounds.



FLC 1223

EGS-UR2 **Upright Cordless Electric Grass Shear**

For the ease of walk-along trimming, this unit is a full 43" tall. All controls are conveniently located in the handle for easy operation. Its fully hardened and tempered alloy steel blades are coated with a non-stick coating and deliver 6000 powerful cutting strokes per minute. Chrome-plated handle, the unit comes complete with UL approved recharger.




Product Dimensions 43"-H

Cutting Head: 101/4"-L 4"-W

Weight-46 ounces

Packaged—One per package Four units per shipper FLC 1223


Disston Barbeque Rotisserie, Scraper and Chisels



BR-1000 Cordless Electric Barbeque Rotisserie.

Disston has eliminated the extension cord from outdoor rotisserie cooking with its Cordless Electric Barbeque Rotisserie. This unique product comes complete with a spit rod, skewer forks, and two sets of brackets. These brackets adapt to most grills and installation is fast and simple. Constructed of brushed aluminum and other heat resistant materials, it will easily stand up to the heat of normal outdoor rotisserie cooking. Its nickel cadmium battery is recharged overnight, restoring it to full power. More than enough to prepare a 15 pound roast. This unit comes complete with recharger.

Motor Unit 4½"-L 3½"-H 3¾"-W	FLC 0822
	4½"-L 3½"-H



No. 20 Cabinet Scraper

This 20 gauge scraper is specially designed to be used by hand or in scraper planes. It is made of fine quality, hardened and tempered steel with plain edges, easy to burnish.

Catalog Number	Size, Inches	Weight Package, Lbs.
20	2½ x 5	1 1/2
20	3 x 5	2
20	3 x 6	21/2
Twelve in	a pkg., minir	num order 1 pkg.

FLC 3673



D1S Chisel Set

Complete set attractively display packaged.

The fine steel blades of these chisels are file hard, ground and polished. Forged tangs are perfectly fitted into the hardwood handles. 634 in. blades, 1634 in. over all.

and Open Stock	Package, Lbs.
1 in. Skew	3/4
1/2 in. Skew	3/4
3/4 in. Gouge	3/4
1/2 in. Gouge	3/4
1/4 in, Gouge	3/4
1/2 in. Round Nose	3/4
1/4 in. Spear Point	3/4
1/2 in. Skew 3/4 in. Gouge 1/2 in. Gouge 1/4 in. Gouge 1/4 in. Gouge 1/4 in. Round Nose 1/4 in. Spear Point 1/2 in. Parting	3/4
One in pkg., minimum or	der 1 pkg.
Catalog Number Weight Package, Lbs	D-1-S
One set of 8 in pkg., mini	mum order 1 pkg.

FLC 2600

For Further Information Contact:

Disston Division H. K. Porter Company, Inc. Porter Building Pittsburgh, Pennsylvania 15219 412-391-1800 Disston Division H. K. Porter Company, Inc. P. O. Box 3000 Danville, Virginia 24541 703-793-5322 Disston Division H. K. Porter Company, Inc. Carlson Rules Works P.O. Box P 1617 S. California Ave. Monrovia, California 91016 213-358-4563



